Excichem

Fine Laboratory Chemicals, Analytical Reagents, Biochemicals, Microscopical Stains & Indicators, Precious Metallic Salts, Rare Metals & research Chemicals, LR/AR grade chemicals, HPLC, High Purity Laboratory Chemicals, UV, Spectroscopy, GC grade Solvents.

Preface

Dear valued customer,

With deep routed customer centric business, we are pleased to provide you Excichem's Catalogue. In this catalogue you will find more than 3000 chemicals predominately for laboratory testing purposes and not restricting to Fine Laboratory Chemicals, Analytical Reagents, Bio-Chemicals, Microscopical Stains & Indicators, Precious Metallic Salts, Rare Metals & research Chemicals, LR/AR, HPLC, UV, Spectroscopy, GC grade Solvents but also as a sourcing house to accommodate various industry specific needs.

Our executive team has extensive experience both in chemicals and cross border distribution businesses. By ensuring that we work collaboratively, we are able to utilise our broad experience in order to deliver the best experience dealing with Excichem by providing quality products and services for which the onus is on us.

We are fully focussed on our customers and people, applying our values of Respect, Fairness, Teamwork, Professionalism and Integrity. We are committed to being the first choice for chemical through demonstrating delivering value, dependable, knowledgeable and innovative. We want to make doing business with us as easy as possible, so we spend a lot of time thinking up new or simpler ways to let customers get exactly what they need.

We're committed to identifying and sourcing our products that can contribute to your business sustainability and environmental protection goals. Finally we would like to thank and be highly obliged for the opportunity our valued customers have provided us to serve them better.

With best regards
Excichem management team.

Grades Of Purity

AR (ANALYTICAL REAGENT): Reagents essential for analytical purpose and research work having high purity. The certificate of guarantee give the minimum assay and maximum limits of trace impurities. These reagents complies maximum tests of ACS grades, GR, ANALAR, P.A. (Proanalysis) which are marketed by other international companies.

FOR SYNTHESIS: General purpose reagents having many potential applications in laboratories.

LR (LABORATORY REAGENTS): This grade consists of Pure, Extra Pure , Purified organic and inorganic chemicals having reliable accuracy in Routine Laboratory Analysis.

EP (EXTRA PURE), PURIFIED, PURE: Products suitable for qualitative and semi-quantitative work. Most of our "extra pure" products comply with "Pharma Copoeia" grades of all countries and preferentially used in the Pharmaceutical industries.

CP (CHEMICALLY PURE): Chemicals being used for regular practical having its original purity.

MICROSCOPY (M.S.): Highly purified Reagent for use in biochemical research and analysis. They are free from inhibits such as traces of heavy metals and tested with a view for biochemical work.

HPLC GRADE: This grade includes solvents, ion pair reagents and buffers of appropriate purity to be used as mobile phases in HPLC, particularly for biomolecular and ion separation. Key parameters such as UV absorbance, transmittance, non-volatile matter, moisture content, fluorescence impurities, and assay are very carefully controlled. Our solvents undergo highly efficient distillation, solid phase absorption and other chemical treatments. This allows us to eliminate impurities that could interfere in HPLC analysis. We carry out intensive quality control by means of UV spectroscopy.

SPECTROSCOPY GRADE: Nuclear magnetic resonance spectroscopy is the most commonly used technique in the structural analysis of compounds obtained by organic synthesis. It normally requires the sample to be dissolved in a solvent whose hydrogen atoms have been replaced with deuterium atoms. We offers deuterated solvents of differing isotopic purities. The most usual is 99.8% but we also have purities of up to 99.98%.

ION PAIR CHROMATOGRAPHY: Highly pure additives for ion pair chromatography are suitable for detection in the low UV range. Reagents of this special quality inspected by means of a filter test, a cyclovoltagram and gradient test at 205nm.

SINGLE ELEMENT STANDARD SOLUTIONS FOR AAS, ICP: AAS & ICP standard solutions are ready to use and traceable to NIST. These are manufactured from high purity D.I. Water, metal free acids and high purity metal and metal salts.

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
A					
25 mg	00001	ABSCISIC ACID	21293-29-8	00001 0025M	GB
100 mg		(ABA, Domin, Abscissin II) (Abscission-accelerating		00001 0100M	GB
1 gm		plant hormone) Assay : Min. 99% C15H20O4 M.W. 264.32		00001 00001	GB
500 gm	01621	ACACIA (confirming to IP)	9000-01-5	01621 00500	PB
5 Kg		(gum acacia powder)		01621 05000	PB
500 gm	1621A	ACACIA AR (enzyme free)	9000-01-5	1621A 00500	PB
100 gm	01626	ACENAPHTHENE (for synthesis)	83-32-9	01626 00100	GB
500 gm		Assay : Min. 97% C12H10 M.W. 154.21		01626 00500	GB
25 gm	1626A	ACENAPHTHYLENE	208-96-8	1626A 00025	GB
		Assay : Min. 75% C12H8 M.W. 152.19			
5 gm	01627	ACES BUFFER (For Molecular Biology)	7365-82-4	01627 00005	GB
25 gm		[N-(2-Acetamido)-2-aminoethane sulphonic acid]		01627 00025	GB
		Assay : Min. 99% C4H10N2O4S M.W. 182.20			
500 ml	00002	ACETALDEHYDE Solution (Ethanal)	75-07-0	00002 00500	GBT
		Assay : Min. 20-30% C2H4O M.W. 44.05, Liquid, d. 0.785			
100 gm	01628	ACETALDEHYDE DIETHYL ACETAL	105-57-7	01628 00100	GB
		Assay : Min. 98.5% C6H14O2 M.W. 118.17 , Liquid, d. 0.831			
500 gm	00003	ACETAMIDE (for synthesis) (Amide C2)	60-35-5	00003 00500	PB
		Assay : Min. 98% C2H5NO M.W. 59.07			
500 gm	01631	ACETAMIDE AR (Amide C2)	60-35-5	01631 00500	PB
		Assay : Min. 99% C2H5NO M.W. 59.07			
100 gm	1631A	ACETAMIDE (For Molecular Biology) (Amide C2)	60-35-5	1631A 00100	PB
100 gm	01632	ACETAMIDINIUM CHLORIDE (acetamidium hydrochloride)	124-42-5	01632 00100	PB
250 gm		Assay : Min. 98% C2H6N2·HCl M.W. 94.54		01632 00250	PB
		N-(2-Acetamido)-2-aminoethane sulphonic acid 99% See ACES Buffer Cat No.1627 Page 1			
50 gm	01633	4-ACETAMIDOBENZENE SULFONYL CHLORIDE	121-60-8	01633 00050	GB
		Assay : Min. 97.5% C8H8ClNO3S M.W. 233.67			
		N-(2-ACETAMIDO) IMINODIACETIC ACID 98% See ADA BUFFER Cat No.1697 Page 5			
		4-ACETAMIDOPHENOL Extra Pure See Paracetamol Cat No.1135D Page 146			
5 gm	1633A	4-ACETAMIDO TEMPO, free radical	14691-89-5	1633A 00005	GB
25 gm		Assay : Min. 98% C11H21N2O2 M.W. 213.30		1633A 00025	GB
		ACETAMINOPHEN Extra Pure See Paracetamol Cat No.1135D Page 146			
500 gm	00004	ACETANILIDE (for synthesis) (N-Phenylacetamide)	103-84-4	00004 00500	PB
5 Kg		Assay : Min. 98.5% C8H9NO M.W. 135.16		00004 05000	PB
500 gm	01636	ACETANILIDE AR(N-Phenylacetamide)	103-84-4	01636 00500	PB
		Assay : Min. 99% C8H9NO M.W. 135.16			
500 ml	01637	ACETATE BUFFER SOLUTION pH 4.6 Liquid, d. 1.000		01637 00500	PB
500 ml	00005	ACETIC ACID GLACIAL (for synthesis)	64-19-7	00005 00500	GBT
2.5 Lt		Assay : Min. 99.5% CH3CO2H M.W. 60.05		00005 02500	GBT
5 Lt		Liquid, d. 1.05		00005 05000	PC
25 Lt				00005 25000	PD
500 ml	00006	ACETIC ACID GLACIAL AR	64-19-7	00006 00500	GBT
2.5 Lt		Assay : Min. 99.7% CH3CO2H M.W. 60.05, Liquid, d. 1.05		00006 02500	GBT
500 ml	01641	ACETIC ACID GLACIAL AR (aldehyde free) (for cholestrol estimation)	64-19-7	01641 00500	GBT
2.5 Lt		Assay : Min. 99.7% CH3CO2H M.W. 60.05, Liquid, d. 1.05		01641 02500	GBT
500 ml	01646	ACETIC ACID GLACIAL for HPLC and spectroscopy	64-19-7	01646 00500	GBT
2.5 Lt		Assay : Min. 99.8% CH3CO2H M.W. 60.05, Liquid, d. 1.05		01646 02500	GBT
500 ml	1646A	ACETIC ACID GLACIAL (For Molecular Biology)	64-19-7	1646A 00500	GBT
		Assay : Min. 99.7% CH3CO2H M.W. 60.05, Liquid, d. 1.05			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	01651	ACETIC ACID 0.1M (0.1N) Standardized Solution traceable to NIST		01651 00500	PB
500 ml	01656	ACETIC ACID 1 Mol/L (1N) Standardized Solution traceable to NIST		01656 00500	PB
500 ml	1656A	ACETIC ACID 2M (2N) Standardized Solution traceable to NIST		1656A 00500	PB
25 gm	1656B	ACETIC ACID HYDRAZIDE (For synthesis) (acetic hydrazide)	1068-57-1	1656B 00025	GB
		Assay : Min. 96% C2H6N2O M.W. 74.08			
500 gm	00008	ACETOACETANILIDE (for synthesis)	102-01-2	00008 00500	PB
		Assay : Min. 98% C10H11NO2 M.W. 177.20			
		ACETOACETIC ESTER ETHYL See Ethyl Acetoacetate Cat No.677 Page 87			
		ACETOACETIC ESTER METHYL See Methyl Acetoacetate Cat No.1006 Page 129			
10 gm	01657	ACETOBROMO-a-D-GLUCOSE	572-09-8	01657 00010	GB
		Assay : Min. 95% C14H19BrO9 M.W. 411.2			
100 ml	00009	ACETO CARMINE solution (for microscopical staining)		00009 00100	GBC
250 ml		(carmine aceto solution) Liquid, d. 0.88		00009 00250	GBT
100 ml	01661	ACETO CARMINE solution AR		01661 00100	GBC
		(carmine aceto solution) Liquid, d. 0.88			
1 gm	01662	ACETOHYDROXAMIC ACID	546-88-3	01662 00001	GB
5 gm		Assay : Min. 98% C2H5NO2 M.W. 75.07		01662 00005	GB
50 gm	1662A	1-ACETONAPHTHONE	941-98-0	1662A 00050	PB
250 gm		(1-Acetylnaphthalene) (Methyl-1-naphthyl ketone)		1662A 00250	PB
		Assay : Min. 95% C12H10O M.W. 170.21, Liquid, d. 1.12			
500 ml	00010	ACETONE (for synthesis)	67-64-1	00010 00500	GBT
2.5 Lt		Assay : Min. 98% (CH3)2CO M.W. 58.08		00010 02500	GBT
5 Lt		Liquid, d. 0.791		00010 05000	PC
25 Lt				00010 25000	PD
500 ml	00011	ACETONE AR	67-64-1	00011 00500	GBT
2.5 Lt		Assay : Min. 99.5% (CH3)2CO M.W. 58.08, Liquid, d. 0.791		00011 02500	GBT
500 ml	01666	ACETONE for HPLC and spectroscopy	67-64-1	01666 00500	GBT
2.5 Lt		Assay : Min. 99.8% (CH3)2CO M.W. 58.08, Liquid, d. 0.791		01666 02500	GBT
500 ml	0011A	ACETONE (For Molecular Biology)	67-64-1	0011A 00500	GBT
2.5 Lt		Assay : Min. 99.8% (CH3)2CO M.W. 58.08, Liquid, d. 0.791		0011A 02500	GBT
500 ml	1666A	ACETONE ALCOHOL(decolourizer 50% solution)	116-09-6	1666A 00500	GBT
		Liquid, d. 1.082			
250 ml	01667	ACETONE CYANOHYDRIN (for synthesis)	75-86-5	01667 00250	GBT
		Assay : Min. 98.5% C4H7NO M.W. 85.10, Liquid, d. 0.932			
50 gm	01668	1,3-ACETONEDICARBOXYLIC ACID	542-05-2	01668 00050	GB
		(3-ketoglutaric acid) Assay : Min. 95% C5H6O5 M.W. 146.1			
10 gm	1668A	ACETONE OXIME(acetoxime)	127-06-0	1668A 00010	GB
50 gm		Assay : Min. 99% C3H7NO M.W. 73.09		1668A 00050	GB
500 ml	00012	ACETONITRILE (for synthesis)	75-05-8	00012 00500	GBT
2.5 Lt		Assay : Min. 99% CH3CN M.W. 41.05, Liquid, d. 0.786		00012 02500	GBT
500 ml	0012A	ACETONITRILE AR	75-05-8	0012A 00500	GBT
2.5 Lt		Assay : Min. 99.5% CH3CN M.W. 41.05, Liquid, d. 0.786		0012A 02500	GBT
500 ml	01671	ACETONITRILE for HPLC and spectroscopy	75-05-8	01671 00500	GBT
2.5 Lt		Assay : Min. 99.9% CH3CN M.W. 41.05, Liquid, d. 0.786		01671 02500	GBT
1 Lt	1671A	ACETONITRILE HPLC Gradient	75-05-8	1671A 01000	GBT
2.5 Lt		Assay : Min. 99.9% CH3CN M.W. 41.05, Liquid, d. 0.786		1671A 02500	GBT
1 Lt	1671B	ACETONITRILE PREPARATIVE HPLC	75-05-8	1671B 01000	GBT
2.5 Lt		Assay : Min. 99.7% CH3CN M.W. 41.05, Liquid, d. 0.786		1671B 02500	GBT
1 Lt	1671C	ACETONITRILE LCMS	75-05-8	1671C 01000	GBT
2.5 Lt		Assay : Min. 99.9% CH3CN M.W. 41.05, Liquid, d. 0.786		1671C 02500	GBT
1 Lt	1671D	ACETONITRILE for DNA Synthesis	75-05-8	1671D 01000	GBT
2.5 Lt		Assay : Min. 99.5% CH3CN M.W. 41.05, Liquid, d. 0.786		1671D 02500	GBT
100 ml	00013	ACETO ORCEIN solution Liquid, d. 1.03		00013 00100	GBC
		(orcein aceto solution) (connective tissue stain)			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	00014	ACETOPHENONE (for synthesis)	98-86-2	00014 00500	GBT
2.5 Lt		Assay : Min. 99% C8H8O M.W. 120.15, Liquid, d. 1.03		00014 02500	GBT
500 ml	01676	ACETOPHENONE AR	98-86-2	01676 00500	GBT
		Assay : Min. 99.5% C8H8O M.W. 120.15, Liquid, d. 1.03			
25 gm	01677	2-ACETOXYACETOPHENONE	7250-94-4	01677 00025	GB
100 gm		(2-acetylphenyl acetate) Assay : Min. 97.5% C10H10O3 M.W. 178.18		01677 00100	GB
250 ml	0014A	ACETYL ACETONE (for synthesis)	123-54-6	0014A 00250	GBT
500 ml		Assay : Min. 98% C5H8O2 M.W. 100.12, Liquid, d 0.973		0014A 00500	GBT
250 ml	00015	ACETYL ACETONE AR	123-54-6	00015 00250	GBT
500 ml		Assay : Min. 99.5% C5H8O2 M.W. 100.12, Liquid, d 0.973		00015 00500	GBT
250 ml	0015A	ACETYL BROMIDE (for synthesis)	506-96-7	0015A 00250	GBT
500 ml		Assay : Min. 98% CH3COBr M.W. 122.95, Liquid, d. 1.65		0015A 00500	GBT
250 ml	01681	ACETYL BROMIDE AR	506-96-7	01681 00250	GBT
500 ml		Assay : Min. 99% CH3COBr M.W. 122.95, Liquid, d. 1.65		01681 00500	GBT
100 gm	1681A	a-ACETYL-y-BUTYROLACTONE (2-acetylbutyrolactone)	517-23-7	1681A 00100	GB
500 gm		Assay : Min. 98% C6H8O3 M.W. 128.13, Liquid, d. 1.19		1681A 00500	GB
100 ml	1681B	n-ACETYL CAPROLACTAM	1888-91-1	1681B 00100	GB
250 ml		Assay : Min. 98% C8H13NO2 M.W. 155.19, Liquid, d. 1.094		1681B 00250	GB
500 ml	00016	ACETYL CHLORIDE (for synthesis)	75-36-5	00016 00500	GB
2.5 Lt		Assay : Min. 98-102% CH3COCl M.W. 78.50 , Liquid, d. 1.10		00016 02500	GB
500 ml	0016D	ACETYL CHLORIDE AR	75-36-5	0016D 00500	GB
		Assay : Min. 99% CH3COCl M.W. 78.50 , Liquid, d. 1.10			
5 gm	0016A	O-ACETYL CHOLINE BROMIDE (store in refrigerator)	66-23-9	0016A 00005	GB
25 gm		Assay : Min. 99% C7H16BrNO2 M.W. 226.11		0016A 00025	GB
5 gm	0016B	ACETYL CHOLINE CHLORIDE AR	60-31-1	0016B 00005	GB
25 gm		(store in refrigerator) Assay : Min. 99% C7H16ClNO2 M.W. 181.66		0016B 00025	GB
5 gm	0016C	ACETYL CHOLINE IODIDE AR	2260-50-6	0016C 00005	GB
25 gm		(store in refrigerator) Assay : Min. 99% C7H16INO2 M.W. 273.11		0016C 00025	GB
10 gm	01682	N-ACETYL-L-CYSTEINE (for biochemistry)	616-91-1	01682 00010	GB
100 gm		Assay : Min. 99% C5H9NO3S M.W. 163.19		01682 00100	GB
5 gm	0016E	ACETYLENEDICARBOXYLIC ACID	142-45-0	0016E 00005	GB
		Assay : Min. 98.5% C4H2O4 M.W. 114.06			
250 ml	01683	ACETYLENE TETRABROMIDE (1,1,2,2-tetrabromo ethane)	79-27-6	01683 00250	GB
500 ml		Assay : Min. 98% C2H2Br4 M.W. 345.67, Liquid, d. 2.967		01683 00500	GB
5 gm	0016F	2-ACETYLFLUORENE (for synthesis)	781-73-7	0016F 00005	GB
		Assay : Min. 98% C15H12O M.W. 208.26			
50 gm	0016G	2-ACETYLFURAN [1-(2-Furanyl)ethanone] (2-Furyl methyl ketone)	1192-62-7	0016G 00050	GB
250 gm		Assay : Min. 99% C6H6O2 M.W. 110.11		0016G 00250	PB
25 gm	1682A	N-ACETYL-L-GLUTAMIC ACID	1188-37-0	1682A 00025	GB
100 gm		Assay : Min. 99% C7H11NO5 M.W. 189.17		1682A 00100	PB
50 gm	1682B	N-ACETYL-L-GLUTAMINE	2490-97-3	1682B 00050	GB
		Assay : Min. 98% C7H12N2O4 M.W. 188.18			
100 gm	0016H	N-ACETYLGLYCINE	543-24-8	0016H 00100	PB
500 gm		Assay : Min. 99% C4H7NO3 M.W. 117.1		0016H 00500	PB
100 gm	0016D	N-ACETYL-DL-METHIONINE Extra pure	1115-47-5	0016D 00100	GB
		Assay : Min. 99% C7H13NSO3 M.W. 191.25			
5 gm	1682C	2-ACETYL-5-METHYLTHIOPHENE	13679-74-8	1682C 00005	GB
		Assay : Min. 97.5% C7H8OS M.W. 140.2, Liquid, d. 1.106			
100 ml	1682D	1-ACETYL NAPHTHALENE (for synthesis)	941-98-0	1682D 00100	GB
250 ml		Assay : Min. 97.5% C12H10O M.W. 170.21, liquid, d. 1.12		1682D 00250	GB
50 gm	1682E	2-ACETYL NAPHTHALENE	93-08-3	1682E 00050	GB
		Assay : Min. 98.5% C12H10O M.W. 170.21			
25 gm	1682F	1-ACETYL-2-PHENYLHYDRAZINE	114-83-0	1682F 00025	GB
100 gm		Assay : Min. 98% C8H10N2O M.W. 150.18		1682F 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
10 gm	1683A	1-ACETYL-4-PIPERIDONE	32161-06-1	1683A 00010	GB
25 gm		Assay : Min. 94% C7H11NO2 M.W. 141.17, Liquid, d. 1.146		1683A 00025	GB
25 gm	1683B	4-ACETYLPYRIDINE	1122-54-9	1683B 00025	GB
100 gm		Assay : Min. 96.5% C7H7NO M.W. 121.14		1683B 00100	PB
5 gm	1683C	2-ACETYLPYRROL	1072-83-9	1683C 00005	GB
		Assay : Min. 98% C6H7NO M.W. 109.13			
25 gm	1683D	5-ACETYLSALICYLAMIDE	40187-51-7	1683D 00025	GB
100 gm		Assay : Min. 98% C9H9NO3 M.W. 179.17		1683D 00100	PB
500 gm	00017	ACETYL SALICYLIC ACID (for synthesis) (aspirin)	50-78-2	00017 00500	PB
		Assay : Min. 99% C9H8O4 M.W. 180.15			
500 gm	1686	ACETYL SALICYLIC ACID AR (aspirin)	50-78-2	01686 00500	PB
		Assay : Min. 99.5% C9H8O4 M.W. 180.15			
25 gm	1686A	2-ACETYLTHIOPHENE (for synthesis)	88-15-3	1686A 00025	GB
100 gm		(Methyl-2-Thienyl ketone)		1686A 00100	PB
		Assay : Min. 98% C6H6OS M.W. 126.18, Liquid, d. 1.168			
25 gm	1668B	ACETYLTHIOUREA	591-08-2	1668B 00025	GB
		Assay : Min. 98% C3H6N2OS M.W. 118.16			
25 gm	01687	N-ACETYL-DL-TRYPTOPHANE (for biochemistry) (AC-DL-Trp-OH)	87-32-1	01687 00025	GB
		Assay : Min. 99% C13H14N2O3 M.W. 246.27			
		ACID FUCHSIN See Fuchsin Acid Cat No.758 & 759 Page 96			
10 gm	0017A	ACRIDINE ORANGE (M.S.) (C.I. No.46005)	494-38-2	0017A 00010	GB
25 gm		Dye Content : Min. 75% C17H19N3 M.W. 265.35		0017A 00025	GB
25 gm	00018	ACRIFLAVIN, NEUTRAL (For Molecular Biology)	8048-52-0	00018 00025	GB
100 gm		(C.I. No.46000)		00018 00100	PB
500 gm		C14H14ClN3 M.W. 259.74		00018 00500	PB
500 gm	00019	ACRYLAMIDE (for synthesis)	79-06-1	00019 00500	PB
		Assay : Min. 98% C3H5NO M.W. 71.08			
25 gm	0019A	ACRYLAMIDE (For Molecular Biology)	79-06-1	0019A 00025	PB
100 gm		Assay : Min. 99.9% C3H5NO M.W. 71.08		0019A 00100	PB
100 gm	01691	ACRYLAMIDE AR	79-06-1	01691 00100	PB
		Assay : Min. 99% C3H5NO M.W. 71.08			
50 gm	01692	2-ACRYLAMIDO-2-METHYLPROPANE SULPHONIC ACID (AMPS)	15214-89-8	01692 00050	GB
250 gm		Assay : Min. 98% C7H13NO4S M.W. 207.25		01692 00250	PB
500 ml	00020	ACRYLIC ACID (for synthesis)	79-10-7	00020 00500	GB
		Assay : Min. 99% C3H4O2 M.W. 72.06, Liquid, d. 1.05			
500 ml	00021	ACRYLONITRILE (for synthesis) (vinyl cyanide)	107-13-1	00021 00500	GBT
2.5 Lt		Assay : Min. 99% CH2CH.CN M.W. 53.06, Liquid, d. 0.81		00021 02500	GBT
500 ml	01696	ACRYLONITRILE AR (vinyl cyanide)	107-13-1	01696 00500	GBT
		Assay : Min. 99.5% CH2CH.CN M.W. 53.06, Liquid, d. 0.81			
1 gm	0021A	ACTIDIONE AR (cycloheximide)	66-81-9	0021A 00001	GB
5 gm		Assay : Min. 94% C15H23NO4 M.W. 281.35		0021A 00005	GB
500 gm	00022	ACTIVATED CHARCOAL	7440-44-0	00022 00500	PB
5 Kg		(decolorizing powder) (charcoal activated powder)		00022 05000	PB
25 Kg		C A.W. 12.01		00022 25000	PB
500 gm	01701	ACTIVATED CHARCOAL STRONG	7440-44-0	01701 00500	PB
5 Kg		(decolourising powder, acid washed), C A.W. 12.01		01701 05000	PB
100 gm	0022A	ACTIVATED CHARCOAL AR (phosphorous free powder)	7440-44-0	0022A 00100	PB
250 gm		C (phosphorous free powder) A.W. 12.01		0022A 00250	PB
500 gm	00023	ACTIVATED CHARCOAL (granular) (2.5 – 5.0 mm)	7440-44-0	00023 00500	PB
5 Kg		C A.W. 12.01		00023 05000	PB
25 gm	01697	ADA BUFFER [N-(2-acetamido) iminodiacetic acid]	26239-55-4	01697 00025	GB
100 gm		Assay : Min. 98% C6H10N2O5 M.W.190.16		01697 00100	GB
		ADAM'S CATALYST (abt. 80% Pt) See Platinum Oxide hydrate Cat No.1208 Page 179			
5 gm	0023A	ADENINE (for biochemistry)	73-24-5	0023A 00005	GB
25 gm		Assay : Min. 99% C5H5N5 M.W. 135.13		0023A 00025	GB
10 gm	0023B	ADENINE SULPHATE AR (adenine hemisulphate)	321-30-2	0023B 00010	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		Assay : Min. 99% (C5H5N5)2.1/2H2SO4 M.W. 184.17		0023B 00025	GB
5 gm	0023C	ADENOSINE (for biochemistry)	58-61-7	0023C 00005	GB
25 gm		Assay : Min. 99% C10H13N5O4 M.W. 267.25		0023C 00025	GB
1 gm	0023D	ADENOSINE-5-DIPHOSPHORIC ACID DISODIUM SALT	16178-48-6	0023D 00001	GB
5 gm		(for Molecular Biology) (A.D.P.)		0023D 00005	GB
		Assay : Min. 90% C10H13N5Na2O10P2 M.W. 471.16			
1 gm	0023E	ADENOSINE-5-MONOPHOSPHORIC ACID SODIUM SALT	4578-31-8	0023E 00001	GB
5 gm		(for biochemistry) (A.M.P.)		0023E 00005	GB
		Assay : Min. 95% C10H12N5Na2O7P M.W. 391.19			
1 gm	0023F	ADENOSINE-5-TRIPHOSPHORIC ACID DISODIUM SALT	987-65-5	0023F 00001	GB
5 gm		(for Molecular Biology) (A.T.P.)		0023F 00005	GB
		Assay : Min. 98% C10H14N5Na2O13P3 M.W. 551.15			
500 gm	00024	ADIPIC ACID Extra Pure	124-04-9	00024 00500	PB
5 Kg		Assay : Min. 99% C6H10O4 M.W. 146.14		00024 05000	PB
500 gm	01706	ADIPIC ACID AR	124-04-9	01706 00500	PB
		Assay : Min. 99.5% C6H10O4 M.W. 146.14			
5 gm	0024A	ADONITOL (for biochemistry) (adonite, ribitol)	488-81-3	0024A 00005	GB
25 gm		Assay : Min. 99% C5H12O5 M.W. 152.15		0024A 00025	GB
1 gm	0024B	L-ADRENALINE AR	51-43-4	0024B 00001	GB
5 gm		(epinephrine)		0024B 00005	GB
25 gm		Assay : Min. 97% C9H13NO3 M.W. 183.21		0024B 00025	GB
1 gm	0024C	ADRENALINE BITARTRATE AR (adrenaline hydrogen tartrate)	51-42-3	0024C 00001	GB
5 gm		Assay : Min. 98% C13H19NO9 M.W. 333.29		0024C 00005	GB
1 gm	0024D	DL-nor-ADRENALINE (purified)	138-65-8	0024D 00001	GB
		Assay : Min. 99% C8H11NO3 M.W. 169.18			
250 gm	00025	AEROSIL 200 Extra pure	7631-86-9	00025 00250	PB
500 gm		SiO2 M.W. 60.08		00025 00500	PB
5 gm	0025A	AESCULIN (esculin)	66778-17-4	0025A 00005	GB
25 gm		Assay : Min. 98% C15H16O9.1.5H2O M.W. 367.31		0025A 00025	GB
250 gm	00026	AGAR AGAR POWDER (food grade)	9002-18-0	00026 00250	PB
500 gm		(C12H18O9)n		00026 00500	PB
5 Kg				00026 05000	PB
100 gm	00027	AGAR AGAR POWDER (for bacteriology)	9002-18-0	00027 00100	PB
500 gm		(C12H18O9)n		00027 00500	PB
5 Kg				00027 05000	PB
250 gm	0027A	AGAR AGAR POWDER (for microbiology)	9002-18-0	0027A 00250	PB
500 gm		(C12H18O9)n		0027A 00500	PB
10 gm	01716	AGAROSE (H) (high EEO) (For Microbiology)	9012-36-6	01716 00010	GB
100 gm		(Nuclease and Protease free)		01716 00100	PB
10 gm	01721	AGAROSE (L) (low EEO) (For Microbiology)	9012-36-6	01721 00010	GB
100 gm		(Nuclease and Protease free)		01721 00100	PB
10 gm	0027B	AGAROSE (M) (medium EEO) (For Microbiology)	9012-36-6	0027B 00010	GB
100 gm		(Nuclease and Protease free)		0027B 00100	PB
500 ml	01726	AJOWAN OIL Extra PureLiquid, d. 0.910 to 0.930	8001-99-8	01726 00500	GB
25 gm	0027C	B-ALANINE (for biochemistry)	107-95-9	0027C 00025	GB
100 gm		(B-aminopropionic acid) Assay : Min. 99% C3H7NO2 M.W. 89.09		0027C 00100	PB
1 gm	1726A	D-ALANINE (for biochemistry)	338-69-2	1726A 00001	GB
5 gm		(D-2-aminopropionic acid)		1726A 00005	GB
25 gm		Assay : Min. 99% C3H7NO2 M.W. 89.09		1726A 00025	GB
25 gm	0027D	DL-ALANINE (for biochemistry)	302-72-7	0027D 00025	GB
100 gm		(DL-aminopropionic acid) Assay : Min. 99% C3H7NO2 M.W. 89.09		0027D 00100	GB
25 gm	0027E	L-ALANINE (for biochemistry) (2-aminopropionic acid)	56-41-7	0027E 00025	GB
100 gm		Assay : Min. 98% C3H7NO2 M.W. 89.09		0027E 00100	GB
1 gm	01727	ALAR (B-9) AR (succinic acid-2,2-dimethyl hydrazide)	1596-84-5	01727 00001	GB
5 gm		Assay : Min. 99% C6H12N2O3 M.W. 160.17		01727 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	01728	ALBENDAZOLE	54965-21-8	01728 00025	GB
100 gm		Assay : Min. 98% C12H15N3O2S M.W. 265.33		01728 00100	PB
125 ml	00028	ALBERT STAIN 'A'		00028 00125	GB
500 ml		(solution)		00028 00500	GB
125 ml	00029	ALBERT STAIN 'B'		00029 00125	GB
500 ml		(solution)		00029 00500	GB
5 gm	00030	ALBUMIN BOVINE FRACTION V (For Molecular Biology)	9048-46-8	00030 00005	GB
10 gm		(Nuclease and Protease free)		00030 00010	GB
100 gm		Assay : Min. 98% Store at 2 - 8°C		00030 00100	GB
250 gm	00031	ALBUMIN EGG (flakes)	9006-59-1	00031 00250	PB
500 gm				00031 00500	PB
250 gm	0031A	ALBUMIN EGG (powder)	9006-59-1	0031A 00250	PB
500 gm				0031A 00500	PB
5 gm	00032	ALCIAN BLUE 8 GX (For Molecular Biology)	75881-23-1	00032 00005	GB
10 gm		(C.I.No.74240)		00032 00010	GB
25 gm				00032 00025	GB
100 ml	01731	ALCIAN BLUE Solution		01731 00100	PB
		(for Microscopy clear, permanent stain for mucin)			
		ALGIN Extra Pure See sodium alginate Cat No.1346 & 1346A Page 176			
500 gm	00033	ALGINIC ACID	9005-32-7	00033 00500	PB
25 gm	00034	ALIZARIN AR (pH indicator) (C.I.No.58000)	72-48-0	00034 00025	GB
100 gm		Dye Content : Min. 97% C14H8O4 M.W. 240.22		00034 00100	PB
1 gm	00035	ALIZARIN COMPLEXONE (3-aminomethyl alizarin-N,N1-diacetic acid)	3952-78-1	00035 00001	GB
5 gm		Assay : Min. 88% C19H15NO8.2H2O M.W. 421.36		00035 00005	GB
25 gm	00036	ALIZARIN CYANINE GREEN (C.I. No.61570)	4403-90-1	00036 00025	GB
100 gm		Dye Content : Min. 75% C28H20N2Na2O8S2 M.W. 622.59		00036 00100	PB
25 gm	00037	ALIZARIN RED S (pH indicator)	130-22-3	00037 00025	GB
100 gm		(C.I. No.58005) (sodium alizarin sulphonate)		00037 00100	GB
		Dye Content : Min. 70% C14H7NaO7S M.W. 342.3			
25 gm	0037A	ALIZARIN RED S AR (pH indicator)	130-22-3	0037A 00025	GB
100 gm		(C.I. No.58005) (sodium alizarin sulphonate)		0037A 00100	GB
		Dye Content : Min. 70% C14H7NaO7S M.W. 342.3			
5 gm	00038	ALIZARIN YELLOW GG (C.I. No.14025)	584-42-9	00038 00005	GB
10 gm		Dye Content : Min. 50% C13H8N3NaO5 M.W. 309.21		00038 00010	GB
5 gm	00039	ALKALI BLUE 6B (indicator) (C.I. No.42750)	1324-76-1	00039 00005	GB
25 gm		Dye Content : 50% C37H30N3NaO4S M.W. 635.71		00039 00025	GB
125 ml	01732	ALKALI BLUE 6B indicator solution		01732 00125	GB
500 ml		Liquid, d. 0.800		01732 00500	GB
500 ml	0039A	ALKALINE COPPER TARTRATE (folin & wu's alkaline copper solution)		0039A 00500	PB
100 gm	0039B	ALLANTOIN	97-59-6	0039B 00100	PB
500 gm		(fine powder)		0039B 00500	PB
1 Kg		Assay : Min. 98-102% C4H6N4O3 M.W. 158.12		0039B 01000	PB
25 gm	00040	ALLOXAN (hydrate)	2244-11-3	00040 00025	GB
		Assay : Min. 98% C4H2N2O4.H2O M.W. 160.09			
500 ml	00041	ALLYL ALCOHOL (for synthesis)	107-18-6	00041 00500	GBT
		Assay : Min. 99% C3H6O M.W. 58.08, Liquid, d. 0.854			
250 ml	0040A	ALLYLAMINE (for synthesis)	107-11-9	0040A 00250	GBT
1 Lt		(2-Propen-1-ylamine, 3-Amino-1-propene)		0040A 01000	GBT
		Assay : Min. 99% C3H7N M.W. 57.10, Liquid, d. 0.761			
5 gm	0041A	N-ALLYLANILINE	589-09-3	0041A 00025	GB
		Assay : Min. 95% C9H11N M.W. 133.19, Liquid, d. 0982			
250 ml	00042	ALLYL BROMIDE (for synthesis) (3-bromo-1-propene),Liquid, d. 1.398	106-95-6	00042 00250	GBT
500 ml		Assay : Min. 98% C3H5Br M.W. 120.98		00042 00500	GBT
500 ml	00043	ALLYL CHLORIDE (for synthesis)	107-05-1	00043 00500	GBT

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		(3-chloro-1-propene) Assay : Min. 98% C3H5Cl			
		M.W. 76.52, Liquid, d. 0.939			
25 ml	0043A	ALLYL IODIDE (for synthesis)	556-56-9	0043A 00025	GBC
100 ml		Assay : Min. 98% C3H5I M. W. 167.98, Liquid, d. 1.837		0043A 00100	GBC
50 gm	0043B	ALLYL ISOTHIOCYANATE	57-06-7	0043B 00050	GB
		Assay : Min. 92% C4H5NS M.W. 99.15, Liquid, d. 1.013			
100 gm	0043C	2-ALLYLPHENOL	1745-81-9	0043C 00100	GB
		Assay : Min. 99% C9H10O M.W. 134.18, Liquid, d. 1.02			
25 gm	0043D	N-ALLYLTHIOUREA (thiosinamine)	109-57-9	0043D 00025	GB
		Assay : Min. 98% C4H8N2S M.W. 116.18			
500 ml	00044	ALMOND OIL Extra Pure (bitter) Liquid, d. 0.910-0.915	8007-69-0	00044 00500	GB
500 ml	0044A	ALMOND OIL Extra Pure (sweet) Liquid, d. 0.910-0.915	8007-69-0	0044A 00500	GB
		ALPHA BENZOINOXIME AR See a-Benzoin Oxime Cat No.250 Page 28			
		ALUM AMMONIUM See Aluminium Ammonium Sulphate Cat No.048 & 049 Page 8			
		ALUM CHROME POTASSIUM See Chromium (III) Potassium Sulphate Cat No.485 & 485A Page 59			
		ALUM POTASSIUM (alum potash) See Aluminium Potassium Sulphate Cat No.067 & 067A Page 9			
125 ml	0044B	ALUMINIUM AAS STANDARD SOLUTION		0044B 00125	GB
500 ml		1000mg/L in Nitric Acid Liquid, d. 1.02		0044B 00500	GB
125 ml	0044C	ALUMINIUM ICP STANDARD SOLUTION		0044C 00125	GB
		1000mg/L in Nitric Acid Liquid, d. 1.02			
125 ml	0044D	ALUMINIUM ICP STANDARD SOLUTION		0044D 00125	GB
		10000mg/L in Nitric Acid Liquid, d. 1.02			
500 gm	00045	ALUMINIUM (metal) FOIL (thin)	7429-90-5	00045 00500	PB
		Assay : Min. 99% Al M.W 26.98			
250 gm	0045A	ALUMINIUM (metal) FOIL AR (thin)	7429-90-5	0045A 00250	PB
		Assay : Min. 99.9% Al M.W 26.98			
500 gm	00046	ALUMINIUM (metal) POWDER	7429-90-5	00046 00500	PB
		Assay : Min. 99.7% Al M.W 26.98			
500 gm	00047	ALUMINIUM ACETATE	142-03-0	00047 00500	PB
		Assay : Min. 12.5-18.4% (Al Basis) C4H7AlO5 M. W. 162.08			
100 gm	01734	ALUMINIUM ACETYL ACETONATE (for synthesis)	13963-57-0	01734 00100	PB
500 gm		(aluminium 2,4-pentanedionate)		01734 00500	PB
		Assay : Min. 98% C15H21AlO6 M.W. 324.31			
500 gm	00048	ALUMINIUM AMMONIUM SULPHATE (dodecahydrate)	7784-26-1	00048 00500	PB
5 Kg		(ammonium aluminium sulphate)		00048 05000	PB
		Assay : Min. 99% AlNH4O8S2.12H2O M.W. 453.33			
500 gm	00049	ALUMINIUM AMMONIUM SULPHATE AR (dodecahydrate)	7784-26-1	00049 00500	PB
5 Kg		(ammonium aluminium sulphate)		00049 05000	PB
		Assay : Min. 99.5% AlNH4O8S2.12H2O M.W. 453.33			
500 gm	00050	ALUMINIUM BENZOATE	555-32-8	00050 00500	PB
		C21H15AlO6 M.W. 390.32			
500 gm	00051	ALUMINIUM BORATE	11121-16-7	00051 00500	PB
		2Al2O3.B2O3 M.W. 273.54			
500 gm	00052	ALUMINIUM BROMIDE	7727-15-3	00052 00500	PB
		Assay : Min. 98% AlBr3 M.W. 266.69			
500 gm	00053	ALUMINIUM CARBONATE	1339-92-0	00053 00500	PB
500 gm	00054	ALUMINIUM CHLORIDE (anhydrous)	7446-70-0	00054 00500	GB
		Assay : Min. 98% AlCl3 M.W. 133.34			
500 gm	00055	ALUMINIUM CHLORIDE (hexahydrate)	7784-13-6	00055 00500	GB
		Assay : Min. 98% AlCl3.6H2O M.W. 241.45			
500 gm	0055A	ALUMINIUM CHLORIDE (hexahydrate) AR	7784-13-6	0055A 00500	GB
		Assay : Min. 99% AlCl3.6H2O M.W. 241.45			
500 gm	0056A	ALUMINIUM CITRATE	31142-56-0	0056A 00500	PB
		Assay : Min. 12% (Al) C6H5AlO7 M.W. 216.08			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	00057	ALUMINIUM FLUORIDE (3-hydrate)	15098-87-0	00057 00500	PB
		Assay : min. 97% AlF3.3H2O M.W. 138.02			
500 gm	01736	ALUMINIUM FLUORIDE (3-hydrate) AR	15098-87-0	01736 00500	PB
		Assay : min. 97.5% AlF3.3H2O M.W. 138.02			
500 gm	0057A	ALUMINIUM FORMATE	7360-53-4	0057A 00500	PB
		C3H3AlO6 M.W 162.03			
500 gm	00058	ALUMINIUM HYDROXIDE GEL	21645-51-2	00058 00500	PB
5 Kg		(light powder)		00058 05000	PB
25 Kg		Assay (as Al2O3) : 47-60% Al(OH)3 M.W. 78.00		00058 25000	PB
100 gm	00060	ALUMINIUM IODIDE	7784-23-8	00060 00100	PB
250 gm		Assay : Min. 95% AlI3 M.W. 407.70		00060 00250	PB
500 gm	00061	ALUMINIUM ISOPROPOXIDE	555-31-7	00061 00500	PB
		(aluminium isopropylate) Assay : Min. 98% C9H21AlO3 M.W. 204.24			
		ALUMINIUM LITHIUM HYDRIDE See Lithium Aluminium Hydride Cat No.890C Page 118			
		ALUMINIUM MAGNESIUM SILICATE See Veegum Cat No.1571A Page 208			
		ALUMINIUM NICKEL ALLOY POWDER See Nickel Aluminium Alloy Cat No.1064 Page 138			
500 gm	00062	ALUMINIUM NITRATE (nonahydrate)	7784-27-2	00062 00500	PB
		Assay : Min. 98% Al(NO3)3.9H2O M.W. 375.13			
500 gm	0062A	ALUMINIUM NITRATE (nonahydrate) AR	7784-27-2	0062A 00500	PB
		Assay : Min. 98.5% Al(NO3)3.9H2O M.W. 375.13			
500 gm	00063	ALUMINIUM OXALATE	814-87-9	00063 00500	PB
		Assay : Min. 98% C6Al2O12 M.W. 318.02			
500 gm	00064	ALUMINIUM OXIDE (practical) (calcined white)	1344-28-1	00064 00500	PB
		Assay : Min. 98% Al2O3 M.W. 101.96			
500 gm	00065	ALUMINIUM OXIDE (active) ACIDIC	1344-28-1	00065 00500	PB
5 Kg		(for column chromatography, pH 3.5 to 4.5) Al2O3 M.W. 101.96		00065 05000	PB
500 gm	0065A	ALUMINIUM OXIDE (active) BASIC	1344-28-1	0065A 00500	PB
5 Kg		(for column chromatography, pH 8.5 to 9.5) Al2O3 M.W. 101.96		0065A 05000	PB
500 gm	0065B	ALUMINIUM OXIDE (active) NEUTRAL	1344-28-1	0065B 00500	PB
5 Kg		(for column chromatography, pH 6.5 to 7.5) Al2O3 M.W. 101.96		0065B 05000	PB
500 gm	0065C	ALUMINIUM OXIDE G (NEUTRAL)	1344-28-1	0065C 00500	PB
		(for TLC, contents 10% CaSO4) Al2O3 M.W. 101.96			
		ALUMINIUM 2,4-PENTANEDIONATE See Aluminium Acetyl Acetonate Cat No. 1734 Page 8			
500 gm	00066	ALUMINIUM PHOSPHATE	7784-30-7	00066 00500	PB
		Assay : Min. 98% AlO4P M.W. 121.95			
500 gm	00067	ALUMINIUM POTASSIUM SULPHATE (dodecahydrate)	7784-24-9	00067 00500	PB
5 Kg		(alum potash) (alum potassium)		00067 05000	PB
		Assay : Min. 99.5% AlKO8S2 .12H2O M.W. 474.38			
500 gm	0067A	ALUMINIUM POTASSIUM SULPHATE AR (dodecahydrate)	7784-24-9	0067A 00500	PB
5 Kg		(alum potash) (alum potassium)		0067A 05000	PB
		Assay : Min. 99%-102% AlKO8S2 .12H2O M.W. 474.38			
500 gm	0067B	ALUMINIUM SILICATE (powder) (hydrate)	12141-46-7	0067B 00500	PB
		Al2O5Si M.W. 162.05			
500 gm	0067C	ALUMINIUM SILICOFLUORIDE	17099-70-6	0067C 00500	PB
		(aluminium fluosilicate)			
500 gm	0067D	ALUMINIUM SODIUM PHOSPHATE	7785-88-8	0067D 00500	PB
		AlNa3O8P2 M.W 285.89			
500 gm	00068	ALUMINIUM STEARATE	637-12-7	00068 00500	PB
		Assay : Min. 6.5-8.9% (as Al2O3) [CH3(CH2)16COO]3Al M.W. 877.35			
500 gm	00069	ALUMINIUM SULPHATE (practical)(18-hydrate)	7784-31-8	00069 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		(iron free) Assay [as Al2(SO4)3] : 51.0 – 59.0%		00069 05000	PB
		Al2(SO4)3.18H2O M.W. 666.42			
500 gm	0069A	ALUMINIUM SULPHATE purified (18-hydrate)	7784-31-8	0069A 00500	PB
5 Kg		Assay [as Al2(SO4)3] : 51.0 – 59.0%		0069A 05000	PB
		Al2(SO4)3.18H2O M.W. 666.42			
500 gm	0069B	ALUMINIUM SULPHATE AR (18-hydrate)	7784-31-8	0069B 00500	PB
5 Kg		Assay : Min. 98% Al2(SO4)3.18H2O M.W. 666.42		0069B 05000	PB
500 gm	00070	ALUMINIUM SULPHIDE	1302-81-4	00070 00500	PB
		Assay : Min. 98% Al2S3 M.W. 150.16			
500 gm	00071	ALUMINIUM SULPHITE		00071 00500	PB
500 gm	00072	ALUMINIUM TARTRATE	815-78-1	00072 00500	PB
		C12H12Al2O18 M.W. 498.18			
25 gm	00073	ALUMINON AR (aurin tricarboxylic acid triammonium salt)	569-58-4	00073 00025	GB
100 gm		C22H14O9·3NH3 M.W. 473.44		00073 00100	PB
500 ml	01737	ALUMINON REAGENT solution	569-58-4	01737 00500	GB
25 gm	00074	AMARANTH	915-67-3	00074 00025	GB
100 gm		(C.I. No.16185) (azorubin s)		00074 00100	GB
500 gm		C20H11N2Na3O10S3 M.W. 604.48		00074 00500	PB
125 ml	01738	AMARANTH indicator solution Liquid, d. 1.03-1.09		01738 00125	PB
500 ml		(azorubin S solution)		01738 00500	PB
500 gm	00075	AMBERLITE IR 120 (strong acid)	63182-08-1	00075 00500	PB
		20-50 mesh Na+form (cationic resin)			
500 gm	00076	AMBERLITE IRA 400 (strong base)	60177-39-1	00076 00500	PB
		20-50 mesh (Cl form)			
25 gm	00077	AMIDO BLACK 10B (For Molecular Biology)	1064-48-8	00077 00025	GB
100 gm		(C.I. No.20470) (naphthalene black 12B)		00077 00100	PB
		Dye Content : Min. 80% C22H14N6Na2O9S2 MW : 616.49			
25 gm	0077A	AMIDOL(2,4-Diaminophenol dihydrochloride)	137-09-7	0077A 00025	GB
		Assay : Min. 97% C6H8N2O.2HCl M.W. 197.06			
		AMIDO SULPHONIC ACID See Sulphamic Acid Cat No.1484 & 1484A Page 192			
1 gm	01739	AMIKACIN SULPHATE	39831-55-5	01739 00001	GB
5 gm		C22H43N5O13·2H2SO4 M.W. 781.76		01739 00005	GB
100 gm	00078	p-AMINO ACETANILIDE	122-80-5	00078 00100	PB
500 gm		Assay : Min. 99% C8H10N2O M.W.150.18		00078 00500	PB
250 gm	00079	AMINO ACETIC ACID (glycine)	56-40-6	00079 00250	PB
500 gm		Assay : Min. 98.5% C2H5NO2 M.W. 75.07		00079 00500	PB
100 gm	0079A	AMINO ACETIC ACID AR (For Molecular Biology) (glycine)	56-40-6	0079A 00100	PB
500 gm		Assay : Min. 99% C2H5NO2 M.W. 75.07		0079A 00500	PB
10 gm	01741	m-AMINOACETOPHENONE (3-aminoacetophenone)	99-03-6	01741 00010	GB
25 gm		Assay : Min. 97% C8H9NO M.W. 135.17		01741 00025	GB
25 gm	01742	o-AMINOACETOPHENONE (2-aminoacetophenone)	551-93-9	01742 00025	GB
100 gm		Assay : Min. 98% C8H9NO M.W. 135.17		01742 00100	PB
25 gm	01746	p-AMINOACETOPHENONE (4-aminoacetophenone)	99-92-3	01746 00025	GB
100 gm		Assay : Min. 99% C8H9NO M.W. 135.17		01746 00100	PB
SET	0079B	AMINO ACID KIT OF 24 ITEMS		0079B 01SET	GBC
25 gm	0079C	p-AMINO ANTIPYRINE (4-aminophenazone) (ampyrone)	83-07-8	0079C 00025	GB
100 gm		Assay : Min. 98% C11H13N3O M.W. 203.24		0079C 00100	GB
25 gm	00080	p-AMINO ANTIPYRINE AR (4-aminophenazone) (ampyrone)	83-07-8	00080 00025	GB
100 gm		Assay : Min. 98.5% C11H13N3O M.W. 203.24		00080 00100	GB
25 gm	00081	p-AMINO AZOBENZENE(4-phenylazoaniline)	60-09-3	00081 00025	GB
100 gm		Assay : Min. 98% C12H11N3 M.W. 197.24		00081 00100	GB
25 gm	1746A	4-AMINOBENZAMIDE	2835-68-9	1746A 00025	GB
		Assay : Min. 99% C7H8N2O M.W. 136.15			
		p-AMINOBENZENE SULPHONAMIDE See Sulphanilamide Cat No.1485 & 1485A Page 192			
5 gm	1746B	2-AMINOBENZIMIDAZOLE	934-32-7	1746B 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		Assay : Min. 96.5% C7H7N3 M.W. 133.15		1746B 00025	GB
100 gm	0081A	m-AMINO BENZOIC ACID (3-amino benzoic acid)	99-05-8	0081A 00100	GB
		Assay : Min. 98% C7H7NO2 M.W. 137.14			
100 gm	00083	p-AMINO BENZOIC ACID	150-13-0	00083 00100	PB
500 gm		Assay : Min. 99% C7H7NO2 M.W. 137.14		00083 00500	PB
10 gm	01747	2-AMINOBENZONITRILE	1885-29-6	01747 00010	GB
25 gm		Assay : Min. 98% C7H6N2 M.W. 118.14		01747 00025	GB
10 gm	0083A	2-AMINO BENZOPHENONE	2835-77-0	0083A 00010	GB
25 gm		Assay : Min. 98% C13H11NO M.W. 197.23		0083A 00025	GB
10 gm	0083F	4-AMINOBENZOPHENONE	1137-41-3	0083F 00010	GB
25 gm		Assay : Min. 98% C13H11NO M.W. 197.23		0083F 00025	GB
25 gm	1747A	2-AMINOBENZOTHIAZOLE	136-95-8	1747A 00025	GB
100 gm		Assay : Min. 98% C7H6N2S M.W. 150.20		1747A 00100	PB
1 gm	0083E	6-AMINOBENZOTHIAZOLE	533-30-2	0083E 00001	GB
5 gm		Assay : Min. 97% C7H6N2S M.W. 150.20		0083E 00005	GB
10 gm	0083B	4-AMINO-1-BENZYLPIPERIDINE	50541-93-0	0083B 00010	GB
25 gm		Assay : Min. 98% C12H18N2 M.W. 190.28, Liquid, d. 0.933		0083B 00025	GB
1 gm	0083C	3-AMINO-5-BROMOPYRIDINE	13535-01-8	0083C 00001	GB
5 gm		Assay : Min. 97% C5H5BrN2 M.W. 173.01		0083C 00005	GB
10 gm	0083D	2-AMINO-6-BROMOPYRIDINE	19798-81-3	0083D 00010	GB
25 gm		Assay : Min. 98% C5H5BrN2 M.W. 173.01		0083D 00025	GB
1 gm	0083G	S (+)-2-AMINO-1-BUTANOL (D-2-Aminobutanol)	5856-62-2	0083G 00001	GB
5 gm		Assay : Min. 97% C4H11NO M.W. 89.14		0083G 00005	GB
25 gm	00084	DL-2-AMINO BUTYRIC ACID	2835-81-6	00084 00025	GB
100 gm		(DL-a-aminobutyric acid) Assay : Min. 99% C4H9NO2 M.W. 103.12		00084 00100	PB
25 gm	00085	p-AMINO BUTYRIC ACID AR	56-12-2	00085 00025	GB
100 gm		Assay : Min. 99% C4H9NO2 M.W. 103.12		00085 00100	PB
100 gm	1747B	6-AMINO CAPROIC ACID (for biochemistry)	60-32-2	1747B 00100	PB
500 gm		Assay : Min. 99% C6H13NO2 M.W.131.17		1747B 00500	PB
100 gm	0085D	2-AMINO-4-CHLOROPHENOL	95-85-2	0085D 00100	PB
		Assay : Min. 96% C6H6ClNO M.W. 143.57			
250 gm	0085A	p-AMINO DIPHENYLAMINE (crystalline)	101-54-2	0085A 00250	GB
		Assay : Min. 98% C12H12N2			
		M.W. 184.24 (N-phenyl-p-phenylenediamine)			
100 gm	0085E	[3-(2-AMINOETHYLAMINO)PROPYL] TRIMETHOXYSILANE	1760-24-3	0085E 00100	GB
		Assay : Min. 90% C8H22N2O3Si M.W. 222.36, Liquid, d. 1.028			
500 ml	0085B	N-(2-AMINOETHYL) ETHANOLAMINE(for synthesis)	111-41-1	0085B 00500	GB
2.5 Lt		[2-(2-aminoethyl amino) ethanol] [N-(2-hydroxyethyl) ethylenediamine)		0085B 02500	GB
		Assay : Min. 99% C4H12N2O M.W. 104.15, Liquid, d. 1.03			
100 gm	0085F	AMINOGUANIDINE BICARBONATE (for synthesis)	2582-30-1	0085F 00100	PB
500 gm		Assay : Min. 97% CH6N4.H2CO3 M.W. 136.11		0085F 00500	PB
25 gm	0085C	p-AMINOHIPPURIC ACID [N-(4-aminobenzoyl) glycine]	61-78-9	0085C 00025	GB
100 gm		Assay : Min. 98% C9H10N2O3 M.W. 194.19		0085C 00100	PB
		4-AMINO-3-HYDROXYNAPHTHALENE-1-SULPHONIC ACID See 1-Amino-2-Naphthol-4-Sulphonic Acid Cat No.086 & 086A Page 12			
25 gm	0085G	2-AMINO-3-HYDROXYPYRIDINE	16867-03-1	0085G 00025	GB
100 gm		Assay : Min. 97.5% C5H6N2O M.W. 110.11		0085G 00100	GB
		3-AMINOMETHYLALIZARIN-N,N1,-DIACETIC ACID See Alizarin Complexone Cat No.035 Page 7			
100 gm	1747L	2-AMINO-2-METHYL-1,3-PROPANEDIOL AR (Biological Buffer)	115-69-5	1747L 00100	PB
		Assay : Min. 99% C4H11NO2 M.W. 105.14			
500 ml	1747G	2-AMINO-2-METHYL-1-PROPANOL Extra Pure (AMP)	124-68-5	1747G 00500	GB
2.5 Lt		Suitable For Clinical Work		1747G 02500	GB
		Assay : Min. 95% C4H11NO M.W. 89.14, Liquid, d. 0.934			
100 gm	1747H	2-AMINO-4-METHYLPYRIDINE (for synthesis)	695-34-1	1747H 00100	PB
500 gm		Assay : Min. 98% C6H8N2 M.W. 108.14		1747H 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	1747I	2-AMINO-5-METHYLPYRIDINE	1603-41-4	1747I 00100	PB
500 gm		Assay : Min. 98% C6H8N2 M.W. 108.14		1747I 00500	PB
100 gm	1747J	2-AMINO–6–METHYLPYRIDINE	1824-81-3	1747J 00100	PB
500 gm		(2–Amino–6–picoline) Assay : Min. 98% C6H8N2 M.W. 108.14		1747J 00500	PB
10 gm	1747D	2-AMINO-4-METHYL THIAZOLE	1603-91-4	1747D 00010	GB
25 gm		Assay : Min. 98% C4H6N2S M.W. 114.17		1747D 00025	GB
10 gm	1747E	4-AMINOMORPHOLINE	4319-49-7	1747E 00100	PB
		Assay : Min. 97% C4H10N2O M.W. 102.14, Liquid, d. 1.059			
25 gm	1747K	2-AMINONAPHTHALENE-1-SULPHONIC ACID (for synthesis)	81-16-3	1747K 00025	GB
		Assay : Min. 98% C10H9NO3S M.W. 223.25			
25 gm	00086	1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID	116-63-2	00086 00025	GB
100 gm		(4-amino-3-hydroxynaphthalene-1-sulphonic acid)		00086 00100	PB
500 gm		Assay : Min.98% C10H9NO4S M.W. 239.25		00086 00500	PB
25 gm	0086A	1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID AR	116-63-2	0086A 00025	GB
100 gm		(4-amino-3-hydroxynaphthalene-1-sulphonic acid)		0086A 00100	PB
500 gm		Assay : Min.98% C10H9NO4S M.W. 239.25		0086A 00500	PB
5 gm	0086B	2-AMINONICOTINIC ACID	5345-47-1	0086B 00005	GB
		Assay : Min. 97% C6H6N2O2 M.W. 138.12			
100 gm	0086C	4-AMINO-3-NITROTOLUENE	89-62-3	0086C 00100	PB
		(4-Methyl-2-nitroaniline) Assay : Min. 97.5%			
		C7H8N2O2 M.W. 152.15			
		4-AMINOPHENAZONE See p-Amino Antipyrine Cat No.079C & 80 Page 10			
100 gm	00087	m-AMINO PHENOL (3-amino phenol)	591-27-5	00087 00100	GB
500 gm		Assay : Min. 98% C6H7NO M.W. 109.13		00087 00500	PB
100 gm	00088	o-AMINO PHENOL (2-amino phenol)	95-55-6	00088 00100	GB
500 gm		Assay : Min. 99% C6H7NO M.W. 109.13		00088 00500	PB
100 gm	00089	p-AMINO PHENOL (4-amino phenol)	123-30-8	00089 00100	GB
500 gm		Assay : Min. 99% C6H7NO M.W. 109.13		00089 00500	PB
100 gm	01748	AMINOPHYLLINE	317-34-0	01748 00100	PB
		Assay : Min. 98% C7H8N4O2·0.5C2H8N2 M.W. 210.21			
10 gm	1747F	4-(4-AMINOPHENYL) MORPHOLINE	2524-67-6	1747F 00025	GB
		Assay : Min. 98% C10H14N2O M.W. 178.23			
		1-AMINOPROPANE See n-Propylamine Cat No.1274 Page 166			
		2-AMINOPROPANE See iso-Propylamine Cat No.1273 Page 166			
100 ml	1748D	3-AMINO-1-PROPANOL (for synthesis) (3-Aminopropyl alcohol)	156-87-6	1748D 00100	GB
500 ml		Assay : Min. 99% C3H9NO		1748D 00500	GB
		M.W. 75.11, Liquid, d. 0.983			
100 gm	1748A	(3-AMINOPROPYL) TRIETHOXYSILANE (for Synthesis)	919-30-2	1748A 00100	PB
		Assay : Min. 98% C9H23NO3Si			
		M.W. 221.37, Liquid, d. 0.946			
50 gm	1748B	2-AMINOPYRAZINE	5049-61-6	1748B 00050	GB
		Assay : Min. 97% C4H5N3 M.W. 95.1			
1 gm	1748C	3-AMINO-2-PYRAZINECARBOXYLIC ACID	5424-01-1	1748C 00001	GB
		Assay : Min. 97% C5H5N3O2 M.W. 139.11			
25 gm	0089A	m-AMINOPYRIDINE (for synthesis)	462-08-8	0089A 00025	GB
100 gm		(3-aminopyridine) Assay : Min. 98% C5H6N2 M.W. 94.11		0089A 00100	GB
100 gm	00090	o-AMINOPYRIDINE (for synthesis)	504-29-0	00090 00100	GB
250 gm		(2-aminopyridine) Assay : Min. 98% C5H6N2 M.W. 94.11		00090 00250	GB
25 gm	0090A	p-AMINOPYRIDINE (for synthesis)	504-24-5	0090A 00025	GB
100 gm		(4-aminopyridine) Assay : Min. 98% C5H6N2 M.W. 94.11		0090A 00100	PB
100 gm	01749	2-AMINOPYRIMIDINE (for synthesis)	109-12-6	01749 00100	GB
250 gm		(o-aminopyrimidine) Assay : Min. 97% C4H5N3 M.W. 95.10		01749 00250	PB
25 gm	0090B	AMINO PYRINE (4-dimethyl-amino antipyrine)	58-15-1	0090B 00025	GB
100 gm		Assay : Min. 98% C13H17N3O M.W. 231.29		0090B 00100	GB
100 mg	0090C	3-AMINOSALICYLIC ACID (3-Amino-2-hydroxybenzoic acid)	570-23-0	0090C 0100M	GB
		Assay : Min. 97% C7H7NO3 M.W. 153.14			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	1749A	4-AMINOSALICYLIC ACID (p-aminosalicylic acid)	65-49-6	1749A 00025	GB
100 gm		Assay : Min. 99% C7H7NO3 M.W. 153.14		1749A 00100	PB
25 gm	1749B	5-AMINOSALICYLIC ACID(mesalamine)	89-57-6	1749B 00025	GB
100 gm		Assay : Min. 99% C7H7NO3 M.W. 153.14		1749B 00100	PB
100 gm	1749C	3-AMINO-1H-TETRAZOLE monohydrate	15454-54-3	1749C 00100	PB
		Assay : Min. 96.5% CH3N5.H2O M.W. 103.08			
100 gm	1749D	5-AMINO-1H-TETRAZOLE	5378-49-4	1749D 00100	PB
500 gm		Assay : Min. 97% CH3N5 M.W. 85.07		1749D 00500	PB
50 gm	1749E	2-AMINOTHIAZOLE	96-50-4	1749E 00050	GB
		Assay : Min. 97% C3H4N2S M.W. 100.14			
100 ml	01750	2-AMINO THIOPHENOL (o-aminothiophenol)	137-07-5	01750 00100	GB
500 ml		Assay : Min. 99% C6H7NS M.W. 125.19, Liquid, d. 1.17		01750 00500	GBT
100 gm	1750A	3-AMINO 1,2,4-TRIAZOLE (amitrole)	61-82-5	1750A 00100	PB
500 gm		Assay : Min. 95% C2H4N4 M.W. 84.08		1750A 00500	PB
5 gm	01751	2-AMINOURACIL	932-52-5	01751 00005	GB
		Assay : Min. 97.5% C4H5N3O2 M.W. 127.1			
500 ml	00091	AMMONIA BUFFER SOLUTION Liquid, d. 0.960		00091 00500	PB
5 Lt		(for hardness of water determination)		00091 05000	PC
500 ml	00092	AMMONIA SOLUTION 32% (ammonium hydroxide 32%) sp.gr. 0.89	1336-21-6	00092 00500	GBT
2.5 Lt		Assay : Min. 32% NH4OH		00092 02500	GBT
		M.W. 35.05, Liquid, d. 0.90			
500 ml	00093	AMMONIA SOLUTION 25% sp.gr. 0.910	1336-21-6	00093 00500	GBT
2.5 Lt		(ammonium hydroxide 25%)		00093 02500	GBT
5 Lt		Assay : Min. 25% NH4OH M.W. 35.05, Liquid, d. 0.90		00093 05000	PC
25 Lt				00093 25000	PD
500 ml	00094	AMMONIA SOLUTION 25% AR sp.gr. 0.910	1336-21-6	00094 00500	GBT
2.5 Lt		(ammonium hydroxide 25%)		00094 02500	GBT
		Assay : Min. 25% NH4OH M.W. 35.05, Liquid, d. 0.90			
500 gm	00095	AMMONIUM ACETATE	631-61-8	00095 00500	PB
5 Kg		Assay : Min. 96% CH3.COONH4 M.W. 77.08		00095 05000	PC
500 gm	00096	AMMONIUM ACETATE AR	631-61-8	00096 00500	PB
5 Kg		Assay : Min. 98% CH3.COONH4 M.W. 77.08		00096 05000	PC
100 gm	0096A	AMMONIUM ACETATE (for molecular biology)	631-61-8	0096A 00100	PB
500 gm		Assay : Min. 98% CH3.COONH4 M.W. 77.08		0096A 00500	PB
500 gm	00097	AMMONIUM ADIPATE	3385-41-9	00097 00500	PB
		Assay : Min. 99% C6H12N2O4 M.W. 180.14			
		AMMONIUM ALUMINIUM SULPHATE See Aluminium Ammonium Sulphate Cat No.048 & 049 Page 8			
		AMMONIUM AMIDO SULPHONATE See Ammonium Sulphamate Cat No.131 & 1751 Page 17 & 18			
500 gm	0097A	AMMONIUM BENZOATE	1863-63-4	0097A 00500	PB
		Assay : Min. 98% C7H9NO2 M.W.139.16			
500 gm	00098	AMMONIUM BICARBONATE (ammonium hydrogen carbonate)	1066-33-7	00098 00500	PB
5 Kg		Assay : min. 98% NH4HCO3 M.W. 79.06		00098 05000	PC
500 gm	0098A	AMMONIUM BICARBONATE AR (ammonium hydrogen carbonate)	1066-33-7	0098A 00500	PB
5 Kg		Assay : min. 99% NH4HCO3 M.W. 79.06		0098A 05000	PC
500 gm	00099	AMMONIUM BICHROMATE	7789-09-5	00099 00500	PB
5 Kg		(ammonium dichromate) Assay : Min. 99%		00099 05000	PB
		(NH4)2Cr2O7 M.W. 252.06			
500 gm	0099A	AMMONIUM BICHROMATE AR	7789-09-5	0099A 00500	PB
		(ammonium dichromate) Assay : Min. 99.5%			
		(NH4)2Cr2O7 M.W. 252.06			
500 gm	00100	AMMONIUM BIFLUORIDE	1341-49-7	00100 00500	PB
		(ammonium hydrogen difluoride) Assay : Min. 98%			
		NH4HF2 M.W. 57.04			
100 gm	00101	AMMONIUM BISMUTH CITRATE (bismuth ammonium citrate)	31886-41-6	00101 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : 43-49% C24H20Bi4O28.6NH3.10H2O M.W. 1875		00101 00500	PB
500 gm	00102	AMMONIUM BORATE (penta)	12007-89-5	00102 00500	PB
		(ammonium pentaborate) Assay : Min. 99%			
		(NH4)B5O8.4H2O M.W. 272.14			
500 gm	0102A	AMMONIUM BORATE (penta) AR (ammonium pentaborate)	12007-89-5	0102A 00500	PB
		Assay : Min. 99.5% (NH4)B5O8.4H2O M.W. 272.14			
500 gm	00103	AMMONIUM BROMIDE	12124-97-9	00103 00500	PB
5 Kg		Assay : Min. 99% NH4Br M.W. 97.94		00103 05000	PB
500 gm	0103A	AMMONIUM BROMIDE AR	12124-97-9	0103A 00500	PB
5 Kg		Assay : Min. 99.5% NH4Br M.W. 97.94		0103A 05000	PB
500 gm	00104	AMMONIUM CARBONATE	506-87-6	00104 00500	PB
5 Kg		Assay : Min. 30% CH8N2O3 M.W. 96.09		00104 05000	PB
500 gm	0104A	AMMONIUM CARBONATE AR	506-87-6	0104A 00500	PB
5 Kg		Assay : Min. 95% CH8N2O3 M.W. 96.09		0104A 05000	PB
100 gm	00105	AMMONIUM CERIC NITRATE	16774-21-3	00105 00100	GB
500 gm		(ceric ammonium nitrate) (ammonium cerium (IV) nitrate)		00105 00500	GB
		Assay : Min. 97% (NH4)2Ce(NO3)6 M.W. 548.22			
100 gm	0105A	AMMONIUM CERIC NITRATE AR	16774-21-3	0105A 00100	GB
500 gm		(ceric ammonium nitrate) (ammonium cerium (IV) nitrate)		0105A 00500	GB
		Assay : Min. 99% (NH4)2Ce(NO3)6 M.W. 548.22			
500 ml	0105B	AMMONIUM CERIC NITRATE 0.05 N		0105B 00500	PB
		Volumetric Solution (N/20) Liquid, d. 1.1			
100 gm	00106	AMMONIUM CERIC SULPHATE	10378-47-9	00106 00100	GB
500 gm		(ceric ammonium sulphate) (ammonium cerium (IV) sulphate)		00106 00500	PB
		Assay : Min. 95% (NH4)4Ce(SO4)4.2H2O M.W. 632.55			
100 gm	0106A	AMMONIUM CERIC SULPHATE AR	10378-47-9	0106A 00100	GB
500 gm		(ceric ammonium sulphate) (ammonium cerium (IV) sulphate)		0106A 00500	PB
		Assay : Min. 99% (NH4)4Ce(SO4)4.2H2O M.W. 632.55			
		AMMONIUM CEROUS NITRATE AR See Cerous Ammonium Nitrate Cat No.431C Page 51			
500 gm	00107	AMMONIUM CHLORIDE	12125-02-9	00107 00500	PB
2.5 Kg		Assay : Min. 99% NH4Cl M.W. 53.49		00107 02500	PB
50 Kg				00107 50000	FD
500 gm	00108	AMMONIUM CHLORIDE AR	12125-02-9	00108 00500	PB
2.5 Kg		Assay : Min. 99.8% NH4Cl M.W. 53.49		00108 02500	PB
500 gm	0108B	AMMONIUM CHLORIDE (For Molecular Biology)	12125-02-9	0108B 00500	PB
		Assay : Min. 99.5% NH4Cl M.W. 53.49			
1 gm	0108A	AMMONIUM CHLOROPLATINATE	13820-41-2	0108A 00001	GB
5 gm		Assay : Min. 99% (NH4)2PtCl4 M.W. 372.97		0108A 00005	GB
500 gm	00109	AMMONIUM CHROMATE	7788-98-9	00109 00500	PB
		Assay : Min. 98% (NH4)2CrO4 M.W. 152.07			
500 gm	00110	di-AMMONIUM CITRATE (di-ammonium hydrogen citrate)	3012-65-5	00110 00500	PB
		Assay : Min. 98% (NH4)2HC6H5O7 M.W. 226.19			
500 gm	00111	tri-AMMONIUM CITRATE	3458-72-8	00111 00500	PB
		Assay : 97-103% C6H17N3O7 M.W. 243.22			
500 gm	0111A	tri-AMMONIUM CITRATE AR	3458-72-8	0111A 00500	PB
		Assay : 98.5-101% C6H17N3O7 M.W. 243.22			
		AMMONIUM DICHROMATE See Ammonium Bichromate Cat No.099 & 099A Page 14			
25 gm	01756	AMMONIUM DIETHYL DITHIOCARBAMATE AR	21124-33-4	01756 00025	GB
		Assay : Min. 98% C5H14N2S2 M.W. 166.31			
		AMMONIUM DIHYDROGEN ORTHO PHOSPHATE See Ammonium Phosphate monobasic Cat No.127&127A Page 17			
500 gm	00112	AMMONIUM FERRIC CITRATE (brown) (ferric ammonium citrate)	1185-57-5	00112 00500	PB
		Assay : Min. 20.5-22.5% C6H8O7. xFe3+.yNH3			
500 gm	00113	AMMONIUM FERRIC SULPHATE (dodecahydrate)	7783-83-7	00113 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		(ferric alum) (ammonium iron (III) sulphate)		00113 05000	PB
		Assay : Min. 98-101% NH4Fe(SO4)2.12H2O M.W. 482.19			
500 gm	0113A	AMMONIUM FERRIC SULPHATE AR (dodecahydrate)	7783-83-7	0113A 00500	PB
5 Kg		(ferric alum) (ammonium iron (III) sulphate)		0113A 05000	PB
		Assay : Min. 98-101% NH4Fe(SO4)2.12H2O M.W. 482.19			
100 gm	0113B	AMMONIUM FERROCYANIDE	14481-29-9	0113B 00100	PB
		Assay : Min. 90% C6H16FeN10.xH2O M.W. 284.10 (anhydrous basis)			
500 gm	00114	AMMONIUM FERROUS SULPHATE (hexahydrate)	7783-85-9	00114 00500	PB
5 Kg		(diammonium iron (II) sulphate)		00114 05000	PB
25 Kg		Assay : Min. 98.5% (NH4)2SO4FeSO4.6H2O M.W. 392.14		00114 25000	FD
500 gm	0114A	AMMONIUM FERROUS SULPHATE AR (hexahydrate)	7783-85-9	0114A 00500	PB
5 Kg		(diammonium iron (II) sulphate)		0114A 05000	PB
25 Kg		Assay : Min. 98.5% (NH4)2SO4FeSO4.6H2O M.W. 392.14		0114A 25000	FD
500 gm	00115	AMMONIUM FLUORIDE	12125-01-8	00115 00500	PB
		Assay : Min. 97% NH4F M.W. 37.04			
250 gm	0115A	AMMONIUM FLUORIDE AR	12125-01-8	0115A 00250	PB
		Assay : Min. 97% NH4F M.W. 37.04			
500 gm	00116	AMMONIUM FORMATE	540-69-2	00116 00500	PB
		Assay : min. 97% CH5NO2 M.W.63.06			
500 gm	0116A	AMMONIUM FORMATE AR	540-69-2	0116A 00500	PB
		Assay : min. 98% CH5NO2 M.W.63.06			
		AMMONIUM HEPTAMOLYBDATE See Ammonium Molybdate Cat No.120 & 121 Page 16			
		AMMONIUM HYDROGEN CARBONATE See Ammonium Bicarbonate Cat No.098 & 098A Page 14			
		di-AMMONIUM HYDROGEN CITRATE See di-Ammonium Citrate Cat No.110 Page 15			
		AMMONIUM HYDROGEN DIFLUORIDE See Ammonium Bifluoride Cat No.100 Page 14			
		di-AMMONIUM HYDROGEN ORTHO PHOSPHATE (anhydrous) See Ammonium Phosphate Dibasic Cat No.126, 126A & 126B Page 17			
		AMMONIUM HYDROXIDE See Ammonia Solution Cat No.092, 093 & 094 Page 13			
100 gm	00117	AMMONIUM IODIDE (practical)	12027-06-4	00117 00100	GB
250 gm		Assay : Min. 98% NH4I M.W. 144.94		00117 00250	PB
500 gm				00117 00500	PB
100 gm	1761	AMMONIUM IODIDE Extra Pure	12027-06-4	01761 00100	GB
500 gm		Assay : Min. 99% NH4I M.W. 144.94		01761 00500	PB
50 gm	0117A	AMMONIUM IODIDE AR	12027-06-4	0117A 00050	GB
100 gm		Assay : Min. 99.5% NH4I M.W. 144.94		0117A 00100	GB
		AMMONIUM IRON (III) CITRATE (brown) See Ammonium Ferric Citrate Cat No.112 Page 15			
500 ml	0117B	AMMONIUM IRON (II) SULPHATE 0.1M Liquid d. 1.05		0117B 00500	PB
		(0.1N) Standardized Solution traceable to Nist			
		AMMONIUM IRON (III) SULPHATE See Ammonium Ferric Sulphate Cat No.113 & 113A Page 15			
		AMMONIUM IRON (II) SULPHATE See Ammonium Ferrous Sulphate Cat No.114 & 114A Page 15			
		AMMONIUM MERCURIC CHLORIDE See Mercuric Ammonium Chloride Cat No.980 Page 125			
100 gm	00118	AMMONIUM METAVANADATE (ammonium monovanadate)	7803-55-6	00118 00100	PB
500 gm		Assay : Min. 98% NH4VO3 M.W.116.98		00118 00500	PB
100 gm	00119	AMMONIUM METAVANADATE AR (ammonium monovanadate)	7803-55-6	00119 00100	PB
500 gm		Assay : Min. 99% NH4VO3 M.W.116.98		00119 00500	PB
100 gm	00120	AMMONIUM MOLYBDATE (tetrahydrate)	12054-85-2	00120 00100	PB
500 gm		(ammonium heptamolybdate)		00120 00500	PB
5 Kg		Assay : Min. 98% (NH4)6Mo7O24.4H2O M.W. 1235.86		00120 05000	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	00121	AMMONIUM MOLYBDATE AR (tetrahydrate)	12054-85-2	00121 00100	PB
500 gm		(ammonium heptamolybdate)		00121 00500	PB
		Assay : Min. 99% (NH4)6Mo7O24.4H2O M.W. 1235.86			
500 ml	0121A	AMMONIUM MOLYBDATE REAGENT solution Liquid, d. 1.0		0121A 00500	PB
500 gm	00122	AMMONIUM NICKEL SULPHATE (nickel ammonium sulphate)		00122 00500	PB
		Assay : Min. 98.5% (NH4)2SO4.NiSO4.6H2O M.W. 394.97			
500 gm	0122A	AMMONIUM NICKEL SULPHATE AR (nickel ammonium sulphate)	7785-20-8	0122A 00500	PB
		Assay : Min. 99% (NH4)2SO4.NiSO4.6H2O M.W. 394.97			
25 gm	00123	AMMONIUM-4-NITRO BENZOATE (dihydrate)	19416-70-7	00123 00025	PB
100 gm				00123 00100	PB
100 gm	0123A	AMMONIUM OXALATE ACS (monohydrate)	6009-70-7	0123A 00100	PB
500 gm		Assay : Min. 99-101% (COONH4)2.H2O M.W. 142.11		0123A 00500	PB
500 gm	00124	AMMONIUM OXALATE	6009-70-7	00124 00500	PB
5 Kg		Assay : Min. 99% (COONH4)2.H2O M.W. 142.11		00124 05000	PB
500 gm	0124A	AMMONIUM OXALATE AR	6009-70-7	0124A 00500	PB
5 Kg		Assay : Min. 99.5% (COONH4)2.H2O M.W. 142.11		0124A 05000	PB
		AMMONIUM PENTABORATE See Ammonium Borate (penta) Cat No.102 & 102A Page 14			
100 gm	0124B	AMMONIUM PERCHLORATE AR	7790-98-9	0124B 00100	PB
500 gm		Assay : Min. 99.8% NH4ClO4 M.W. 117.49		0124B 00500	PB
500 gm	00125	AMMONIUM PERSULPHATE (ammonium peroxy disulphate)	7727-54-0	00125 00500	PB
5 Kg		Assay : Min. 98% (NH4)2S2O8 M.W. 228.20		00125 05000	PB
500 gm	0125A	AMMONIUM PERSULPHATE AR (ammonium peroxy disulphate)	7727-54-0	0125A 00500	PB
5 Kg		Assay : Min. 98.5% (NH4)2S2O8 M.W. 228.20		0125A 05000	PB
25 gm	0125B	AMMONIUM PERSULPHATE (For Molecular Biology)	7727-54-0	0125B 00025	GB
100 gm				0125B 00100	GB
500 gm		Assay : Min. 98.5% (NH4)2S2O8 M.W. 228.20		0125B 00500	GB
500 gm	00126	AMMONIUM PHOSPHATE dibasic (anhydrous)	7783-28-0	00126 00500	PB
5 Kg		(di-ammonium hydrogen orthophosphate)		00126 05000	PB
		Assay : 97.0-102% (NH4)2HPO4 M.W. 132.06			
500 gm	0126A	AMMONIUM PHOSPHATE dibasic AR (anhydrous)	7783-28-0	0126A 00500	PB
5 Kg		(di-ammonium hydrogen orthophosphate)		0126A 05000	PB
		Assay : 98.0-102% (NH4)2HPO4 M.W. 132.06			
500 gm	0126B	AMMONIUM PHOSPHATE dibasic (For Molecular Biology)	7783-28-0	0126B 00500	PB
		Assay : Min. 98% (NH4)2HPO4 M.W. 132.06			
500 gm	00127	AMMONIUM PHOSPHATE monobasic	7722-76-1	00127 00500	PB
5 Kg		(ammonium dihydrogen orthophosphate)		00127 05000	PB
		Assay : 98-101% NH4H2PO4 M.W. 115.03			
500 gm	0127A	AMMONIUM PHOSPHATE monobasic AR	7722-76-1	0127A 00500	PB
5 Kg		(ammonium dihydrogen orthophosphate)		0127A 05000	PB
		Assay : 99% NH4H2PO4 M.W. 115.03			
500 gm	0127C	AMMONIUM PHOSPHATE monobasic (For Molecular Biology)	7722-76-1	0127C 00500	PB
		Assay : 99% NH4H2PO4 M.W. 115.03			
500 gm	01763	AMMONIUM POLYPHOSPHATE(NH4PO3)n	68333-79-9	01763 00500	PB
5 gm	0127B	AMMONIUM PURPURATE	3051-09-0	0127B 00005	GB
25 gm		(C.I. No.56085) (murexide)		0127B 00025	GB
100 gm		C8H8N6O6 M.W. 284.19		0127B 00100	GB
5 gm	00128	AMMONIUM PURPURATE AR	3051-09-0	00128 00005	GB
25 gm		(C.I. No.56085) (murexide)		00128 00025	GB
100 gm		C8H8N6O6 M.W. 284.19		00128 00100	GB
125 ml	0128A	AMMONIUM PURPURATE solution		0128A 00125	GB
500 ml				0128A 00500	GB
		AMMONIUM PYRROLIDINE DITHIOCARBAMATE AR See Ammonium Tetramethylene Dithiocarbamate Cat No.136 Page 18			
25 gm	00129	AMMONIUM REINECKATE	13573-16-5	00129 00025	GB
100 gm		Assay : Min. 95% C4H10CrN7S4.H2O M.W. 354.44		00129 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
10 gm	0129A	AMMONIUM REINECKATE AR	13573-16-5	0129A 00010	GB
25 gm		Assay : Min. 96% C4H10CrN7S4.H2O M.W. 354.44		0129A 00025	GB
500 gm	00130	AMMONIUM SODIUM PHOSPHATE (dibasic, tetrahydrate) (microcosmic salt)	7783-13-3	00130 00500	PB
		Assay : Min. 99% NaNH4HPO4·4H2O M.W. 209.07			
500 gm	00131	AMMONIUM SULPHAMATE (ammonium amido sulphonate)	7773-06-0	00131 00500	PB
		Assay : Min. 98% NH4SO3NH2 M.W. 114.12			
100 gm	0131A	AMMONIUM SULPHAMATE AR	7773-06-0	0131A 00100	PB
500 gm		(ammonium amido sulphonate)		0131A 00500	PB
		Assay : Min. 98.5% NH4SO3NH2 M.W. 114.12			
500 gm	00132	AMMONIUM SULPHATE	7783-20-2	00132 00500	PB
5 Kg		Assay : Min. 98.5% (NH4)2SO4 M.W. 132.14		00132 05000	PB
50 Kg				00132 50000	FD
500 gm	00133	AMMONIUM SULPHATE AR	7783-20-2	00133 00500	PB
5 Kg		Assay : Min. 99.5% (NH4)2SO4 M.W. 132.14		00133 05000	PB
250 gm	0132A	AMMONIUM SULPHATE (For Molecular Biology)	7783-20-2	0132A 00250	PB
500 gm		Assay : Min. 99% (NH4)2SO4 M.W. 132.14		0132A 00500	PB
500 ml	0133A	AMMONIUM SULPHATE 0.5M (1N) Liquid,		0133A 00500	PB
		d. 1.04 Standardized Solution, traceable to Nist			
500 ml	00134	AMMONIUM SULPHIDE YELLOW (solution)	12135-76-1	00134 00500	PB
		Assay : Min. 20% (NH4)2S M.W 68.14 Liquid, d.0.99-1.01			
500 gm	0134A	AMMONIUM SULPHITE crystals	10196-04-0	0134A 00500	PB
		H8N2O3S M.W. 116.14			
		AMMONIUM SULPHOCYANIDE See Ammonium Thiocyanate Cat No.137 & 137A Page 21			
500 gm	00135	AMMONIUM (+) TARTRATE	3164-29-2	00135 00500	PB
		Assay : Min. 98% C4H12N2O6 M.W. 184.15			
500 gm	0135A	AMMONIUM (+) TARTRATE AR	3164-29-2	0135A 00500	PB
		Assay : Min. 99% C4H12N2O6 M.W. 184.15			
10 gm	00136	AMMONIUM TETRAMETHYLENE DITHIOCARBAMATE AR	5108-96-3	00136 00010	GB
25 gm		(pyrrolidine-1-dithiocarboxylic acid ammonium salt)		00136 00025	GB
		Assay : Min. 99% C5H12N2S2 M.W. 164.29			
500 gm	00137	AMMONIUM THIOCYANATE	1762-95-4	00137 00500	PB
5 Kg		Assay : Min. 98% NH4SCN M.W. 76.12		00137 05000	PC
500 gm	0137A	AMMONIUM THIOCYANATE AR	1762-95-4	0137A 00500	PB
5 Kg		Assay : Min. 99% NH4SCN M.W. 76.12		0137A 05000	PC
500 ml	0137B	AMMONIUM THIOCYANATE 0.1MOL (0.1N)		0137B 00500	PB
		traceable to Nist Liquid, d. 1.00			
500 ml	0137C	AMMONIUM THIOCYANATE 1M (1N)		0137C 00500	PB
		Standardized Solution, traceable to Nist			
500 gm	00138	AMMONIUM THIOSULPHATE	7783-18-8	00138 00500	PB
5 Kg		Assay : Min. 98% (NH4)2S2O3 M.W. 148.20		00138 05000	PC
100 gm	01766	AMMONIUM TUNGSTATE (hydrate)	12028-48-7	01766 00100	GB
		(ammonium metatungsate hydrate) Assay : Min. 99.99%			
		(NH4)6H2W12O40·xH2O M.W. 2956.30 (anhydrous basis)			
		AMMONIUM VANADATE (meta) See Ammonium Metavanadate Cat No.118 & 119 Page 16			
5 gm	01771	AMOXYCILLIN	26787-78-0	01771 00005	GB
25 gm		C16H19N3O5S M.W. 365.40		01771 00025	GB
5 gm	0138A	AMPICILLIN (trihydrate)	7177-48-2	0138A 00005	GB
25 gm		Assay : Min.96.5-101% C16H19N3O4S·3H2O M.W. 403.45		0138A 00025	GB
5 gm	01776	AMPICILLIN SODIUM SALT (For Molecular Biology)	69-52-3	01776 00005	GB
25 gm		Assay : Min. 91.0% C16H18N3NaO4S M.W. 371.39 Store at 2 - 8°C		01776 00025	GB
500 ml	00139	iso-AMYL ACETATE (for synthesis)	123-92-2	00139 00500	GB
2.5 Lt		Assay : Min. 98% C7H14O2 M.W. 130.18, Liquid, d. 0.876		00139 02500	GB
500 ml	00140	iso-AMYL ALCOHOL (for milk testing)	30899-19-5	00140 00500	GB
2.5 Lt		C5H12O M.W. 88.15		00140 02500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Lt		Liquid, d. 0.808-0.814		00140 05000	GB
500 ml	00141	iso-AMYL ALCOHOL (for synthesis)	123-51-3	00141 00500	GB
2.5 Lt		Assay : Min. 98% C5H12O M.W. 88.15, Liquid, d. 0.809		00141 02500	GB
500 ml	0141A	iso-AMYL ALCOHOL AR	123-51-3	0141A 00500	GB
2.5 Lt		Assay : Min. 99% C5H12O M.W. 88.15, Liquid, d. 0.809		0141A 02500	GB
100 ml	0141B	iso-AMYL ALCOHOL (For Molecular Biology)	123-51-3	0141B 00100	GB
500 ml		Assay : Min. 98.5% C5H12O M.W. 88.15, Liquid, d. 0.809		0141B 00500	GB
500 ml	01781	n-AMYL ALCOHOL (n-pentanol) (pentan-1-ol)	71-41-0	01781 00500	GB
2.5 Lt		Assay : Min.99% C5H12O M.W. 88.15, Liquid, d. 0.811		01781 02500	GB
500 ml	01786	n-AMYL ALCOHOL AR (n-pentanol) (pentan-1-ol)	71-41-0	01786 00500	GB
2.5 Lt		Assay : Min.99% C5H12O M.W. 88.15, Liquid, d. 0.811		01786 02500	GB
100 ml	01791	tert-AMYL ALCOHOL (2-methyl-2-butanol)	75-85-4	01791 00100	GB
500 ml		Assay : Min. 99% C5H12O M.W. 88.15, Liquid, d. 0.806		01791 00500	GB
500 ml	01796	tert-AMYL ALCOHOL AR & HPLC (2-methyl-2-butanol)	75-85-4	01796 00500	GB
2.5 Lt		Assay : Min. 99.5% C5H12O M.W. 88.15, Liquid, d. 0.806		01796 02500	GB
		a-AMYLASE See Diastase Cat No.598 & 598A Page 70			
500 gm	00142	AMYL BENZOATE	2049-96-9	00142 00500	GB
		C12H16O2 M.W. 192.25			
		n-AMYL BROMIDE See 1-Bromo Pentane Cat No.319B Page 38			
500 gm	0142A	AMYL CINNAMATE	3487-99-8	0142A 00500	PB
		C14H18O2 M.W. 218.29			
5 gm	1797A	AMYL-m-CRESOL	1300-94-3	1797A 00005	GB
25 gm		C12H18O M.W. 178.27		1797A 00025	GB
1 gm	0142B	AMYLOPECTINE	9037-22-3	0142B 00025	GB
5 gm				0142B 00100	GB
1 gm	01798	AMYLOSE (from potato starch)	9005-82-7	01798 00001	GB
5 gm		(C6H10O5)n		01798 00005	GB
500 gm	00143	AMYL SALICYLATE	2050-08-0	00143 00500	PB
		C12H16O3 M.W. 208.25			
25 gm	01801	ANALGIN	5907-38-0	01801 00025	GB
100 gm		Assay : Min. 95-100% C13H16N3NaO4S·xH2O M.W. 351.35		01801 00100	GB
125 ml	01802	ANDRADE'S REAGENT solution		01802 00125	GB
500 ml				01802 00500	GB
		ANETHI OIL Extra Pure See Dill Oil Cat No.622 Page 76			
500 ml	00144	ANETHOL (for synthesis)	104-46-1	00144 00500	GB
		Assay : Min. 99% C10H12O M.W. 148.21, Liquid, d. 0.987-0.989			
500 ml	00145	ANILINE (for synthesis)	62-53-3	00145 00500	GB
2.5 Lt		Assay : Min. 99% C6H5.NH2 M.W. 93.13		00145 02500	GB
5 Lt		Liquid, d. 1.022		00145 05000	PC
500 ml	0145A	ANILINE AR	62-53-3	0145A 00500	GB
2.5 Lt		Assay : Min. 99% C6H5.NH2 M.W. 93.13, Liquid, d. 1.022		0145A 02500	GB
25 gm	00146	ANILINE BLUE (C.I. No.42775)	28631-66-5	00146 00025	GB
100 gm		(spirit soluble) (china blue)		00146 00100	PB
500 gm		C32H25N3Na2O9S3 M.W. 737.73		00146 00500	PB
25 gm	00147	ANILINE BLUE (water soluble) (C.I. No.42780)	28983-56-4	00147 00025	GB
100 gm		(china blue) (cotton blue)		00147 00100	PB
500 gm		C32H25N3Na2O9S3 M.W. 737.73		00147 00500	PB
125 ml	00148	ANILINE BLUE stain solution		00148 00125	PB
500 ml		(china blue solution) (cotton blue solution)		00148 00500	PB
250 gm	00149	ANILINE HYDROCHLORIDE (for synthesis)	142-04-1	00149 00250	PB
500 gm		Assay : Min. 97% C6H5NH2·HCl M.W. 129.60		00149 00500	PB
250 gm	00150	ANILINE SULPHATE	542-16-5	00150 00250	PB
500 gm		Assay : Min. 98% C12H14N2.H2SO4 M.W. 284.33		00150 00500	PB
100 ml	00151	m-ANISALDEHYDE (3-Methoxybenzaldehyde)	591-31-3	00151 00100	GB
		Assay : Min. 97% C8H8O2 M.W. 136.15, Liquid, d. 1.12			
100 gm	0151A	o-ANISALDEHYDE (2-Methoxybenzaldehyde)	135-02-4	0151A 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 98% C8H8O2 M.W. 136.15, Liquid, d. 1.127		0151A 00500	GB
100 ml	00152	p-ANISALDEHYDE (4-methoxy benzaldehyde)	123-11-5	00152 00100	GB
500 ml		(p-anisaldehyde) Assay : Min. 98% C8H8O2 M.W. 136.15, Liquid, d. 1.12		00152 00500	GB
500 ml	00153	ANISEED OIL Extra Pure (anise oil) Liquid, d. 0.98	8007-70-3	00153 00500	GB
25 gm	01811	m-ANISIC ACID (3-methoxybenzoic acid)	586-38-9	01811 00025	GB
100 gm		Assay : Min. 99% C8H8O3 M.W.152.15		01811 00100	GB
25 gm	01816	o-ANISIC ACID (2-methoxybenzoic acid)	579-75-9	01816 00025	PB
100 gm		Assay : Min. 98% C8H8O3 M.W.152.15		01816 00100	PB
100 gm	01821	p-ANISIC ACID (4-methoxybenzoic acid)	100-09-4	01821 00100	GB
500 gm		Assay : Min. 99% C8H8O3 M.W.152.15		01821 00500	GB
100 ml	01826	m-ANISIDINE (3-methoxyaniline) (3-aminoanisole)	536-90-3	01826 00100	GB
		Assay : Min. 97% C7H9NO M.W. 123.16, Liquid, d. 1.096-1.101			
500 ml	00154	o-ANISIDINE (2-methoxyaniline) (2-aminoanisole)	90-04-0	00154 00500	GB
		Assay : Min. 98% C7H9NO M.W. 123.16, Liquid, d. 1.092			
500 gm	00155	p-ANISIDINE (4-methoxyaniline) (4-aminoanisole)	104-94-9	00155 00500	GB
		Assay : Min. 99% C7H9NO M.W. 123.16			
500 ml	00156	ANISOLE (methoxybenzene)	100-66-3	00156 00500	GBT
		Assay : Min. 99% C7H8O M.W. 108.14, Liquid, d. 0.995			
500 ml	00157	ANISOLE AR (methoxybenzene)	100-66-3	00157 00500	GBT
		Assay : Min. 99.7% C7H8O M.W. 108.14, Liquid, d. 0.995			
500 ml	00158	ANITHOLE OIL Extra Pure Liquid, d. 0.983-0.989		00158 00500	GBT
100 gm	00159	ANTHRACENE (purified)	120-12-7	00159 00100	PB
500 gm		Assay : Min. 96% C14H10 M.W. 178.22		00159 00500	PB
25 gm	0159A	ANTHRACENE (scintillation grade)	120-12-7	0159A 00025	GB
100 gm		Assay : Min. 99% C14H10 M.W. 178.22		0159A 00100	PB
500 gm	00160	ANTHRAQUINONE (for synthesis)	84-65-1	00160 00500	PB
5 Kg		Assay : Min. 97% C14H8O2 M.W. 208.22		00160 05000	PB
25 gm	1831A	ANTHRAQUINONE-2,6-DISULFONIC ACID DISODIUM SALT	853-68-9	1831A 00025	GB
		Assay : Min. 90% C14H6Na2O8S2 M.W. 412.31			
25 gm	01831	ANTHRAQUINONE-2-SULPHONIC ACID SODIUM SALT AR	131-08-8	01831 00025	GB
		(silver salt) Assay : Min. 98% C14H7NaO5 M.W. 310.26			
25 gm	0160A	ANTHRONE (for synthesis)	90-44-8	0160A 00025	GB
100 gm		Assay : Min. 97% C14H10O M.W. 194.23		0160A 00100	GB
10 gm	00161	ANTHRONE AR	90-44-8	00161 00010	GB
25 gm		Assay : Min. 98% C14H10O M.W. 194.23		00161 00025	GB
100 gm				00161 00100	GB
125 ml	01836	ANTIMONY AAS STANDARD SOLUTION		01836 00125	GB
500 ml		1000mg/L in Nitric Acid		01836 00500	GB
125 ml	1836A	ANTIMONY ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		1836A 00125	GB
100 gm	0161A	ANTIMONY (metal) LUMPS	7440-36-0	0161A 00100	PB
500 gm		Assay : Min. 99.5% Sb A.W. 121.75		0161A 00500	PB
100 gm	00162	ANTIMONY (metal) POWDER	7440-36-0	00162 00100	PB
500 gm		Assay : Min. 99% Sb A.W. 121.75		00162 00500	PB
500 gm	00163	ANTIMONY (III) ACETATE	6923-52-0	00163 00500	PB
		Assay : Min. 97% (CH3CO2)3Sb M.W. 298.89			
500 gm	00167	ANTIMONY BROMIDE	7789-61-9	00167 00500	PB
		Assay : Min. 99% SbBr3 M.W. 361.47			
100 gm	00169	ANTIMONY (III) CHLORIDE (antimony trichloride)	10025-91-9	00169 00100	GB
500 gm		Assay : Min. 98.5% SbCl3 M.W. 228.11		00169 00500	GB
100 gm	00170	ANTIMONY (III) CHLORIDE AR	10025-91-9	00170 00100	GB
500 gm		(antimony trichloride) Assay : Min. 99% SbCl3 M.W. 228.11		00170 00500	GB
250 gm	00171	ANTIMONY (III) FLUORIDE	7783-56-4	00171 00500	PB
		Assay : Min. 99.8% SbF3 M.W. 178.76			
100 gm	0171A	ANTIMONY IODIDE	7790-44-5	0171A 00100	PB
500 gm		Assay : Min. 98% SbI3 M.W. 502.47		0171A 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	00172	ANTIMONY NITRATE	20328-96-5	00172 00100	PB
500 gm		Assay : Min. 98% N3O9Sb M.W. 307.77		00172 00500	PB
500 gm	00173	ANTIMONY OXALATE	16455-98-4	00173 00500	PB
		Assay : Min. 98% C6O12Sb2 M.W. 507.57			
500 gm	00174	ANTIMONY (III) OXIDE (antimony trioxide)	1309-64-4	00174 00500	PB
		Assay : Min. 98% Sb2O3 M.W.291.50			
500 gm	0174A	ANTIMONY (III) OXIDE AR (antimony trioxide)	1309-64-4	0174A 00500	PB
		Assay : Min. 99% Sb2O3 M.W.291.50			
		ANTIMONY PENTASULPHIDE (golden) See Antimony Sulphide Golden Cat No.180 Page 21			
250 gm	0175A	ANTIMONY PENTOXIDE (antimony (V) oxide)	1314-60-9	0175A 00250	GB
		Assay : Min. 99.5% Sb2O5 M.W. 323.52			
500 gm	00176	ANTIMONY PHOSPHATE	12036-46-3	00176 00500	PB
		Assay : Min. 98% SbPO4 M.W. 216.73			
500 gm	00177	ANTIMONY POTASSIUM TARTRATE (trihydrate)	28300-74-5	00177 00500	PB
5 Kg		(potassium antimony (III) oxide tartrate)		00177 05000	PC
		Assay : Min. 98.5% C8H4K2O12Sb2·3H2O M.W. 667.87			
100 gm	0177A	ANTIMONY POTASSIUM TARTRATE AR (trihydrate)	28300-74-5	0177A 000100	PB
500 gm		(potassium antimony (III) oxide tartrate)		0177A 000500	PB
		Assay : Min. 99.5% C8H4K2O12Sb2·3H2O M.W. 667.87			
500 gm	00178	ANTIMONY SULPHATE	7446-32-4	00178 00500	PB
		Assay : Min. 95% Sb2(SO4)3 M.W. 531.71			
500 gm	00179	ANTIMONY SULPHIDE BLACK	1345-04-6	00179 00500	PB
		(antimony tri sulphide) Assay : Min. 95% Sb2S3 M.W. 339.69			
500 gm	00180	ANTIMONY SULPHIDE GOLDEN	1315-04-4	00180 00500	PB
		[antimony Pentasulphide (golden)] Assay : Min. 60% Sb2S5 M.W. 403.82			
		ANTIMONY TRICHLORIDE See Antimony (III) chloride Cat No.169 & 170 Page 21			
		ANTIMONY TRIOXIDE See Antimony (III) Oxide Cat No.174 & 174A Page 21			
100 gm	00181	ANTIPYRIN (phenazone)	60-80-0	00181 00100	PB
		Assay : Min. 99% C11H12N2O M.W. 188.23			
5 gm	00183	D (-) ARABINOSE AR	10323-20-3	00183 00005	GB
25 gm		Assay : Min. 99% C5H10O5 M.W. 150.13		00183 00025	GB
100 gm				00183 00100	GB
25 gm	00184	L (+) ARABINOSE	5328-37-0	00184 00025	GB
100 gm		Assay : Min. 99% C5H10O5 M.W. 150.13		00184 00100	GB
5 gm	01846	D (+) - ARABITOL	488-82-4	01846 00005	GB
		Assay : Min. 99% C5H12O5 M.W. 152.15			
5 gm	01851	L (+) - ARABITOL	7643-75-6	01851 00005	GB
		Assay : Min. 98% C5H12O5 M.W. 152.15			
500 ml	00182	ARACHIS OIL Extra Pure Liquid, d. 0.91	8002-03-7	00182 00500	GB
25 gm	00185	L-ARGININE (for biochemistry)	74-79-3	00185 00025	GB
100 gm		Assay : Min. 98% C6H14N4O2 M.W. 174.20		00185 00100	PB
500 gm				00185 00500	PB
25 gm	0185A	L-ARGININE MONOHYDROCHLORIDE (for biochemistry)	1119-34-2	0185A 00025	GB
100 gm				0185A 00100	PB
500 gm		Assay : Min. 99% C6H14N4O2.HCl M.W. 210.66		0185A 00500	PB
100 gm	0185D	p-ARSANILIC ACID (p-Aminobenzenearsonic acid)	98-50-0	0185D 00100	PB
500 gm		Assay : Min. 98% C6H8AsNO3 M.W. 217.05		0185D 00500	PB
1 gm	0185B	ARSENAZO I AR (reagent for thorium) (neothorine)	520-10-5	0185B 00001	GB
5 gm		C16H10AsN2Na3O11S2 M.W. 614.27		0185B 00005	GB
5 gm	0185C	ARSENAZO III AR (reagent for thorium)	1668-00-4	0185C 00005	GB
		C22H16As2N4Na2O14S2.4H2O M.W. 892.40			
125 ml	01856	ARSENIC AAS STANDARD SOLUTION		01856 00125	GB
500 ml		1000mg/L in Nitric Acid		01856 00500	GB
125 ml	1856B	ARSENIC ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		1856B 00125	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	1856A	ARSENIC (metal) POWDER	7440-38-2	1856A 00025	GB
100 gm		Assay : Min. 99.99% As M.W. 74.92		1856A 00100	GB
500 gm	00186	ARSENIC (III) OXIDE(arsenic trioxide)	1327-53-3	00186 00500	PB
		Assay : Min. 99% As2O3 M.W. 197.84			
500 gm	0186B	ARSENIC (III) OXIDE AR (arsenic trioxide)	1327-53-3	0186B 00500	PB
		Assay : Min. 99.5% As2O3 M.W. 197.84			
500 gm	0186A	ARSENIC PENTOXIDE	1303-28-2	0186A 00500	PB
		Assay : Min. 99% As2O5 M.W. 229.84			
500 gm	00188	ARSENIC SULPHATE	1303-32-8	00188 00500	PB
		Assay : Min. 95% As2S2 M.W. 213.97			
		ARSENIC TRIOXIDE See Arsenic (III) Oxide Cat No.186 & 186B Page 22			
		ARSENIOUS OXIDE See Arsenic (III) Oxide Cat No.186 & 186B Page 22			
100 gm	00189	ASBESTOS (for gooch crucibles)	1332-21-4	00189 00100	PB
500 gm				00189 00500	PB
500 gm	0189A	ASBESTOS powder (practical)		0189A 00500	PB
100 gm	00190	L-ASCORBIC ACID (Vitamin C)	50-81-7	00190 00100	PB
500 gm		Assay : Min. 99% C6H8O6 M.W. 176.13		00190 00500	PB
100 gm	0190D	L-ASCORBIC ACID AR (for biochemistry)	50-81-7	0190D 00100	PB
500 gm		(Vitamin C) Assay : Min. 99.7% C6H8O6 M.W. 176.13		0190D 00500	PB
		L-ASCORBIC ACID SODIUM SALT See Sodium L (+) Ascorbate Cat No.1349A Page 203			
25 gm	0190A	L-ASPARGINE (monohydrate) (for biochemistry)	5794-13-8	0190A 00025	GB
100 gm				0190A 00100	PB
500 gm		Assay : Min. 99% C4H8N2O3.H2O M.W. 150.13		0190A 00500	PB
5 gm	01857	ASPARTAME	22839-47-0	01857 00005	GB
25 gm		(N-L-a-aspartyl-L-phenylamine methylester)		01857 00025	GB
		Assay : Min. 98% C14H18N2O5 M.W. 294.30			
25 gm	0190B	DL-ASPARTIC ACID (for chromatography)	617-45-8	0190B 00025	GB
100 gm		Assay : Min. 99% C4H7NO4 M.W. 133.10		0190B 00100	PB
500 gm				0190B 00500	PB
25 gm	0190C	L-ASPARTIC ACID (for biochemistry)	56-84-8	0190C 00025	GB
100 gm		Assay : Min. 98% C4H7NO4 M.W. 133.10		0190C 00100	PB
500 gm				0190C 00500	PB
		ASPIRIN See Acetyl Salicylic Acid Cat No.017 & 1686 Page 4			
25 gm	0190E	ATENOLOL Extra Pure (for lab use)	29122-68-7	0190E 00025	GB
100 gm		Assay : Min. 98% C14H22N2O3 M.W. 266.34		0190E 00100	PB
5 gm	00191	ATROPINE SULPHATE AR	5908-99-6	00191 00005	GB
25 gm		Assay : Min. 98% C34H48N2O10S.H2O M.W. 694.85		00191 00025	GB
100 gm				00191 00100	PB
25 gm	00192	AURAMINE (M.S.) (C.I. No.41000)	2465-27-2	00192 00025	GB
100 gm		Dye Content : Min. 85% C17H22N3Cl M.W. 303.84		00192 00100	PB
1 gm	0192A	AURIC CHLORIDE (Au 25%) (gold chloride)	16903-35-8	0192A 00001	GB
		Assay : Min. 25% HAuCl4.xH2O M.W. 303.84			
1 gm	0192B	AURIC CHLORIDE (Au 49%) (gold chloride)	16903-35-8	0192B 00001	GB
		Assay : Min. 49% HAuCl4.xH2O M.W. 303.84			
25 gm	00193	AURIN (C.I. No.43800) (p-rosolic acid)	603-45-2	00193 00025	GB
100 gm		Dye Content : Min. 85% C19H14O3 M.W. 290.32		00193 00100	GB
		AURIN TRICARBOXYLIC ACID TRIAMMONIUM SALT AR See Aluminon Cat No.073 Page 10			
250 gm	0192C	AVICEL-101 (pH 101)	99331-82-5	0192C 00250	PB
500 gm				0192C 00500	PB
250 gm	0192D	AVICEL-102 (pH 102)	99331-82-5	0192D 00250	PB
500 gm				0192D 00500	PB
1 gm	0192E	7-AZAINDOLE (for synthesis)	271-63-6	0192E 00001	GB
5 gm		(1H-Pyrrolo(2,3-b)pyridine)		0192E 00005	GB
25 gm		Assay : Min. 98% C7H6N2 M.W. 118.14		0192E 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	0193A	AZELAIC ACID(nonanedioic acid)	123-99-9	0193A 00025	GB
100 gm		Assay : Min. 98% C9H16O4 M.W. 188.22		0193A 00100	PB
5 gm	0193B	AZITHROMYCIN Extra Pure (for lab use)	83905-01-5	0193B 00025	GB
25 gm		Assay : Min. 95% C38H72N2O12 M.W. 748.98		0193B 00100	PB
25 mg	1857A	AZETIDINE-3-CARBOXYLIC ACID	36476-78-5	1857A 0250M	GB
100 mg		Assay : Min. 97% C4H7NO2 M.W. 101.10		1857A 00001	GB
25 gm	1857B	AZOBENZENE	103-33-3	1857B 00025	GB
		Assay : Min. 97% C12H10N2 M.W. 182.22			
5 gm	01858	AZOCARMINE G (for histology) (C.I. No.50085)	25641-18-3	01858 00005	GB
25 gm		C28H18N3NaO6S2 M.W. 579.59		01858 00025	GB
100 gm	1858A	a,a'-AZOISOBUTYRONITRILE (for synthesis)	78-67-1	1858A 00100	GB
500 gm		(AIBN, 2,2'-Azobis (2-Methylpropionitrile)		1858A 00500	GB
		Assay : Min. 98% C8H12N4 M.W. 164.21			
1 gm	1858B	AZOMETHINE-H MONOSODIUM SALT hydrate	5378-49-4	1858B 00001	GB
5 gm		Assay : Min. 90% C17H12NNaO8S2·xH2O M.W. 445.40 (on anhydrous basis)		1858B 00005	GB
		AZORUBIN C See Carmoisine A Cat No.415A Page 50			
5 gm	0193C	AZURE A (M.S.) (C.I. No.52005)	531-53-3	0193C 00005	GB
25 gm		C14H14ClN3S M.W. 291.80		0193C 00025	GB
5 gm	00194	AZURE B (M.S.) (C.I. No.52010) (azur I)	531-55-5	00194 00005	GB
25 gm		C15H16ClN3S M.W. 305.83		00194 00025	GB
10 gm	00195	AZURE II (M.S.)	37247-10-2	00195 00010	GB
25 gm		C16H18N3S·C15H16N3S ·2Cl M.W. 625.68		00195 00025	GB
100 gm				00195 00100	GB
25 gm	0194A	AZURE C (N-methylthionine)	531-57-7	0194A 00025	GB
100 gm		Dye Content : Min. 40% C13H12ClN3S M.W. 277.77		0194A 00100	GB
25 gm	0195A	AZURE II EOSINE (M.S.)	53092-85-6	0195A 00025	GB
B					
500 gm	0195B	BALSAM CANADA (synthetic)	8007-47-4	0195B 00500	PB
500 gm	00196	BALSAM CANADA (colourless)	8007-00-9	00196 00500	PB
100 gm	0196B	BALSAM PERU (peru balsam) (resinoids)		0196B 00100	PB
500 gm		Liquid, d. 1.161		0196B 00500	PB
250 gm	00197	BALSAM TOLU	9000-64-0	00197 00250	PB
500 gm				00197 00500	PB
25 gm	0197A	BARBITURIC ACID (for synthesis)	67-52-7	0197A 00025	GB
100 gm		Assay : Min. 98% C4H4N2O3 M.W. 128.09		0197A 00100	PB
500 gm				0197A 00500	PB
25 gm	0197B	BARBITURIC ACID AR (For Molecular Biology)	67-52-7	0197B 00025	GB
100 gm		Assay : Min. 99% C4H4N2O3 M.W. 128.09		0197B 00100	PB
500 gm				0197B 00500	PB
500 ml	00198	BARFOED'S REAGENT		00198 00500	PB
5 Lt				00198 05000	PB
125 ml	01861	BARIUM AAS STANDARD SOLUTION Liquid, d. 1.013		01861 00125	GB
500 ml		1000mg/L in Nitric Acid		01861 00500	GB
125 ml	1861A	BARIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid Liquid, d. 1.013		1861A 00125	GB
500 gm	00200	BARIUM ACETATE	543-80-6	00200 00500	PB
		Assay : Min. 99% C4H6BaO4 M.W. 255.42			
500 gm	00201	BARIUM ACETATE AR	543-80-6	00201 00500	PB
		Assay : Min. 99% C4H6BaO4 M.W. 255.42			
500 gm	00203	BARIUM BORATE (monohydrate)	26124-86-7	00203 00500	PB
5 Kg		(barium metaborate) Assay : Min. 97% Ba(BO2)2·H2O M.W. 240.96		00203 05000	PB
500 gm	00204	BARIUM BROMIDE	7791-28-8	00204 00500	PB
		Assay : Min. 98% BaBr2.2H2O M.W. 333.17			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	0204A	BARIUM BROMIDE AR	7791-28-8	0204A 00500	PB
		Assay : Min. 98.5% BaBr2.2H2O M.W. 333.17			
500 gm	00205	BARIUM CARBONATE	513-77-9	00205 00500	PB
5 Kg		Assay : Min. 98.5% BaCO3 M.W. 197.35		00205 05000	PC
500 gm	0205A	BARIUM CARBONATE AR	513-77-9	0205A 00500	PB
		Assay : Min. 99% BaCO3 M.W. 197.35			
25 gm	00206	BARIUM CHLORANILATE AR (trihydrate)	32458-20-1	00206 00025	GB
100 gm		(chloranilic acid barium salt)		00206 00100	GB
		Assay : Min. 98.5% C6BaCl2O4.3H2O M.W. 398.36			
500 gm	00207	BARIUM CHLORIDE (practical) (dihydrate)	10326-27-9	00207 00500	PB
5 Kg		Assay : Min. 98.5% BaCl2.2H2O M.W. 244.28		00207 05000	PC
500 gm	00208	BARIUM CHLORIDE purified (dihydrate)	10326-27-9	00208 00500	PB
5 Kg		Assay : Min. 99% BaCl2.2H2O M.W. 244.28		00208 05000	PC
500 gm	00209	BARIUM CHLORIDE AR (dihydrate)	10326-27-9	00209 00500	PB
5 Kg		Assay : Min. 99.0-100.5% BaCl2.2H2O M.W. 244.28		00209 05000	PC
500 ml	01866	BARIUM CHLORIDE 0.05M (0.1N) Liquid, d. 1.000		01866 00500	PB
		Standardized Solution, traceable to NIST			
500 gm	00210	BARIUM CHROMATE	10294-40-3	00210 00500	PB
		Assay : Min. 98% BaCrO4 M.W. 253.32			
100 gm	0210A	BARIUM CHROMATE AR	10294-40-3	0210A 00100	PB
500 gm		Assay : Min. 99% BaCrO4 M.W. 253.32		0210A 00500	PB
500 gm	0210B	BARIUM CITRATE	512-25-4	0210B 00500	PB
		Assay : Min. 98% C12H10Ba3O14 M.W. 790.18			
5 gm	00211	BARIUM DIPHENYLAMINE SULPHONATE AR	6211-24-1	00211 00005	GB
25 gm		(diphenylamine-4-sulphonic acid barium salt)		00211 00025	GB
		Assay : Min. 95% C24H20BaN2O6S2 M.W. 633.90			
500 gm	00212	BARIUM FLUORIDE	7787-32-8	00212 00500	PB
		Assay : Min. 98.5% BaF2 M.W. 175.32			
500 gm	01871	BARIUM FLUORIDE AR	7787-32-8	01871 00500	PB
		Assay : Min. 99% BaF2 M.W. 175.32			
500 gm	00213	BARIUM HYDROXIDE (octahydrate)	12230-71-6	00213 00500	PB
5 Kg		Assay : Min. 97% Ba(OH)2.8H2O M.W. 315.48		00213 05000	PC
25 Kg				00213 25000	FD
250 gm	0213A	BARIUM HYDROXIDE AR (octahydrate)	12230-71-6	0213A 00250	PB
500 gm		Assay : Min. 98% Ba(OH)2.8H2O M.W. 315.48		0213A 00500	PB
100 gm	00214	BARIUM IODIDE	13718-50-8	00214 00100	GB
250 gm		Assay : Min. 99% BaI2 M.W. 391.14		00214 00250	GB
		BARIUM METABORATE See Barium Borate Cat No.203 Page 24			
500 gm	00215	BARIUM NITRATE	10022-31-8	00215 00500	PB
5 Kg		Assay : Min. 98% Ba(NO3)2 M.W. 261.34		00215 05000	PC
25 Kg				00215 25000	FD
500 gm	0215A	BARIUM NITRATE AR	10022-31-8	0215A 00500	PB
		Assay : Min. 99% Ba(NO3)2 M.W. 261.34			
500 gm	00216	BARIUM OXALATE	516-02-9	00216 00500	PB
		Assay : Min. 99.9% BaC2O4 M.W. 225.35			
100 gm	0216A	BARIUM OXIDE (anhydrous)	1304-28-5	0216A 00100	PB
500 gm		Assay : Min. 99.9% BaO M.W. 153.33		0216A 00500	PB
250 gm	0216B	BARIUM PERCHLORATE AR (anhydrous)	13465-95-7	0216B 00250	PB
		Assay : Min. 97% Ba(ClO4)2 M.W. 336.23			
250 gm	0216C	BARIUM PERCHLORATE (trihydrate)	10294-39-0	0216C 0250	PB
		Assay : Min. 97% Ba(ClO4)2.3H2O M.W. 290.29			
500 ml	0216D	BARIUM PERCHLORATE 0.005 MOL/Liter (0.005M) aqueous solution		0216D 00500	PB
500 ml	0216E	BARIUM PERCHLORATE 0.005 MOL/Liter (0.005M) alcoholic solution		0216E 00500	PB
500 gm	00217	BARIUM PEROXIDE (for synthesis)	1304-29-6	00217 00500	TIN
		Assay : Min. 97% BaO2 M.W. 169.34			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	00218	BARIUM PHOSPHATE (dibasic)	10048-98-3	00218 00500	PB
		Assay : Min. 97% BaHPO4 M.W. 233.31			
500 gm	0218A	BARIUM STEARATE (for synthesis)	6865-35-6	0218A 00500	PB
		C36H70BaO4 M.W. 704.27			
500 gm	00219	BARIUM SULPHATE (precipitated)	7727-43-7	00219 00500	PB
5 Kg		Assay : Min. 97% BaSO4 M.W. 233.39		00219 05000	PC
25 Kg				00219 25000	FD
500 gm	0219A	BARIUM SULPHATE AR	7727-43-7	0219A 00500	PB
		Assay : Min. 98% BaSO4 M.W. 233.39			
500 gm	00220	BARIUM SULPHIDE	21109-95-5	00220 00500	PB
		Assay : Min. 99.9% BaS M.W 169.39			
500 gm	00221	BARIUM SULPHITE	7787-39-5	00221 00500	PB
		Assay : Min. 98% BaSO3 M.W. 217.39			
500 gm	00222	BARIUM TARTRATE	5908-81-6	00222 00500	PB
		Assay : Min. 98% C4H4BaO6 M.W 285.40			
500 gm	00223	BARIUM THIOSULPHATE	35112-53-9	00223 00500	PB
		Assay : Min. 98% BaS2O3 M.W 249.46			
500 ml	0223A	BARRITT'S REAGENT 'A' **NEW**		0223A 00500	PB
500 ml	0223B	BARRITT'S REAGENT 'B' **NEW**		0223B 00500	PB
25 gm	00224	BASIC FUCHSIN (M.S.) (C.I. No.42510)	632-99-5	00224 00025	GB
100 gm		(magenta basic) (fuchsin basic)		00224 00100	PB
500 gm		Dye Content : Min. 88% C20H20ClN3 M.W. 337.85		00224 00500	PB
125 ml	01877	BASIC FUCHSIN 0.1 w/v solution		01877 00125	PB
500 ml		(aqueous staining solution) Liquid, d. 0.985		01877 00500	PB
500 ml	0224A	BASIL OIL Extra Pure , Liquid, d. 0.961	8015-73-4	0224A 00500	GB
100 mg	0224B	BATHOCUPROINE AR	4733-39-5	0224B 0100M	GB
1 gm		(2,9-dimethyl-4, 7-diphenyl-1, 10-phenanthroline)		0224B 00001	GB
		Assay : Min. 99% C26H20N2 M.W. 360.45			
100 mg	0224C	BATHOCUPROINE DISULPHONIC ACID DISODIUM SALT AR	52698-84-7	0224C 0100M	GB
500 mg		Assay : Min. 98.5% C26H18N2Na2O6S2 M.W. 564.55		0224C 0500M	GB
100 mg	0224D	BATHOPHENANTHROLINE AR (4,7-diphenyl-1,10-phenanthroline)	1662-01-7	0224D 0100M	GB
1 gm		Assay : Min. 99% C24H16N2 M.W. 332.41		0224D 00001	GB
250 mg	0224E	BATHOPHENANTHROLINE DISULPHONIC ACID DISODIUM SALT AR	53744-42-6	0224E 0250M	GB
		(water soluble)			
		Assay : Min. 99% C24H14N2Na2O6S2.3H2O M.W. 590.54			
250 ml	00225	BAY OIL Extra Pure	8006-78-8	00225 00250	GB
500 ml		Liquid, d. 0.96		00225 00500	GB
500 ml	01881	BEAM'S REAGENT solution		01881 00500	GB
500 gm	00226	BEEF EXTRACT PASTE (for bacteriology) (lab lemco paste)		00226 00500	PB
500 gm	00227	BEEF EXTRACT POWDER (for bacteriology) (lab lemco powder)		00227 00500	PB
500 gm	00228	BEES WAX WHITE	8012-89-3	00228 00500	PB
5 Kg		(for histology)		00228 05000	PC
500 gm	00229	BEES WAX YELLOW	8012-89-3	00229 00500	PB
5 Kg		(for histology)		00229 05000	PC
100 gm	0229A	BEHENIC ACID	112-85-6	0229A 00500	PB
		Assay : Min. 98.5% C22H44O2 M.W. 340.58			
500 ml	00230	BENEDICT'S REAGENT (qualitative)	63126-89-6	00230 00500	PB
5 Lt		Liquid, d. 1.19		00230 05000	PC
500 ml	00231	BENEDICT'S REAGENT (quantitative)	63126-89-6	00231 00500	PB
5 Lt		Liquid, d. 1.11-1.23		00231 05000	PC
100 ml	0231A	BENEDICT'S URIC ACID REAGENT		0231A 00100	PB
500 ml		(uric acid reagent benedict's)		0231A 00500	PB
500 gm	00232	BENTONITE POWDER (practical)	1302-78-9	00232 00500	PB
5 Kg		Al2O3.4(SiO2).H2O M.W. 360.31		00232 05000	PC
500 gm	00233	BENTONITE POWDER (purified)	1302-78-9	00233 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		$Al_2O_3.4(SiO_2).H_2O$ M.W. 360.31		00233 05000	PC
500 ml	00234	BENZALDEHYDE (for synthesis)	100-52-7	00234 00500	GB
2.5 Lt		Assay : Min. 99% C_6H_5CHO M.W. 106.12, Liquid, d. 1.044		00234 02500	GB
500 ml	0234A	BENZALDEHYDE AR	100-52-7	0234A 00500	GB
		Assay : Min. 99% C_6H_5CHO M.W. 106.12, Liquid, d. 1.044			
500 ml	00235	BENZAL KONIUM CHLORIDE (50% aqueous solution)	63449-41-2	00235 00500	GB
		Assay : Min. 50% (Via Cl) Liquid, d. 0.989			
500 gm	00236	BENZAMIDE (for synthesis)	55-21-0	00236 00500	PB
		Assay : Min. 98% C_7H_7NO M.W. 121.14			
100 gm	00237	BENZANILIDE (for synthesis)	93-98-1	00237 00100	PB
500 gm		Assay : Min. 98% $C_{13}H_{11}NO$ M.W. 197.23		00237 00500	PB
500 ml	00238	BENZENE (crystallizable) (for synthesis)	71-43-2	00238 00500	GB
2.5 Lt		Assay : Min. 99% C_6H_6 M.W. 78.11, Liquid, d. 0.874		00238 02500	GB
5 Lt				00238 05000	PC
25 Lt				00238 25000	PD
500 ml	00239	BENZENE AR (crystallizable)	71-43-2	00239 00500	GB
2.5 Lt		Assay : Min. 99.5% C_6H_6 M.W. 78.11, Liquid, d. 0.874		00239 02500	GB
500 ml	01886	BENZENE HPLC & SPECTROSCOPY	71-43-2	01886 00500	GB
2.5 Lt		Assay : Min. 99.8% C_6H_6 M.W. 78.11, Liquid, d. 0.874		01886 02500	GB
100 gm	01887	BENZENE SULPHONIC ACID (for synthesis)	98-11-3	01887 00100	GB
500 gm		Assay : Min. 90% $C_6H_6O_3S$ M.W 158.18		01887 00500	GB
100 gm	1887A	BENZENE SULPHONIC ACID SODIUM SALT	515-42-4	1887A 00100	GB
500 gm		Assay : Min. 97% $C_6H_5SO_3Na$ M.W. 180.16		1887A 00500	GB
250 ml	00241	BENZENE SULPHONYL CHLORIDE	98-09-9	00241 00250	GBT
500 ml		Assay : Min. 99% $C_6H_5SO_2Cl$ M.W. 176.62, Liquid, d. 1.384		00241 00500	GBT
		BENZETHONIUM CHLORIDE See Hyamine 1622 Cat No.800F Page 104			
100 gm	01891	BENZHYDROL (for synthesis) (diphenyl carbinol)	91-01-0	01891 00100	PB
500 gm		Assay : Min. 98% $C_{13}H_{12}O$ M.W. 184.24		01891 00500	PB
5 gm	0241A	1-BENZHYDRYLAZETIDINE CARBOXYLIC ACID	36476-87-6	0241A 00005	GB
10 gm		Assay : Min. 97% $C_{17}H_{17}NO_2$ M.W. 267.32		0241A 00010	GB
100 mg	0241B	1-BENZHYDRYL-3-AZETIDINOL	18621-17-5	0241B 00010	GB
500 mg		Assay : Min. 98% $C_{16}H_{17}NO$ M.W. 239.32		0241B 00025	GB
25 gm	00242	BENZIDINE (powder) Extra Pure	92-87-5	00242 00025	GB
100 gm		(for lab use) (4,4-diamino diphenyl)		00242 00100	GB
500 gm		Assay : Min. 98% $C_{12}H_{12}N_2$ M.W 184.24		00242 00500	PB
25 gm	00243	BENZIDINE AR	92-87-5	00243 00025	GB
100 gm		(for lab use) (4,4-diamino diphenyl)		00243 00100	GB
500 gm		Assay : Min. 98.5% $C_{12}H_{12}N_2$ M.W 184.24		00243 00500	PB
25 gm	00244	BENZIDINE HYDROCHLORIDE AR (for lab use)	531-85-1	00244 00025	GB
100 gm		Assay : Min. 99% $C_{12}H_{12}N.2HCl$ M.W 257.16		00244 00100	GB
125 ml	0244A	BENZIDINE REAGENT solution		0244A 00500	GB
500 ml				0244A 00500	GB
5 gm	01892	BENZIDINE SULPHATE (for synthesis)(for lab use)	21136-70-9	01892 00005	GB
25 gm				01892 00025	GB
100 gm	00245	BENZIL (for synthesis)	134-81-6	00245 00100	PB
250 gm		Assay : Min. 99% $C_{14}H_{10}O_2$ M.W. 210.23		00245 00250	PB
500 gm				00245 00500	PB
25 gm	00247	BENZIMIDAZOLE (for synthesis)	51-17-2	00247 00025	GB
100 gm		Assay : Min. 98% $C_7H_6N_2$ M.W. 118.13		00247 00100	GB
25 gm	0247A	BENZOCAINE Extra Pure (for lab use)	94-09-7	0247A 00025	GB
100 gm		Assay : Min. 99% $C_9H_{11}NO_2$ M.W 165.19		0247A 00100	PB
500 gm				0247A 00500	PB
500 gm	00248	BENZOIC ACID (for synthesis)	65-85-0	00248 00500	PB
5 Kg		Assay : Min. 99% $C_7H_6O_2$ M.W. 122.12		00248 05000	PC
25 Kg				00248 25000	FD
500 gm	0248A	BENZOIC ACID AR	65-85-0	0248A 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99.9% C7H6O2 M.W. 122.12			
100 gm	0248B	BENZOIC ANHYDRIDE (for synthesis)	93-97-0	0248B 00100	PB
500 gm		Assay : Min. 95% (C6H5CO)2O M.W. 226.23		0248B 00500	PB
100 gm	00249	BENZOIN (for synthesis)	119-53-9	00249 00100	PB
250 gm		Assay : Min. 98% C14H12O2 M.W. 212.25		00249 00250	PB
500 gm				00249 00500	PB
25 gm	00250	a-BENZOIN OXIME AR (cupron)	441-38-3	00250 00025	GB
100 gm		Assay : Min. 98% C14H13NO2 M.W. 227.27		00250 00100	PB
500 gm				00250 00500	PB
500 ml	01893	BENZONITRILE (for synthesis) (phenyl cyanide)	100-47-0	01893 00500	GBT
2.5 Lt		Assay : Min. 99% C7H5N M.W. 103.12, Liquid, d. 1.004-1.005		01893 02500	GBT
500 gm	00251	BENZOPHENONE(Diphenyl Ketone)	119-61-9	00251 00500	PB
5 Kg		Assay : Min. 99% C13H10O M.W. 182.22		00251 05000	PC
100 mg	0251A	BENZOPHENONE OXIME	574-66-3	0251A 00005	GB
250 mg		Assay : Min. 97% C13H11NO M.W. 197.24		0251A 00025	GB
100 gm	00252	p-BENZOQUINONE (for synthesis)	106-51-4	00252 00100	GB
250 gm		Assay : Min. 99% C6H4O2 M.W. 108.10		00252 00250	GB
5 gm	0252A	p-BENZOQUINONE DIOXIME Pure	105-11-3	0252A 00005	GB
25 gm		Assay : Min. 98% C6H6N2O2 M.W. 138.12		0252A 00025	GB
100 gm				0252A 00100	GB
250 gm	0252B	BENZOTHIAZOLE	95-16-9	0252B 00250	PB
		Assay : Min. 97% C7H5NS M.W. 135.19, Liquid, d. 1.238			
5 gm	0252C	BENZOTHIOPHENE	95-15-8	0252C 00005	GB
		Assay : Min. 98% C8H6S M.W. 134.2, Liquid, d. 1.149			
		1H-BENZOTRIAZOLE See1,2,3-Benzotriazole Cat No.253 Page 28			
100 gm	00253	1,2,3-BENZOTRIAZOLE (for synthesis)	95-14-7	00253 00100	PB
250 gm		(1H-benzotriazole) Assay : Min. 99% C6H5N3 M.W. 119.13		00253 00250	PB
500 ml	00254	BENZO TRICHLORIDE	98-07-7	00254 00500	GBT
		Assay : Min. 98% C7H5Cl3 M.W. 195.48, Liquid, d. 1.38			
25 gm	0254A	BENZOXAZOLE	273-53-0	0254A 00025	GB
100 gm		Assay : Min. 98% C7H5NO M.W 119.12 , Liquid, d. 1.175		0254A 00100	GB
10 gm	00255	BENZOYL ACETONE	93-91-4	00255 00010	GB
50 gm		Assay : Min. 99% C10H10O2 M.W 162.19		00255 00050	GB
1 gm	01894	a-N-BENZOYL-L-ARGININE ETHYL ESTER HYDROCHLORIDE (BAEE)	2645-08-1	01894 00001	GB
5 gm		Assay : Min. 99% C15H23ClN4O3 M.W. 342.83		01894 00005	GB
250 gm	01895	2-BENZOYLBENZOIC ACID	85-52-9	01895 00250	GB
		Assay : Min. 98% C14H10O3 M.W. 226.23			
500 ml	00256	BENZOYL CHLORIDE	98-88-4	00256 00500	GB
		Assay : Min. 98% C6H5COCl M.W. 140.57, Liquid, d. 1.21			
500 ml	0256A	BENZOYL CHLORIDE AR	98-88-4	0256A 00500	GB
		Assay : Min. 99% C6H5COCl M.W. 140.57, Liquid, d. 1.21			
500 gm	00257	BENZOYL PEROXIDE (moistened with 25% water)	94-36-0	00257 00500	PB
		Assay : Min. 75% C14H10O4 M.W. 242.23			
500 ml	00258	BENZYL ACETATE (for synthesis)	140-11-4	00258 00500	GB
		Assay : Min. 99% C9H10O2 M.W 150.17, Liquid, d. 1.054			
1 gm	0258A	n-BENZYL ACRYLAMIDE	13304-62-6	0258A 00005	GB
		Assay : Min. 96% C10H11NO M.W. 161.21			
1 gm	00259	6-BENZYLADENINE	1214-39-7	00259 00001	GB
5 gm		(6-BAP)(6-Benzylaminopurine)		00259 00005	GB
25 gm		Assay : Min. 98% C12H11N5 M.W. 225.25		00259 00025	GB
100 gm				00259 00100	PB
500 ml	00260	BENZYL ALCOHOL (for synthesis)	100-51-6	00260 00500	GB
2.5 Lt		Assay : Min. 98.5% C7H8O M.W. 108.14, Liquid, d. 1.045		00260 02500	GB
500 ml	0260A	BENZYL ALCOHOL AR	100-51-6	0260A 00500	GB
2.5 Lt		Assay : Min. 99% C7H8O M.W. 108.14, Liquid, d. 1.045		0260A 02500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	01896	BENZYLAMINE (for synthesis)	100-46-9	01896 00500	GB
		Assay : Min. 99% C7H9N M.W. 107.16, Liquid, d. 0.981			
500 ml	00261	BENZYL BENZOATE	120-51-4	00261 00500	GB
		Assay : Min. 98% C14H12O2 M.W. 212.25, Liquid, d. 1.112-1.118			
250 ml	0261A	BENZYL BROMIDE	100-39-0	0261A 00250	GBT
500 ml		Assay : Min. 98% C7H7Br M.W 171.03, liquid, d. 1.44		0261A 00500	GBT
50 gm	1896A	BENZYL BROMOACETATE	5437-45-6	1896A 00050	GB
		Assay : Min. 95.5% C9H9BrO2 M.W. 229.07			
100 ml	0261B	N-BENZYL-tert-BUTYLAMINE	3378-72-1	0261B 00100	GB
250 ml		(N-tert-butylbenzylamine), Liquid, d. 0.881-0.899		0261B 00250	GB
		Assay : Min. 97% C11H17N M.W 163.26			
500 gm	00262	BENZYL BUTYRATE	103-37-7	00262 00500	PB
		Assay : Min. 98% C11H14O2 M.W 178.23, Liquid, d. 1.01			
500 ml	1896C	BENZYL BUTYL PHTHALATE **NEW**	85-68-7	1896C 00500	GB
2.5 Lt		Assay : Min. 98% C19H20O4 M.W. 312.36		1896C 02500	GB
500 ml	00263	BENZYL CHLORIDE	100-44-7	00263 00500	GBT
		Assay : Min. 98.5% C6H5.CH2Cl M.W.126.59, Liquid, d. 1.10			
500 ml	01897	BENZYL CYANIDE (for synthesis)	140-29-4	01897 00500	GBT
2.5 Lt		(phenylacetonitrile, a-tolunitrile)		01897 02500	GBT
		Assay : Min. 99% C8H7N M.W. 117.15, Liquid, d. 1.015-1.020			
25 gm	1896B	BENZYLDIMETHYL HEXADECYLAMMONIUM CHLORIDE	122-18-9	1896B 00025	GB
100 gm		(Cetylkonium chloride)		1896B 00100	GB
		Assay : Min. 98% C25H46ClN M.W. 396.09			
5 gm	1897A	BENZYLHYDRAZINE DIHYDROCHLORIDE	20570-96-1	1897A 00005	GB
		Assay : Min. 97% C7H10N2·2HCl M.W 195.09			
500 gm	0263A	BENZYL ISO BUTYRATE	103-28-6	0263A 00500	PB
		Assay : Min. 97% C11H14O2 M.W 178.23, Liquid, d. 1.003			
500 ml	01901	N-BENZYLMETHYLAMINE	103-67-3	01901 00500	GB
		Assay : Min. 97% C8H11N M.W 121.18, liquid, d. 0.939			
25 ml	1901A	BENZYL METHYL ETHER	538-86-3	1901A 00025	GB
100 ml		Assay : Min. 98% C8H10O M.W 122.16, Liquid, d. 0.987		1901A 00100	GB
25 gm	1901B	4-(BENZYLOXY) ANILINE HYDROCHLORIDE	51388-20-6	1901B 00025	GB
		Assay : Min. 98% C13H14ClNO M.W 235.71			
100 gm	1901D	4-(BENZYLOXY) BENZALDEHYDE	4397-53-9	1901D 00100	GB
		Assay : Min. 96.5% C14H12O2 M.W. 212.24			
25 gm	1901E	4-(BENZYLOXY) PHENOL	103-16-2	1901E 00025	GB
50 gm		(monobenzone) (hydroquinone monobenzyl ether)		1901E 00050	GB
		Assay : Min. 98% C13H12O2 M.W. 200.23			
500 gm	0263B	BENZYL PHENYL ACETATE	102-16-9	0263B 00500	PB
		Assay : Min. 98% C15H14O2 M.W 226.27, Liquid, d. 1.097			
100 gm	0263D	1-BENZYLPIPERAZINE	2759-28-6	0263D 00100	PB
500 gm		Assay : Min. 97% C11H16N2 M.W. 176.26		0263D 00500	PB
500 gm	0263C	BENZYL PROPIONATE	122-63-4	0263C 00500	GB
		Assay : Min. 98% C10H12O2 M.W 164.20, Liquid, d. 1.03			
100 ml	01902	4-BENZYLPYRIDINE (for synthesis)	2116-65-6	01902 00100	GB
		(p-benzylpyridine) Assay : Min. 98% C12H11N M.W 169.22, Liquid, d. 1.06			
500 gm	00264	BENZYL SALICYLATE	118-58-1	00264 00500	PB
		Assay : Min. 98% C14H12O3 M.W 228.24, Liquid, d. 1.176			
50 gm	01903	BENZYL THIOCYANATE	3012-37-1	01903 00050	GB
		Assay : Min. 95% C8H7NS M.W. 149.21			
25 gm	01906	S-BENZYLTHIURIONIUM CHLORIDE (for synthesis)	538-28-3	01906 00025	GB
100 gm		Assay : Min. 98% C8H11ClN2S M.W. 202.71		01906 00100	GB
100 gm	1903A	BENZYLTRIBUTYLAMMONIUM BROMIDE (for synthesis)	25316-59-0	1903A 00100	GB
		Assay : Min. 98% C19H34BrN M.W. 356.38			
100 gm	1906A	BENZYLTRIBUTYL AMMONIUM CHLORIDE (for synthesis)	23616-79-7	1906A 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 98% C19H34ClN M.W. 311.94		1906A 00500	PB
500 gm	0264A	BENZYL TRIETHYL AMMONIUM CHLORIDE	56-37-1	0264A 00500	PB
		Assay : Min. 98% C13H22ClN M.W. 227.78			
500 gm	00265	BENZYL TRIMETHYL AMMONIUM CHLORIDE	56-93-9	00265 00500	PB
		Assay : Min. 97% C10H16ClN M.W. 185.70			
100 ml	0265A	BENZYL TRIMETHYL AMMONIUM HYDROXIDE METHANOLIC SOLUTION 40%	100-85-6	0265A 00100	GB
500 ml		Assay : Min. 40% C10H17NO M.W. 167.25, Liquid, d. 0.93		0265A 00500	GB
500 ml	0265B	BERGAMOT OIL, Liquid, d. 0.877	8007-75-8	0265B 00500	GB
25 gm	0265C	BERLIN BLUE (for microscopy)	12240-15-2	0265C 00025	GB
100 gm		C6Fe2KN6·xH2O M.W. 306.89 (anhydrous basis)		0265C 00100	GB
125 ml	0265D	BERYLLIUM AAS STANDARD SOLUTION		0265D 00125	GB
500 ml		1000mg/L in Nitric Acid		0265D 00500	GB
125 ml	0265E	BERYLLIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		0265E 00125	GB
1 gm	01907	BERYLLIUM (metal) POWDER AR	7440-41-7	01907 00005	GB
5 gm		Assay : Min. 99% Be M.W. 9.01		01907 00025	GB
1 gm	01908	BERYLLIUM CARBONATE AR	13106-47-3	01908 00005	GB
5 gm		Assay : Min. 98% BeCO3 M.W. 639.02		01908 00025	GB
5 gm	01909	BERYLLIUM NITRATE AR	13597-99-4	01909 00025	GB
		Assay : Min. 99.99% Be(NO3)2 M.W 133.02			
5 gm	01911	BERYLLIUM OXIDE powder	1304-56-9	01911 00025	GB
		Assay : Min. 99.98% BeO M.W 25.01			
5 gm	1911A	BERYLLIUM SULPHATE AR	13510-49-1	1911A 00025	GB
25 gm		Assay : Min. 98% BeSO4 M.W. 105.075		1911A 00100	GB
25 gm	1911B	BES BUFFER For Biochemistry	10191-18-1	1911B 00025	GB
100 gm		(N,N-Bis (2-Hydroxyethyl) 2-Aminoethane Sulfonic Acid)		1911B 00100	PB
		Assay : Min. 99% C6H15NO5S M.W. 213.25			
100 gm	01912	BETA CAROTENE 20% Extra Pure (for lab use)	7235-40-7	01912 00100	PB
250 gm		(provitamin A) (carotene beta 20%)		01912 00250	PB
100 gm	01913	BETA CAROTENE 30% Extra Pure (for lab use)	7235-40-7	01913 00100	PB
250 gm		(provitamin A) (carotene beta 30%)		01913 00250	PB
1 gm	1913A	BETA CAROTENE powder	7235-40-7	1913A 00001	GB
5 gm		(b-b-carotene, provitamin-A) Assay : Min. 97% C14H36 M.W 536.87		1913A 00005	GB
100 gm	1913B	BETA CYCLODEXTRIN (b-cyclodextrin)	7585-39-9	1913B 00100	PB
500 gm		Assay : Min. 97% C42H70O35 M.W 1134.98		1913B 00500	PB
100 gm	1913C	BETAINE HYDROCHLORIDE	590-46-5	1913C 00100	GB
		Assay : Min. 99% C5H12NO2Cl M.W. 153.61			
1 gm	01914	BETAMETHASONE Extra Pure (for lab use)	378-44-9	01914 00001	GB
5 gm		Assay : Min. 98% C22H29FO5 M.W 392.46		01914 00005	GB
1 gm	01915	BETAMETHASONE DIPROPIONATE Extra Pure (for lab use)	5593-20-4	01915 00001	GB
5 gm		Assay : Min. 97% C28H37FO7 M.W 504.59		01915 00005	GB
100 mg	1915A	BETAMETHASONE VALERATE (for lab use)	2152-44-5	1915A 00005	GB
250 mg		(bedermin) Assay : Min. 98% C27H37FO6 M.W 476.58		1915A 00025	GB
100 ml	01916	BIAL'S ORCINOL REAGENT (Sumner), Liquid, d. 1.1885		01916 00100	GB
500 ml		For Detection Of Pentoses And Glucoronic Acid		01916 00500	GB
500 ml	1916A	BICARBONATE INDICATOR solution **NEW**		1916A 00500	PB
25 gm	01921	BICINE (For Molecular Biology) [N,N-Bis (2-hydroxy ethyl) glycine]	150-25-4	01921 00025	GB
100 gm		Assay : Min. 99% C6H13NO4 M.W. 163.17		01921 00100	GB
25 gm	00266	BIEBRICH SCARLET (W.S.) (C.I. No.26905)	4196-99-0	00266 00025	GB
100 gm		Dye Content : Min. 70% C22H14N4Na2O7S2 M.W. 556.49		00266 00100	GB
100 gm	00267	BILE SALT (for bacteriology)	11006-55-6	00267 00100	PB
500 gm		(sodium tauroglycocholate)		00267 00500	PB
125 ml	01922	BILE SALT REAGENT solution		01922 00125	PB
500 ml				01922 00500	PB
100 mg	0267A	BILIRUBIN AR	635-65-4	0267A 0100M	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
1 gm		Assay : Min. 95% C33H36N4O6 M.W. 584.68		0267A 00001	GB
100 mg	00268	D-BIOTIN (for biochemistry)	58-85-5	00268 0100M	GB
1 gm		(Vitamin 'H')		00268 00001	GB
10 gm		Assay : Min. 98% C10H16N2O3S M.W. 244.31		00268 00010	GB
100 gm	00269	BIPHENYL (for synthesis)(diphenyl)	92-52-4	00269 00100	PB
500 gm		Assay : Min. 99% C12H10 M.W. 154.21		00269 00500	PB
5 gm	0267A	4,4'-BIPYRIDINE (4,4'-Bipyridyl)	553-26-4	0267A 00005	GB
		Assay : Min. 98% C10H8N2 M.W. 156.18			
5 gm	00270	2, 2-BIPYRIDYL AR (2, 2-dipyridyl)	366-18-7	00270 00005	GB
25 gm		Assay : Min. 99.5% C10H8N2 M.W. 156.19		00270 00025	GB
1 gm	0270A	2, 2-BIQUINOLINE AR (2, 2-biquinolyl) (2, 2-diquinolyl)	119-91-5	0270A 00001	GB
5 gm		Assay : Min. 98% C18H12N2 M.W. 256.31		0270A 00005	GB
5 gm	01923	BISACODYL (for lab use)(bicol, laxadin)	603-50-9	01923 00005	GB
25 gm		C22H19NO4 M.W 361.39		01923 00025	GB
100 gm	1923B	BIS-(2-BENZOTHIAZOLYL)-DISULFIDE	120-78-5	1923B 00100	PB
500 gm		[2,2'-Dithiobis (benzothiazole)] Assay : Min. 98% C14H8N2S4 M.W. 332.49		1923B 00500	PB
500 gm	1923C	BIS-(2-CHLOROETHYL) AMINE HYDROCHLORIDE	821-48-7	1923C 00500	PB
		Assay : Min. 98% C4H9Cl2N.HCl M.W. 178.49			
50 gm	1923A	BIS-(2-CHLOROETHYL) ETHER (2-chloroethyl ether)	111-44-4	1923A 00050	GB
250 gm		Assay : Min. 98.5% (ClCH2CH2)2O M.W. 143.01, Liquid, d. 1.22		1923A 00250	GB
25 gm	0270B	BIS-CYCLOHEXANONE OXALYL DIHYDRAZIDE AR	370-81-0	0270B 00025	GB
		Assay : Min. 95% C14H22N4O2 M.W. 278.36			
5 gm	0270C	N,N-BIS[2-HYDROXYETHYL]-2-AMINOETHANESULPHONIC	66992-27-6	0270 C 00005	GB
25 gm		ACID SODIUM SALT (BES, sodium salt)		0270C 00025	GB
		Assay : Min. 99% C6H14NNaO5S M.W. 235.23			
100 gm	0270D	2,2 -BIS (HYDROXYMETHYL) PROPIONIC ACID	4767-03-7	0270D 00100	PB
		Assay : Min. 98% C5H10O4 M.W. 134.13			
25 gm	00271	BISMARCK BROWN R (M.S.)	5421-66-9	00271 00025	GB
100 gm		(basic brown 4) (C.I. No.21010)		00271 00100	PB
500 gm		C21H24N8.2HCl M.W 461.39		00271 00500	PB
25 gm	01924	1,2-BIS (2-HYDROXYPHENYLIMINO) ETHANE AR	1149-16-2	01924 00025	GB
		[glyoxal bis (2-hydroxyanil)] Assay : Min. 95% C14H12N2O2 M.W. 240.26			
125 ml	01926	BISMUTH AAS STANDARD SOLUTION		01926 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d.1.013		01926 00500	GB
125 ml	1926A	BISMUTH ICP STANDARD SOLUTION 1000mg/L in Nitric AcidLiquid, d.1.013		1926A 00125	GB
100 gm	00272	BISMUTH (metal) GRANULAR AR	7440-69-9	00272 00100	GB
500 gm		Assay : Min. 99.5% Bi M.W. 208.98		00272 00500	PB
100 gm	00273	BISMUTH (metal) POWDER AR	7440-69-9	00273 00100	GB
500 gm		Assay : Min. 99.9% Bi M.W. 208.98		00273 00500	PB
100 gm	00274	BISMUTH ACETATE	22306-37-2	00274 00100	PB
500 gm		Assay : Min. 99.99% (CH3CO2)3Bi M.W 386.11		00274 00500	PB
		BISMUTH AMMONIUM CITRATE See Ammonium Bismuth Citrate Cat No.101 Page 14			
100 gm	00277	BISMUTH BORATE	37233-77-5	00277 00100	PB
500 gm				00277 00500	PB
100 gm	00278	BISMUTH BROMIDE	7787-58-8	00278 00100	PB
500 gm		Assay : Min. 98% BiBr3 M.W 448.69		00278 00500	PB
100 gm	00279	BISMUTH CARBONATE (basic)	5892-10-4	00279 00100	PB
500 gm		Assay : Min. 80-82% (BiO)2CO3 M.W 509.97		00279 00500	PB
100 gm	00280	BISMUTH CHLORIDE (TRI) (bismuth trichloride)	7787-60-2	00280 00100	GB
500 gm		Assay : Min. 97% BiCl3 M.W. 315.34		00280 00500	GB
		BISMUTH CHLORIDE (OXY) See Bismuth Oxychloride Cat No.288 Page 33			
100 gm	00281	BISMUTH CHROMATE		00281 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm				00281 00500	PB
100 gm	00282	BISMUTH CITRATE	813-93-4	00282 00100	PB
500 gm		Assay : Min. 98% C6H5O7Bi M.W. 398.8		00282 00500	PB
100 gm	00283	BISMUTH FLUORIDE	7787-61-3	00283 00100	PB
500 gm		Assay : Min. 99.99% BiF3 M.W 265.98		00283 00500	PB
		BISMUTH GALLATE basic See Bismuth Subgallate Cat No.289A Page 33			
100 gm	0283A	BISMUTH HYDROXIDE	17194-00-2	0283A 00100	PB
500 gm		Assay : Min. 95% Ba(OH)2 M.W. 171.34		0283A 00500	PB
100 gm	00284	BISMUTH IODIDE (bismuth triiodide)	7787-64-6	00284 00100	GB
		Assay : Min. 99% BiI3 M.W 589.69			
100 gm	00285	BISMUTH NITRATE (pentahydrate)	10035-06-0	00285 00100	GB
500 gm		(bismuth (III) nitrate) Assay : Min. 98% Bi(NO3)3.5H2O M.W. 485.07		00285 00500	GB
100 gm	0285A	BISMUTH NITRATE AR (pentahydrate)	10035-06-0	0285A 00100	GB
500 gm		(bismuth (III) nitrate) Assay : Min. 98% Bi(NO3)3.5H2O M.W. 485.07		0285A 00500	GB
100 gm	00286	BISMUTH OXALATE	6591-55-5	00286 00100	PB
500 gm				00286 00500	PB
100 gm	00287	BISMUTH OXIDE (bismuth (III) oxide)	1304-76-3	00287 00100	GB
500 gm		Assay : Min. 99% Bi2O3 M.W. 465.96		00287 00500	PB
100 gm	0287A	BISMUTH OXYCARBONATE (bismuth subcarbonate)	5892-10-4	0287A 00100	PB
500 gm		Assay : Min. 80-82% (BiO)2CO3 M.W 509.97		0287A 00500	PB
100 gm	00288	BISMUTH OXYCHLORIDE [bismuth chloride(oxy)]	7787-59-9	00288 00100	GB
500 gm		Assay : Min. 98% BiClO M.W. 260.43		00288 00500	GB
		BISMUTH OXYNITRATE See Bismuth Subnitrate Cat No.290 Page 33			
100 gm	00289	BISMUTH PHOSPHATE	10049-01-1	00289 00100	PB
500 gm		Assay : Min. 99.99% BiO4P M.W 303.95		00289 00500	PB
100 gm	01927	BISMUTH SALICYLATE (bismuth (III) subsalicylate)	14882-18-9	01927 00100	PB
500 gm		Assay : 99.9% C7H5BiO4 M.W 362.09		01927 00500	PB
		BISMUTH SUBCARBONATE See Bismuth Oxycarbonate Cat No.287A Page 33			
100 gm	0289A	BISMUTH SUBGALLATE hydrate(bismuth gallate basic)	99-26-3	0289A 00100	PB
500 gm		Assay : Min. 98% C7H5BiO6.xH2O M.W. 394.09 (anhyd. basis)		0289A 00500	PB
25 gm	0289B	BISMUTH SUBIODIDE (Bismuth Iodide Oxide)	7787-63-5	0289B 00025	GB
100 gm		Assay : Min. 56% BiIO M.W 351.88		0289B 00100	GB
100 gm	00290	BISMUTH SUBNITRATE(bismuth oxynitrate)	1304-85-4	00290 00100	GB
500 gm		Assay : Min. 71% Bi5O(OH)9(NO3)4 M.W. 1461.99		00290 00500	GB
25 gm	0290A	BISMUTH SUCCINATE	139-16-2	0290A 00100	PB
100 gm				0290A 00500	PB
100 gm	00291	BISMUTH SULPHATE (bismuth (III) sulphate)	7787-68-0	00291 00100	PB
500 gm		Assay : Min. 90% Bi2O12S3 M.W. 706.13		00291 00500	PB
25 gm	00292	BISMUTH SULPHIDE	1345-07-9	00292 00100	PB
100 gm		Assay : Min. 99% Bi2S3 M.W 514.16		00292 00500	PB
250 gm	0293A	BISMUTH TARTRATE	31586-77-3	0293A 00250	PB
		BISMUTH TRICHLORIDE See Bismuth Chloride (tri) Cat No.280 Page 32			
500 gm	00294	BISPHENOL-A [2,2-di-(4-hydroxyphenyl) propane]	80-05-7	00294 00500	PB
		Assay : Min. 97% C15H16O2 M.W. 228.29			
5 gm	1927A	BISPYRAZOLONE AR (for determination of cyanide)	7477-67-0	1927A 00005	GB
25 gm		Assay : Min. 99% C20H18N4O2 M.W. 346.39		1927A 00025	GB
25 ml	0294B	N,O-BIS-(TRIMETHYLSILYL) TRIFLUORO ACETAMIDE	25561-30-2	0294B 00025	GB
100 ml		(BSTFA)		0294B 00100	GB
		Assay : Min. 98% C8H18F3NOSi2 MM.W. 257.41, Liquid d. 0.971			
25 gm	1927B	BIS-TRIS (for molecular biology)	6976-37-0	1927B 00025	GB
100 gm		(2,2-Bis (hydroxymethyl)-2,2',2" nitrilotriethanol)		1927B 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 98% C8H19NO5 M.W. 209.24			
100 gm	0294A	BIURET (For Molecular Biology)	108-19-0	0294A 00100	GB
		Assay : Min. 97% C2H5N3O2 M.W. 103.08			
125 ml	00295	BIURET REAGENT solution		00295 00125	PB
500 ml		(store at 2-8°C)		00295 00500	PB
500 gm	00296	BLEACHING POWDER	7778-54-3	00296 00500	PB
5 Kg		(calcium hypochlorite) (chlorinated lime)		00296 05000	PB
25 Kg		CaCl2O2 M.W. 142.99		00296 25000	PD
1 gm	0296A	BLUE TETRAZOLIUM AR (blue tetrazolium chloride)	1871-22-3	0296A 00001	GB
5 gm		Assay : Min. 95% C40H32N8O2Cl2 M.W. 727.66		0296A 00005	GB
25 ml	01928	BOC ANHYDRIDE (for synthesis)	24424-99-5	01928 00025	GB
100 ml		(di-tert-butyl pyrocarbonate), Liquid, d. 0.95		01928 00100	GB
500 ml		Assay : Min. 98% C10H18O5 M.W.218.25		01928 00500	GB
500 mg	1928A	1-BOC-3-AZETIDINE CARBOXYLIC ACID	142253-55-2	1928A 00001	GB
1 gm		Assay : Min. 97% C9H15NO4 M.W 201.22		1928A 00005	GB
1 gm	1928B	1-BOC-3-AZETIDINOL	141699-55-0	1928B 00005	GB
5 gm		Assay : Min. 97% C8H15NO3 M.W 173.21		1928B 00010	GB
5 gm	0296B	1-BOC-4-(2-HYDROXYETHYL) PIPERAZINE	77279-24-4	0296B 00025	GB
		Assay : Min. 97% C11H22N2O3 M.W 230.30			
25 gm	01929	BOC-L-PHENYL ALANINE (for synthesis)	13734-34-4	01929 00025	GB
100 gm		(N-(tert-butoxycarbonyl)L-phenylalanine)		01929 00100	GB
		Assay : Min. 99% C14H19NO4 M.W. 265.30			
1 gm	1929A	4-BOC-PIPERAZINONE	76003-29-7	1929A 00010	GB
5 gm		Assay : Min. 98% C9H16N2O3 M.W 200.23		1929A 00025	GB
100 ml	01930	BORANE-TETRAHYDROFURAN COMPLEX SOLUTION (1 M in THF)	14044-65-6	01930 00100	GB
		BH3OC4H8 M.W 85.94, Liquid, d . 0.880			
500 gm	00297	BORAX (decahydrate)	1303-96-4	00297 00500	PB
5 Kg		(di-sodium tetraborate)		00297 05000	PB
50 Kg		Assay : Min. 99-103% Na2B4O7.10H2O M.W. 381.37		00297 50000	FD
500 gm	0297A	BORAX AR (decahydrate) (di-sodium tetraborate)	1303-96-4	0297A 00500	PB
5 Kg		Assay : Min. 99.5-102.5% Na2B4O7.10H2O M.W. 381.37		0297A 05000	PC
25 gm	00298	BORAX CARMINE (GRENACHER) powder		00298 00025	GB
125 ml	00299	BORAX CARMINE (GRENACHER), Liquid, d. 0.967		00299 00125	PB
500 ml		alcoholic staining solution		00299 00500	PB
125 ml	00300	BORAX CARMINE (GRENACHER), Liquid, d. 0.967		00300 00125	PB
500 ml		aqueous staining solution		00300 00500	PB
500 gm	00301	BORIC ACID (fine powder)	10043-35-3	00301 00500	PB
5 Kg		(orthoboric acid)		00301 05000	PB
50 Kg		Assay : Min. 99.5% H3BO3 M.W. 61.83		00301 50000	FD
500 gm	0301A	BORIC ACID (powder) AR (orthoboric acid)	10043-35-3	0301A 00500	PB
5 Kg		Assay : Min. 99.5% H3BO3 M.W. 61.83		0301A 05000	PB
500 gm	0301B	BORIC ACID (For Molecular Biology)	10043-35-3	0301B 00500	PB
1 Kg		Assay : Min. 99.8% H3BO3 M.W. 61.83		0301B 01000	PB
500 gm	00302	BORIC ACID (crystals) (orthoboric acid)	10043-35-3	00302 00500	PB
		Assay : Min. 99.5% H3BO3 M.W. 61.83			
50 gm	0302B	meta-BORIC ACID	13460-50-9	0302B 00050	PB
250 gm		Assay : Min. 98.5% HBO2 M.W. 43.82		0302B 00250	PB
125 ml	0302A	BORON AAS STANDARD SOLUTION, Liquid, d. 1.000		0302A 00125	GB
500 ml		1000mg/L in water		0302A 00500	GB
125 ml	0302C	BORON ICP STANDARD SOLUTION 1000mg/L in water, Liquid, d. 1.000		0302C 00125	GB
100 gm	01931	BORON CARBIDE powder 90 mesh Cb4 M.W 55.25	12069-32-8	01931 00100	PB
100 gm	01932	BORON CARBIDE powder 150 mesh Cb4 M.W 55.25	12069-32-8	01932 00100	PB
100 gm	01933	BORON CARBIDE powder 220 mesh Cb4 M.W 55.25	12069-32-8	01933 00100	PB
50 gm	01936	BORON NITRIDE (LAB)	10043-11-5	01936 00050	PB
500 gm		Assay : Min. 99% BN M.W. 24.82		01936 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	01941	BORON POWDER (amorphous)	7440-42-8	01941 00025	PB
100 gm		Assay : Min. 99% B M.W. 10.81		01941 00100	PB
100 gm	01944	BORON TRIBROMIDE (for synthesis)	10294-33-4	01944 00100	PB
		Assay : Min. 99% Bbr3 M.W. 250.54, Liquid, d. 2.60			
500 ml	01946	BORON TRIFLUORIDE DIETHYL ETHER	109-63-7	01946 00500	GBT
2.5 Lt		(boron trifluoride ethyl ether complex)		01946 02500	GBT
		Assay : Min. 50% C4H10BF3O M.W 141.93, Liquid, d. 1.15			
500 ml	01950	BORON TRIFLUORIDE METHANOL COMPLEX11-14% in methanol ,Liquid, d. 1.222	2802-68-8	01950 0500	GB
		Assay : 11 -14%(BF3) C2H8BF3O2 M.W. 131.89			
250 gm	1946A	di-BORON TRIOXIDE (anhydrous)	1303-86-2	1946A 00250	PB
500 gm		(boric anhydride) Assay : Min. 98% B2O3 M.W. 69.62		1946A 00500	PB
250 gm	00303	di-BORON TRIOXIDE AR (anhydrous)	1303-86-2	00303 00250	PB
500 gm		(boric anhydride) Assay : Min. 99% B2O3 M.W. 69.62		00303 00500	PB
125 ml	0303A	BOUIN'S FLUID Liquid, d. 0.984		0303A 00125	PB
500 ml		(histopathology fixative)		0303A 00500	PB
		BOVINE ALBUMINE (fraction V powder) See Albumine Bovine powder Cat No.030 Page 6			
125 ml	01947	BRADY'S REAGENT solution		01947 00125	PB
500 ml		Liquid, d. 1.06		01947 00500	PB
100 gm	1947A	BRASS POWDER	63338-02-3	1947A 00100	PB
500 gm				1947A 00500	PB
500 gm	0303B	BRIJ-35'3 (main component)	9002-92-0	0303B 00500	PB
		(polyoxyethylene lauryl ether)			
500 ml	0303C	BRIJ-35'3 (30% solution), Liquid, d. 1.06	9002-92-0	0303C 00500	PB
		(polyoxyethylene lauryl ether)			
5 gm	0303D	BRILLIANT BLUE FCF (C.I.No.42090)	3844-45-9	0303D 00005	GB
25 gm		(erioglaucine A)		0303D 00025	GB
100 gm		C37H34Na2N2O9S3 M.W 792.85		0303D 00100	PB
5 gm	01949	BRILLIANT BLUE G 250 (For Molecular Biology)	6104-58-1	01949 00005	GB
25 gm		(coomasie brilliant blue G 250)		01949 00025	GB
100 gm		C47H48N3NaO7S2 M.W. 854.02		01949 00100	PB
5 gm	1949A	BRILLIANT BLUE R (For Molecular Biology) (C.I.No.42660)	6104-59-2	1949A 00005	GB
25 gm		(coomasie Brilliant Blue R 250)		1949A 00025	GB
100 gm		C45H44N3NaO7S2 M.W. 825.97		1949A 00100	PB
5 gm	00304	BRILLIANT CRESYL BLUE (M.S.)(C.I. No.51010)	81029-05-2	00304 00005	GB
25 gm		(cresyl blue) C17H20N3OCl.1/2ZnCl2 M.W. 385.96		00304 00025	GB
125 ml	00305	BRILLIANT CRESYL BLUE alcoholic solution		00305 00125	PB
500 ml		Liquid, d. 0.808		00305 00500	PB
25 gm	00306	BRILLIANT GREEN indicator (C.I. No.42040)	633-03-4	00306 00025	GB
100 gm		Dye Content : Min. 90% C27H34N2O4S M.W. 482.65		00306 00100	GB
500 gm				00306 00500	PB
125 ml	00307	BRILLIANT GREEN		00307 00125	PB
500 ml		indicator solution		00307 00500	PB
25 gm	00308	BRILLIANT YELLOW (C.I. No.24890)	3051-11-4	00308 00025	GB
100 gm		Dye Content : Min. 70% C26H18N4Na2O8S2 M.W. 624.56		00308 00100	PB
pkt	00309	BRILLIANT YELLOW indicator paper		00309 001PK	AC
25 gm	0309A	BROMELAIN (from pineapple stem)	9001-00-7	0309A 00025	GB
100 gm		MW : ~33,000		0309A 00100	GB
5x20 ml	00310	BROMINE (for synthesis)	7726-95-6	00310 00100	GAT
5x5x20ml		Assay : Min. 99% Br2 M.W. 159.81, Liquid, d. 3.119		00310 00500	GAT
5x20 ml	0310A	BROMINE AR	7726-95-6	0310A 00100	GAT
		Assay : Min. 99.5% Br2 M.W. 159.81, Liquid, d. 3.119			
500 ml	00311	BROMINE WATER (concentrated)		00311 00500	GBT
500 gm	0311A	BROMOACETALDEHYDE DIETHYL ACETAL	2032-35-1	0311A 00500	PB
		Assay : Min. 97% C6H13BrO2 M.W. 197.07			
100 gm	0311B	BROMOACETALDEHYDE DIMETHYL ACETAL	7252-83-7	0311B 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 96% C4H9BrO2 M.W. 169.02		0311B 00500	PB
25 gm	00312	p-BROMO ACETANILIDE (for synthesis)	103-88-8	00312 00025	GB
100 gm		Assay : Min. 98% C8H8BrNO M.W 214.06		00312 00100	PB
500 gm				00312 00500	PB
100 gm	01951	BROMOACETIC ACID (for synthesis)	79-08-3	01951 00100	PB
500 gm		Assay : Min. 97% C2H3BrO2 M.W. 138.95		01951 00500	PB
25 gm	0312B	3'-BROMOACETOPHENONE	2142-63-4	0312B 00025	GB
100 gm		Assay : Min. 98% C8H7BrO M.W. 199.06		0312B 00100	PB
100 gm	0312A	p-BROMO ACETOPHENONE (4-bromo acetophenone)	99-90-1	0312A 00100	PB
250 gm		Assay : Min. 98% C8H7BrO M.W. 199.06		0312A 00250	PB
100 gm	0312C	BROMOACETYL BROMIDE	598-21-0	0312C 00100	PB
		Assay : Min. 99% C2H2Br2O M.W. 201.84			
25 ml	01956	m-BROMOANILINE (for synthesis)	591-19-5	01956 00025	GB
100 ml		(3-bromoaniline) Assay : Min. 98% C6H6BrN M.W 172.02, Liquid, d. 1.58		01956 00100	GB
25 gm	01961	o-BROMOANILINE (for synthesis)	615-36-1	01961 00025	GB
100 gm		(2-bromoaniline) Assay : Min. 98% C6H6BrN M.W 172.02, Liquid, d. 1.52		01961 00100	GB
25 gm	00313	p-BROMO ANILINE (for synthesis)	106-40-1	00313 00025	GB
100 gm		Assay : Min. 98% C6H6BrN M.W. 172.03		00313 00100	GB
500 gm				00313 00500	GB
25 gm	0313A	2-BROMOANISOLE	578-57-4	0313A 00025	GB
		Assay : Min. 98% C7H7BrO M.W. 187.04, Liquid, d. 1.502			
100 ml	01966	m-BROMOANISOLE (for synthesis)	2398-37-0	01966 00100	GB
500 ml		(3-bromoanisole) (1-bromo-3-methoxy benzene)		01966 00500	GB
		Assay : Min. 98% C7H7BrO M.W. 187.04, Liquid, d. 1.477			
100 gm	01971	p-BROMOANISOLE (for synthesis)	104-92-7	01971 00100	GB
500 gm		(4-bromoanisole) (1-bromo-4-methoxy benzene)		01971 00500	GB
		Assay : Min. 99% C7H7BrO M.W. 187.04, Liquid, d. 1.494			
25 gm	01972	2-BROMOBENZALDEHYDE	6630-33-7	01972 00025	GB
		Assay : Min. 97% C7H5BrO M.W 185.02, Liquid, d. 1.585			
25 gm	01976	m-BROMOBENZALDEHYDE (for synthesis)	3132-99-8	01976 00025	GB
100 gm		(3-bromobezaldehyde) Assay : Min. 97% C7H5BrO M.W 185.02,Liquid, d. 1.587		01976 00100	GB
25 gm	1976A	p-BROMO BENZALDEHYDE (for synthesis)	1122-91-4	1976A 00025	GB
100 gm		(4-bromo benzaldehyde) Assay : Min. 98% C7H5BrO M.W 185.02		1976A 00100	GB
250 ml	00314	BROMOBENZENE (for synthesis) (phenyl bromide)	108-86-1	00314 00250	GBT
500 ml		Assay : Min. 99% C6H5Br M.W. 157.02, Liquid, d. 1.491		00314 00500	GBT
250 ml	0314A	BROMOBENZENE AR (phenyl bromide)	108-86-1	0314A 00250	GBT
		Assay : Min. 99.5% C6H5Br M.W. 157.02, Liquid, d. 1.491			
25 gm	0314B	o-BROMO BENZOIC ACID(2-bromo benzoic acid)	88-65-3	0314B 00025	GB
100 gm		Assay : Min. 98% C7H5BrO2 M.W. 201.02		0314B 00100	GB
5 gm	0314C	3-BROMO BENZOIC ACID (for synthesis)	585-76-2	0314C 00005	GB
25 gm		(m-bromo benzoic acid) Assay : Min. 98% C7H5BrO2 M.W. 201.02		0314C 00025	GB
5 gm	0314D	4-BROMO BENZOIC ACID (for synthesis)	586-76-5	0314D 00005	GB
25 gm		(p-bromo benzoic acid) Assay : Min. 98% C7H5BrO2 M.W. 201.02		0314D 00025	GB
25 gm	00315	p-BROMO BENZOPHENONE	90-90-4	00315 00025	GB
100 gm		Assay : Min. 98% C13H9BrO M.W 261.11		00315 00100	GB
10 gm	0315C	2-BROMOBENZOYL CHLORIDE	7154-66-7	0315C 00050	GB
		Assay : Min. 97% BrC6H4COCl M.W 219.46			
10 gm	0315D	3-BROMOBENZOYL CHLORIDE	1711-09-7	0315D 00010	GB
25 gm		Assay : Min. 98% BrC6H4COCl M.W 219.46, Liquid, d. 1.662		0315D 00025	GB
5 gm	0315E	4-BROMOBENZOYL CHLORIDE	586-75-4	0315E 00025	GB
25 gm		Assay : Min. 98% BrC6H4COCl M.W 219.46		0315E 00100	GB
5 gm	0314F	3-BROMOBENZYLAMINE	10269-01-9	0314F 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		Assay : Min. 97% C7H8BrN M.W 186.05		0314F 00100	GB
1 gm	0314E	4-BROMOBENZYLAMINE	3959-07-7	0314E 00001	GB
5 gm		Assay : Min. 96% C7H8BrN M.W 186.05		0314E 00005	GB
		1-BROMO BUTANE See n-Butyl Bromide Cat No.340 Page 41			
250 gm	0315F	2-BROMOBUTYRIC ACID	80-58-0	0315F 00250	GB
		Assay : Min. 96.5% C4H7BrO2 M.W. 167, Liquid, d. 1.567			
100 gm	0315A	4-BROMOCHLOROBENZENE	106-39-8	0315A 00100	GB
250 gm		(1-bromo-4-chlorobenzene) Assay : Min. 98% C6H4BrCl M.W 191.45		0315A 00250	GB
25 gm	0315G	1-BROMO-4-CHLOROBUTANE	6940-78-9	0315G 00025	GB
		Assay : Min. 99% C4H8BrCl M.W. 171.46, Liquid, d. 1.488			
100 gm	0315H	1-BROMO-2-CHLOROETHANE	107-04-0	0315H 00100	GB
		Assay : Min. 98% C2H4BrCl M.W. 143.41, Liquid, d. 1.723			
		5-BROMO-4-CHLORO-3-INDOLYL-a'-D-GALCTOPYRANOSIDE See X-Gal Cat No.1576D Page 209			
100 ml	0315B	1-BROMO-3-CHLOROPROPANE , Liquid, d. 1.592	109-70-6	0315B 00100	GB
500 ml		(trimethylene bromochloride) Assay : Min. 99% C3H6BrCl M.W157.44		0315B 00500	GB
		BROMO CRESOL BLUE indicator See Bromo Cresol Green Cat No.316A , 316 & 317 Page 37			
5 gm	0316A	BROMO CRESOL GREEN indicator AR	76-60-8	0316A 00005	GB
10 gm		(bromo cresol blue)		0316A 00010	GB
25 gm		Dye Content : Min. 95% C21H14Br4O5S M.W. 698.04		0316A 00025	GB
100 gm				0316A 00100	PB
5 gm	00316	BROMO CRESOL GREEN SODIUM SALT (water soluble)	62625-32-5	00316 00005	GB
25 gm		(bromo cresol blue sodium salt)		00316 00025	GB
		Dye Content : Min. 90% C21H13Br4NaO5S M.W. 720.00			
125 ml	00317	BROMO CRESOL GREEN indicator solution (0.04%)		00317 00125	PB
500 ml		(bromo cresol blue solution)		00317 00500	PB
5 gm	00318	BROMO CRESOL PURPLE indicator AR	115-40-2	00318 00005	GB
25 gm		Dye Content : Min. 90% C21H16Br2O5S M.W. 540.22		00318 00025	GB
100 gm				00318 00100	PB
125 ml	0318A	BROMO CRESOL PURPLE indicator solution (0.04%)		0318A 00125	PB
500 ml				0318A 00500	PB
25 gm	0317A	BROMOCRESOL PURPLE SODIUM SALT	62625-30-3	0317A 00025	GB
100 gm		Dye Content : Min. 90% C21H15Br2NaO5S M.W. 562.20		0317A 00100	PB
5 gm	1976C	4-BROMO-2,6-DIAMINOPYRIDINE	329974-09-6	1976C 00010	GB
10 gm				1976C 00025	GB
		BROMOETHANE See Ethyl Bromide Cat No.681 Page 87			
10 gm	0318C	2-BROMOETHANESULPHONIC ACID SODIUM SALT (for synthesis)	4263-52-9	0318C 00010	GB
50 gm		(Sodium 2-bromoethanesulphonate)		0318C 00050	GB
		Assay : Min. 98% C2H4BrNaO3S M.W. 211.02			
25 gm	0318D	2-BROMOETHANOL	540-51-2	0318D 00025	GB
100 gm		Assay : Min. 95% C2H5BrO M.W. 124.96, Liquid, d. 1.76		0318D 00100	GB
100 gm	0318B	2-BROMOETHYLAMINE HYDROBROMIDE	2576-47-8	0318B 00100	PB
		Assay : Min. 99% C2H7Br2N M.W. 204.90			
250 ml	00319	BROMOFORM (tribromomethane)	75-25-2	00319 00250	GBT
		Assay : Min. 98% CHBr3 M.W. 252.73, Liquid, d. 2.894			
25 gm	1976D	5-BROMO-2-FUROIC ACID	585-70-6	1976D 00025	GB
		Assay : Min. 97% C5H3BrO3 M.W 190.98			
100 ml	1976E	1-BROMOHEPTANE (for synthesis) (n-Heptyl Bromide), Liquid, d. 1.14	629-04-9	1976E 00100	GBT
500 ml		(CAS No.629-04-9) Assay : Min. 99% CH3(CH2)6Br M.W. 179.1		1976E 00500	GBT
100 ml	1976F	1-BROMOHEXANE 98% (for synthesis)	111-25-1	1976F 00100	GB
500 ml		(n-Hexyl Bromide) Assay : Min. 98% C6H13Br M.W. 165.07, Liquid, d. 1.176		1976F 00500	GBT
1 gm	01977	BROMOHEXINE HYDROCHLORIDE Extra Pure	611-75-6	01977 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm		(for lab use)		01977 00025	GB
25 gm		Assay : Min. 98% C14H20Br2N2·HCl M.W 412.59		01977 00100	PB
10 gm	1977B	5-BROMOINDOLE	10075-50-0	1977B 00010	GB
25 gm		Assay : Mni. 97% C8H6BrN M.W 196.04		1977B 00025	GB
100 mg	1977A	5-BROMO-INDOXYL ACETATE AR	17357-14-1	1977A 0100M	GB
		Assay : Min. 99% C10H8BrNO2 M.W. 254.08			
100 ml	0319A	1-BROMONAPHTHALENE (for synthesis)	90-11-9	0319A 00100	GB
500 ml		(a-bromonaphthalene) Assay : Min. 97% C10H7Br M.W. 207.08,Liquid, d. 1.48		0319A 00500	GB
		2-BROMO-2-NITROPROPANE-1,3-DIOL See Bronopol Cat No.1991 Page 39			
		1-BROMO OCTANE (for synthesis) See n-Octyl Bromide Cat No.1119C Page 144			
100 ml	0319B	1-BROMO PENTANE (n-pentyl bromide)	110-53-2	0319B 00100	GB
500 ml		Assay : Min. 98% C5H11Br M.W 151.04, Liquid, d. 1.218		0319B 00500	GB
5 gm	01978	2-BROMOPHENOL (o-bromo phenol)	95-56-7	01978 00005	GB
25 gm		Assay : Min. 98% C6H5BrO M.W 173.01 , Liquid, d. 1.6235		01978 00025	GB
5 gm	01979	3-BROMOPHENOL (m-bromo phenol)	591-20-8	01979 00005	GB
25 gm		Assay : Min. 98% C6H5BrO M.W 173.01		01979 00025	GB
25 gm	01980	4-BROMOPHENOL (p-bromo phenol)	106-41-2	01980 00025	GB
100 gm		Assay : Min. 98% C6H5BrO M.W 173.01		01980 00100	GB
5 gm	00320	BROMO PHENOL BLUE indicator AR (For Molecular Biology)	115-39-9	00320 00005	GB
25 gm		C19H10Br4O5S M.W. 669.96		00320 00025	GB
100 gm				00320 00100	PB
125 ml	00321	BROMO PHENOL BLUE indicator solution (0.04%)		00321 00125	PB
500 ml				00321 00500	PB
10 gm	0320A	BROMOPHENOL BLUE SODIUM SALT	34725-61-6	0320A 00010	GB
25 gm		(bromophenol blue water soluble)		0320A 00025	GB
		Dye Content : Min. 90% C19H9Br4NaO5S M.W. 691.96			
5 gm	00322	BROMO PHENOL RED	2800-80-8	00322 00005	GB
25 gm		C19H12Br2O5S M.W 512.17		00322 00025	GB
125 ml	0322A	BROMO PHENOL RED		0322A 00125	PB
500 ml		indicator solution		0322A 00500	PB
1 gm	0322B	1-(4-BROMOPHENYL) PIPERAZINE	66698-28-0	0322B 00010	GB
5 gm		Assay : Min. 95% C10H13BrN2 M.W. 241.13		0322B 00025	GB
5 gm	0322C	4-BROMOPHTHALIC ACID	6968-28-1	0322C 00025	GB
		Assay : Min. 98% C8H5BrO4 M.W. 245.03			
		1-BROMO PROPANE See n-Propyl Bromide Cat No.1274B Page 166			
		2-BROMO PROPANE See iso-Propyl Bromide Cat No.1274A Page 166			
		3-BROMO-1-PROPENE See Allyl Bromide Cat No.042 Page 7			
25 gm	01981	2-BROMO PROPIONYL BROMIDE (for synthesis)	563-76-8	01981 00025	GB
100 gm		Assay : Min. 97% C3H4Br2O M.W 215.87, Liquid, d. 2.061		01981 00100	PB
25 gm	1981A	3-BROMOPYRIDINE	626-55-1	1981A 00025	GB
100 gm		Assay : Min. 99% C5H4BrN M.W. 158.00, Liquid, d. 1.64		1981A 00100	GB
1 gm	00323	BROMO PYROGALLOL RED AR	16574-43-9	00323 00001	GB
5 gm		Dye Content : Min. 70% C19H10Br2O9S M.W. 558.15		00323 00005	GB
100 gm	00324	N-BROMOSUCCINIMIDE	128-08-5	00324 00100	PB
500 gm		Assay : Min. 98% C4H4BrNO2 M.W. 177.99		00324 00500	PB
1 gm	0324A	BROMOSULPHALEIN purified	71-67-0	0324A 00001	GB
		C20H8Br4Na2O10S2 M.W. 838.02			
5 gm	00325	BROMOTHYMOL BLUE indicator AR (For Molecular Biology)	76-59-5	00325 00005	GB
25 gm		(3',3"-dibromothymolsulfonaphthalein)		00325 00025	GB
100 gm		Dye Content : Min. 95% C27H28Br2O5S M.W. 624.38		00325 00100	GB
500 gm				00325 00500	PB
125 ml	00326	BROMOTHYMOL BLUE indicator solution (0.04%)		00326 00125	PB
500 ml				00326 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
pkt	0326A	BROMOTHYMOL BLUE indicator paper		0326A 001PK	AC
10 gm	01982	BROMOTHYMOL BLUE SODIUM SALT (water soluble)	34722-90-2	01982 00010	GB
		$C_{27}H_{27}Br_2NaO_5S$ M.W. 646.36			
100 ml	01983	3-BROMO TOLUENE	591-17-3	01983 00100	GB
		Assay : Min. 98% C_7H_7Br M.W 171.03, Liquid, d. 1.41			
100 gm	1983A	4-BROMOTOLUENE (for synthesis)	106-38-7	1983A 00100	GB
500 gm		Assay : Min. 98% C_7H_7Br M.W 171.03, Liquid, d. 1.41		1983A 00500	GB
1 gm	01986	5-BROMO URACIL	51-20-7	01986 00001	GB
5 gm		Assay : Min. 97% $C_4H_3BrN_2O_2$ M.W. 190.99		01986 00005	GB
100 gm	01991	BRONOPOL (for synthesis) (2-bromo-2-nitropropane-1,3-diol)	52-51-7	01991 00100	PB
500 gm		Assay : Min. 98% $C_3H_6BrNO_4$ M.W 199.99		01991 00500	PB
500 gm	01996	BRONZE POWDER	7440-50-8	01996 00500	PB
25 gm	0326B	BRUCINE (free base) (for lab use)	357-57-3	0326B 00025	GB
		Assay : Min. 98% $C_{23}H_{26}N_2O_4$ M.W. 394.47			
25 gm	00327	BRUCINE AR (free base) (for lab use)	357-57-3	00327 00025	GB
100 gm		Assay : Min. 99% $C_{23}H_{26}N_2O_4$ M.W. 394.47		00327 00100	GB
25 gm	00328	BRUCINE SULPHATE (for lab use)	4845-99-2	00328 00025	GB
100 gm		$(C_{23}H_{26}N_2O_4)_2.H_2SO_4.7H_2O$ M.W. 1013.11		00328 00100	PB
		BUFFER ACETATE SOLUTION See Acetate Buffer Solution pH 4.6 Cat No.1637 Page 1			
500 ml	0328A	BUFFER CITRATE SOLUTION		0328A 00500	PB
500 ml	0328B	BUFFER SOLUTION pH 2.0, Liquid, d. 1.000		0328B 00500	PB
500 ml	00329	BUFFER SOLUTION pH 4 (phthalate), Liquid, d. 1.003		00329 00500	PB
500 ml	0329E	BUFFER SOLUTION pH 6.0 **NEW**		0329E 00500	PB
4 Amp.	1996A	BUFFER CONCENTRATED FOR 500ML SOLUTION pH 4.00		1996A AMP04	PA
		(2x2 amps. Of set in a box)			
500 ml	0329A	BUFFER SOLUTION pH 7 (phosphate), Liquid, d. 1.01		0329A 00500	PB
4 Amp.	1996B	BUFFER CONCENTRATED FOR 500ML SOLUTION pH 7.00		1996B AMP04	PA
		(2x2 amps. Of set in a box)			
500 ml	0329B	BUFFER SOLUTION pH 9 (borate), Liquid, d. 1.000		0329B 00500	PB
4 Amp.	1996C	BUFFER CONCENTRATED FOR 500ML SOLUTION pH 9.00		1996C AMP04	PA
		(2x2 amps. Of set in a box)			
500 ml	0329C	BUFFER SOLUTION pH 10.0, Liquid, d. 1.0044		0329C 00500	PB
500 ml	0329D	BUFFER SOLUTION pH 11.0, Liquid, d. 1.01		0329D 00500	PB
10 cap	00330	BUFFER CAPSULES pH 4.0		00330 10CAP	PB
10 cap	0330A	BUFFER CAPSULES pH 6.0		0330A 10CAP	PB
10 cap	00331	BUFFER CAPSULES pH 7.0		00331 10CAP	PB
10 cap	00332	BUFFER CAPSULES pH 9.2		00332 10CAP	PB
500 ml	1977E	1,3-BUTANEDIOL (for synthesis)	107-88-0	1977E 00500	GB
2.5 Lt		Assay : Min. 99% $C_4H_{10}O_2$ M.W 90.12, Liquid, d. 1.005		1977E 02500	GB
500 ml	01997	1,4-BUTANEDIOL (tetramethylene glycol) (1,4-butylene glycol)	110-63-4	01997 00500	GB
2.5 Lt		Assay : Min. 99% $C_4H_{10}O_2$ M.W 90.12, Liquid, d. 1.017		01997 02500	GB
		2,3-BUTANEDIONE See Diacetyl Cat No.593A Page 70			
		2,3-BUTANEDIONE DIOXIME See Dimethyl Glyoxime Cat No.631 & 632 Page 78			
		2,3-BUTANEDIONE OXIME See Diacetyl Monoxime Cat No.594 Page 70			
5 gm	0332A	1-BUTANE SULPHONIC ACID SODIUM SALT AR & HPLC	2386-54-1	0332A 00005	GB
25 gm		(anhydrous) (sodium-1-butanesulphonate anhydrous)		0332A 00025	GB
100 gm		Assay : Min. 99% $C_4H_9NaO_3S$ M.W. 160.16		0332A 00100	GB
5 gm	0332B	1-BUTANE SULPHONIC ACID SODIUM SALT AR & HPLC	2386-54-1	0332B 00005	GB
25 gm		(monohydrate) (sodium-1-butanesulphonate monohydrate)		0332B 00025	GB
100 gm		Assay : Min. 99% $C_4H_9NaO_3S.H_2O$ M.W.178.16		0332B 00100	PB
		1-BUTANOL See n-Butyl Alcohol Cat No.334, 334A, 2001 & 2002 Page 40 & 41			
		2-BUTANOL See sec-Butyl Alcohol Cat No.336, 336A & 2002A Page 41			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		BUTANONE See Ethyl Methyl Ketone Cat No.703, 703A & 2006 Page 90			
		2-BUTOXYETHANOL See Ethylene Glycol Monobutyl Ether Cat No.696 Page 89			
1 gm	1997B	1-tert-BUTOXY-N,N,N'N'-TETRAMETHYL METHANEDIAMINE	5815-08-7	1997B 00005	GB
5 gm		(Bredereck's reagent)		1997B 00025	GB
		Assay : Min. 90% C9H22N2O M.W. 174.28, Liquid, d. 0.844			
500 ml	0332C	iso-BUTYL ACETATE	105-46-4	0332C 00500	GB
2.5 Lt		Assay : Min. 99% C6H12O2 M.W. 116.16, Liquid, d. 0.872		0332C 02500	GB
500 ml	00333	n-BUTYL ACETATE (for synthesis)	123-86-4	00333 00500	GB
2.5 Lt		Assay : Min. 99% C6H12O2 M.W. 116.16, Liquid, d. 0.88		00333 02500	GB
5 Lt				00333 05000	PC
500 ml	0333A	n-BUTYL ACETATE AR	123-86-4	0333A 00500	GB
2.5 Lt		Assay : Min. 99.5% C6H12O2 M.W. 116.16, Liquid, d. 0.88		0333A 02500	GB
500 ml	0333B	tert-BUTYL ACETATE	540-88-5	0333B 00500	GB
2.5 Lt		Assay : Min. 99% C6H12O2 M.W 116.16, Liquid, d. 0.866		0333B 02500	GB
500 ml	0333C	BUTYL ACRYLATE (monomer) (for synthesis)	141-32-2	0333C 00500	GB
		Assay : Min. 99% C7H12O2 M.W. 128.17, Liquid, d. 0.894			
500 ml	00334	n-BUTYL ALCOHOL (for synthesis)	71-36-3	00334 00500	GB
2.5 Lt		(n-butanol) (1-butanol) (butan-1-ol)		00334 02500	GB
5 Lt		Assay : Min. 99% C4H10O M.W. 74.12, Liquid, d. 0.81		00334 05000	PC
500 ml	0334A	n-BUTYL ALCOHOL AR (n-butanol) (1-butanol) (butan-1-ol)	71-36-3	0334A 00500	GB
2.5 Lt		Assay : Min. 99.5% C4H10O M.W. 74.12, Liquid, d. 0.81		0334A 02500	GB
500 ml	02001	n-BUTYL ALCOHOL HPLC & SPECTROSCOPY	71-36-3	02001 00500	GB
2.5 Lt		(n-butanol) (1-butanol) (butan-1-ol)		02001 02500	GB
		Assay : Min. 99.8% C4H10O M.W. 74.12, Liquid, d. 0.81			
500 ml	02002	n-BUTYL ALCOHOL (For Molecular Biology)	71-36-3	02002 00500	GB
		(1-butanol) Assay : Min. 99.5% C4H10O M.W. 74.12, Liquid, d. 0.81			
500 ml	00335	iso-BUTYL ALCOHOL (for synthesis)	78-83-1	00335 00500	GB
2.5 Lt		Assay : Min. 98.5% C4H10O M.W. 74.12, Liquid, d. 0.803		00335 02500	GB
500 ml	0335A	iso-BUTYL ALCOHOL AR	78-83-1	0335A 00500	GB
2.5 Lt		Assay : Min. 99% C4H10O M.W. 74.12, Liquid, d. 0.803		0335A 02500	GB
500 ml	00336	sec-BUTYL ALCOHOL (for synthesis) (2-butanol) (butan-2-ol)	78-92-2	00336 00500	GB
2.5 Lt		Assay : Min. 99% C4H10O M.W. 74.12, Liquid, d. 0.808		00336 02500	GB
500 ml	0336A	sec-BUTYL ALCOHOL AR (2-butanol) (butan-2-ol)	78-92-2	0336A 00500	GB
2.5 Lt		Assay : Min. 99.5% C4H10O M.W. 74.12, Liquid, d. 0.808		0336A 02500	GB
500 ml	2002A	sec-BUTYL ALCOHOL (For Molecular Biology)(2-butanol)	78-92-2	2002A 00500	GB
		Assay : Min. 99% C4H10O M.W. 74.12, Liquid, d. 0.808			
500 ml	0336B	tert-BUTYL ALCOHOL (tert-butanol)	75-65-0	0336B 00500	GB
2.5 Lt		Assay : Min. 98.5% C4H10O M.W. 74.12, Liquid, d. 0.786		0336B 02500	GB
500 ml	0336C	tert-BUTYL ALCOHOL AR(tert-butanol)	75-65-0	0336C 00500	GB
		Assay : Min. 99% C4H10O M.W. 74.12, Liquid, d. 0.786			
500 ml	0336D	tert-BUTYL ALCOHOL For HPLC	75-65-0	0336D 00500	GB
1 Lt		Assay : Min. 99.5% C4H10O M.W. 74.12, Liquid, d. 0.786		0336D 01000	GB
500 ml	00337	n-BUTYLAMINE	109-73-9	00337 00500	GB
		Assay : Min. 98% C4H11N M.W.73.14, Liquid, d. 0.742			
500 ml	0337A	n-BUTYLAMINE AR	109-73-9	0337A 00500	GB
2.5 Lt		Assay : Min. 99% C4H11N M.W.73.14, Liquid, d. 0.742		0337A 02500	GB
500 ml	0337B	tert-BUTYLAMINE	75-64-9	0337B 00500	GB
		Assay : Min. 99% C4H11N M.W. 73.14, Liquid, d. 0.694			
100 gm	00338	BUTYLATED HYDROXY ANISOLE	25013-16-5	00338 00100	GB
500 gm		(B.H.A.) (2-tert-butyl-4-methoxy phenol)		00338 00500	PB
		Assay : Min. 98% C11H16O2 M.W. 180.25			
500 gm	00339	BUTYLATED HYDROXY TOLUENE (B.H.T.)	128-37-0	00339 00500	PB
5 Kg		(2,6-di-tert-butyl-4-methyl phenol) (2,6-di-tert-butyl-p-cresol)		00339 05000	PC
		Assay : Min. 99% C15H24O M.W. 220.36			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	2006A	iso-BUTYL BENZENE (for synthesis)	538-93-2	2006A 00500	GB
2.5 Lt		Assay : Min. 98% C10H14 M.W.134.22, Liquid, d. 0.854		2006A 02500	GB
500 ml	2006B	tert-BUTYL BENZENE (for synthesis)	98-06-6	2006B 00500	GB
2.5 Lt		Assay : Min. 99% C10H14 M.W. 134.22, Liquid, d. 0.87		2006B 02500	GB
500 gm	0339A	iso-BUTYL BENZOATE	120-50-3	0339A 00500	GB
		Assay : Min. 98% C11H14O2 M.W. 178.23, Liquid, d. 0.990			
500 gm	0339B	p-tert-BUTYL BENZOIC ACID (for synthesis)(PTBBA)	98-73-7	0339B 00500	PB
		Assay : Min. 99% C11H14O2 M.W. 178.23			
500 ml	00340	n-BUTYL BROMIDE (for synthesis) (1-bromo butane), Liquid, d. 1.276	109-65-9	00340 00500	GB
2.5 Lt		Assay : Min. 98% C4H9Br M.W. 137.03,		00340 02500	GB
500 gm	00341	iso-BUTYL BUTYRATE	539-90-2	00341 00500	GB
		Assay : Min. 98% C8H16O2 M.W. 144.21, Liquid, d. 0.861			
25 gm	2006C	tert-BUTYL CARBAZATE	870-46-2	2006C 00025	GB
100 gm		Assay : Min. 98% C5H12N2O2 M.W. 132.16		2006C 00100	GB
		BUTYL CARBITOL See Diethylene Glycol Monobutyl Ether Cat No.616B Page 74			
250 gm	0341A	4-tert-BUTYL CATECHOL (4-tert-butyl pyrocatechol)	98-29-3	0341A 00250	PB
		Assay : Min. 98% (CH3)3C.C6H3(OH)2 M.W. 166.22			
		BUTYL CELLOSOLVE See Ethylene Glycol Monobutyl Ether Cat No.696 Page 89			
500 ml	0341B	n-BUTYL CHLORIDE (for synthesis)(1-chlorobutane)	109-69-3	0341B 00500	GB
		Assay : Min. 98.5% C4H9Cl M.W. 92.58, Liquid, d. 0.887			
250 ml	02007	tert-BUTYL CHLORIDE (for synthesis)(2-chloro-2-methylpropane)	507-20-0	02007 00250	GB
500 ml		Assay : Min. 99% C4H9Cl M.W. 92.58, Liquid, d. 0.846		02007 00500	GB
100 ml	2007A	iso-BUTYLCHLOROFORMATE (for synthesis)	543-27-1	2007A 00100	GB
500 ml		Assay : Min. 98% C5H9ClO2 M.W.136.58, Liquid, d. 1.053		2007A 00500	GB
500 gm	00342	iso-BUTYL CINNAMATE	122-67-8	00342 00500	GB
		Assay : Min. 98% C13H16O2 M.W 204.26, Liquid, d. 1.00			
250 ml	02008	n-BUTYL DIETHANOLAMINE (for synthesis)	102-79-4	02008 00250	GB
1 Lt		[2,2-(n-butylimino) diethanol]		02008 01000	GB
		Assay : Min. 98% C8H19NO2 M.W 161.24, Liquid, d. 0.968			
		BUTYL DIGOL See Diethylene Glycol Monobutyl Ether Cat No.616B Page 74			
25 gm	2008A	tert-BUTYLDIMETHYLSILYL CHLORIDE (for synthesis)	18162-48-6	2008A 00025	GB
100 gm		(TBDMS-Chloride)		2008A 00100	PB
500 gm		Assay : Min. 97% C6H15ClSi M.W. 150.72		2008A 00500	PB
		1,4-BUTYLENE GLYCOL See 1,4-Butanediol Cat No.1997 Page 40			
500 gm	0342A	iso-BUTYL FORMATE	542-55-2	0342A 00500	GB
		Assay : Min. 98% C5H10O2 M.W 102.13, Liquid, d. 0.885			
		BUTYL GLYCOL See Ethylene Glycol Monobutyl Ether Cat No.696 Page 89			
100 ml	0342B	tert-BUTYLHYDROPEROXIDE 70% In Water	75-91-2	0342B 00100	GB
500 ml		C4H10O2 M. W. 90.12, Liquid, d. 0.93		0342B 00500	GB
250 gm	00343	tert-BUTYL HYDROQUINONE (TBHQ)	1948-33-0	00343 00250	PB
500 gm		Assay : Min. 98% C10H14O2 M.W 166.22		00343 00500	PB
500 gm	0343A	BUTYL-4-HYDROXYBENZOATE	94-26-8	0343A 00500	PB
		(butyl paraben) (n-butyl-4-hydroxybenzoate) Assay : Min. 99% C11H14O3 M.W. 194.23			
500 ml	02011	BUTYL LACTATE (75%)(d. 0.98)	34451-19-9	02011 00500	GB
		Assay : Min. 75% C7H14O3 M.W 146.18, Liquid, d. 0.98			
100 ml	02012	BUTYL LITHIUM (for synthesis)	109-72-8	02012 00100	GB
		[15% solution in n-Hexane] (n-butyllithium)			
		Assay : Min. 15% CH3(CH2)3Li M.W. 84.06, Liquid, d. 0.68			
500 ml	2012A	n-BUTYL METHACRYLATE stabilized (for synthesis)	97-88-1	2012A 00500	GB
2.5 Lt		Assay : Min. 99% C8H14O2 M.W. 142.20, Liquid, d. 0.895		2012A 02500	GB
500 ml	2012B	tert-BUTYL METHYL ETHER (for synthesis) (methyl tert-butyl ether)	1634-04-4	2012B 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
2.5 Lt		Assay : Min. 99% C5H12O M.W. 88.15, Liquid, d. 0.742		2012B 02500	GB
500 ml	2012C	tert-BUTYL METHYL ETHER AR (methyl tert-butyl ether)	1634-04-4	2012C 00500	GB
2.5 Lt		Assay : Min. 99.5% C5H12O M.W. 88.15, Liquid, d. 0.742		2012C 02500	GB
1 Lt	2012D	tert-BUTYL METHYL ETHER For HPLC (methyl tert-butyl ether)	1634-04-4	2012D 01000	GB
2.5 Lt		Assay : Min. 99.9% C5H12O M.W. 88.15Liquid, d. 0.742		2012D 02500	GB
500 ml	00344	iso-BUTYL METHYL KETONE	108-10-1	00344 00500	GB
2.5 Lt		(4-methyl pentan-2-one), Liquid, d. 0.802		00344 02500	GB
5 Lt		Assay : Min. 99% C6H2O M.W. 100.16		00344 05000	PC
500 ml	0344A	iso-BUTYL METHYL KETONE AR, Liquid, d. 0.802	108-10-1	0344A 00500	GB
2.5 Lt		(4-methyl pentan-2-one) Assay : Min. 99% C6H2O M.W. 100.16		0344A 02500	GB
		BUTYL PARABEN See Butyl-4-Hydroxybenzoate Cat No.343A Page 49			
250 ml	02016	tert-BUTYL PERBENZOATE (tert-butyl benzoate)	614-45-9	02016 00250	GB
		Assay : Min. 98% C11H14O3 M.W 194.23, Liquid, 1.021			
500 gm	2016A	4-tert-BUTYLPHENOL (for synthesis) (terbutol)	98-54-4	2016A 00500	PB
		Assay : Min. 98% C10H14O M.W. 150.22			
		n-BUTYL PHOSPHATE See Tri-N-Butyl Phosphate Cat No.1536A Page 202			
500 gm	0344B	iso-BUTYL SALICYLATE	87-19-4	0344B 00500	GB
		Assay : Min. 98% C11H14O3 M.W 194.23, Liquid, d. 1.064			
500 ml	0344C	n-BUTYL STEARATE	123-95-5	0344C 00500	GB
		Assay : Min. 50% C22H44O2 M.W. 340.58, Liquid, d. 0.861			
500 ml	02017	BUTYL TITANATE (for synthesis)	5593-70-4	02017 00500	GB
		Assay : Min. 97% C16H36O4Ti M.W 340.32, Liquid, d. 1.00			
500 ml	02021	n-BUTYRALDEHYDE (for synthesis)	123-72-8	02021 00500	GB
		Assay : Min. 99% C4H8O M.W. 72.11, Liquid, d. 0.80			
500 ml	02026	iso-BUTYRIC ACID	79-31-2	02026 00500	GB
		Assay : Min. 99% C4H8O2 M.W. 88.11, Liquid, d. 0.95			
500 ml	00345	n-BUTYRIC ACID (for synthesis)	107-92-6	00345 00500	GB
		Assay : Min. 99% C4H8O2 M.W. 88.11, Liquid, d. 0.96			
500 ml	00346	n-BUTYRIC ACID AR	107-92-6	00346 00500	GB
		Assay : Min. 99.5% C4H8O2 M.W. 88.11, Liquid, d. 0.96			
100 ml	2026A	n-BUTYRIC ANHYDRIDE	106-31-0	2026A 00100	GB
500 ml		Assay : Min. 97% C8H14O3 M.W 158.19, Liquid, d. 0.967		2026A 00500	GB
250 ml	0340A	Iso-BUTYRYL CHLORIDE (for synthesis)	79-30-1	0340A 00250	GB
1 Lt		(2-methyl propionyl chloride)		0340A 01000	GB
		Assay : Min. 98% C4H7ClO M.W. 106.55, Liquid, d. 1.017			
500 ml	02027	y-BUTYROLACTONE (for synthesis)	96-48-0	02027 00500	GB
2.5 Lt		Assay : Min. 99% C4H6O2 M.W. 86.09, Liquid, d. 1.12		02027 02500	GB
250 ml	2026B	BUTYRONITRILE (n-propyl cyanide)	109-74-0	2026B 00250	GB
1 Lt		Assay : Min. 99% C4H7N M.W 69.11, Liquid, d. 0.794		2026B 01000	GB
25 gm	2026C	n-BUTYROPHENONE (phenyl n-propyl ketone)	495-40-9	2026C 00025	GB
50 gm		Assay : Min. 99% C10H12O M.W 148.20, Liquid, d. 1.021		2026C 00050	GB
C					
25 gm	2027A	CACODYLIC ACID (for synthesis)	75-60-5	2027A 00025	GB
100 gm		Assay : Min. 99% C2H7AsO2 M.W.138.0		2027A 00100	GB
5 gm	0346A	CACOTHELINE AR (redox indicator)	561-20-6	0346A 00005	GB
25 gm		Assay : Min. 95% C21H21N3O7 M.W. 427.417		0346A 00025	GB
500 ml	00347	CADE OIL Extra pure Liquid, d. 0.991	8013-10-3	00347 00500	GB
1 gm	0347A	CADION AR	5392-67-6	0347A 00001	GB
5 gm		[1-(4-nitrophenyl)-3-(phenylazophenyl)-triazine]		0347A 00005	GB
		Assay : Min. 98% C18H14N6O2 M.W. 346.35			
125 ml	02031	CADMIUM AAS STANDARD SOLUTION, Liquid, d. 1.013		02031 00125	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml		1000mg/L in Nitric Acid		02031 00500	GB
125 ml	2031A	CADMIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid Liquid, d. 1.013		2031A 00125	GB
100 gm	00348	CADMIUM (metal) GRANULATED AR	7440-43-9	00348 00100	PB
500 gm		Assay : Min. 99% Cd M.W. 112.41		00348 00500	PB
100 gm	0348A	CADMIUM (metal) POWDER AR	7440-43-9	0348A 00100	PB
500 gm		Assay : Min. 99.5% Cd M.W. 112.41		0348A 00500	PB
100 gm	00349	CADMIUM ACETATE (dihydrate)	5743-04-4	00349 00100	PB
500 gm		Assay : Min. 98% (CH3COO)2Cd.2H2O M.W. 266.52		00349 00500	PB
100 gm	00350	CADMIUM ACETATE AR (dihydrate)	5743-04-4	00350 00100	PB
500 gm		Assay : Min. 99% (CH3COO)2Cd.2H2O M.W. 266.52		00350 00500	PB
500 gm	00352	CADMIUM BORATE	51222-60-7	00352 00500	PB
		Assay : Min. 98% CdB4O7 M.W. 267.65			
500 gm	00353	CADMIUM BROMIDE	7789-42-6	00353 00500	PB
		Assay : Min. 98% CdBr2 M.W. 272.22			
500 gm	0353A	CADMIUM BROMIDE AR	7789-42-6	0353A 00500	PB
		Assay : Min. 98.5% CdBr2 M.W. 272.22			
100 gm	00354	CADMIUM CARBONATE	513-78-0	00354 00100	PB
500 gm		Assay : Min. 62-66% CdCO3 M.W. 172.41		00354 00500	PB
5 Kg				00354 05000	PC
100 gm	0354A	CADMIUM CARBONATE AR	513-78-0	0354A 00100	PB
500 gm		Assay : Min. 63.4-67% CdCO3 M.W. 172.41		0354A 00500	PB
100 gm	00355	CADMIUM CHLORIDE (monohydrate)	35658-65-2	00355 00100	PB
500 gm		Assay : Min. 98% CdCl2.H2O M.W. 201.33		00355 00500	PB
5 Kg				00355 05000	PC
100 gm	0355A	CADMIUM CHLORIDE AR (monohydrate)	35658-65-2	0355A 00100	PB
500 gm		Assay : Min. 99% CdCl2.H2O M.W. 201.33		0355A 00500	PB
500 gm	00356	CADMIUM CHROMATE	14312-00-6	00356 00500	PB
		CdCrO4 M.W. 228.405			
500 gm	00357	CADMIUM FLUORIDE	7790-79-6	00357 00500	PB
		Assay : Min. 98% CdF2 M.W 150.41			
100 gm	00358	CADMIUM IODIDE	7790-80-9	00358 00100	PB
500 gm		Assay : Min. 99% CdI2 M.W. 366.22		00358 00500	PB
100 gm	0358A	CADMIUM IODIDE AR	7790-80-9	0358A 00100	PB
		Assay : Min. 99.5% CdI2 M.W. 366.22			
100 gm	00359	CADMIUM NITRATE (4-hydrate)	10022-68-1	00359 00100	PB
500 gm		Assay : Min. 98% Cd(NO3)2.4H2O M.W. 308.48		00359 00500	PB
5 Kg				00359 05000	PC
100 gm	0359A	CADMIUM NITRATE AR (4-hydrate)	10022-68-1	0359A 00100	PB
500 gm		Assay : Min. 99% Cd(NO3)2.4H2O M.W. 308.48		0359A 00500	PB
500 gm	00360	CADMIUM OXALATE		00360 00500	PB
		Assay : Min. 95% C2H2CdO4 M.W. 202.44			
100 gm	00361	CADMIUM OXIDE	1306-19-0	00361 00100	PB
500 gm		Assay : Min. 99% CdO M.W. 128.41		00361 00500	PB
5 Kg				00361 05000	PC
100 gm	0361A	CADMIUM OXIDE AR	1306-19-0	0361A 00100	PB
500 gm		Assay : Min. 99.5% CdO M.W. 128.41		0361A 00500	PB
500 gm	00362	CADMIUM PHOSPHATE		00362 00500	PB
		Assay : Min. 98% Cd3(PO4)2 M.W. 527.18			
100 gm	00363	CADMIUM SULPHATE	7790-84-3	00363 00100	PB
500 gm		Assay : Min. 98% 3CdSO4.8H2O M.W. 769.52		00363 00500	PB
5 Kg				00363 05000	PC
100 gm	0363A	CADMIUM SULPHATE AR	7790-84-3	0363A 00100	PB
500 gm		Assay : Min. 99% 3CdSO4.8H2O M.W. 769.52		0363A 00500	PB
100 gm	00364	CADMIUM SULPHIDE (orange)	1306-23-6	00364 00100	PB
500 gm		Assay : Min. 99% CdS M.W. 144.48		00364 00500	PB
250 gm	00365	CADMIUM TARTRATE	10471-46-2	00365 00250	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
10 gm	02036	CAFFEIC ACID (for synthesis)	331-39-5	02036 00010	GB
		Assay : Min. 98% C9H8O4 M.W 180.16			
100 gm	0365A	CAFFEINE (anhydrous) (1,3,7-trimethyl xanthine)	58-08-2	0365A 00100	PB
500 gm		Assay : Min. 98% C8H10N4O2 M.W. 194.19		0365A 00500	PB
100 gm	00366	CAFFEINE AR (anhydrous) (1,3,7-trimethyl xanthine)	58-08-2	00366 00100	PB
250 gm		Assay : Min. 99% C8H10N4O2 M.W. 194.19		00366 00250	PB
250 gm	00367	CAFFEINE CITRATE (purified)	69-22-7	00367 00250	PB
500 gm				00367 00500	PB
500 gm	00369	CALAMINE Extra Pure	8011-96-9	00369 00500	PB
		Assay : Min. 98% (ZnO)			
1 gm	00370	CALCEINE indicator AR	1461-15-0	00370 00001	GB
5 gm		(fluorescein complexone)		00370 00005	GB
25 gm		C30H26N2O13 M.W. 622.55		00370 00025	GB
		CALCITE POWDER precipitated See Calcium Carbonate Cat No.377 & 377A Page 45			
125 ml	02041	CALCIUM AAS STANDARD SOLUTION, Liquid, d. 1.014		02041 00125	GB
500 ml		1000mg/L in Nitric Acid		02041 00500	GB
125 ml	2041A	CALCIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2041A 00125	GB
		Liquid, d. 1.014			
125 ml	2041B	CALCIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid		2041B 00125	GB
		Liquid, d. 1.014			
100 gm	00371	CALCIUM (metal) LUMPS	7440-70-2	00371 00100	GB
500 gm		Assay : Min. 98% Ca M.W. 40.0		00371 00500	PB
500 gm	00372	CALCIUM ACETATE (hydrate) (dried for soil test)	114460-21-8	00372 00500	PB
5 Kg		Assay : Min. 98% (CH3.COO)2Ca M.W. 158.17		00372 05000	PC
500 gm	00373	CALCIUM ACETATE AR (hydrate)	114460-21-8	00373 00500	PB
		Assay : Min. 99-100.5%% (CH3.COO)2Ca M.W. 158.17			
500 gm	00375	CALCIUM BORATE	12007-56-6	00375 00500	PB
500 gm	00376	CALCIUM BROMIDE (hydrate)	71626-99-8	00376 00500	PB
		Assay : Min. 84.7% Br2Ca.xH2O M.W. 199.89 (on anhydrous basis)			
500 gm	02046	CALCIUM CARBIDE	75-20-7	02046 00500	PB
		Assay : Min. 75% CaC2 M.W. 64.10			
500 gm	00377	CALCIUM CARBONATE	471-34-1	00377 00500	PB
5 Kg		(calcite powder) (precipitated fine powder)		00377 05000	PB
50 Kg		Assay : Min. 98% CaCO3 M.W. 100.09		00377 50000	FD
500 gm	0377A	CALCIUM CARBONATE AR (calcite powder)	471-34-1	0377A 00500	PB
		Assay : Min. 99% CaCO3 M.W. 100.09			
500 gm	00378	CALCIUM CHLORIDE (dihydrate)	10035-04-8	00378 00500	PB
5 Kg		(dihydrate)		00378 05000	PC
25 Kg		Assay : Min. 98% CaCl2.2H2O M.W. 147.01		00378 25000	FD
500 gm	0378A	CALCIUM CHLORIDE AR (dihydrate)	10035-04-8	0378A 00500	PB
5 Kg		Assay : Min. 99% CaCl2.2H2O M.W. 147.01		0378A 05000	PC
100 gm	0378B	CALCIUM CHLORIDE (dihydrate)(For Molecular Biology)	78-92-2	0378B 00100	PB
500 gm		Assay : Min. 99% CaCl2.2H2O M.W. 147.01		0378B 00500	PB
500 gm	00379	CALCIUM CHLORIDE (fused) (anhydrous)	10043-52-4	00379 00500	PB
2.5 Kg		Assay : Min. 95% CaCl2 M.W. 110.98		00379 02500	PB
25 Kg				00379 25000	FD
500 ml	0379A	CALCIUM CHLORIDE 0.005M (0.01N) Standardized Solution, traceable to Nist		0379A 00500	PB
500 ml	0379B	CALCIUM CHLORIDE 0.01M (0.02N) Standardized Solution, traceable to Nist		0379B 00500	PB
500 ml	0379C	CALCIUM CHLORIDE 0.02M (0.04N) Standardized Solution, traceable to Nist		0379C 00500	PB
500 ml	0379D	CALCIUM CHLORIDE 0.05M (1N) Standardized Solution, traceable to Nist		0379D 00500	PB
500 gm	00380	CALCIUM CHROMATE	13765-19-0	00380 00500	PB
		Assay : Min. 99.9% CaCrO4 M.W. 156.07			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	00381	CALCIUM CITRATE (tetrahydrate)	5785-44-4	00381 00500	PB
		Assay : Min. 98% C12H10Ca3O14·4H2O M.W 570.49			
500 gm	00382	CALCIUM FLUORIDE (practical)	7789-75-5	00382 00500	PB
		Assay : Min. 95% CaF2 M.W. 78.07			
500 gm	0382A	CALCIUM FLUORIDE (purified) Extra Pure	7789-75-5	0382A 00500	PB
		Assay : Min. 97% CaF2 M.W. 78.07			
500 gm	00383	CALCIUM FORMATE	544-17-2	00383 00500	PB
		Assay : Min. 99% (HCOO)2Ca M.W. 130.11			
500 gm	0383A	CALCIUM GLUCONATE (monohydrate)	66905-23-5	0383A 00500	PB
		Assay : Min. 98.5-102% C12H22CaO14.H2O M.W. 448.40			
100 tab	0383B	CALCIUM HARDNESS indicator tablets		0383B 100TB	PB
25 gm	0383C	CALCIUM HYDRIDE	7789-78-8	0383C 00025	GB
100 gm		Assay : Min. 95% H2Ca M.W 42.09		0383C 00100	GB
500 gm	00384	CALCIUM HYDROGEN ORTHOPHOSPHATE	7757-93-9	00384 00500	PB
5 Kg		(anhydrous, dibasic)		00384 05000	PB
25 Kg		Assay : Min. 98-100.5% CaHPO4 M.W. 136.06		00384 25000	FD
500 gm	0384A	CALCIUM HYDROGEN ORTHOPHOSPHATE	7789-77-7	0384A 00500	PB
5 Kg		(dihydrate, dibasic)		0384A 05000	PB
25 Kg		Assay : Min. 98-102.5% CaHPO4.2H2O M.W. 172.10		0384A 25000	FD
500 gm	0385A	CALCIUM HYDROXIDE (powder) (practical)	1305-62-0	0385A 00500	PB
5 Kg		Assay : Min. 95% Ca(OH)2 M.W 74.09		0385A 05000	PB
25 Kg				0385A 25000	FD
500 gm	00385	CALCIUM HYDROXIDE (powder) Extra Pure	1305-62-0	00385 00500	PB
5 Kg		Assay : Min. 95% Ca(OH)2 M.W 74.09		00385 05000	PB
25 Kg				00385 25000	FD
500 gm	0384B	CALCIUM HYDROXIDE AR	1305-62-0	0384B 00500	PB
		Assay : Min. 96% Ca(OH)2 M.W 74.09			
		CALCIUM HYPOCHLORITE See Bleaching Powder Cat No.296 Page 33			
100 gm	02048	CALCIUM HYPOPHOSPHITE	7789-79-9	02048 00100	PB
500 gm		Assay : Min. 98% Ca(H2PO2)2 M.W. 170.05		02048 00500	PB
250 gm	0385B	CALCIUM IODATE	7789-80-2	0385B 00250	PB
		Assay : Min. 98% Ca(IO3)2 M.W 389.88			
100 gm	00386	CALCIUM IODIDE	10102-68-8	00386 00100	PB
500 gm		Assay : Min. 99% CaI2 M.W 293.89		00386 00500	PB
500 gm	00387	CALCIUM LACTATE (for soil test)	5743-47-5	00387 00500	PB
		Assay : Min. 98% C6H10CaO6.5H2O M.W 308.29			
25 gm	0387A	CALCIUM LACTOBIONATE	110638-68-1	0387A 00025	GB
100 gm		Assay : Min. 98% C24H42CaO24·2H2O M.W 790.68		0387A 00100	GB
500 gm	00388	CALCIUM NITRATE (tetrahydrate)	13477-34-4	00388 00500	PB
5 Kg		Assay : Min. 98% Ca(NO3)2.4H2O M.W. 236.15		00388 05000	PC
25 Kg				00388 25000	FD
500 gm	0388A	CALCIUM NITRATE (tetrahydrate) AR	13477-34-4	0388A 00500	PB
5 Kg		Assay : Min. 99% Ca(NO3)2.4H2O M.W. 236.15		0388A 05000	PC
500 gm	00389	CALCIUM OXALATE	563-72-4	00389 00500	PB
500 gm	0389A	CALCIUM OXIDE (lumps)	1305-78-8	0389A 00500	PB
5 Kg		Assay : Min. 90% CaO M.W. 56.08		0389A 05000	PB
500 gm	0389B	CALCIUM OXIDE (lumps) AR	1305-78-8	0389B 00500	PB
		Assay : Min. 95% CaO M.W. 56.08			
500 gm	00390	CALCIUM OXIDE (powder) purified	1305-78-8	00390 00500	PB
5 Kg		Assay : Min. 90% CaO M.W. 56.08		00390 05000	PC
25 gm	0390A	CALCIUM-D-PANTOTHENATE (for biochemistry)	137-08-6	0390A 00025	GB
100 gm		[D(+) pantothenic acid calcium salt]		0390A 00100	PB
500 gm		Assay : Min. 98% C9H16NO5.1/2Ca M.W. 238.27		0390A 00500	PB
		CALCIUM PHOSPHATE dibasic See Calcium Hydrogen Orthophosphate Cat No.384 & 384A Page 46			
500 gm	0390B	CALCIUM PHOSPHATE monobasic (monohydrate)	10031-30-8	0390B 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		(calcium dihydrogen phosphate)			
		Assay : Min. 88% Ca(H2PO4)2.H2O M.W. 252.08			
500 gm	00391	CALCIUM PHOSPHATE tribasic	7758-87-4	00391 00500	PB
5 Kg		(tri-calcium phosphate) Assay : Min. 90% Ca3O8P2 M.W. 310.18		00391 05000	PB
5 gm	0391A	CALCIUM PHYTATE (Phytic acid calcium salt)	23183-60-0	0391A 00005	GB
25 gm		Assay : Min. 96% C6H16CaO24P6 M.W. 698.10		0391A 00025	GB
500 gm	00392	CALCIUM PROPIONATE	4075-81-4	00392 00500	PB
		Assay : Min. 97% C6H10CaO4 M.W. 186.22			
250 gm	0392A	CALCIUM-D-SACCHARATE (tetrahydrate)	5793-88-4	0392A 00250	PB
500 gm		Assay : Min. 98-102% C6H8CaO8.4H2O M.W.320.26		0392A 00500	PB
500 gm	00393	CALCIUM SILICATE	1344-95-2	00393 00500	PB
		Assay : Min. 87% SiO2 basis, 12-22% Ca (as CaO) basis			
500 gm	00394	CALCIUM STEARATE	1592-23-0	00394 00500	PB
		Assay : 6.6-7.4% C36H70CaO4 M.W. 607.02			
500 gm	00395	CALCIUM SULPHATE (practical)	7778-18-9	00395 00500	PB
5 Kg		(anhydrous fine powder)		00395 05000	PB
50 Kg		Assay : Min. 95% CaSO4 M.W. 136.14		00395 50000	FD
500 gm	0395A	CALCIUM SULPHATE purified	7778-18-9	0395A 00500	PB
5 Kg		(anhydrous fine powder)		0395A 05000	PB
25 Kg		Assay : Min. 96% CaSO4 M.W. 136.14		0395A 25000	FD
500 gm	00396	CALCIUM SULPHATE dihydrate (precipitated powder)	10101-41-4	00396 00500	PB
5 Kg		Assay : 98-101% CaSO4.2H2O M.W. 172.17		00396 05000	PB
500 gm	0396A	CALCIUM SULPHATE dihydrate AR (precipitated powder)	10101-41-4	0396A 00500	PB
5 Kg		Assay : Min. 99% CaSO4.2H2O M.W. 172.17		0396A 05000	PB
500 gm	00397	CALCIUM SULPHIDE	20548-54-3	00397 00500	PB
		Assay : Min. 99% CaS M.W 72.14			
500 gm	00398	CALCIUM SULPHITE	10257-55-3	00398 00500	PB
500 gm	00399	CALCIUM TARTRATE (hydrate)	3164-34-9	00399 00500	PB
		C4H4O6Ca.xH2O M.W 188.15			
25 gm	00400	CALCON (C.I. No.15705) (solochrome dark blue)	2538-85-4	00400 00025	GB
100 gm		C20H13N2NaO5S M.W. 416.38		00400 00100	GB
		CALCON CARBOXYLIC ACID AR See Patton & Reeder's Reagent Cat No.1147 Page 147			
1 gm	00401	CALMAGITE AR	3147-14-6	00401 00001	GB
5 gm		C17H14N2O5S M.W. 358.37		00401 00005	GB
		CALOMEL See Mercurous Chloride Cat No.997 & 997A Page 127			
500 ml	00402	CAMPHOR OIL Extra Pure, Liquid, d. 0.873-0.900	8008-51-3	00402 00500	GB
500 gm	00403	CAMPHOR powder (purified)	464-49-3	00403 00500	PB
		Assay : Min. 99% C10H16O M.W. 152.24			
100 gm	0402A	D-CAMPHOR-10-SULPHONIC ACID (for synthesis)	3144-16-9	0402A 00100	PB
500 gm		Resolution Of Racemates		0402A 00500	PB
		Assay : Min. 99% C10H16O4S M.W. 232.50			
25 gm	0402B	L-(-) CAMPHOR SULPHONIC ACID Extra Pure	35963-20-3	0402B 00025	PB
100 gm		Assay : Min. 99% C10H16O4S M.W. 232.50		0402B 00100	PB
		CANADA BALSAM See Balsam Canada Cat No.195B & 196 Page 24			
100 gm	0403A	CANDELILA WAX	8006-44-8	0403A 00100	PB
500 gm				0403A 00500	PB
500 gm	02051	N-CAPRIC ACID (N-decanoic acid)	334-48-5	02051 00500	PB
		Assay : Min. 98% C10H20O2 M.W. 172.26			
500 ml	02056	N-CAPROIC ACID (N-hexanoic acid)	142-62-1	02056 00500	GB
		Assay : Min. 98% C6H12O2 M.W. 116.6, Liquid, d. 0.927			
500 gm	0403B	CAPROLACTUM	105-60-2	0403B 00500	PB
		Assay : Min. 99% C6H11NO M.W 113.16			
500 ml	02061	N-CAPRYLIC ACID(N-octanoic acid)	124-07-2	02061 00500	GB
		Assay : Min. 99% C8H16O2 MW 144.21, Liquid, d. 0.91			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
250 gm	02062	CAPRYLIC ACID SODIUM SALT	1984-06-1	02062 00250	PB
500 gm		(sodium caprylate) Assay : Min. 99% C8H15NaO2 M.W. 166.20		02062 00500	PB
		CAPRYL ALCOHOL See n-Octyl alcohol Cat No.1119B Page 143			
1 gm	02063	CAPSAICIN (purified)	404-86-4	02063 00001	GB
5 gm		Assay : Min. 65% C18H27NO3 M.W 305.41		02063 00005	GB
100 gm	02066	CAPSICUM OIL Extra Pure	8023-77-6	02066 00100	GB
25 gm	2066A	CAPS (For Molecular Biology)	1135-40-6	2066A 00025	GB
100 gm		[3-(cyclohexylamino)-1-propane sulphonic acid]		2066A 00100	PB
500 gm		Assay : Min. 99% C9H19NO3S M.W. 221.32		2066A 00500	PB
25 gm	02067	CAPSO BUFFER (for biochemistry)	73463-39-5	02067 00025	GB
100 gm		[3-(cyclohexylamino)-2-hydroxy-1-propane sulphonic acid]		02067 00100	PB
		Assay : Min. 99% C9H19NO4S M.W. 237.32			
100 ml	00405	CARAWAY OIL Extra Pure	8000-42-8	00405 00100	GB
500 ml		Liquid, d. 0.91		00405 00500	GB
5 gm	0405A	CARBAMAZEPINE Extra Pure (for lab use)	298-46-4	0405A 00005	GB
25 gm		Assay : Min. 98% C15H12N2O M.W 236.27		0405A 00025	GB
100 gm				0405A 00100	PB
100 gm	02071	CARBAZOLE (for synthesis) (for lab use)	86-74-8	02071 00100	PB
500 gm		Assay : Min. 95% C12H9N M.W. 167.21		02071 00500	PB
		CARBITOL See Diethylene Glycol Monoethyl Ether Cat No.616C Page 74			
25 gm	02072	CARBOHYDRAZIDE (for synthesis)	497-18-7	02072 00025	GB
100 gm		Assay : Min. 97% CH6N4O M .W 90.08		02072 00100	GB
25 gm	00406	CARBOL FUCHSIN (M.S.) (powder)	4197-24-4	00406 00025	GB
100 gm				00406 00100	GB
500 gm				00406 00500	PB
125 ml	00407	CARBOL FUCHSIN (dilute) staining solution		00407 00125	PB
500 ml		(Ziehl Neelsen), Liquid, d. 0.99		00407 00500	PB
125 ml	0407A	CARBOL FUCHSIN (strong) staining solution		0407A 00125	PB
500 ml		(Ziehl Neelsen), Liquid, d. 0.99		0407A 00500	PB
		CARBOLIC ACID See Phenol crystals/liquid Cat No.1160, 1160A & 1161 Page 149			
500 ml	0407B	CARBOL XYLENE (for microscopy)		0407B 00500	GB
500 ml	00408	CARBON DI SULPHIDE (for synthesis)	75-15-0	00408 00500	GB
		Assay : Min. 99% Cs2 M.W. 76.14, Liquid, d. 1.266			
500 ml	0408A	CARBON DI SULPHIDE AR	75-15-0	0408A 00500	GB
		Assay : Min. 99.9% Cs2 M.W. 76.14, Liquid, d. 1.266			
250 ml	00409	CARBON TETRA CHLORIDE	56-23-5	00409 00250	GB
500 ml		(for synthesis)		00409 00500	GBT
2.5 Lt		Assay : Min. 99% CCl4 M.W. 153.82, Liquid, d. 1.594		00409 02500	GBT
5 Lt				00409 05000	PC
25 Lt				00409 25000	PD
500 ml	00410	CARBON TETRA CHLORIDE AR	56-23-5	00410 00500	GBT
2.5 Lt		Assay : Min. 99.5% CCl4 M.W. 153.82, Liquid, d. 1.594		00410 02500	GBT
		(against End Use Certificate)			
500 ml	02076	CARBON TETRA CHLORIDE HPLC & SPECTROSCOPY	56-23-5	02076 00500	GBT
2.5 Lt		Assay : Min. 99.8%		02076 02500	GBT
		(against End Use Certificate)			
		CCl4 M.W. 153.82, Liquid, d. 1.594			
100 gm	2076A	1,1'-CARBONYLDIIMIDAZOLE (CDI)(for synthesis)	530-62-1	2076A 00100	PB
500 gm		(N,N-carbonyldiimidazole) (an excellent reagent for peptide synthesis)		2076A 00500	PB
		Assay : Min. 98% C7H6N4O M.W. 162.15			
100 gm	0410A	CARBOPOL 934 (carboxy vinyl polymer 934)	9003-01-4	0410A 00100	PB
500 gm		(carbomer 934) Assay : Min. 56-58%		0410A 00500	PB
100 gm	0410B	CARBOPOL 940 (carboxy vinyl polymer 940)	9003-01-4	0410B 00100	PB
500 gm		(carbomer 940) Assay : Min. 56-58%		0410B 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	00411	CARBORUNDUM POWDER (16/240 grit)	409-21-2	00411 00500	PB
500 gm	00412	CARBORUNDUM POWDER (240/1200 grit)	409-21-2	00412 00500	PB
		CARBOWAX See Polyethylene Glycol Cat No.1210A, 1210B, 1211, 1212,2476, 2476A,2477, 2478, 2479 & 2480 Page 155 & 156			
500 gm	00413	CARBOXY METHYL CELLULOSE SODIUM SALT (high viscosity)	9004-32-4	00413 00500	PB
5 Kg				00413 05000	PB
25 Kg				00413 25000	FD
100 gm	2076B	CARBOXY METHYL CELLULOSE SODIUM SALT (Medium viscosity)	9004-32-4	2076B 00100	PB
		(For Molecular Biology) (CMC)			
500 gm	2076C	CARBOXY METHYL CELLULOSE SODIUM SALT (Medium Viscosity) (250 - 350 Cps)	9004-32-4	2076C 00500	PB
25 Kg				2076C 0025K	FD
100 ml	0413A	CARDAMOM OIL Extra Pure (bitter)	8000-66-6	0413A 00100	GB
500 ml		Liquid, d. 0.924		0413A 00500	GB
100 ml	0413B	CARDAMOM OIL Extra Pure (sweet)	8000-66-6	0413B 00100	GB
500 ml		Liquid, d. 0.924		0413B 00500	GB
5 gm	00414	CARMINE (M.S.)	1390-65-4	00414 00005	GB
25 gm		(C.I. No.75470)		00414 00025	GB
100 gm				00414 00100	GB
		CARMINE ACETO solution See Aceto Carmine solution Cat No.009 & 1661 Page 2			
1 gm	00415	CARMINIC ACID AR (C.I.No.75470)	1260-17-9	00415 00001	GB
5 gm		Assay : Min. 98% C22H20O13 M.W. 492.40		00415 00005	GB
25 gm	0415A	CARMOISINE A (azorubin C)	3567-69-9	0415A 00025	GB
100 gm		Dye Content : Min. 80% C20H12N2Na2O7S2 M.W. 502.43		0415A 00100	GB
5 gm	02077	L-CARNITINE (vitamin BT)	541-15-1	02077 00005	GB
25 gm		Assay : Min. 98% C7H15NO3 M.W 161.2		02077 00025	GB
100 ml	0415B	CARNOY'S FLUID		0415B 00100	PB
500 ml		Liquid, d. 1.02		0415B 00500	PB
100 gm	0415C	CARNUBA WAX	8015-86-9	0415C 00100	PB
500 gm				0415C 00500	PB
		b-CAROTEN See Beta Carotene Cat No.1912, 1913 & 1913A Page 30 & 31			
100 gm	02079	CARRAGEENAN SODIUM SALT (irish moss)	9062-07-1	02079 00100	PB
250 gm				02079 00250	PB
100 gm	02081	CASEIN HYDROLYSATE (purified)	65072-00-6	02081 00100	PB
500 gm		(casamino acid) (casein acid hydrolysate)		02081 00500	PB
100 gm	0415D	CASEIN HYDROLYSATE (practical)	65072-00-6	0415D 00100	PB
500 gm		(casamino acid) (casein acid hydrolysate)		0415D 00500	PB
500 gm	00416	CASEIN (soluble) (light white powder)	9000-71-9	00416 00500	PB
500 gm	0416A	CASEIN (fat free & low in vitamins)	9000-71-9	0416A 00500	PB
500 gm	0416B	CASEIN (soluble in alkali)	9000-71-9	0416B 00500	PB
500 gm	0416C	CASITONE Bacteriological		0416C 00500	PB
500 ml	00417	CASSIA OIL Extra Pure , Liquid, d. 1.058	8007-80-5	00417 00500	GB
500 ml	00418	CASTOR OIL Extra Pure	8001-79-4	00418 00500	GB
5 Lt		Liquid, d. 0.961		00418 05000	GB
1 gm	0418A	CATALASE	9001-05-2	0418A 00001	GB
1 gm	0418B	CATECHIN (hydrate)	154-23-4	0418B 00001	GB
5 gm		Assay : Min. 98% C15H14O6·xH2O		0418B 00005	GB
		M.W 290.27 (on anhydrous basis)			
		CATECHOL See Pyrocatechol Cat No.1280 & 1280A Page 167			
1 gm	00419	CATECHOL VIOLET AR (pyrocatechol violet)	115-41-3	00419 00001	GB
5 gm		C19H14O7S M.W. 386.38		00419 00005	GB
25 gm	02086	CDTA (monohydrate)	125572-95-4	02086 00025	GB
100 gm		(trans-1, 2-diaminocyclohexane N,N,N,N-tetra acetic acid)		02086 00100	PB
500 gm		Assay : Min. 98% C14H22N2O8.H2O M.W 364.35		02086 00500	PB
25 gm	02091	CDTA AR (monohydrate)	125572-95-4	02091 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		(trans-1, 2-diaminocyclohexane N,N,N,N-tetra acetic acid)		02091 00100	PB
500 gm		Assay : Min. 97% C14H22N2O8.H2O M.W 364.35		02091 00500	PB
30 ml	00420	CEDARWOOD OIL Extra Pure (for microbiology)	8000-27-9	00420 00030	AB
50 ml				00420 00050	AB
100 ml		(immersion oil), Liquid, d. 0.952		00420 00100	AB
500 ml				00420 00500	AB
5 gm	2091B	CELECOXIB (for lab use)	169590-42-5	2091B 00005	GB
25 gm				2091B 00025	GB
500 ml	00421	CELERY SEED OIL Extra Pure , Liquid, d. 0.88	8015-90-5	00421 00500	GB
5 gm	00422	CELESTIN BLUE (M.S.) (C.I.No.51050)	1562-90-9	00422 00005	GB
25 gm		C17H18ClN3O4 M.W. 363.80		00422 00025	GB
100 ml	2091A	CELESTIN BLUE stain solution		2091A 00100	PB
500 gm	0422A	CELITE (545 filter aid) (20-45 microns)	61790-53-2	0422A 00500	PB
1 Kg				0422A 01000	PB
5 gm	0422B	CELLOBIOSE (for biochemistry)	528-50-7	0422B 00005	GB
25 gm		Assay : Min. 99% C12H22O11 M.W. 342.30		0422B 00025	GB
500 ml	00423	CELLOSOLVE (for synthesis)	110-80-5	00423 00500	GB
2.5 Lt		(ethylene glycol mono ethyl ether)		00423 02500	GB
		(2-ethoxy ethanol) (ethyl cellosolve)			
		Assay : Min. 99% C4H10O2 M.W. 90.12, Liquid, d. 0.93			
500 ml	0423A	CELLOSOLVE AR(ethyl cellosolve)	110-80-5	0423A 00500	GB
2.5 Lt		(ethylene glycol mono ethyl ether) (2-ethoxy ethanol)		0423A 02500	GB
		Assay : Min. 99.5% C4H10O2 M.W. 90.12, Liquid, d. 0.93			
500 ml	0423B	CELLOSOLVE ACETATE (2-ethoxyethyl acetate)	111-15-9	0423B 00500	GB
2.5 Lt		Assay : Min. 98% C6H12O3 M.W. 132.16, Liquid, d. 0.975		0423B 02500	GB
500 gm	00424	CELLULOSE ACETATE (powder)	9004-35-7	00424 00500	PB
250 gm	00426	CELLULOSE ACETATE BUTYRATE	9004-36-8	00426 00250	PB
500 gm	00427	CELLULOSE ACETATE PHTHALATE (C.A.P.)	9004-38-0	00427 00500	PB
		C116H116O64 M.W 2534.12			
500 gm	00425	CELLULOSE MICROCRYSTALINE (for TLC)	9004-34-6	00425 00500	PB
		(cellulose powder) (C6H10O5)n			
500 gm	0427A	CELLULOSE NITRATE (nitro cellulose)	9004-70-0	0427A 00500	PB
		C24H36N8O38 M.W 1044.57			
500 gm	00428	CELLULOSE POWDER (For Column Chromatography)	9004-34-6	00428 00500	PB
25 Kg				00428 0025K	FD
5 gm	02093	CEPHALEXINE Extra Pure (for lab use)	15686-71-2	02093 00005	GB
25 gm		Assay : Min. 95-101% C16H17N3O4S.xH2O		02093 00025	GB
100 gm		M.W 347.39 (anhydr. basis)		02093 00100	GB
5 gm	02094	CEPHALEXINE HYDROCHLORIDE Extra Pure (for lab use)	105879-42-3	02094 00005	GB
25 gm				02094 00025	GB
100 gm				02094 00100	GB
		CERALITE IR 120 See Amberlite IR 120 Cat No.075 Page 10			
		CERALITE IRA 400 See Amberlite IRA 400 Cat No.076 Page 10			
500 gm	0428a	CERESIN WAX (white)	8001-75-0	0428A 00500	PB
		CERIC AMMONIUM NITRATE See Ammonium Ceric Nitrate Cat No.105, 105A & 105B Page 14			
		CERIC AMMONIUM SULPHATE See Ammonium Ceric Sulphate Cat No.106 & 106A Page 14			
100 gm	00430	CERIC OXIDE AR (cerium (IV) oxide)	1306-38-3	00430 00100	PB
500 gm		Assay : Min. 99.95% CeO2 M.W. 172.11		00430 00500	PB
100 gm	0430B	CERIC SULPHATE AR (anhydrous)	13590-82-4	0430B 00100	PB
500 gm		Assay : Min. 99% Ce(SO4)2 M.W. 332.24		0430B 00500	PB
100 gm	00431	CERIC SULPHATE (tetrahydrate)	10294-42-5	00431 00100	PB
500 gm		(cerium (IV) sulphate) Assay : Min. 98%		00431 00500	PB
		Ce(SO4)2.4H2O M.W 404.30			
100 gm	0431A	CERIC SULPHATE AR (tetrahydrate)	10294-42-5	0431A 00100	PB
500 gm		(cerium (IV) sulphate) Assay : Min. 99%		0431A 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Ce(SO4)2.4H2O M.W 404.30			
500 ml	2094A	CERIC SULPHATE N/10 solution 0.1 N volumetric solution		2094A 00500	PB
100 gm	0431B	CEROUS ACETATE AR (hydrate)	17829-82-2	0431B 00100	PB
500 gm		(cerium (III) acetate) (anhydrous basis)		0431B 00500	PB
		Assay : Min. 99.9% Ce(CH3CO2)3·xH2O M.W. 317.25			
100 gm	0431C	CEROUS AMMONIUM NITRATE AR	13083-04-0	0431C 00100	PB
500 gm		[cerium (III) ammonium nitrate] (ammonium cerous nitrate)		0431C 00500	PB
		Assay : Min. 98% H8CeN7O15.4H2O M.W. 558.28			
100 gm	0431E	CEROUS CARBONATE AR (hydrate)	54451-25-1	0431E 00100	PB
500 gm		(cerium (III) carbonate) (anhydr. basis)		0431E 00500	PB
		Assay : Min. 99.99% Ce2(CO3)3·xH2O M.W. 460.26			
100 gm	0431F	CEROUS CHLORIDE AR (heptahydrate)	18618-55-8	0431F 00100	GB
500 gm		(cerium (III) chloride) Assay : Min. 99.9% CeCl3.7H2O M.W 372.58		0431F 00500	GB
100 gm	0431G	CEROUS FLUORIDE AR (anhydrous)	7758-88-5	0431G 00100	PB
		(cerium (III) fluoride) Assay : Min. 99.9% CeF3 M.W 197.11			
100 gm	0431H	CEROUS NITRATE AR (hexahydrate)	10294-41-4	0431H 00100	GB
500 gm		(cerium (III) nitrate) Assay : Min. 99% Ce(NO3)3.6H2O M.W. 434.23		0431H 00500	GB
100 gm	0431H	CEROUS OXALATE AR (hydrate)	15750-47-7	0431I 00100	PB
		(cerium (III) oxalate) Assay : Min. 99.9% Ce2(C2O4)3.xH2O M.W 544.29			
100 gm	0430F	CEROUS SULPHATE AR (hydrate)	13550-47-5	0430F 00100	PB
500 gm		Assay : Min. 99% Ce2(SO4)3·xH2O 568.42 (anhydrous basis)		0430F 00500	PB
100 gm	0431J	CEROUS SULPHATE AR (octahydrate)	10450-59-6	0431J 00100	PB
500 gm		(cerium (III) sulphate) Assay : Min. 99.9% Ce2(SO4)3.8H2O M.W 721.54		0431J 00500	PB
125 ml	0431Q	CESIUM AAS STANDARD SOLUTION, Liquid, d. 1.013		0431Q 00125	GB
500 ml		1000mg/L in Nitric Acid		0431Q 00500	GB
125 ml	0431R	CESIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		0431R 00125	GB
		Liquid, d. 1.013			
25 gm	0431K	CESIUM CARBONATE (CAS No.) (caesium carbonate)	534-17-8	0431K 00025	GB
		Assay : Min. 99.9% Cs2CO3 M.W 325.82			
25 gm	0431L	CESIUM CHLORIDE (For Molecular Biology)	7647-17-8	0431L 00025	GB
		(caesium chloride) Assay : Min. 99.5% CsCl M.W. 168.36			
10 gm	0431M	CESIUM IODIDE AR (caesium iodide)	7789-17-5	0431M 00010	GB
		Assay : Min. 99.9% CsI M.W. 259.81			
10 gm	0431N	CESIUM NITRATE AR (caesium nitrate)	7789-18-6	0431N 00010	GB
		Assay : Min. 99% CsNO3 M.W. 194.91			
10 gm	0431O	CESIUM SULPHATE AR (caesium sulphate)	10294-54-9	0431O 00010	GB
		Assay : Min. 99.9% Cs2SO4 M.W. 361.87			
500 gm	0431P	CETOMACROGOL - 1000 (CT 1000)		0431P 00500	PB
5 Kg				0431P 05000	PC
500 gm	00432	CETO STEARYL ALCOHOL	8005-44-5	00432 00500	PB
		Assay : Min. 90%			
100 gm	00433	CETRIMIDE (N-cetyl-N,N,N-trimethyl ammonium bromide)	57-09-0	00433 00100	PB
500 gm	d	(CTAB) Assay : Min. 98% C19H42BrN M.W. 364.45		00433 00500	PB
100 gm	0433A	CETRIMIDE (For Molecular Biology)	57-09-0	0433A 00100	PB
500 gm		(N-cetyl-N,N,N-trimethyl ammonium bromide) (CTAB)		0433A 00500	PB
		Assay : Min. 99% C19H42BrN M.W. 364.45			
500 gm	00434	CETYL ALCOHOL (1-hexadecanol)	36653-82-4	00434 00500	PB
		Assay : Min. 95% C16H34O M.W. 242.44			
		CETYLDIMETHYLAMMONIUM BROMIDE (For Molecular Biology) See Dimethyl Ethyl Hexadecyl Ammonium Bromide Cat No.2214 Page 77			
250 gm	00435	CETYL PYRIDINIUM BROMIDE (CAS No.)	140-72-7	00435 00250	PB
		Assay : Min. 95% C21H38BrN M.W. 384.44			
100 gm	00436	CETYL PYRIDINIUM CHLORIDE (monohydrate)	6004-24-6	00436 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 98% C21H38ClN.H2O M.W. 358.01			
		N-CETYL-N,N,N-TRIMETHYL AMMONIUM BROMIDE See Cetrimide Cat No.433 & 433A Page 52			
1 gm	2094B	CHAPS (For Molecular Biology)	75621-03-3	2094B 00001	GB
5 gm		[3-(3-cholamidopropyl)-dimethylammonio) 1-propane-sulphonate]		2094B 00005	GB
10 gm		Assay : Min. 99% C32H58N2O7S M.W. 614.88		2094B 00010	GB
1 gm	2094C	CHAPSO (for biochemistry)	82473-24-3	2094C 00001	GB
5 gm		[3-(3-cholamidopropyl)-dimethylammonio)-2-hydroxy-1-propane sulphonate]		2094C 00005	GB
10 gm		Assay : Min. 96% C32H58N2O8S M.W. 630.88		2094C 00010	GB
		CHARCOAL ACTIVATED See Activated Charcoal Cat No.022,1701,022A & 023 Page 5			
500 ml	0436D	CHAULMOGRA OIL Extra Pure, Liquid, d. 0.950-0.60		0436D 00500	GB
500 ml	0436A	CHENOPODIUM OIL Extra Pure	8006-99-3	0436A 00500	GB
25 gm	2094D	CHES BUFFER [2-(cyclohexylamino) ethanesulphonic acid]	103-47-9	2094D 00025	GB
100 gm		Assay : Min. 99% C8H17NO3S M.W. 207.29		2094D 00100	GB
25 gm	2094E	CHES SODIUM BUFFER	3076-05-9	2094E 00025	GB
100 gm		[2-(cyclohexylamino) ethanesulphonic acid sodium salt]		2094E 00100	GB
		Assay : Min. 99% C8H16NNaO3S M.W. 229.27			
		CHINA BLUE See Aniline Blue Cat No.146, 147 & 148 Page 19			
100 gm	0436B	CHITIN Extra Pure (flakes)	1398-61-4	0436B 00100	PB
500 gm		(C8H13NO5)n		0436B 00500	PB
25 gm	02095	CHITOSAMINE HYDROCHLORIDE [D-(+)-glucosamine hydrochloride]	66-84-2	02095 00025	PB
100 gm		Assay : Min. 99% C6H13NO5.HCl M.W 215.63		02095 00100	PB
25 gm	2095A	CHITOSAN	9012-76-4	2095A 00025	GB
100 gm		(C6H11NO4)n		2095A 00100	PB
500 gm		Degree of Deacetylation : Min. 70%		2095A 00500	PB
25 gm	2095B	CHITOSAN	9012-76-4	2095B 00025	GB
100 gm		(C6H11NO4)n		2095B 00100	PB
500 gm		Degree of Deacetylation : Min. 80%		2095B 00500	PB
25 gm	2095C	CHITOSAN	9012-76-4	2095C 00025	GB
100 gm		(C6H11NO4)n		2095C 00100	PB
500 gm		Degree of Deacetylation : Min. 90%		2095C 00500	PB
250 gm	0436C	CHLORAMINE T (for synthesis) trihydrate	7080-50-4	0436C 00250	PB
500 gm		(N-chloro-p-toluene sulphonamide sodium salt)		0436C 00500	PB
		Assay : Min. 98% C7H7ClNNaO2S.3H2O M.W. 281.69			
250 gm	00437	CHLORAMINE T AR trihydrate	7080-50-4	00437 00250	PB
500 gm		(N-chloro-p-toluene sulphonamide sodium salt)		00437 00500	PB
		Assay : Min. 99% C7H7ClNNaO2S.3H2O M.W. 281.69			
5 gm	0437A	CHLORAMPHENICOL powder	56-75-7	0437B 00100	GB
25 gm		(for lab testing)		0437A 00025	GB
100 gm		Assay : Min. 98% C11H12Cl2N2O5 M.W 323.13		0437A 00100	PB
25 gm	0437B	CHLORAMPHENICOL PALMITATE Extra Pure	530-43-8	0437B 00025	GB
100 gm		(for lab use)		0437B 00100	PB
500 gm		C27H42Cl2N2O6 M.W 561.54		0437B 00500	PB
250 gm	00438	CHLORANIL (for synthesis)	118-75-2	00438 00250	GB
500 gm		(tetrachloro-p-benzoquinone) Assay : Min. 99% C6Cl4O2 M.W. 245.88		00438 00500	GB
25 gm	00439	CHLORANILIC ACID AR	87-88-7	00439 00025	GB
100 gm		Assay : Min. 98% C6H2Cl2O4 M.W 208.98		00439 00100	GB
		CHLORANILIC ACID BARIUM SALT AR See Barium Chloranilate Cat No.206 Page 24			
		CHLORBUTOL See Chlorobutanol Cat No.452B Page 55			
500 ml	2095D	CHLORHEXIDINE GLUCONATE SOLUTION 20%	18472-51-0	2095D 00500	PB
		Liquid, d. 1.06 (confirming to BP standard)			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		CHLORINATAED LIME See Bleaching Powder Cat No.296 Page 33			
500 ml	00440	CHLORINE WATER (concentrated solution)		00440 00500	PB
5 Lt				00440 05000	PC
100 gm	0440A	CHLOROACETALDEHYDE DIETHYL ACETAL	621-62-5	0440A 00100	PB
500 gm		(dimethyl chloroacetal) Assay : Min. 98% C6H13ClO2 M.W 152.62		0440A 00500	PB
500 gm	02096	o-CHLOROACETAMIDE (2-chloroacetamide)	79-07-2	02096 00500	PB
		Assay : Min. 97% ClCH2CONH2 M.W 93.51			
25 gm	00441	p-CHLOROACETANILIDE AR	539-03-7	00441 00025	GB
100 gm		(4-chloroacetanilide)		00441 00100	GB
500 gm		Assay : Min. 98% C8H8ClNO M.W 169.61		00441 00500	PB
250 gm	00442	CHLORO ACETIC ACID (di)(dichloroacetic acid)	79-43-6	00442 00250	GB
500 gm		Assay : Min. 99% C2H2Cl2O2 M.W 128.94, Liquid, d. 1.563		00442 00500	GB
500 gm	00443	CHLORO ACETIC ACID (mono) (monochloroacetic acid)	79-11-8	00443 00500	GB
		(CAS No.) Assay : Min. 99% ClCH2.COOH M.W. 94.50			
500 gm	0443A	CHLORO ACETIC ACID (mono) AR (monochloroacetic acid)	79-11-8	0443A 00500	GB
		(CAS No.79-11-8) Assay : Min. 99.5% ClCH2.COOH M.W. 94.50			
100 gm	00444	CHLORO ACETIC ACID (tri)(trichloro acetic acid)	76-03-9	00444 00100	GB
500 gm		Assay : Min. 98% Cl3C.COOH M.W. 163.39		00444 00500	GB
100 gm	0444A	CHLORO ACETIC ACID (tri) AR	76-03-9	0444A 00100	GB
500 gm		Assay : Min. 99% Cl3C.COOH M.W. 163.39		0444A 00500	GB
125 ml	0444D	CHLORO ACETIC ACID (tri) 20% W/V SOLUTION AR		0444D 00125	GB
500 ml				0444D 00500	GBT
25 gm	2096A	2'-CHLOROACETOACETANILIDE	93-70-9	2096A 00025	GB
		Assay : Min. 98% C10H10ClNO2 M.W 211.65			
100 ml	0444B	p-CHLORO ACETOPHENONE (for synthesis) (4-chloro acetophenone)	99-91-2	0444B 00100	GB
500 ml		Assay : Min. 98% C8H7ClO M.W 154.59,		0444B 00500	GB
		Liquid, d 1.193			
100 ml	0444C	m-CHLOROACETYL ACETONE (3-chloroacetyl acetone)	1694-29-7	0444C 00100	GB
		Liquid, d 1.1921 Assay : Min. 97% C5H7ClO2 M.W. 134.56,			
500 ml	00445	CHLORO ACETYL CHLORIDE	79-04-9	00445 00500	GBT
		Assay : Min. 98% C2H2Cl2O M.W 112.94, Liquid, d. 1.418			
500 ml	00446	m-CHLORO ANILINE (for synthesis) (3-chloro aniline)	108-42-9	00446 00500	GBT
		Liquid, d. 1.206 Assay : Min. 98% C6H6ClN M.W. 127.57			
500 ml	00447	o-CHLORO ANILINE (for synthesis) (2-chloro aniline)	95-51-2	00447 00500	GBT
		Liquid, d. 1.213 Assay : Min. 98% C6H6ClN M.W. 127.57			
500 gm	00448	p-CHLORO ANILINE (for synthesis) (4-chloro aniline)	106-47-8	00448 00500	PB
		Assay : Min. 98% C6H6ClN M.W. 127.57			
		CHLOROAURIC ACID See Auric Chloride Cat No.192A & 192B Page 23			
100 ml	0448A	m-CHLOROBENZALDEHYDE (for synthesis)(3-chlorobenzaldehyde)	587-04-2	0448A 00100	GB
500 ml		Assay : Min. 96% C7H5ClO M.W 140.57, Liquid, d. 1.24		0448A 00500	GB
100 ml	0448B	o-CHLOROBENZALDEHYDE (for synthesis) (2-chlorobenzaldehyde)	89-98-5	0448B 00100	GB
500 ml		Assay : Min. 98% C7H5ClO M.W 140.57, Liquid, d. 1.25		0448B 00500	GB
100 gm	0448C	p-CHLOROBENZALDEHYDE (for synthesis)	104-88-1	0448C 00100	PB
500 gm		(4-chlorobenzaldehyde) Assay : Min. 98% C7H5ClO M.W. 140.57		0448C 00500	PB
500 ml	00449	CHLOROBENZENE (mono)	108-90-7	00449 00500	GB
2.5 Lt		(monochlorobenzene)		00449 02500	GB
5 Lt		Assay : Min. 99% C6H5Cl M.W. 112.56, Liquid, d. 1.106		00449 05000	PC
500 ml	0449A	CHLOROBENZENE (mono) AR (monochlorobenzene)	108-90-7	0449A 00500	GBT
2.5 Lt		Liquid, d. 1.106 Assay : Min. 99% C6H5Cl M.W. 112.56		0449A 02500	GBT
25 gm	0449B	m-CHLOROBENZOIC ACID (for synthesis)	535-80-8	0449B 00025	GB
100 gm		(3-chlorobenzoic acid) Assay : Min. 98% C7H5ClO2 M.W. 156.57		0449B 00100	GB
100 gm	00450	o-CHLOROBENZOIC ACID (for synthesis)	118-91-2	00450 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		(2-chlorobenzoic acid) Assay : Min. 98% C7H5ClO2 M.W. 156.57		00450 00500	PB
100 gm	00451	p-CHLOROBENZOIC ACID (for synthesis)	74-11-3	00451 00100	PB
500 gm		(4-chlorobenzoic acid) Assay : Min. 99% C7H5ClO2 M.W. 156.57		00451 00500	PB
100 gm	02097	2-CHLOROBENZONITRILE (for synthesis)	873-32-5	02097 00100	GB
250 gm		(o-chlorobenzonitrile) Assay : Min. 98% C7H4ClN M.W 137.57		02097 00250	GB
25 gm	02098	3-CHLOROBENZONITRILE (for synthesis)	766-84-7	02098 00025	GB
100 gm		(m-chlorobenzonitrile) Assay : Min. 99% C7H4ClN M.W 137.57		02098 00100	GB
25 gm	02099	4-CHLOROBENZONITRILE (for synthesis)	623-03-0	02099 00025	GB
100 gm		(p-chlorobenzonitrile) Assay : Min. 98% C7H4ClN M.W 137.57		02099 00100	GB
25 gm	0451A	o-CHLOROBENZOPHENONE (for synthesis)	5162-03-8	0451A 00025	GB
100 gm		(2-chlorobenzophenone) Assay : Min. 99% C13H9ClO M.W 216.66		0451A 00100	GB
100 gm	00452	p-CHLOROBENZOPHENONE (for synthesis)	134-85-0	00452 00100	GB
500 gm		(4-chlorobenzophenone) Assay : Min. 99% C13H9ClO M.W 216.66		00452 00500	GB
25 gm	2099A	4-CHLOROBENZYLAMINE	104-86-9	2099A 00025	GB
100 gm		Assay : Min. 98% C7H8ClN M.W 141.60, Liquid, d. 1.164		2099A 00100	GB
		1-CHLOROBUTANE See n-Butyl Chloride Cat No.341B Page 42			
50 gm	2099C	4-CHLORO-1-BUTANOL (Tetramethylene chlorohydrin)	928-51-8	2099C 00050	GB
		Assay : Min. 85% C4H9ClO M.W. 108.57			
500 gm	0452B	CHLOROBUTANOL Extra Pure (chlorbutol)	57-15-8	0452B 00500	PB
		Assay : Min. 98% C4H7Cl3O M.W. 177.46			
25 gm	0452A	CHLORO CHOLINE CHLORIDE	999-81-5	0452A 00025	GB
100 gm		Assay : Min. 97% C5H13Cl2N M.W 158.07		0452A 00100	GB
		(2-chloroethyl trimethyl ammonium chloride)			
100 ml	02101	CHLORO CHOLINE CHLORIDE 50% aqueous solution		02101 00100	PB
500 ml		Assay : 49-51% (2-chloroethyl trimethyl ammonium chloride 50%)		02101 00500	PB
250 gm	00456	p-CHLORO-m-CRESOL (4-chloro-3-methyl phenol)	59-50-7	00456 00250	PB
500 gm		Assay : Min. 98% C7H7ClO M.W. 142.59		00456 00500	PB
500 gm	00453	1-CHLORO-2, 4-DINITROBENZENE (for synthesis)	97-00-7	00453 00500	PB
		(2, 4-dinitrochlorobenzene)			
		Assay : Min. 98.5% C6H3ClN2O4 M.W. 202.55			
25 gm	0453A	1-CHLORO-2, 4-DINITROBENZENE AR	97-00-7	0453A 00025	GB
100 gm		(2, 4-dinitrochlorobenzene)		0453A 00100	GB
		Assay : Min. 99% C6H3ClN2O4 M.W. 202.55			
1 gm	02102	2-CHLORO 3,5-DINITROPYRIDINE AR	2578-45-2	02102 00001	GB
		(terminal N-blocking reagent for proteins)			
		Assay : Min. 99% C5H2ClN3O4 M.W 203.54			
		1-CHLORO-2, 3-EPOXYPROPANE See Epichlorohydrin Cat No.663A & 664 Page 85			
		2-CHLOROETHANOL See Ethylene Chlorohydrine Cat No.688 Page 88			
100 ml	0453B	2-CHLOROETHYL PHOSPHONIC ACID (ethrel)	16672-87-0	0453B 00100	GB
250 ml		Assay : Min. 96% C2H6ClO3P M.W 144.49, Liquid, d. 1.568		0453B 00250	GB
		2-CHLOROETHYL TRIMETHYL AMMONIUM CHLORIDE See Chloro Choline Chloride Cat No.452A & 2101 Page 55			
250 ml	00454	CHLOROFORM (for synthesis)	67-66-3	00454 00250	GBT
500 ml		(trichloromethane)		00454 00500	GBT
2.5 Lt		Assay : Min. 99% CHCl3 M.W. 119.38		00454 02500	GBT
5 Lt		Liquid, d. 1.480-1.492		00454 05000	PC
25 Lt				00454 25000	PD
500 ml	00455	CHLOROFORM AR (trichloromethane)	67-66-3	00455 00500	GBT
2.5 Lt		Assay : Min. 99.5% CHCl3 M.W. 119.38, Liquid, d. 1.480-1.492		00455 02500	GBT
500 ml	02106	CHLOROFORM HPLC & SPECTROSCOPY	67-66-3	02106 00500	GBT
2.5 Lt		(trichloromethane) Liquid, d. 1.480-1.492		02106 02500	GBT
		Assay : Min. 99.8% CHCl3 M.W. 119.38			
100 ml	0455A	CHLOROFORM (For Molecular Biology)	67-66-3	0455A 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml		Assay : Min. 99.8% CHCl3 M.W. 119.38, Liquid, d. 1.480-1.492		0455A 00500	GBT
1 gm	2106A	3-CHLORO-4-HYDROXY ANILINE	3964-52-1	2106A 00001	GB
		Assay : Min. 98% C6H6ClNO M.W 143.57			
100 mg	2106B	CHLOROGENIC ACID	327-97-9	2106B 0100M	GB
1 gm		Assay : Min. 97% C16H18O9 M.W. 354.31		2106B 00001	GB
5 gm				2106B 00005	GB
25 gm	2106C	CHLOROMETHYL METHYL ETHER (for synthesis)	107-30-2	2106C 00025	GB
100 gm		Assay : Min. 92.5% C2H5ClO M.W. 80.51, Liquid, d. 1.06		2106C 00100	GB
500 gm				2106C 00500	GB
		4-CHLORO-3-METHYL PHENOL See p-Chloro-m-Cresol Cat No.456 Page 55			
		2-CHLORO-2-METHYLPROPANE See tert-Butyl Chloride Cat No.2007 Page 42			
100 ml	0456A	1-CHLORO NAPHTHALENE (for synthesis)	90-13-1	0456A 00100	GB
		Assay : Min. 85% C10H7Cl M.W 162.62, Liquid, d. 1.194			
100 gm	0456B	2-CHLORO-1,4-NAPHTHOQUINONE	1010-60-2	0456B 00100	PB
		Assay : Min. 98% C10H5ClO2 M.W. 192.6			
250 gm	02107	p-CHLORO-o-NITROANILINE (for synthesis)	89-63-4	02107 00250	PB
		(4-chloro-2-nitroaniline) Assay : Min. 98% C6H5ClN2O2 M.W 172.57			
250 gm	02108	o-CHLORO-p-NITROANILINE (for synthesis)	121-87-9	02108 00250	PB
		(2-chloro-4-nitroaniline) Assay : Min. 98% C6H5ClN2O2 M.W 172.57			
500 gm	00457	1-CHLORO-2-NITROBENZENE (ONCB)	88-73-3	00457 00500	PB
		(o-chloronitrobenzene) (o-nitro chlorobenzene)			
		Assay : Min. 98% C6H5ClN2O2 M.W 172.57			
500 gm	00458	1-CHLORO-3-NITROBENZENE (MNCB)	121-73-3	00458 00500	PB
		(m-chloronitrobenzene) Assay : Min. 98% C6H4ClNO2 M.W 157.55			
500 gm	00459	1-CHLORO-4-NITROBENZENE (PNCB)	100-00-5	00459 00500	PB
		(p-chloronitrobenzene) (p-nitro chlorobenzene)			
		Assay : Min. 99% C6H4ClNO2 M.W 157.55			
25 gm	0459A	m-CHLOROPERBENZOIC ACID	937-14-4	0459A 00025	GB
100 gm		(3-chloroperbenzoic acid) Assay : Min. 77% C7H5ClO3 M.W 172.57		0459A 00100	GB
25 gm	02111	m-CHLORO PHENOL (for synthesis)(3-chloro phenol)	108-43-0	02111 00025	GB
100 gm		Assay : Min. 98% C6H5ClO M.W 128.56		02111 00100	GB
500 ml	00460	o-CHLORO PHENOL (for synthesis) (2-chloro phenol)	95-57-8	00460 00500	GB
		Assay : Min. 98% C6H5ClO M.W 128.56, Liquid, d. 1.26			
500 gm	00461	p-CHLORO PHENOL (for synthesis)(4-chloro phenol)	106-48-9	00461 00500	PB
		Assay : Min. 99% C6H5ClO M.W 128.56			
	00462	CHLORO PHENOL RED indicator AR	4430-20-0	00462 00005 GB 5 gm 18 397	
		pH 4.8 – 6.4 yellow to purple		00462 00025 GB 25 gm 29349900 18 1588	
		C19H12Cl2O5S M.W 423.27		00462 00100 PB 100 gm 29349900 18 5869	
125 ml	00463	CHLORO PHENOL RED indicator solution		00463 00125	PB
500 ml				00463 00500	PB
5 gm	0463B	4-CHLOROPHENOXYACETIC ACID	122-88-3	0463B 00005	PB
25 gm		(p-chlorophenoxyacetic acid) Assay : Min. 98% C8H7ClO3 M.W 186.59		0463B 00025 PB	PB
5 gm	0463E	2-(4-CHLOROPHENOXY) PROPIONIC ACID	3307-39-9	0463E 00005	GB
		Assay : Min. 98% C9H9ClO3 M.W. 200.62			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	02112	2-CHLOROPHENYLACETIC ACID (for synthesis)	2444-36-2	02112 00025	GB
100 gm		Assay : Min. 99% C8H7ClO2 M.W 170.59		02112 00100	GB
100 gm	02113	4-CHLOROPHENYLACETIC ACID (for synthesis)	1878-66-6	02113 00100	PB
500 gm		Assay : Min. 97% C8H7ClO2 M.W 170.59		02113 00500	PB
5 gm	0463A	2-CHLORO-p-PHENYLENEDIAMINE SULPHONATE	61702-44-1	0463A 00005	GB
25 gm		(2-chloro-1,4-diaminobenzene sulphate)		0463A 00025	GB
		Assay : Min. 98% C6H7ClN2.H2SO4 M.W 240.66			
5 gm	0463A	2-CHLORO-p-PHENYLENEDIAMINE SULPHONATE	61702-44-1	0463A 00005	GB
25 gm		(2-chloro-1,4-diaminobenzene sulphate)		0463A 00025	GB
		Assay : Min. 98% C6H7ClN2.H2SO4 M.W 240.66			
5 gm	0463C	2-(3-CHLOROPHENYL) ETHYLAMINE	13078-79-0	0463C 00005	GB
25 gm		Assay : Min. 97% C8H10ClN M.W 155.62GB		0463C 00025	GB
5 gm	0463D	2-(4-CHLOROPHENYL) ETHYLAMINE (CAS No.)	156-41-2	0463D 00005	GB
		Assay : Min. 97% C8H10ClN M.W 155.62, Liquid, d. 1.112			
10 gm	2113A	1-(3-CHLOROPHENYL) PIPERAZINE MONOHYDROCHLORIDE	13078-15-4	2113A 00010	GB
25 gm				2113A 00025	GB
100 gm				2113A 00100	PB
		CHLOROPLATINIC ACID See Platinum Chloride Cat No.1207 Page 155			
		3-CHLORO-1-PROPENE See Allyl Chloride Cat No.043 Page 7			
100 ml	00464	2-CHLORO PROPIONIC ACID (for synthesis)	598-78-7	00464 00100	GB
500 ml		Assay : Min. 92% C3H5ClO2 M.W 108.52, Liquid, d. 1.262		00464 00500	GB
10 gm	02114	2-CHLOROPYRIDINE-5-CARBONITRILE	33252-28-7	02114 00010	GB
25 gm		Assay : Min. 97% C6H3ClN2 M.W 138.55		02114 00025	GB
25 gm	0464A	CHLOROQUINE DIPHOSPHATE Extra Pure (for lab use)	50-63-5	0464A 00025	GB
100 gm		Assay : Min. 98% C18H26ClN3.2H3PO4 M.W 515.86		0464A 00100	GB
25 gm	2114A	CHLOROQUINE SULPHATE (for lab use)	132-73-0	2114A 00025	GB
100 gm				2114A 00100	GB
25 gm	0464B	4-CHLORORESORCINOL	95-88-5	0464B 00025	GB
		Assay : Min. 98% C6H5ClO2 M.W 144.56			
100 gm	02116	N-CHLOROSUCCINIMIDE (for synthesis)	128-09-6	02116 00100	PB
500 gm		Assay : Min. 98% C4H4ClNO2 M.W. 133.53		02116 00500	PB
500 ml	00465	CHLOROSULPHONIC ACID (for synthesis)	7790-94-5	00465 00500	GB
		Assay : Min. 97% HClO3S M.W. 116.52, Liquid d. 1.753			
100 ml	2116A	CHLOROTEX REAGENT, Liquid, d. 0.800-0.900		2116A 00100	GB
		(For determination of free chlorine from 0.1 to 1.0 ppm)			
25 gm	0465A	CHLOROTHIAZIDE Extra Pure (for lab use)	58-94-6	0465A 00025	GB
100 gm		Assay : Min. 98% C7H6ClN3O4S2 M.W 295.72		0465A 00100	GB
		N-CHLORO-P-TOLUENE SULPHONAMIDE SODIUM SALT See Chloramine T Cat No.436C & 437 Page 53			
500 ml	02121	o-CHLOROTOLUENE (for synthesis)	95-49-8	02121 00500	GB
		Assay : Min. 98% C7H7Cl M.W. 126.59, Liquid, d. 1.083 (2-chlorotoluene)			
250 ml	02122	3-CHLOROTOLUENE (for synthesis), Liquid, d. 1.072	108-41-8	02122 00250	GB
1 Lt		(m-chlorotoluene) Assay : Min. 98% C7H7Cl M.W. 126.59		02122 01000	GB
500 ml	02126	p-CHLOROTOLUENE (for synthesis) (4-chlorotoluene)	106-43-4	02126 00500	GB
		Assay : Min. 98% C7H7Cl M.W. 126.59, Liquid, d. 1.07			
100 gm	2126A	CHLOROTRIPHENYLMETHANE (for synthesis)	76-83-5	2126A 00100	PB
500 gm		(trityl chloride, triphenylmethyl chloride)		2126A 00500	PB
		Assay : Min. 98% C19H15Cl M.W. 278.78			
100 gm	2126B	4-CHLORO-m-XYLENOL (PCMX) Pure (4-chloro-3,5-dimethylphenol)	88-04-0	2126B 00100	PB
500 gm		Assay : Min. 98% C8H9ClO M.W. 156.61		2126B 00500	PB
25 gm	02127	CHLORPHENARAMINE MALEATE Extra Pure	113-92-8	02127 00025	GB
100 gm		(CPM) (for lab use)		02127 00100	PB
500 gm		Assay : Min. 99% C16H19ClN2.C4H4O4 M.W 390.86		02127 00500	PB
5 gm	02128	CHLORPROMAZINE HYDROCHLORIDE Extra Pure (for lab use)	69-09-0	02128 00005	GB
25 gm		Assay : Min. 98% C17H19ClN2S.2HCl M.W 355.33		02128 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm				02128 00100	PB
1 gm	02129	CHOLECALCIFEROL(Vitamin D3)	67-97-0	02129 00001	GB
10 gm		Assay : Min. 98% C22H44O M.W 384.64		02129 00010	GB
25 gm	00466	CHOLESTEROL Extra Pure	57-88-5	00466 00025	GB
100 gm		Assay : Min. 97-103% C27H46O M.W 386.65		00466 00100	GB
500 gm				00466 00500	PB
25 gm	0466A	CHOLESTEROL AR	57-88-5	0466A 00025	GB
100 gm		Assay : Min. 99% C27H46O M.W 386.65		0466A 00100	PB
100 ml	0466B	CHOLESTEROL STANDARD SOLUTION		0466B 00100	PB
500 ml				0466B 00500	PB
25 gm	00467	CHOLIC ACID (for biochemistry)	81-25-4	00467 00025	GB
100 gm		Assay : Min. 98-101% C24H40O5 M.W. 408.57		00467 00100	PB
100 gm	00468	CHOLINE CHLORIDE Extra Pure	67-48-1	00468 00100	PB
500 gm		Assay : Min. 98-100.5% C5H14ClNO M.W. 139.62		00468 00500	PB
10 gm	00470	CHROMAZUROL S (C.I. No.43825)	1667-99-8	00470 00010	GB
25 gm		(eriochrome azurol S) (chrome azurol S)		00470 00025	GB
		Dye Content : Min. 50% C23H13Cl2Na3O9S M.W. 605.29			
		CHROME ALUM See Chromium (III) Potassium Sulphate Cat No.485 & 485A Page 59			
		CHROMIC ACID See Chromium Trioxide Cat No.488 & 489 Page 59			
125 ml	02131	CHROMIUM AAS STANDARD SOLUTION		02131 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.015		02131 00500	GB
125 ml	2131A	CHROMIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2131A 00125	GB
		Liquid, d. 1.015			
100 gm	00471	CHROMIUM (metal) LUMPS	7440-47-3	00471 00100	GB
500 gm		Assay : Min. 99.9% Cr M.W 52.00		00471 00500	PB
100 gm	0471A	CHROMIUM (metal) POWDER	7440-47-3	0471A 00100	GB
500 gm		Assay : Min. 99% Cr M.W 52.00		0471A 00500	PB
500 gm	00472	CHROMIUM ACETATE(chromium (III) acetate)	39430-51-8	00472 00500	PB
		Assay (Cr) : 23.0-25.0% C14H23Cr3O16 M.W 603.31			
500 gm	00475	CHROMIUM BORATE (chromium (III) borate)		00475 00500	PB
500 gm	00476	CHROMIUM BROMIDE (hexahydrate) (chromium (III) bromide)	13478-06-3	00476 00500	PB
		Assay : Min. 99% CrBr3.6H2O M.W 399.80			
500 gm	00477	CHROMIUM CARBONATE	29689-14-3	00477 00500	PB
		(chromium (III) carbonate) Assay : Min. 50-55% Cr2O3.xCO2.yH2O			
500 gm	00478	CHROMIUM CHLORIDE (hexahydrate)	10060-12-5	00478 00500	GB
5 Kg		(chromium (III) chloride) Assay : Min. 96% Cl3Cr.6H2O M.W 266.45		00478 05000	PC
500 gm	0478A	CHROMIUM CHLORIDE AR (hexahydrate)	10060-12-5	0478A 00500	GB
		(chromium (III) chloride) Assay : Min. 97% Cl3Cr.6H2O M.W 266.45			
500 gm	00479	CHROMIUM FLUORIDE(chromium (III) fluoride)	68886-78-2	00479 00500	GB
100 gm	00480	CHROMIUM IODIDE (chromium (III) iodide)	13569-75-0	00480 00100	GB
250 gm				00480 00250	GB
500 gm	00481	CHROMIUM NITRATE (nonahydrate) (CAS No.)	7789-02-8	00481 00500	GB
5 kg		(chromium (III) nitrate) Assay : Min. 97% Cr(NO3)3.9H2O M.W. 400.15		00481 05000	PC
500 gm	0481A	CHROMIUM NITRATE AR (nonahydrate)	7789-02-8	0481A 00500	GB
		(chromium (III) nitrate)			
		Assay : Min. 98-101.0% Cr(NO3)3.9H2O M.W. 400.15			
500 gm	00482	CHROMIUM OXALATE (chromium (III) oxalate)	814-90-4	00482 00500	PB
		Assay : Min. 96% Cr(C2O4) M.W. 140.02			
		CHROMIUM (VI) OXIDE See Chromium Trioxide Cat No.488 & 489 Page 59			
500 gm	00483	CHROMIUM OXIDE green powder	1308-38-9	00483 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		(chromium (III) oxide green) Assay : Min. 98% Cr2O3 M.W 151.99		00483 05000	PC
500 gm	0483A	CHROMIUM OXIDE green powder AR	1308-38-9	0483A 00500	PB
		(chromium (III) oxide green) Assay : Min. 98% Cr2O3 M.W 151.99			
500 gm	00484	CHROMIUM PHOSPHATE	10101-59-4	00484 00500	PB
		(chromium (III) phosphate) Assay : Min. 98% CrPo4.4H2O M.W 219.04			
100 gm	0484A	CHROMIUM PICOLINATE	14639-25-9	0484A 00100	PB
500 gm		Assay : Min. 96% C18H12CrN3O6 M.W 418.30		0484A 00500	PB
500 gm	00485	CHROMIUM POTASSIUM SULPHATE (dodecahydrate)	7788-99-0	00485 00500	PB
		(chrome alum) (chromium (III) potassium sulphate)			
		Assay : Min. 98.5% CrKO8S2.12H2O M.W. 499.40			
500 gm	0485A	CHROMIUM POTASSIUM SULPHATE AR (dodecahydrate)	7788-99-0	0485A 00500	PB
		(chrome alum) (chromium (III) potassium sulphate)			
		Assay : Min. 99% CrKO8S2.12H2O M.W. 499.40			
500 gm	00486	CHROMIUM SULPHATE (basic) (chromium (III) sulphate)	39380-78-4	00486 00500	PB
5 Kg		Assay : Min. 26% Cr4(SO4)5(OH)2 M.W 722.31		00486 05000	PC
500 gm	00487	CHROMIUM TARTRATE (chromium (III) tartrate)	62498-20-8	00487 00500	PB
500 gm	00488	CHROMIUM TRIOXIDE (flakes)	1333-82-0	00488 00500	GB
5 Kg		(chromic acid) (chromium (VI) oxide)		00488 05000	PC
50 Kg		Assay : Min. 98% CrO3 M.W. 99.99		00488 50000	PD
500 gm	00489	CHROMIUM TRIOXIDE (flakes) AR (chromic acid)	1333-82-0	00489 00500	GB
		(chromium (VI) oxide) Assay : Min. 99% CrO3 M.W. 99.99			
5 gm	0490A	CHROMOTROPE 2B (Acid red 176) (C.I.No.16575)	548-80-1	0490A 00005	GB
		C16H9N3Na2O10S2 M.W. 513.37			
25 gm	00490	CHROMOTROPE 2R (M.S.) (C.I. No.16570)	4197-07-3	00490 00025	GB
		Dye Content : Min. 85% C16H10N2Na2O8S2 M.W. 468.37			
25 gm	00491	CHROMOTROPIC ACID DISODIUM SALT	5808-22-0	00491 00025	GB
100 gm		Assay : Min. 98% C10H6Na2O8S2.2H2O M.W. 400.29		00491 00100	PB
25 gm	00492	CHROMOTROPIC ACID DISODIUM SALT AR	5808-22-0	00492 00025	GB
100 gm		Assay : Min. 98.5% C10H6Na2O8S2.2H2O M.W. 400.29		00492 00100	PB
25 gm	0492A	CHRYSOIDINE R (M.S) (C.I. No.11320)	4438-16-8	0492A 00025	GB
100 gm		C13H15N4Cl M.W. 262.74		0492A 00100	PB
25 gm	00493	CHRYSOIDINE Y (M.S.) (C.I. No.11270)	532-82-1	00493 00025	GB
100 gm		C12H12N4.HCl M.W. 248.71		00493 00100	PB
250 mg	0493A	a-CHYMOTRYPSIN crystalline	9004-07-3	0493A 0250M	GB
1 gm		(alpha-chymocutan)		0493A 00001	GB
5 gm	0493B	CIMETIDINE (for lab use)	51481-61-9	0493B 00005	GB
25 gm		Assay : Min. 98% C10H16N6S M.W 252.34		0493B 00025	GB
25 gm	02132	CINCHONINE (for synthesis)	118-10-5	02132 00025	GB
100 gm		Assay : Min. 85% C19H22N2O M.W 294.39		02132 00100	PB
		CINNAMALDEHYDE See Cinnamic Aldehyde Cat No.496 Page 60			
100 gm	00494	CINNAMIC ACID	140-10-3	00494 00100	PB
250 gm		(for synthesis)		00494 00250	PB
500 gm		Assay : Min. 99% C9H8O2 M.W. 148.16		00494 00500	PB
250 gm	02136	CINNAMIC ACID AR	140-10-3	02136 00250	PB
		Assay : Min. 99% C9H8O2 M.W. 148.16			
500 ml	00495	CINNAMIC ALCOHOL Extra Pure	104-54-1	00495 00500	GB
		Assay : Min. 98% C9H10O M.W. 134.18, Liquid, d. 1.04			
500 ml	00496	CINNAMIC ALDEHYDE(cinnamaldehyde)	104-55-2	00496 00500	GB
		Assay : Min. 98% C9H8O M.W. 132.16, Liquid, d. 1.05			
500 ml	00497	CINNAMON OIL Extra Pure	8015-91-6	00497 00500	GB
500 gm	0497A	CINNAMYL ACETATE	103-54-8	0497A 00500	GB
		Assay : Min. 99% C11H12O2 M.W 176.21, Liquid, d. 1.057			
50 gm	2136A	CINNAMYL CHLORIDE	2687-12-9	2136A 00050	GB
		Assay : Min. 95% C9H9Cl M.W. 152.62			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	02137	CIPROFLOXACIN Extra Pure	85721-33-1	02137 00005	GB
25 gm		(for lab use)		02137 00025	GB
100 gm		Assay : Min. 98% C17H18FN3O3 M.W 331.34		02137 00100	PB
5 gm	0497B	CIPROFLOXACIN HYDROCHLORIDE Extra Pure (monohydrate)	86393-32-0	0497B 00005	GB
25 gm		(for lab use)		0497B 00025	GB
100 gm				0497B 00100	PB
100 gm	00498	CITRAL	5392-40-5	00498 00100	PB
500 gm		Assay : Min. 97% C10H16O M.W 152.23		00498 00500	PB
50 gm	0498A	CITRAZINIC ACID	99-11-6	0498A 00050	GB
		Assay : Min. 96% C6H5NO4 M.W. 155.11			
500 gm	00499	CITRIC ACID (anhydrous) Extra Pure	77-92-9	00499 00500	PB
5 Kg				00499 05000	PC
25 Kg		Assay : Min. 99% C6H8O7 M.W. 192.12		00499 25000	FD
500 gm	0499A	CITRIC ACID (anhydrous) AR	77-92-9	0499A 00500	PB
5 Kg		Assay : Min. 99.5% C6H8O7 M.W. 192.12		0499A 05000	PC
500 gm	0499B	CITRIC ACID (anhydrous) (For Molecular Biology	77-92-9	0499B 00500	PB
		Assay : Min. 99.5% C6H8O7 M.W. 192.12			
500 gm	00500	CITRIC ACID (monohydrate) Extra Pure	5949-29-1	00500 00500	PB
5 Kg				00500 05000	PC
25 Kg		Assay : Min. 99% C6H8O7.H2O M.W. 210.14		00500 25000	FD
500 gm	0500A	CITRIC ACID (monohydrate) AR	5949-29-1	0500A 00500	PB
5 Kg				0500A 05000	PB
25 Kg		Assay : Min. 99.5% C6H8O7.H2O M.W. 210.14		0500A 25000	FD
500 ml	00501	CITRONELLA OIL Extra Pure Liquid, d. 0.897	8000-29-1	00501 00500	GB
10 gm	02138	L-CITRULLINE (for biochemistry)	372-75-8	02138 00010	GB
25 gm		[L-(+)-2-amino-5-ureidovaleric acid]		02138 00025	GB
		Assay : Min. 98% C6H13N3O2 M.W. 175.19			
		CLAYTON YELLOW See Titan Yellow Cat No.1521 & 1522 Page 201			
5 gm	2138B	CLINDAMYCIN HYDROCHLORIDE	21462-39-5	2138B 00005	GB
		Assay : Min. 96% C18H33ClN2O5S·HCl M.W. 461.44			
5 gm	2138A	CLOPIDOL (for lab use)	2971-90-6	2138A 00005	GB
25 gm				2138A 00025	GB
25 gm	0501A	CLOTRIMAZOLE Extra Pure (for lab use)	23593-75-1	0501A 00025	GB
100 gm		Assay : Min. 98% C22H17ClN2 M.W 344.84		0501A 00100	PB
100 ml	00502	CLOVE OIL (for microscopy)	8000-34-8	00502 00100	GB
500 ml		Liquid, d. 1.04		00502 00500	GB
25 gm	0502A	CLOXACILLINE Extra Pure (for lab use)	61-72-3	0502A 00025	GB
100 gm				0502A 00100	PB
25 gm	0502B	CLOZAPINE (for lab use)	5786-21-0	0502B 00025	GB
100 gm		Assay : Min. 98% C18H19ClN4 M.W 326.82		0502B 00100	PB
500 ml	0502C	COAL TAR (liquid) Liquid, d. 1.2	8007-45-2	0502C 00500	GB
125 ml	02141	COBALT AAS STANDARD SOLUTION		02141 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.014		02141 00500	GB
125 ml	2141A	COBALT ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2141A 00125	GB
		Liquid, d. 1.014			
100 gm	02142	COBALT (metal) LUMPS	7440-48-4	02142 00100	GB
500 gm		Assay : Min. 99% Co M.W 58.93		02142 00500	PB
100 gm	00503	COBALT (metal) POWDER	7440-48-4	00503 00100	GB
500 gm		Assay : Min. 99% Co M.W 58.93		00503 00500	PB
100 gm	00504	COBALT (II) ACETATE (tetrahydrate) (cobaltous acetate)	6147-53-1	00504 00100	PB
500 gm		Assay : Min. 98.5% (CH3COO)2Co.4H2O M.W. 249.08		00504 00500	PB
100 gm	00505	COBALT (II) ACETATE AR (tetrahydrate) (cobaltous acetate)	6147-53-1	00505 00100	PB
500 gm		Assay : Min. 99% (CH3COO)2Co.4H2O M.W. 249.08		00505 00500	PB
100 gm	00506	COBALT AMMONIUM CHLORIDE (CAS No.) PB 100 gm 18 6118	10534-89-1	00506 00100	PB
		Assay : Min. 97% [Co(NH3)6]Cl3 M.W. 267.48			
100 gm	00508	COBALT (II) BORATE		00508 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		(cobaltous borate)		00508 00500	PB
100 gm	00509	COBALT (II) BROMIDE hydrate	85017-77-2	00509 00100	GB
500 gm		(cobaltous bromide)		00509 00500	PB
		Assay : Min. 99% $CoBr_2.xH_2O$ M.W 218.74 (anhydrous basis)			
100 gm	0509A	COBALT (II) BROMIDE hydrate AR	85017-77-2	0509A 00100	GB
		Assay : Min. 99% $CoBr_2.xH_2O$ M.W 218.74 (anhydrous basis)			
100 gm	00510	COBALT (II) CARBONATE(cobaltous carbonate)	57454-67-8	00510 00100	PB
500 gm		Assay : 43-47% $CoCO_3 \cdot xH_2O$ M.W. 118.94 (anhydrous basis)		00510 00500	PB
100 gm	00511	COBALT (II) CHLORIDE (hexahydrate)	7791-13-1	00511 00100	GB
500 gm		(cobaltous chloride)		00511 00500	PB
5 Kg		Assay : Min. 97-102% $CoCl_2.6H_2O$ M.W. 237.93		00511 05000	PC
100 gm	0511A	COBALT (II) CHLORIDE AR (hexahydrate)	7791-13-1	0511A 00100	GB
500 gm		(cobaltous chloride) Assay : Min. 99% $CoCl_2.6H_2O$ M.W. 237.93		0511A 00500	PB
Pkt.	0511B	COBALT (II) CHLORIDE test paper (Pkt. of 100 leaves)		0511B 001PK	PC
24 Pkt.				0511B 024PK	CB
100 gm	00512	COBALT (II) CHROMATE (cobaltous chromate)	13455-25-9	00512 00100	GB
500 gm		Assay : Min. 98% $CoCrO_4$ M.W. 174.93		00512 00500	PB
100 gm	0512A	COBALT (II) CITRATE (dihydrate)	6424-15-3	0512A 00100	GB
500 gm		(cobaltous citrate) Assay : Min. 98% $C_{12}H_{10}Co_3O_{14}.2H_2O$ M.W. 592.02		0512A 00500	PB
250 gm	00513	COBALT (II) FLUORIDE (cobaltous fluoride)	10026-17-2	00513 00250	PB
		Assay : Min. 98% CoF_2 M.W 96.93			
100 gm	0513A	COBALT (II) HYDROXIDE	21041-93-0	0513A 00100	PB
		Assay : Min. 97% $Co(OH)_2$ M.W. 92.95			
100 gm	00514	COBALT (II) IODIDE (hydrate)(cobaltous iodide)	13455-29-3	00514 00100	GB
250 gm		Assay : Min. 98% $CoI_2.xH_2O$ M.W. 312.74 (anhy)		00514 00250	PB
100 gm	0514A	COBALT NAPHTHENATE (6% solution)	61789-51-3	0514A 00100	GB
500 gm		Liquid, d. 0.921		0514A 00500	
100 gm	00515	COBALT (II) NITRATE (hexahydrate)	10026-22-9	00515 00100	GB
500 gm		(cobaltous nitrate)		00515 00500	PB
5 Kg		Assay : Min. 97-101% $Co(NO_3)_2.6H_2O$ M.W. 291.03		00515 05000	PC
100 gm	0515A	COBALT (II) NITRATE AR (hexahydrate)	10026-22-9	0515A 00100	GB
500 gm		(cobaltous nitrate) Assay : Min. 99% $Co(NO_3)_2.6H_2O$ M.W. 291.03		0515A 00500	PB
100 gm	00516	COBALT (II) OXALATE (dihydrate)	5965-38-8	00516 00100	GB
500 gm		(cobaltous oxalate) Assay : Min. 29-35% (Co) $CoC_2O_4.2H_2O$ M.W 182.98		00516 00500	PB
100 gm	00517	COBALT (II) OXIDE (black) powder (cobaltous oxide)	1308-06-1	00517 00100	GB
500 gm		Assay : Min. 70% Co_3O_4 M.W. 240.80		00517 00500	PB
100 gm	0517A	COBALT (II) OXIDE (black) AR (cobaltous oxide)	1308-06-1	0517A 00100	GB
500 gm		Assay : Min. 71% Co_3O_4 M.W. 240.80		0517A 00500	PB
100 gm	00518	COBALT (II) PHOSPHATE (CAS No.) (cobaltous phosphate) PB 100 gm 18 2548	13455-36-2	00518 00100	PB
500 gm		Assay : Min. 98% $Co_3(PO_4)_2$ M.W 366.74		00518 00500	PB
100 gm	00519	COBALT (II) SULPHATE (heptahydrate)	10026-24-1	00519 00100	GB
500 gm		(cobaltous sulphate)		00519 00500	PB
5 Kg		Assay : Min. 97-102% $CoSO_4.7H_2O$ M.W. 281.10		00519 05000	PC
100 gm	0519A	COBALT (II) SULPHATE AR (heptahydrate)	10026-24-1	0519A 00100	GB
500 gm		Assay : (cobaltous sulphate) Min. 99% $CoSO_4.7H_2O$ M.W. 281.10		0519A 00500	PB
100 gm	00520	COBALT (II) SULPHIDE (cobaltous sulphide)	1317-42-6	00520 00100	GB
		Assay : Min. 99.5% Cos (Varied) M.W. 91.00			
100 gm	00521	COBALT (II) SULPHITE (cobaltous sulphite)		00521 00100	GB
250 gm	00522	COBALT (II) TARTRATE (cobaltous tartrate)		00522 00250	PB
		Assay : Min. 95.0% $[-CH(OH)CO_2]_2Cu \cdot xH_2O$ 211.62 (anhydrous basis)			
100 gm	00523	COBALT (II) THIOCYANATE	3017-60-5	00523 00100	GB
500 gm		(cobaltous thiocyanate) Assay : Min. 96% $Co(SCN)_2$ M.W 175.10		00523 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	00524	COCO DIETHANOLAMIDE	120-40-1	00524 00500	PB
500 gm	00525	COCO MONOETHANOLAMIDE	8052-62-8	00525 00500	PB
500 gm	0525A	COCO BUTTER Extra Pure	8002-31-1	0525A 00500	PB
500 ml	0525C	COCONUT OIL (fatty acid) Liquid, d. 0.903	8001-31-8	0525C 00500	PB
250 ml	02143	CODLIVER OIL		02143 00250	GB
500 ml		Liquid, d. 0.916-0.928		02143 00500	GB
1 gm	00526	COLCHICINE	64-86-8	00526 00001	GB
10 gm		Assay : Min. 98.5% C22H25NO6 M.W. 399.44		00526 00010	GB
500 ml	0526A	COLLODION 4% Liquid, d. 0.775	9004-70-0	0526A 00500	GB
500 ml	00527	COLLODION FLEXIBLE		00527 00500	GB
500 gm	0527A	COLOPHONY (Resin)	8050-09-7	0527A 00500	PB
25 gm	00528	CONGO RED indicator (C.I.No.22120)	573-58-0	00528 00025	GB
100 gm		(for microscopy)		00528 00100	GB
500 gm		Dye Content : Min. 35% C32H22N6Na2O6S2 M.W. 696.66		00528 00500	PB
125 ml	00529	CONGO RED indicator solution		00529 00125	PB
500 ml		Liquid, d. 0.995		00529 00500	PB
100 lvs	00530	CONGO RED indicator papers		00530 100LS	CB
		COOMASIE BRILLIANT BLUE G 250 See Brilliant Blue G 250 Cat No.1949 Page 35			
		COOMASIE BRILLIANT BLUE R 250 See Brilliant Blue R Cat No.1949A Page 35			
100 ml	02146	COPPER AAS STANDARD SOLUTION		02146 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.014		02146 00500	GB
125 ml	2146A	COPPER ICP STANDARD SOLUTION		2146A 00125	GB
		1000mg/L in Nitric Acid, Liquid, d. 1.014			
125 ml	2146B	COPPER ICP STANDARD SOLUTION		2146B 00125	GB
		10000mg/L in Nitric Acid, Liquid, d. 1.035			
100 gm	00532	COPPER (metal) TURNING/FILLING (small pieces)	7440-50-8	00532 00100	GB
250 gm				00532 00250	GB
500 gm		Assay : Min. 99.5% Cu A.W. 63.55		00532 00500	PB
5 Kg				00532 05000	PC
100 gm	00533	COPPER (metal) FOIL (approx. 0.1 mm)	7440-50-8	00533 00100	PB
500 gm		Assay : Min. 99% Cu A.W. 63.55		00533 00500	PB
100 gm	02151	COPPER (metal) FOIL (approx. 0.1 mm) AR	7440-50-8	02151 00100	PB
500 gm		Assay : Min. 99% Cu A.W. 63.55		02151 00500	PB
100 gm	00534	COPPER (metal) POWDER (practical)	7440-50-8	00534 00100	GB
500 gm				00534 00500	PB
5 Kg		Assay : Min. 99.5% Cu A.W. 63.55		00534 05000	PC
100 gm	0534A	COPPER (metal) POWDER (325 mesh) EL grade	7440-50-8	0534A 00100	GB
500 gm				0534A 00500	PB
5 Kg		Assay : Min. 99.5% Cu A.W. 63.55		0534A 05000	PC
100 gm	0534B	COPPER (metal) POWDER AR	7440-50-8	0534B 00100	GB
500 gm		Assay : Min. 99.7% Cu A.W. 63.55		0534B 00500	PB
500 gm	00535	COPPER (II) ACETATE (monohydrate)	6046-93-1	00535 00500	PB
5 Kg		(cupric acetate) Assay : Min. 98% (CH3.COO)2Cu.H2O M.W. 199.65		00535 05000	PC
250 gm	00536	COPPER (II) ACETATE AR (monohydrate)	6046-93-1	00536 00250	PB
500 gm		(cupric acetate) Assay : Min. 99% (CH3.COO)2Cu.H2O M.W. 199.65		00536 00500	PB
500 gm	00537	COPPER (II) BORATE (cupric borate)		00537 00500	PB
500 gm	00538	COPPER (I) BROMIDE (cuprous bromide)	7787-70-4	00538 00500	PB
		Assay : Min. 97% CuBr M.W. 143.45			
500 gm	00539	COPPER (II) BROMIDE (cupric bromide)	7789-45-9	00539 00500	PB
		Assay : Min. 98% CuBr2 M.W 223.35			
500 gm	00540	COPPER (II) CARBONATE (basic)	12069-69-1	00540 00500	PB
5 Kg		(copper (II) hydroxide carbonate) (cupric carbonate)		00540 05000	PC
		Assay : Min. 95% CuCO3·Cu(OH)2 M.W 221.12			
500 gm	00541	COPPER (II) CHLORIDE (dihydrate)	10125-13-0	00541 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		(cupric chloride) Assay : Min. 98% CuCl2.2H2O M.W. 170.48		00541 05000	PC
500 gm	0541A	COPPER (II) CHLORIDE (dihydrate) AR	10125-13-0	0541A 00500	PB
5 Kg		(cupric chloride) Assay : Min. 99% CuCl2.2H2O M.W. 170.48		0541A 05000	PC
500 ml	0541B	COPPER (II) CHLORIDE SOLUTION		0541B 00500	PB
500 gm	00542	COPPER (I) CHLORIDE (anhydrous)	7758-89-6	00542 00500	PB
		(cuprous chloride) Assay : Min. 97% CuCl M.W. 99.00			
250 gm	0542A	COPPER (I) CHLORIDE (anhydrous) AR	7758-89-6	0542A 00250	GB
		(cuprous chloride) Assay : Min. 98% CuCl M.W. 99.00			
500 gm	00544	COPPER (II) CHROMATE (cupric chromate)	13548-42-0	00544 00500	PB
100 gm	0544A	COPPER CHROMITE (Copper chromium oxide)	12053-18-8	0544A 00100	PB
500 gm		Assay : Min. 36% (Cu) Cr2Cu2O5 M.W. 311.08		0544A 00500	PB
500 gm	00545	COPPER (II) CITRATE (cupric citrate)	10402-15-0	00545 00500	PB
500 gm	2151A	COPPER (I) CYANIDE (cuprous cyanide)	544-92-3	2151A 00500	PB
		Assay : Min. 69-72% CuCN M.W 89.56			
500 gm	0545A	COPPER (II) FLUOBORATE (cupric fluoborate)	38465-60-0	0545A 00500	PB
		Cu(BF4)2·xH2O M.W. 237.16			
500 gm	00546	COPPER (II) FLUORIDE (cupric fluoride)	7789-19-7	00546 00500	PB
		Assay : Min. 98% CuF2 M.W. 101.54			
500 gm	2151C	COPPER (II) HYDROXIDE	20427-59-2	2151C 00500	PB
5 Kg		Assay (Cu content) : 56-57% Cu(OH)2 M.W. 97.56		2151C 05000	PC
		COPPER (II) HYDROXIDE CARBONATE See Copper (II) Carbonate Cat No.540 Page 63			
100 gm	00547	COPPER (I) IODIDE (practical) (cuprous iodide)	7681-65-4	00547 00100	PB
250 gm		Assay : Min. 98% CuI M.W 190.95		00547 00250	PB
100 gm	0547A	COPPER (I) IODIDE AR (cuprous iodide)	7681-65-4	0547A 00100	PB
500 gm		Assay : Min. 99% CuI M.W 190.95 PB 500 gm 28276090 18 7934		0547A 00500	PB
500 gm	00548	COPPER (II) NITRATE (trihydrate)	10031-43-3	00548 00500	PB
5 Kg		(cupric nitrate) Assay : Min. 95-103% Cu(NO3)2.3H2O M.W. 241.60		00548 05000	PC
500 gm	0548A	COPPER (II) NITRATE AR (trihydrate)	10031-43-3	0548A 00500	PB
5 Kg		(cupric nitrate) Assay : Min. 99.5% Cu(NO3)2.3H2O M.W. 241.60		0548A 05000	PC
500 gm	00549	COPPER (II) OXALATE (cupric oxalate)	5893-66-3	00549 00500	PB
		Assay : Min. 98% CuC2O4.0.5H2O M.W. 160.57			
500 gm	00550	COPPER (II) OXIDE black (practical) (powder)	1317-38-0	00550 00500	PB
5 Kg		(cupric oxide black) Assay : Min. 97% CuO M.W. 79.55		00550 05000	PC
500 gm	00551	COPPER (II) OXIDE black Extra Pure (powder)	1317-38-0	00551 00500	PB
5 Kg		(cupric oxide black) Assay : Min. 98% CuO M.W. 79.55		00551 05000	PC
100 gm	0551A	COPPER (II) OXIDE black AR (CAS No.1317-38-0) (cupric oxide black)	1317-38-0	0551A 00100	PB
500 gm		Assay : Min. 99% CuO M.W. 79.55		0551A 00500	PB
100 gm	0551B	COPPER OXIDE WIRE AR (for elementary analysis)	1317-38-0	0551B 00100	PB
		(CAS No.1317-38-0) Assay : Min. 98% CuO M.W. 79.55			
500 gm	00552	COPPER (I) OXIDE red (cuprous oxide red)	1317-39-1	00552 00500	PB
		Assay : Min. 95% Cu2O M.W 143.09			
500 gm	00553	COPPER (II) PHOSPHATE (cupric phosphate)	7798-23-4	00553 00500	PB
5 Kg		Assay : Min. 98% Cu3O8P2 M.W. 380.58		00553 05000	PC
500 gm	0553A	COPPER (I) POTASSIUM CYANIDE	13682-73-0	0553A 00500	PB
		(cuprous potassium cyanide)			
500 gm	00554	COPPER (II) SULPHATE (practical)	7758-99-8	00554 00500	PB
5 Kg		(pentahydrate big crystals) (cupric sulphate)		00554 05000	PC
50 Kg		Assay : Min. 98% CuSO4.5H2O M.W. 249.69		00554 50000	FD
500 gm	00555	COPPER (II) SULPHATE Extra Pure (CAS No.7758-99-8)	7758-99-8	00555 00500	PB
5 Kg		(pentahydrate sugar crystals) (cupric sulphate)		00555 05000	PC
50 Kg		Assay : Min. 98.5-101% CuSO4.5H2O M.W. 249.69		00555 50000	FD
500 gm	0555A	COPPER (II) SULPHATE AR (pentahydrate)	7758-99-8	0555A 00500	PB
5 Kg		(cupric sulphate) Assay : Min. 99% CuSO4.5H2O M.W. 249.69		0555A 05000	PC
500 ml	0555B	COPPER (II) SULPHATE 0.1M (0.1N)		0555B 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Standardized Solution, traceable to Nist			
500 gm	0555C	COPPER (II) SULPHATE (anhydrous)	7758-98-7	0555C 00500	PB
		(cupric sulphate anhydrous) Assay : Min. 98% CuSO4 M.W. 159.61			
500 gm	0555D	COPPER (II) SULPHATE AR (anhydrous)	7758-98-7	0555D 00500	PB
		(cupric sulphate anhydrous) Assay : Min. 99% CuSO4 M.W. 159.61			
500 gm	00556	COPPER (II) SULPHIDE (cupric sulphide)	1317-40-4	00556 00500	PB
		Assay : Min. 99.99% CuS M.W 95.61			
500 gm	00558	COPPER (II) TARTRATE (cupric tartrate)	815-82-7	00558 00500	PB
		Assay : Min. 99.9% C4H4CuO6·xH2O M.W. 211.62 (anhydrous basis)			
500 gm	00559	COPPER (II) THIOCYANATE (cupric thiocyanate)		00559 00500	PB
500 gm	0559A	COPPER (I) THIOCYANATE (cuprous thiocyanate)	1111-67-7	0559A 00500	PB
		Assay : Min. 99.9% CuSCN M.W 121.63			
100 ml	00560	CORIANDER OIL Extra Pure	8008-52-4	00560 00100	GB
250 ml		Liquid, d. 0.868		00560 00250	GB
500 ml	00561	CORRALIN SODA REAGENT solution		00561 00500	GB
25 gm	00562	COTRIMOXAZOLE Extra Pure	738-70-5	00562 00025	GB
100 gm		(for lab use)		00562 00100	PB
500 gm		Assay : Min. 98% C22H17ClN2 M.W. 344.84		00562 00500	PB
		COTTON BLUE See Aniline Blue Cat N o.147 & 148 Page 19			
125 ml	00563	COTTON BLUE in lactophenol		00563 00125	PB
500 ml		Liquid, d. 1.16		00563 00500	PB
500 ml	0563A	COTTON SEED OIL Liquid, d. 0.92	8001-29-4	0563A 00500	GB
5 gm	0563B	m-COUMARIC ACID AR (3-hydroxycinnamic acid)	588-30-7	0563B 00005	GB
		Assay : Min. 99% C9H8O3 M.W 164.16			
25 gm	0563C	p-COUMARIC ACID (trans-4-Hydroxycinnamic acid)	501-98-4	0563C 00025	GB
100 gm		(CAS No.) Assay : Min. 98% C9H8O3 M.W 164.16		0563C 00100	PB
250 gm	00564	COUMARIN (for synthesis) (2H-1-benzopyran-2-one)		00564 00250	PB
		(CAS No.91-64-5) Assay : Min. 99% C9H6O2 M.W. 146.15			
		CREAM OF TARTAR See Potassium Bitartrate Cat No.1226 Page 158			
25 gm	0564A	CREATINE	6020-87-7	0564A 00025	GB
100 gm		(monohydrate) PB 100 gm		0564A 00100	PB
500 gm		Assay : Min. 98% C4H9N3O2.H2O M.W. 149.15		0564A 00500	PB
1 gm	0564B	CREATINE PHOSPHATE DISODIUM SALT AR	922-32-7	0564B 00001	GB
5 gm		(creatine phosphoric acid disodium salt)		0564B 00005	GB
		Assay : Min. 98% C4H8N3Na2O5P·4H2O M.W. 327.14			
25 gm	00565	CREATININE Extra Pure	60-27-5	00565 00025	GB
100 gm		Assay : Min. 99% C4H7N3O M.W. 113.12		00565 00100	PB
500 gm				00565 00500	PB
25 gm	0565A	CREATININE AR	60-27-5	0565A 00025	GB
100 gm		Assay : Min. 99.8% C4H7N3O M.W. 113.12		0565A 00100	PB
500 gm				0565A 00500	PB
25 gm	0565B	CREATININE HYDROCHLORIDE	19230-81-0	0565B 00025	GB
100 gm		Assay : Min. 98% C4H7N3O.HCl M.W. 149.58		0565B 00100	GB
10 gm	0565C	CREATININE ZINC CHLORIDE	62708-52-5	0565C 00010	GB
25 gm		Assay : Min. 98% (C4H7N3O)2.ZnCl2 M.W. 362.53		0565C 00025	GB
500 gm	02152	CREMOPHOR® EL (Polyoxyl 35 hydrogenated castor oil)	61791-12-6	02152 00500	PB
500 gm	2152A	CREMOPHOR® RH-40	61788-85-0	2152A 00500	PB
500 ml	0565D	CREOSOTE OIL Extra Pure (light), Liquid, d. 0.98-1.1		0565D 00500	GB
500 ml	0565E	CREOSOTE OIL (practical) (heavy), Liquid, d. 1.03-1.18		0565E 00500	GB
500 ml	00566	m-CRESOL (for synthesis) (3-methylphenol)	108-39-4	00566 00500	GBT
		Assay : Min. 98% CH3C6H4OH M.W. 108.14, Liquid, d. 1.034			
500 ml	0566A	m-CRESOL AR (3-methylphenol)	108-39-4	0566A 00500	GBT
		Assay : Min. 99% CH3C6H4OH M.W. 108.14, Liquid, d. 1.034			
500 ml	00567	o-CRESOL (for synthesis)	95-48-7	00567 00500	GBT

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 98% CH3C6H4OH M.W. 108.14, Liquid, d. 1.048			
500 gm	00568	p-CRESOL (for synthesis)	106-44-5	00568 00500	GBT
		Assay : Min. 98% CH3C6H4OH M.W. 108.14, Liquid, d. 1.03			
5 gm	00569	o-CRESOLPHTHALEIN (pH indicator)	596-27-0	00569 00005	GB
25 gm		C22H18O4 M.W. 346.39		00569 00025	GB
1 gm	00570	o-CRESOLPHTHALEIN COMPLEXONE	2411-89-4	00570 00001	GB
5 gm		C32H32N2O12 M.W 636.60B		00570 00005	GB
1 gm	0570A	m-CRESOL PURPLE indicator	2303-01-7	0570A 00001	GB
5 gm		Dye Content : Min. 90% C21H18O5S M.W. 382.44		0570A 00005	GB
5 gm	00571	CRESOL RED indicator AR	1733-12-6	00571 00005	GB
25 gm		Dye Content : Min. 95% C21H18O5S M.W. 382.43		00571 00025	GB
100 gm				00571 00100	PB
125 ml	0571A	CRESOL RED indicator solution		0571A 00125	PB
500 ml		Liquid, d. 0.98		0571A 00500	PB
		CRESOL SOAP SOLUTION See Lysol Cat No.906 Page 120			
5 gm	2152B	CRESYL VIOLET ACETATE Certified	10510-54-0	2152B 00005	GB
		Dye Content : ~ 70% C18H15N3O3 M.W. 321.33			
		CRESYL BLUE See Brilliant Cresyl Blue Cat No.304 & 305 Page 35			
500 ml	00572	CRESYLIC ACID (cresol mixed isomers) Liquid, d.1.04	1319-77-3	00572 00500	PB
500 gm	02153	CROSCARMELLOSE SODIUM	74811-65-7	02153 00500	PB
2.5 Kg		(ac-di-sol)		02153 02500	PC
100 gm	02154	CROSPOVIDONE	9003-39-8	02154 00100	PB
500 gm		(kollidon)		02154 00500	PB
500 ml	0572A	CROTONALDEHYDE (for synthesis)	123-73-9	0572A 00500	GB
		Assay : Min. 99% C4H6O M.W 70.09, Liquid, d. 0.846			
100 gm	0572B	CROTONIC ACID (for synthesis)	107-93-7	0572B 00100	PB
		Assay : Min. 99% C4H6O2 M.W 86.09			
5 gm	0572C	18-CROWN-6-ETHER (for synthesis)	17455-13-9	0572C 00005	GB
25 gm		(1,4,7,10,13,16-hexaoxacyclooctadecane) Assay : Min. 99%		0572C 00025	GB
100 gm		(phase transfer catalyst complexing agent) C12H24O6 M.W. 264.32		0572C 00100	PB
500 gm	00573	CRYOLITE (CAS No.) (sodium hexafluoroaluminate)	15096-52-3	00573 00500	PB
		Assay : Min. 98.5% Na3AlF6 M.W. 209.94			
25 gm	00574	CRYSTAL VIOLET (gentian violet)	548-62-9	00574 00025	GB
100 gm		(M.S.) (C.I.No.42555)		00574 00100	PB
500 gm		Dye Content : Min. 85% C25H30N3Cl M.W. 407.98		00574 00500	PB
25 gm	0574A	CRYSTAL VIOLET AR (CAS No.548-62-9) (gentian violet)	548-62-9	0574A 00025	GB
100 gm		(M.S.) (C.I.No.42555)		0574A 00100	PB
500 gm		Dye Content : Min. 88% C25H30N3Cl M.W. 407.98		0574A 00500	PB
125 ml	00575	CRYSTAL VIOLET solution (Gram's staining solution)		00575 00125	PB
500 ml		(crystal violet ammonium oxalate solution), Liquid, d. 1.00		00575 00500	PB
100 ml	00576	CUMIN SEED OIL Extra Pure	8014-13-9	00576 00100	GB
500 ml		Liquid, d. 0.925		00576 00500	GB
500 ml	0576A	CUOXAM REAGENT solution		0576A 00500	PB
25 gm	00577	CUPFERRON AR (N-nitroso-N-phenyl hydroxylamine ammonium salt)	135-20-6	00577 00025	GB
100 gm		Assay : Min. 98% C6H9N3O2 M.W. 155.16		00577 00100	PB
500 ml	02155	CUPFERRON REAGENT solution		02155 00500	PB
100 gm	2155A	CUPRIC POTASSIUM TARTARATE		2155A 00100	PB
500 gm		(potassium cupric tartarate)		2155A 00500	PB
		CUPRON AR See a-Benzoin Oxime Cat No.250 Page 28			
5 gm	0577A	CURCUMINE crystalline (C.I. No.75300	458-37-7	0577A 00005	GB
10 gm		Assay : Min. 94% C21H20O6 M.W. 368.39		0577A 00010	GB
100 gm	0577B	CYANOACETAMIDE (for synthesis) (malonamide nitrile)	107-91-5	0577B 00100	PB
500 gm		(CAS No.) Assay : Min. 98% C3H4N2O M.W. 84.08		0577B 00500	PB
250 gm	0577C	CYANOACETIC ACID (for synthesis)	372-09-8	0577C 00250	PB
1 Kg		Assay : Min. 98% C3H3NO2 M.W. 85.06		0577C 01000	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		CYANOCOBALAMINE See Vitamin B12 Cat No.1572C Page 209			
100 gm	00578	CYANOGEN BROMIDE (for synthesis)	506-68-3	00578 00100	GB
		Assay : Min. 97% BrCN M.W. 105.93			
1 gm	0578A	2-CYANO-6-HYDROXY BENZOTHIAZOLE	939-69-5	0578A 00001	GB
5 gm		Assay : Min. 95% C8H4N2OS M.W. 176.20		0578A 00005	GB
1 gm	0578B	5-CYANOINDOLE	15861-24-2	0578B 00001	GB
5 gm		Assay : Min. 98.5% C9H6N2 M.W : 142.16		0578B 00005	GB
1 gm	0578C	2-CYANO-6-METHOXY BENZOTHIAZOLE	943-03-3	0578C 00001	GB
5 gm		Assay : Min. 98% C9H6N2OS M.W 190.22		0578C 00005	GB
250 gm	00579	CYANURIC ACID (for synthesis)	108-80-5	00579 00250	PB
		Assay : Min. 98% C3H3N3O3 M.W 129.07			
500 gm	00580	CYANURIC CHLORIDE (for synthesis) (CAS No.) GB 500 gm 18 3785	108-77-0	00580 00500	GB
		Assay : Min. 99% C3Cl3N3 M.W 184.41			
1 gm	0580A	a-CYCLODEXTRIN (cyclomaltohexaose)	10016-20-3	0580A 00001	GB
5 gm		Assay : Min. 98% C36H60O30 M.W 972.84		0580A 00005	GB
		b-CYCLODEXTRIN See Beta Cyclodextrin Cat No.1913B Page 31			
1 gm	0580B	gama-CYCLODEXTRIN	17465-86-0	0580B 00001	GB
5 gm		Assay : Min. 98% C48H80O40 M.W. 1297.12		0580B 00005	GB
500 ml	00581	CYCLOHEXANE (for synthesis) (d. 0.78)	110-82-7	00581 00500	GB
2.5 Lt		Assay : Min. 99% C6H12 M.W. 84.16, Liquid, d. 0.780		00581 02500	GB
500 ml	00582	CYCLOHEXANE AR	110-82-7	00582 00500	GB
2.5 Lt		Assay : Min. 99.5% C6H12 M.W. 84.16, Liquid, d. 0.780		00582 02500	GB
500 ml	02156	CYCLOHEXANE HPLC & SPECTROSCOPY	110-82-7	02156 00500	GB
2.5 Lt		Assay : Min. 99.8% C6H12 M.W. 84.16, Liquid, d. 0.780		02156 02500	GB
500 ml	00583	CYCLOHEXANOL (for synthesis)(d. 0.94)	108-93-0	00583 00500	GB
2.5 Lt		Assay : Min. 99% C6H11OH M.W. 100.16, Liquid, d. 0.948		00583 02500	GB
500 ml	0583A	CYCLOHEXANOL AR	108-93-0	0583A 00500	GB
2.5 Lt		Assay : Min. 99.5% C6H11OH M.W. 100.16, Liquid, d. 0.948		0583A 02500	GB
500 ml	00584	CYCLOHEXANONE (for synthesis)	108-94-1	00584 00500	GB
2.5 Lt		Assay : Min. 99% C6H10O M.W. 98.15, Liquid, d. 0.947		00584 02500	GB
5 Lt				00584 05000	PC
500 ml	0584A	CYCLOHEXANONE AR	108-94-1	0584A 00500	GB
2.5 Lt		Assay : Min. 99.5% C6H10O M.W. 98.15, Liquid, d. 0.947		0584A 02500	GB
500 ml	0584B	CYCLOHEXENE	110-83-8	0584B 00500	GB
2.5 Lt		Assay : Min. 99% C6H10 M.W. 82.14, Liquid, d. 0.811		0584B 02500	GB
		CYCLOHEXIMIDE AR See Actidione Cat No.021A Page 5			
500 ml	00585	CYCLOHEXYLAMINE (for synthesis) (CAS No.), Liquid, d 0.867	108-91-8	00585 00500	GB
2.5 Lt		(aminocyclohexane) Assay : Min. 99.8% C6H11NH2 M.W. 99.17		00585 02500	GB
500 ml	2156A	CYCLOHEXYL BROMIDE (for synthesis)	108-85-0	2156A 00500	GB
		(bromocyclohexane) Liquid, d. 1.324			
		Assay : Min. 98% C6H11Br M.W. 163.06,			
25 ml	2156B	CYCLOHEXYL ISOCYANATE(5% solution in xylene)	1122-82-3	2156B 00025	GB
100 ml		Assay : Min. 98% C6H11NCS M.W 141.23, Liquid, d. 0.996		2156B 00100	GB
100 ml	0585A	CYCLOPENTANE (for synthesis)	287-92-3	0585A 00100	GB
		Assay : Min. 98% C5H10 M.W 70.13, Liquid, d 0.751			
500 ml	02157	CYCLOPENTANOL (for synthesis) (hydroxycyclopentane)	96-41-3	02157 00500	GB
		Assay : Min. 99% C5H9OH M.W 86.13, Liquid, d. 0.949			
500 ml	2157A	CYCLOPENTANONE (for synthesis)	120-92-3	2157A 00500	GB
		Assay : Min. 99% C5H8O M.W. 84.12, Liquid, d. 0.951			
500 ml	0585D	CYCLOPENTYL METHYL ETHER AR	5614-37-9	0585D 00500	GB
1 Lt		Assay : Min. 99.9% C6H12O M.W. 100.16, Liquid, d. 0.86		0585D 01000	GB
10 gm	2156C	CYCLOPROPANE CARBONITRILE	5500-21-0	2156C 00010	GB
25 gm		Assay : Min. 98% C4H5N M.W 67.09, Liquid, d. 0.911		2156C 00025	GB
5 gm	2156D	CYCLOPROPANEMETHYLAMINE HYDROCHLORIDE	7252-53-1	2156D 00005	GB
		Assay : Min. 99% C4H9N.HCl M.W 107.58			
100 ml	2156F	CYCLOPROPYLAMINE (for synthesis)	765-30-0	2156F 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml		Assay : Min. 98% C3H5NH2 M.W.57.09, Liquid, d. 0.824		2156F 00500	GB
10 gm	2156E	CYCLOPROPYLMETHYL ISOTHIOCYANATE	6068-90-2	2156E 00010	GB
25 gm		Assay : Min. 97% C5H7NS M.W. 113.18		2156E 00025	GB
250 ml	2156G	o-CYMENE	572-84-4	2156G 00250	GB
		Assay : Min. 99% C10H14 M.W. 134.22, Liquid, d. 0.877			
100 gm	2157B	CYSTEAMINE HYDROCHLORIDE (for synthesis)	156-57-0	2157B 00100	PB
500 gm		(aminoethanethiol hydrochloride)		2157B 00500	PB
		Assay : Min. 98% C2H7NS.HCl M.W 113.61			
5 gm	0585B	L-CYSTEINE (for biochemistry)	52-90-4	0585B 00005	GB
25 gm				0585B 00025	GB
100 gm		Assay : Min. 99% C3H7NO2S M.W. 121.16		0585B 00100	PB
25 gm	0585C	L-CYSTEINE HYDROCHLORIDE (monohydrate)	7048-04-6	0585C 00025	GB
100 gm				0585C 00100	PB
500 gm		Assay : Min. 98% C3H7NO2S.HCl.H2O M.W. 175.63		0585C 00500	PB
25 gm	2157C	CYSTINE DISODIUM (Culture media grade)	64704-23-0	2157C 00025	GB
100 gm		Assay : Min. 98% C6H10N2Na2O4S2 M.W. 284.30		2157C 00100	PB
25 gm	00586	L-CYSTINE (for biochemistry)	56-89-3	00586 00025	GB
100 gm				00586 00100	PB
500 gm		Assay : Min. 99% C6H12N2O4S2 M.W. 240.30		00586 00500	PB
5 gm	0586A	CYTIDINE (for biochemistry) (d-cytidine)	65-46-3	0586A 00005	GB
25 gm		Assay : Min. 99% C9H13N3O5 M.W. 243.22		0586A 00025	GB
1 gm	0586B	CYTOKININE (for biochemistry)	525-80-4	0586B 00001	GB
5 gm				0586B 00005	GB
100 ml	02158	CYTOKININE REAGENT solution		02158 00100	PB
5 gm	02159	CYTOSINE (for biochemistry) (4-amino-2-hydroxy pyrimidiene)	71-30-7	02159 00005	GB
25 gm		Assay : Min. 98% C4H5N3O M.W. 111.10		02159 00025	GB
D					
25 gm	02160	DAPSONE Extra Pure (for lab use) (4-aminophenyl sulphone)	80-08-0	02160 00025	GB
100 gm		Assay : Min. 97% C12H12N2O2S M.W. 248.30		02160 00100	PB
500 gm	00587	DARCO G 60		00587 00500	PB
5 gm	0587A	DEAE CELLULOSE 11	9013-34-7	0587A 00005	GB
10 gm		(for column chromatography)		0587A 00010	GB
5 gm	0587B	DEAE CELLULOSE 52 (For Molecular Biology)	9013-34-7	0587B 00005	GB
25 gm		(for column chromatography)		0587B 00025	GB
100 gm		(diethylamino ethyl cellulose) (fine mesh)		0587B 00100	PB
500 ml	00588	DECALIN (for synthesis) (decahydronaphthalene)	91-17-8	00588 00500	GB
		Assay : Min. 98% C10H18 M.W. 138.55, Liquid, d. 0.88			
100 ml	2160A	n-DECANE (for synthesis)	124-18-5	2160A 00100	GB
250 ml		Assay : Min. 99% C10H22 M.W.142.28, Liquid, d. 0.73		2160A 00250	GB
100 gm	2161A	1,10-DECANEDIOL	112-47-0	2161A 00100	PB
		Assay : Min. 97.5% C10H22O2 M.W. 174.28			
5 gm	02161	1-DECANESULPHONIC ACID SODIUM SALT AR & HPLC (anhydrous)	13419-61-9	02161 00005	GB
25 gm		(sodium 1-decanesulphonate anhydrous)		02161 00025	GB
100 gm		Assay : Min. 99% C10H21NaO3S M.W. 244.33		02161 00100	PB
5 gm	02166	1-DECANESULPHONIC ACID SODIUM SALT AR & HPLC (monohydrate)	13419-61-9	02166 00005	GB
25 gm		(sodium 1-decanesulphonate monohydrate)		02166 00025	GB
100 gm		Assay : Min. 99% C10H21NaO3S.H2O M.W. 262.33		02166 00100	PB
		hexa-DECANOIC ACID See Palmitic Acid Cat No.1133 & 1133A Page 146			
		N-DECANOIC ACID See N-Capric Acid Cat No.2051 Page 48			
		tetra-DECANOIC ACID See Myristic Acid Cat No.1044A Page 135			
500 ml	0588D	1-DECANOL (for synthesis) (Decyl Alcohol)	112-30-1	0588D 00500	GB
2.5 Lt		Assay : Min. 99% C10H22O M.W. 158.29, Liquid, d. 0.829		0588D 02500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	0588A	DEHYDRO-EPI-ANDROSTERONE (for biochemistry)	53-43-0	0588A 00005	GB
10 gm		Assay : Min. 97% $C_{19}H_{28}O_2$ M.W. 288.43		0588A 00010	GB
5 mg	0588E	DEOXYRIBONUCLEASE I (from bovine pancreas)		0588E 0005M	GB
50 mg		M.W. ~31 kDa		0588E 0050M	GB
100 mg				0588E 0100M	GB
10 gm	0588B	DEOXY RIBONUCLEIC ACID (From Fish Sperm)	100403-24-5	0588B 00010	GB
25 gm				0588B 00025	GB
100 gm		(DNA)		0588B 00100	PB
25 mg	0588C	DEOXYRIBONUCLEIC ACID SODIUM SALT	73049-39-5	0588C 0025M	GB
100 mg		(For Molecular Biology) (DNA sodium salt)		0588C 0100M	GB
250 mg		from calf thymus, highly polymerised (Store at 2 - 8°C)		0588C 0250M	PB
500 gm	00589	DEVARDA'S ALLOY (powder)	8049-11-4	00589 00500	PB
500 gm	0589A	DEVARDA'S ALLOY (powder) AR	8049-11-4	0589A 00500	PB
1 gm	0589B	DEXAMETHASONE	50-02-2	0589B 00001	GB
		Assay : Min. 97% $C_{22}H_{29}FO_5$ M.W. 392.46			
100 gm	0589D	DEXTRAN	9004-54-0	0589D 00100	PB
		$(C_6H_{10}O_5)n$ M.W. ~10,000			
5 gm	0589C	DEXTRAN SULFATE SODIUM SALT (from Leuconostoc spp.)	9011-18-1	0589C 00005	GB
25 gm		A.W. ~ 5,000		0589C 00025	GB
100 gm				0589C 00100	PB
500 gm	00590	DEXTRINE WHITE	9004-53-9	00590 00500	PB
5 Kg		$(C_6H_{10}O_5)n.xH_2O$		00590 05000	PC
500 gm	00591	DEXTRINE YELLOW	9004-53-9	00591 00500	PB
5 Kg		$(C_6H_{10}O_5)n.xH_2O$		00591 05000	PC
500 gm	00592	DEXTROSE (anhydrous) Extra Pure (purified)	50-99-7	00592 00500	PB
5 Kg		(glucose anhydrous) (D - (+) glucose anhydrous)		00592 05000	PC
25 Kg		Assay : Min. 99% $C_6H_{12}O_6$ M.W. 180.16		00592 25000	FD
500 gm	0591A	DEXTROSE (anhydrous) AR	50-99-7	0591A 00500	PB
5 Kg		(glucose anhydrous) (D - (+) glucose anhydrous)		0591A 05000	PC
25 Kg		Assay : Min. 99.5% $C_6H_{12}O_6$ M.W. 180.16		0591A 25000	FD
100 gm	0591B	DEXTROSE anhydrous (For Molecular Biology)	50-99-7	0591B 00100	PB
500 gm		Assay : Min. 99.5% $C_6H_{12}O_6$ M.W. 180.16		0591B 00500	PB
500 gm	0592A	DEXTROSE (monohydrate) Extra Pure	14431-43-7	0592A 00500	PB
5 Kg		(glucose monohydrate) (D - (+) glucose monohydrate)		0592A 05000	PC
50 Kg		Assay : Min. 98% $C_6H_{12}O_6.H_2O$ M.W. 198.17		0592A 50000	FD
500 gm	0592B	DEXTROSE (monohydrate) AR (for microbiology)	14431-43-7	0592B 00500	PB
5 Kg		(monohydrate) (D - (+) glucose monohydrate)		0592B 05000	PC
		Assay : Min. 99% $C_6H_{12}O_6.H_2O$ M.W. 198.17			
500 ml	00593	DIACETONE ALCOHOL (for synthesis)	123-42-2	00593 00500	GB
2.5 Lt		(4-hydroxy-4-methyl pentan-2-one)		00593 02500	GB
		Assay : Min. 99% $C_6H_{12}O_2$ M.W. 116.16, Liquid, d. 0.931			
100 ml	0593A	DIACETYL (for synthesis) (2,3-butanedione)	431-03-8	0593A 00100	GB
		Assay : Min. 99% $C_4H_6O_2$ M.W. 86.09, Liquid, d. 0.981			
25 gm	00594	DIACETYL MONOXIME AR	57-71-6	00594 00025	GB
100 gm		(2, 3-butanedione oxime)		00594 00100	PB
500 gm		Assay : Min. 99% $C_4H_7NO_2$ M.W. 101.11		00594 00500	PB
1 gm	2166A	3,3-DIAMINO BENZIDINE (purified)	91-95-2	2166A 00001	GB
5 gm		Assay : Min. 99% $C_{12}H_{14}N_4$ M.W. 214.27		2166A 00005	GB
1 gm	2166B	3,3-DIAMINO BENZIDINE TETRA HYDROCHLORIDE AR hydrate	868272-85-9	2166B 00001	GB
5 gm				2166B 00005	GB
		Assay : Min. 97% $C_{12}H_{14}N_4 \cdot 4HCl \cdot xH_2O$ M.W. 360.11 (anhy basis)			
100 gm	0594A	3,5-DIAMINO BENZOIC ACID	535-87-5	0594A 00100	PB
500 gm		Assay : Min. 99% $C_7H_8N_2O_2$ M.W. 152.15		0594A 00500	PB
25 gm	0594B	1,4-DIAMINOBUTANE	110-60-1	0594B 00025	GB
		Assay : Min. 98.5% $C_4H_{12}N_2$ M.W. 88.15			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		trans-1, 2-DIAMINOCYCLOHEXANE N,N,N,N-TETRA ACETIC ACID See CDTA Cat No.2086 & 2091 Page 50			
100 gm	2166C	4,4-DIAMINO DIPHENYL ETHER 98%(for synthesis)	101-80-4	2166C 00100	PB
250 gm		Assay : Min. 98% $C_{12}H_{12}N_2O$ M.W. 200.24		2166C 00250	PB
250 gm	2166D	4,4-DIAMINO DIPHENYL METHANE(for synthesis)	101-77-9	2166D 00250	PB
		(4,4-methylenedianiline) (MDA)			
		Assay : Min. 98% $C_{13}H_{14}N_2$ M.W. 198.26			
		1,2-DIAMINOETHANE See Ethylenediamine Cat No.689 Page 88			
25 gm	00595	3,4-DIAMINOTOLUENE (3,4-toluenediamine)	496-72-0	00595 00025	GB
100 gm		Assay : Min. 97% $C_7H_{10}N_2$ M.W. 122.17		00595 00100	PB
25 gm	00597	o-DIANISIDINE	119-90-4	00597 00025	GB
100 gm		Assay : Min. 99% $C_{14}H_{16}N_2O_2$ M.W. 244.30		00597 00100	GB
100 gm	00598	DIASTASE (a-amylase) (fungal diastase)	9000-92-4	00598 00100	PB
500 gm		(amylase activity 1300 1 U/g)		00598 00500	PB
500 ml	0598A	DIASTASE SOLUTION (a-amylase solution), Liquid, d. 1.013		0598A 00500	PB
100 gm	0598B	1,4-DIAZABICYCLO (2.2.2) OCTANE (for synthesis)	280-57-9	0598B 00100	PB
500 gm		(DABCO, TED, Triethylenediamine)		0598B 00500	PB
		Assay : Min. 98% $C_6H_{12}N_2$ M.W. 112.17, store at 2-8°C			
25 ml	0598C	1,8-DIAZABICYCLO [5.4.0] UNDEC-7-ENE (DBU) Liquid, d. 1.018	6674-22-2	0598C 00025	GB
100 ml		Assay : Min. 98% $C_9H_{16}N_2$ M.W. 152.24		0598C 00100	GB
125 ml	00599	DIAZO REAGENT A indicator solution, Liquid, d. 0.800-0.850		00599 00125	GB
500 ml		(vanden bergh's reagent A) (for bilirubin determination)		00599 00500	GB
125 ml	00600	DIAZO REAGENT B indicator solution, Liquid, d. 0.88		00600 00125	GB
500 ml		(vanden bergh's reagent B) (for bilirubin determination)		00600 00500	GB
1 gm	2166E	5-DIAZO URACIL (for biochemistry)		2166E 00001	GB
5 gm	2166F	DIBENZO-18-CROWN-6	14187-32-7	2166F 00005	GB
25 gm		Assay : Min. 98% $C_{20}H_{24}O_6$ M.W. 360.40		2166F 00025	GB
10 gm	2166G	DIBENZO (b,f) OXAZEPINE	257-07-8	2166G 00010	GB
25 gm		Assay : Min. 98%		2166G 00025	GB
25 gm	02167	DIBENZOTHIOPHENE (diphenylene sulphide)	132-65-0	02167 00025	GB
100 gm		Assay : Min. 98% $C_{12}H_8S$ M.W. 184.26		02167 00100	PB
25 gm	0600A	DIBENZOYL METHANE	120-46-7	0600A 00025	GB
		Assay : Min. 98% $C_{15}H_{12}O_2$ M.W. 224.25			
250 ml	02168	DIBENZYLAMINE [N,N-bis(methylphenyl) amine]	103-49-1	02168 00250	GBT
500 ml		Assay : Min. 96% $C_{14}H_{15}N$ M.W 197.28, Liquid, d. 1.026		02168 00500	GBT
1 gm	02169	3,5-DIBROMO ANISOLE	74137-36-3	02169 00001	GBT
		Assay : Min. 98% $CH_3OC_6H_3Br_2$ M.W. 265.93			
5 gm	2169A	5,5-DIBROMOBARBITURIC ACID	511-67-1	2169A 00005	GB
		Assay : Min. 97% $C_4H_2Br_2N_2O_3$ M.W. 285.88			
500 ml	0600B	1, 2-DIBROMOETHANE (for synthesis)	106-93-4	0600B 00500	GB
		(ethylene dibromide) Liquid, d. 2.18			
		Assay : Min. 99% $C_2H_4Br_2$ M.W. 187.89			
10 gm	00601	4 : 5 DIBROMO FLUORESCEIN (C.I. No.45370)	596-03-2	00601 00010	GB
25 gm		Dye Content : Min. 95% $C_{20}H_{10}Br_2O_5$ M.W. 490.10		00601 00025	GB
100 gm	0601A	1,6-DIBROMOHEXANE (for synthesis)	629-03-8	0601A 00100	PB
500 gm		Assay : Min. 97% $C_6H_{12}Br_2$ M.W. 243.97, Liquid, d. 1.586		0601A 00500	PB
500 gm	2169B	DIBROMOMETHANE	74-95-3	2169B 00500	PB
		Assay : Min. 99% CH_2Br_2 M.W. 173.83, Liquid, d. 2.49			
25 gm	0601B	2,6-DIBROMOPHENOL	608-33-3	0601B 00025	GB
		Assay : Min. 97% $C_6H_4Br_2O$ M.W. 251.90			
250 gm	0601C	1,3-DIBROMOPROPANE (trimethylene dibromide)	109-64-8	0601C 00250	PB
500 gm		Assay : Min. 99% $C_3H_6Br_2$ M.W. 201.89, Liquid, d. 1.98		0601C 00500	PB
5 gm	00602	2,6-DIBROMOQUINONE-4-CHLORIMIDE AR	537-45-1	00602 00005	GB
		Assay : Min. 98% $C_6H_2Br_2ClNO$ M.W. 299.35			
		2,6-DI-tert-BUTYL-p-CRESOL See Butylated Hydroxy Toluene Cat No.339 Page 41			
500 ml	0602A	Di-N-BUTYLAMINE (for synthesis)	111-92-2	0602A 00500	GBT

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
2.5 Lt		Assay : Min. 99% C8H19N M.W. 129.25, Liquid, d. 0.767		0602A 02500	GBT
500 ml	0602B	DIBUTYL ETHER (for synthesis)	142-96-1	0602B 00500	GBT
2.5 Lt		Assay : Min. 98% C8H18O M.W. 130.23, Liquid, d. 0.764		0602B 02500	GBT
500 ml	0602C	DIBUTYL ETHER AR	142-96-1	0602C 00500	GBT
2.5 Lt		Assay : Min. 99% C8H18O M.W. 130.23, Liquid, d. 0.764		0602C 02500	GBT
500 ml	02170	DIBUTYL MALEATE (for synthesis)	105-76-0	02170 00500	GB
2.5 Lt		Assay : Min. 98% C12H20O4 M.W. 228.28, Liquid, d. 0.988		02170 02500	GB
500 ml	00603	DIBUTYL PHTHALATE (for synthesis)	84-74-2	00603 00500	GB
2.5 Lt		(di-n-butyl phthalate) (phthalic acid dibutyl ester)		00603 02500	GB
		Assay : Min. 99% C16H22O4 M.W. 278.35, Liquid, d. 1.043			
100 gm	0603A	DIBUTYL SEBACATE	109-43-3	0603A 00100	PB
500 gm		(di-n-butyl sebacate, sebacic acid, di-n-butyl ester)		0603A 00500	PB
		Assay : Min. 94% C18H34O4 M.W. 314.46, Liquid, d. 0.936			
		DI-TERT BUTYL PYROCARBONATE See Boc Anhydride Cat No.1928 Page 33			
		DICHLORO ACETIC ACID See Chloroacetic Acid di Cat No.442 Page 54			
100 gm	2171A	2,3-DICHLOROANILINE	608-27-5	2171A 00100	PB
500 gm		Assay : Min. 98% C6H5Cl2N M.W. 165.02		2171A 00500	PB
100 gm	0604A	2,4-DICHLOROANILINE	554-00-7	0604A 00100	PB
		Assay : Min. 98% Cl2C6H3NH2 M.W. 162.02			
250 gm	02171	2,5-DICHLOROANILINE	95-82-9	02171 00250	PB
		Assay : Min. 98% Cl2C6H3NH2 M.W. 162.02			
250 gm	00604	2,6-DICHLOROANILINE	608-31-1	00604 00250	PB
		Assay : Min. 98% Cl2C6H3NH2 M.W. 162.02			
250 gm	0604B	3,4-DICHLOROANILINE	95-76-1	0604B 00250	PB
		Assay : Min. 98% C6H5NCl2 M.W. 162.02			
25 gm	2172A	2,3-DICHLOROBENZALDEHYDE	6334-18-5	2172A 00025	GB
		Assay : Min. 98.5% C7H4Cl2O M.W. 175.01			
5 gm	2172B	3,4-DICHLOROBENZALDEHYDE	6287-38-3	2172B 00005	GB
25 gm		Assay : Min. 98% C7H4Cl2O M.W. 175.01		2172B 00025	GB
100 gm	02172	2,4-DICHLORO BENZALDEHYDE	874-42-0	02172 00100	PB
500 gm		Assay : Min. 98% C7H4Cl2O M.W. 175.01		02172 00500	PB
25 gm	2172C	2,6-DICHLOROBENZALDEHYDE	83-38-5	2172C 00025	GB
100 gm		Assay : Min. 99% C7H4Cl2O M.W. 175.01		2172C 00100	PB
500 ml	02176	m-DICHLORO BENZENE (M.D.C.B.)	541-73-1	02176 00500	GB
		(1,3-dichlorobenzene) Assay : Min. 98% C6H4Cl2 M.W. 147.00,			
500 ml	00605	o-DICHLORO BENZENE (O.D.C.B.) Liquid. d. 1.306	95-50-1	00605 00500	GB
		(1, 2-dichlorobenzene) Assay : Min. 98% C6H4Cl2 M.W. 147.00,			
500 gm	00606	p-DICHLORO BENZENE (P.D.C.B.) (for synthesis)	106-46-7	00606 00500	GB
5 Kg		(1, 4-dichlorobenzene)		00606 05000	PB
50 Kg		Assay : Min. 98% C6H4Cl2 M.W. 147.00		00606 50000	FD
25 gm	0606A	2,3-DICHLOROBENZOIC ACID	50-45-3	0606A 00025	GB
100 gm		Assay : Min. 97% C7H4Cl2O2 M.W. 191.01		0606A 00100	PB
250 gm	00607	2,4-DICHLORO BENZOIC ACID (for synthesis)	50-84-0	00607 00250	PB
		Assay : Min. 98% C7H4Cl2O2 M.W. 191.01			
1 gm	0607A	trans-DICHLOROBIS(TRIPHENYLPHOSPHINE)PALLADIUM (II)	13965-03-2	0607A 00001	GB
5 gm		(metal basis)		0607A 00005	GB
25 gm		Assay : Min. 99.95% C36H30Cl2P2Pd M.W. 701.90		0607A 00025	GB
25 gm	0607B	2,3-DICHLORO-5,6-DICYANO-p-BENZOQUINONE	84-58-2	0607B 00025	GB
100 gm		(for synthesis) (DDQ)		0607B 00100	GB
500 gm		Assay : Min. 98% C8Cl2N2O2 M.W.227.00, Store at 2-8°C		0607B 00500	PB
		1,2-DICHLOROETHANE See Ethylene Dichloride Cat No.694, 694A & 2181 Page 89			
10 gm	00608	2,7-DICHLORO FLUORESCEINE AR	76-54-0	00608 00010	GB
		Assay : Min. 90% C20H10Cl2O5 M.W. 401.20			
500 ml	00609	DICHLORO METHANE (for synthesis)	75-09-2	00609 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
2.5 Lt		(methylene chloride)		00609 02500	GB
5 Lt		Assay : Min. 98% CH2Cl2 M.W. 84.93, Liquid, d. 1.325		00609 05000	PC
500 ml	0609A	DICHLORO METHANE AR (methylene chloride)	75-09-2	0609A 00500	GBT
2.5 Lt		Assay : Min. 99.56% CH2Cl2 M.W. 84.93, Liquid, d. 1.325		0609A 02500	GBT
500 ml	02186	DICHLORO METHANE HPLC & SPECTROSCOPY	75-09-2	02186 00500	GBT
2.5 Lt		Assay : Min. 99.8% CH2Cl2 M.W. 84.93, Liquid, d. 1.325		02186 02500	GBT
25 gm	2186A	2,3-DICHLORO 1,4-NAPHTHOQUINONE (dichlone)	117-80-6	2186A 00025	GB
100 gm		Assay : Min. 98% C10H4Cl2O2 M.W. 227.04		2186A 00100	GB
1 Kg	02187	3,4-DICHLORO NITROBENZENE (for synthesis)	99-54-7	02187 01000	PB
		Assay : Min. 98% C6H3Cl2NO2 M.W. 192.00			
25 gm	0610A	2,3-DICHLORO PHENOL	576-24-9	0610A 00025	GB
100 gm		Assay : Min. 99% C6H4Cl2O M.W. 163.0 GB 100 gm		0610A 00100	GB
100 gm	00610	2,4-DICHLORO PHENOL (for synthesis)	120-83-2	00610 00100	PB
500 gm		Assay : Min. 98% C6H4Cl2O M.W 163.01		00610 00500	PB
100 gm	02191	2,6-DICHLORO PHENOL (for synthesis)	87-65-0	02191 00100	GB
500 gm		Assay : Min. 98% C6H4Cl2O M.W 163.01		02191 00500	GB
125 ml	00611	2,6-DICHLOROPHENOL INDOPHENOL		00611 00125	PB
500 ml		reagent solution, Liquid, d. 1.025		00611 00500	PB
1 gm	00612	2,6-DICHLOROPHENOL INDOPHENOL SODIUM SALT AR	620-45-1	00612 00001	GB
5 gm		(2,6-DCPIP Na Salt) (redox indicator for biologicalwork)		00612 00005	GB
25 gm		(for the determination of ascorbic acid)		00612 00025	GB
100 gm		Assay : Min. 90% C12H6Cl2NNaO2.xH2O M.W. 290.08 (anhy. basis)		00612 00100	PB
100 gm	0612A	2,4-DICHLOROPHENOXY ACETIC ACID	94-75-7	0612A 00100	PB
250 gm		Assay : Min. 98% C8H6Cl2O3 M.W. 221.04		0612A 00250	PB
25 gm	02193	1-(2,3-DICHLOROPHENYL) PIPERAZINE	119532-26-2	02193 00025	GB
50 gm				02193 00050	GB
100 gm		Assay : Min. 98% C10H12Cl2N2.HCl M.W. 267.58		02193 00100	PB
25 gm	02194	1-(3,4-DICHLOROPHENYL) PIPERAZINE	57260-67-0	02194 00025	GB
50 gm				02194 00050	GB
100 gm		Assay : Min. 98% C10H12Cl2N2 M.W 231.12		02194 00100	PB
5 gm	0612B	2,6-DICHLOROQUINONE-4-CHLORIMIDE AR	101-38-2	0612B 00005	GB
10 gm		(gibb's reagent) Assay : Min. 99% C6H2Cl3NO M.W. 210.45		0612B 00010	GB
5 gm	02195	DICLOFENAC DIETHYLAMMONIUM SALT	78213-16-8	02195 00005	GB
25 gm		(for lab use) Assay : Min. 99% C14H11Cl2NO2.C4H11N		02195 00025	GB
25 gm	2195A	DICLOFENAC POTASSIUM Extra Pure	15307-81-0	2195A 00025	GB
100 gm		(for lab use)		2195A 00100	PB
500 gm		C14H10Cl2KNO2 M.W. 334.24PB		2195A 00500	PB
25 gm	2195B	DICLOFENAC SODIUM Extra Pure (for lab use)	15307-79-6	2195B 00025	GB
100 gm				2195B 00100	PB
500 gm		C14H10Cl2NNaO2 M.W. 318.13		2195B 00500	PB
500 gm	0612C	DICYANDIAMIDE Extra Pure	461-58-5	0612C 00500	PB
		Assay : Min. 99% C2H4N4 M.W. 84.08			
500 ml	02196	DICYCLOHEXYLAMINE (for synthesis)	101-83-7	02196 00500	GB
		Assay : Min. 99% C12H23N M.W. 181.32, Liquid. d. 0.912			
100 gm	2196A	N,N-DICYCLOHEXYLCARBODIIMIDE (for synthesis)	538-75-0	2196A 00100	PB
500 gm		Assay : Min. 99% C13H22N2 M.W. 206.33		2196A 00500	PB
25 gm	02197	DICYCLOMINE HYDROCHLORIDE Extra Pure	67-92-5	02197 00025	GB
100 gm		(for lab use)		02197 00100	PB
500 gm		Assay : Min. 99% C19H35NO2.HCl M.W. 345.95		02197 00500	PB
500 ml	00613	DIETHANOLAMINE (for synthesis)	111-42-2	00613 00500	GB
2.5 Lt		Assay : Min. 98% C4H11NO2 M.W. 105.14, Liquid, d. 1.097		00613 02500	GB
500 ml	0613A	DIETHANOLAMINE AR	111-42-2	0613A 00500	GB
2.5 Lt		Assay : Min. 99% C4H11NO2 M.W. 105.14, Liquid, d. 1.097		0613A 02500	GB
500 ml	00614	DIETHYLAMINE (for synthesis)	109-89-7	00614 00500	GB
2.5 Lt		Assay : Min. 99% (C2H5)2NH M.W. 73.14, Liquid. d. 0.707		00614 02500	GB
5 Lt				00614 05000	PC

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	0614A	DIETHYLAMINE AR	109-89-7	0614A 00500	GB
2.5 Lt		Assay : Min. 99.5% (C2H5)2NH M.W. 73.14, Liquid. d. 0.707		0614A 02500	GB
500 gm	0614B	DIETHYLAMINE HYDROCHLORIDE (for synthesis)	660-68-4	0614B 00500	PB
		(diethylammonium chloride)			
		Assay : Min. 98% (C2H5)2NH.HCl M.W. 109.60			
		2-DIETHYLAMINOETHANOL See N,N-Diethylethanolamine Cat No.616G Page 75			
500 ml	00615	N,N-DIETHYLANILINE (for synthesis)	91-66-7	00615 00500	GB
		Assay : Min. 98.5% C10H15N M.W. 149.23, Liquid. d. 0.938			
500 ml	0615A	N,N-DIETHYLANILINE AR (reagent for zinc)	91-66-7	0615A 00500	GB
		Assay : Min. 99% C10H15N M.W. 149.23, Liquid. d. 0.938			
100 mg	0614C	1,1-DIETHYL 2,2-CARBOCYANINE IODIDE	605-91-4	0614C 0100M	GB
		Assay : Min. 97% C25H25IN2 M.W 480.38			
250 mg	0614D	1,1-DIETHYL 4,4-CARBOCYANINE IODIDE	4727-50-8	0614D 0250M	GB
		Assay : Min. 96% C25H25IN2 M.W 480.38			
500 ml	0615B	DIETHYL CARBONATE (for synthesis)	105-58-8	0615B 00500	GB
		Assay : Min. 99% C5H10O3 M.W. 118.13, Liquid, d. 0.975			
500 ml	00616	DIETHYLENE GLYCOL (digol)	111-46-6	00616 00500	GB
2.5 Lt		Assay : Min. 98.5% C4H10O3 M.W. 106.12, Liquid, d. 1.118		00616 02500	GB
5 Lt				00616 05000	PC
500 ml	0616A	DIETHYLENE GLYCOL AR (digol)	111-46-6	0616A 00500	GB
2.5 Lt		Assay : Min. 99% C4H10O3 M.W. 106.12, Liquid, d. 1.118		0616A 02500	GB
500 ml	02213	DIETHYLENE GLYCOL DIMETHYLETHER (for synthesis)	111-96-6	02213 00500	GB
2.5 Lt		(diglyme) (dimethyldigol)		02213 02500	GB
		Assay : Min. 99% C6H14O3 M.W. 113.17, Liquid, d. 0.944			
500 ml	0616B	DIETHYLENE GLYCOL MONO BUTYL ETHER	112-34-5	0616B 00500	PB
2.5 Lt		(butyl carbitol) (butyl digol)		0616B 02500	PB
		Assay : Min. 98% C8H18O3 M.W. 162.23, Liquid, d. 0.953-0.967			
500 ml	0616C	DIETHYLENE GLYCOL MONO ETHYL ETHER	111-90-0	0616C 00500	GB
2.5 Lt		(carbitol) (ethyl digol) (ethyl carbitol)		0616C 02500	GB
		Assay : Min. 98% C6H14O3 M.W. 134.17, Liquid, d. 0.999			
500 ml	0616D	DIETHYLENE GLYCOL MONO METHYL ETHER	111-77-3	0616D 00500	GB
2.5 Lt		(methyl digol) (methyl carbitol)		0616D 02500	GB
		Assay : Min. 98% C5H12O3 M.W. 120.15, Liquid, d. 1.022			
500 ml	0616E	DIETHYLENE TRIAMINE (for synthesis)	111-40-0	0616E 00500	GB
		Assay : Min. 98% C4H13N3 M.W. 103.17, Liquid, d. 0.952			
100 gm	0616F	DIETHYLENE TRIAMINE PENTA ACETIC ACID	67-43-6	0616F 00100	PB
500 gm		(DTPA) Assay : Min. 98% C14H23N3O10 M.W. 393.35		0616F 00500	PB
100 gm	02198	DIETHYLENE TRIAMINE PENTA ACETIC ACID AR	67-43-6	02198 00100	PB
500 gm		(DTPA) Assay : Min. 99% C14H23N3O10 M.W. 393.35		02198 00500	PB
500 ml	02199	DIETHYLENE TRIAMINE PENTA ACETIC ACID		02199 00500	PB
		PENTA SODIUM SALT 40% (aqueous solution) , Liquid, d. 1.303			
500 ml	0616G	N,N-DIETHYL ETHANOLAMINE	100-37-8	0616G 00500	GB
2.5 Lt		(2-diethylaminoethanol)		0616G 02500	GB
		Assay : Min. 98% C6H15NO M.W. 117.19, Liquid, d. 0.884			
500 ml	00617	DIETHYL ETHER	60-29-7	00617 00500	GB
2.5 Lt		(ether solvent)		00617 02500	GB
25 Lt		Assay : Min. 98% C4H10O M.W. 74.12 , Liquid, d. 0.714		00617 25000	GB
500 ml	0617A	DIETHYL ETHER AR (ether solvent)	60-29-7	0617A 00500	GBT
2.5 Lt		Assay : Min. 99% C4H10O M.W. 74.12 , Liquid, d. 0.714		0617A 02500	GBT
500 ml	02201	DIETHYL ETHER HPLC & SPECTROSCOPY	60-29-7	02201 00500	GBT
2.5 Lt		(ether solvent) Liquid, d. 0.714		02201 02500	GBT
		Assay : Min. 99.5% C4H10O M.W. 74.12 ,			
500 ml	0617B	DIETHYL MALEATE	141-05-9	0617B 00500	GB
		Assay : Min. 97% C8H12O4 M.W. 172.18, Liquid, d. 1.064			
500 ml	00618	DIETHYL MALONATE (for synthesis)	105-53-3	00618 00500	GB
		Assay : Min. 98% C7H12O4 M.W. 160.17, Liquid, d. 1.055			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	0618A	DIETHYL MALONATE AR	105-53-3	0618A 00500	GB
		Assay : Min. 99% C7H12O4 M.W. 160.17, Liquid, d. 1.055			
50 gm	0618B	DIETHYL METHYLMALONATE	609-08-5	0618B 00050	GB
250 gm		(methylmalonic acid diethyl ester)		0618B 00250	PB
		Assay : Min. 98% C8H14O4 M.W. 174.19, Liquid, d. 1.022			
500 ml	00619	DIETHYL OXALATE (for synthesis)	95-92-1	00619 00500	PB
		Assay : Min. 99% C6H10O4 M.W. 146.14, Liquid, d. 1.076			
100 gm	00620	N,N-DIETHYL-P-PHENYLENE DIAMINE SULPHATE AR	6283-63-2	00620 00100	GB
250 gm		(for synthesis)		00620 00500	PB
		Assay : Min. 98% C10H16N2.H2SO4 M.W. 262.33			
500 ml	00621	DIETHYL PHTHALATE (for synthesis)	84-66-2	00621 00500	PB
		Assay : Min. 99% C12H14O4 M.W. 222.24, Liquid, d. 1.12			
500 ml	2201C	DIETHYL SUCCINATE (for synthesis)	123-25-1	2201C 00500	GB
		Assay : Min. 99% C8H14O4 M.W. 174.19, Liquid, d. 1.043-1.047			
500 ml	0621A	DIETHYL SULPHATE (sulphuric acid diethyl ester)	64-67-5	0621A 00500	GB
		Assay : Min. 99% C4H10O4S M.W. 154.19, Liquid, d. 1.177			
100 ml	2201A	1,3-DIFLUOROBENZENE Extra Pure Liquid,d. 1.163	372-18-9	2201A 00100	GB
500 ml		(m-difluorobenzene) Assay : Min. 99% C6H4F2 M.W. 114.10,		2201A 00500	GB
1 gm	0621B	DIGITONIN AR	11024-24-1	0621B 00001	GB
5 gm		Assay : Min. 99% C56H92O29 M.W. 1229.31		0621B 00005	GB
		DIGOL See Diethylene Glycol Cat No.616 & 616A Page 74			
100 gm	2201B	2,4-DIHYDROXY ACETOPHENONE (for synthesis)	89-84-9	2201B 00100	PB
500 gm		(Resaacetophenone) (4-acetylresourcinol)		2201B 00500	PB
		Assay : Min. 98% C8H8O3 M.W. 152.15			
25 gm	2201D	2,4-DIHYDROXYBENZALDEHYDE	95-01-2	2201D 00025	GB
100 gm		Assay : Min. 97% C7H6O3 M.W. 138.12		2201D 00100	GB
100 gm	2201E	2,4-DIHYDROXYBENZOPHENONE	131-56-6	2201E 00100	GB
		Assay : Min. 99% C13H10O3 M.W. 214.22			
100 gm	2201F	1,5-DIHYDROXYNAPHTHALENE	83-56-7	2201F 00100	PB
500 gm		(1,5-naphthalenediol) Assay : Min. 98% C10H8O2 M.W. 160.17		2201F 00500	PB
25 gm	2201G	2,7-DIHYDROXYNAPHTHALENE	582-17-2	2201G 00025	GB
100 gm		(2,7-naphthalenediol)		2201G 00100	PB
500 gm		Assay : Min. 98% C10H8O2 M.W. 160.17		2201G 00500	PB
5 gm	02202	3-(3,4-DIHYDROXYPHENYL)-DL-ALANINE (for synthesis)	63-84-3	02202 00005	GB
25 gm		(DL-DOPA) (DL-3-hydroxytyrosin)		02202 00025	GB
100 gm		Assay : Min. 99% C9H11NO4 M.W. 197.19		02202 00100	PB
25 gm	02203	3-(3,4-DIHYDROXYPHENYL)-L-ALANINE(for biochemistry)	59-92-7	02203 00025	GB
100 gm		(L-DOPA)Assay : Min. 99% C9H11NO4 M.W. 197.19		02203 00100	GB
		2,2-DI-(4-HYDROXYPHENYL) PROPANE See Bisphenol A Cat No.294 Page 33			
		1,8-DIHYDROXY-2-(4-SULPHOPHENYLAZO) NAPHTHALENE-3,6-DISULPHONICACID TRISODIUM SALT AR See Spadns Cat No.1436 Page 189			
		3,5-DIHYDROXYTOLUENE See Orcinol Cat No.1125 Page 144			
25 gm	0621C	DIIODOMETHANE (for seperation of minerals)	75-11-6	0621C 00025	GB
100 gm		(methylene iodide) Assay : Min. 98% CH2I2 M.W. 267.84, Liquid, d. 3.325		0621C 00100	GB
100 ml	2203A	DIISOBUTYLAMINE	110-96-3	2203A 00100	GB
500 ml		Assay : Min. 99% C8H19N M.W. 129.24, Liquid, d. 0.74		2203A 00500	GB
500 gm	02204	DI-ISO OCTYL PHTHALATE (for synthesis)	27554-26-3	02204 00500	GB
		Assay : Min. 99% C24H38O4 M.W. 390.56, Liquid, d. .983			
500 ml	0621D	DIISOPROPYLAMINE (for synthesis)	108-18-9	0621D 00500	GB
		Assay : Min. 99% C6H15N M.W. 101.19, Liquid, d. 0.722			
25 ml	2204B	DIISOPROPYLAZODICARBOXYLATE (for synthesis)	2446-83-5	2204B 00025	GB
100 ml		(DIAD, Diisopropylazodiformate)		2204B 00100	GB
		Assay : Min. 98% C8H14N2O4 M.W. 202.21, Liquid, d. 1.027			
500 ml	0621E	DI-ISOPROPYL ETHER (for synthesis) (iso-propyl ether)	108-20-3	0621E 00500	GB
2.5 Lt		Liquid, d. 0.724		0621E 02500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99% C6H14O M.W 102.17			
250 ml	0621F	N,N-DIISOPROPYLETHYLAMINE (for peptide synthesis) (DIEA)	7087-68-5	0621F 00250	GB
1 Lt		(ethylene diisopropylamine)		0621F 01000	GB
		Assay : Min. 98% C8H19N M.W. 129.24, Liquid, d. 0.742-0.747			
100 ml	00622	DILL OIL Extra Pure(anethi oil)	8006-75-5	00622 00100	GB
500 ml		Liquid, d. 0.892		00622 00500	GB
25 gm	00623	DIMEDONE AR (reagent for aldehyde)	126-81-8	00623 00025	GB
100 gm		Assay : Min. 99% C8H12O2 M.W. 140.18		00623 00100	GB
100 ml	2204A	1,2-DIMETHOXYETHANE (ethelene glycol dimethyl ether)	110-71-4	2204A 00100	GB
500 ml		Liquid,d. 0.867 Assay : Min. 99% C4H10O2 M.W. 90.12		2204A 00500	GB
1 gm	2204C	3',5'-DIMETHOXY-4'-HYDROXY ACETOPHENONE (acetosyringone)	2478-38-8	2204C 00001	GB
5 gm		Assay : Min. 98% C10H12O4 M.W. 196.2		2204C 00005	GB
500 ml	0623A	2,2-DIMETHOXY PROPANE (for synthesis)	77-76-9	0623A 00500	GB
2.5 Lt		(acetone dimethyl acetal)		0623A 02500	GB
		Assay : Min. 98% C5H12O2 M.W. 104.15, Liquid, d. 0.850			
500 ml	00624	N,N-DIMETHYL ACETAMIDE	127-19-5	00624 00500	GB
2.5 Lt		Assay : Min. 99% C4H9NO M.W. 87.12, Liquid, d. 0.937		00624 02500	GB
500 ml	00625	N,N-DIMETHYL ACETAMIDE AR	127-19-5	00625 00500	GB
2.5 Lt		Assay : Min. 99% C4H9NO M.W. 87.12, Liquid, d. 0.937		00625 02500	GB
500 ml	0625A	DIMETHYL ADIPATE (for synthesis)	627-93-0	0625A 00500	GB
		Assay : Min. 98% C8H14O4 M.W.174.19, Liquid, d. 1.062			
		DIMETHYLAMINE See Methylamine solution (di) Cat No.1009 Page 129			
100 gm	00626	DIMETHYLAMINE HYDROCHLORIDE	506-59-2	00626 00100	GB
500 gm		(dimethyl ammonium chloride) Assay : Min. 99% C2H7N.HCl M.W. 81.55		00626 00500	PB
		4-DIMETHYL AMINO ANTIPYRINE See Aminopyrine Cat No.090B Page 13			
100 gm	00627	p-DIMETHYL AMINO BENZALDEHYDE (for synthesis)	100-10-7	00627 00100	PB
500 gm		Assay : Min. 98% C9H11NO M.W. 149.19		00627 00500	PB
100 gm	00628	p-DIMETHYL AMINO BENZALDEHYDE AR	100-10-7	00628 00100	PB
500 gm		Assay : Min. 99% C9H11NO M.W. 149.19		00628 00500	PB
5 gm	02206	p-DIMETHYL AMINO BENZYLIDINE RHODANINE AR	536-17-4	02206 00005	GB
25 gm		(reagent for silver)		02206 00025	GB
		Assay : Min. 97% C12H12N2OS2 M.W. 264.37			
5 gm	0628A	p-DIMETHYL AMINO CINNAMALDEHYDE AR	6203-18-5	0628A 00005	GB
10 gm		Assay : Min. 99% C11H13NO M.W. 175.23		0628A 00010	GB
500 ml	0628B	2-(DIMETHYLAMINO)-ETHANOL	108-01-0	0628B 00500	GB
2.5 Lt		(N,N-dimethylethanolamine)		0628B 02500	GB
		Assay : Min. 99% C4H11NO M.W 89.14, Liquid,d. 0.886			
5 gm	0628C	tris-(DIMETHYLAMINO) METHANE	5762-56-1	0628C 00005	GB
10 gm		Assay : Min. 80% C7H19N3 M.W 145.25, Liquid, d. 0.838		0628C 00010	GB
25 gm	02211	4-(DIMETHYLAMINO) PYRIDINE (for synthesis)	1122-58-3	02211 00025	GB
100 gm				02211 00100	GB
500 gm		Assay : Min. 99% C7H10N2 M.W. 122.17		02211 00500	PB
		DIMETHYL AMMONIUM CHLORIDE See Dimethylamine Hydrochloride Cat No.626 Page 77			
100 gm	2211C	2,5-DIMETHYLANILINE	95-78-3	2211C 00100	GB
		Assay : Min. 98% C8H11N M.W. 121.18, Liquid, d. 0.98			
		2,6-DIMETHYLANILINE 99% See 2,6-Xylidine Cat No.1583C Page 210			
10 gm	2211B	3,5-DIMETHYL ANILINE	108-69-0	2211B 00010	GB
		Assay : Min. 98% C8H11N M.W. 121.18, Liquid, d. 0.972			
500 ml	00629	N,N-DIMETHYLANILINE (for synthesis)	121-69-7	00629 00500	GB
2.5 Lt		(dimethyl aniline) Liquid, d. 0.956		00629 02500	GB
		Assay : Min. 99% C8H11N M.W. 121.18,			
500 ml	0629A	N,N-DIMETHYLANILINE AR (dimethyl aniline)	121-69-7	0629A 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99.5% C8H11N M.W. 121.18, Liquid, d. 0.956			
500 gm	0629B	DIMETHYL ANTHRANILATE	85-91-6	0629B 00500	GB
		Assay : Min. 97% C9H11NO2 M.W 165.19, Liquid, d. 1.126			
25 gm	2211D	1,3-DIMETHYLBARBITURIC ACID	769-42-6	2211D 00025	GB
100 gm		(1,3-dimethyl-2,4,6-pyrimidinetrione)		2211D 00100	GB
		Assay : Min. 99% C6H8N2O3 M.W. 156.14			
100 gm	2211E	DIMETHYLCARBAMYL CHLORIDE (for synthesis)	79-44-7	2211E 00100	GB
		Assay : Min. 98% C3H6ClNO M.W. 107.54			
500 ml	0629C	DIMETHYL CARBONATE (for synthesis)	616-38-6	0629C 00500	GB
		Assay : Min. 99% C3H6O3 M.W. 90.08, Liquid, d. 1.070			
		DIMETHYLDIGOL 99% See Diethylene Glycol Dimethylether Cat No.2213 Page 74			
		2,9-DIMETHYL-4,7-DIPHENYL-1,10-PHENANTHROLINE AR See Bathocuproine Cat No.224B Page 26			
100 gm	02214	DIMETHYL ETHYL HEXADECYL AMMONIUM BROMIDE	124-03-8	02214 00100	PB
500 gm		(For Molecular Biology)		02214 00500	PB
		Assay : Min. 99.8% C20H44BrN M.W. 378.47 (Store at 2 - 8°C)			
500 ml	00630	DIMETHYL FORMAMIDE (for synthesis)	68-12-2	00630 00500	GB
2.5 Lt		(N, N-dimethyl formamide)		00630 02500	GB
5 Lt		Assay : Min. 99% C3H7NO M.W. 73.09, Liquid, d. 0.944		00630 05000	GB
500 ml	0630A	DIMETHYL FORMAMIDE AR (N, N-dimethyl formamide)	68-12-2	0630A 00500	GBT
2.5 Lt		Assay : Min. 99.5% C3H7NO M.W. 73.09, Liquid, d. 0.944		0630A 02500	GBT
500 ml	02216	DIMETHYL FORMAMIDE HPLC & SPECTROSCOPY	68-12-2	02216 00500	GBT
2.5 Lt		(N,N-dimethyl formamide)		02216 02500	GBT
		Assay : Min. 99.7% C3H7NO M.W. 73.09, Liquid, d. 0.944			
250 ml	2216A	DIMETHYL FORMAMIDE (For Molecular Biology)	68-12-2	2216A 00250	GBT
500 ml		(N,N-Dimethylformamide (DMF)		2216A 00500	GBT
		Assay : Min. 99% C3H7NO M.W. 73.09, Liquid, d. 0.944			
100 ml	2214A	DIMETHYL FORMAMIDE DIMETHYL ACETAL	4637-24-5	2214A 00100	GBT
500 ml		Assay : Min. 97% C5H13NO2 M.W 119.16, Liquid, d. 0.897		2214A 00500	GBT
5 ml	02217	6,6-DIMETHYL FULVENE	2175-91-9	02217 00005	GBT
		Assay : Min. 95% C8H10 M.W 106.17, Liquid, d. 0.881			
100 gm	00631	DIMETHYL GLYOXIME (2, 3-butanedion dioxime)	95-45-4	00631 00100	PB
500 gm		Assay : Min. 98% C4H8N2O2 M.W. 116.12		00631 00500	PB
100 gm	00632	DIMETHYL GLYOXIME AR (2, 3-butanedion dioxime)	95-45-4	00632 00100	PB
500 gm		Assay : Min. 99% C4H8N2O2 M.W. 116.12		00632 00500	PB
250 gm	0631A	DIMETHYL GLYOXIME DISODIUM SALT (Octahydrate) AR	75006-64-3	0631A 00250	PB
		Assay : Min. 99% C4H6N2Na2O2.8H2O M.W. 304.21			
10 gm	0632A	2,3-DIMETHYL HYDROQUINONE	608-43-5	0632A 00010	GB
		Assay : Min. 97% C8H10O2 M.W. 138.16			
10 gm	0632B	2,6-DIMETHYL HYDROQUINONE	654-42-2	0632B 00010	GB
		Assay : Min. 97% C8H10O2 M.W. 138.16			
100 gm	0632G	N,N-DIMETHYL IMIDAZOLIDINONE GC	80-73-9	0632G 00100	PB
500 gm		Assay : Min. 99% C5H10N2O M.W. 114.15, (1,3-Dimethyl-2-Imidazolidinone)		0632G 00500	PB
		For Residual Solvent Impurity Profile & Headspace Analysis			
500 ml	0632H	DIMETHYL MALONATE (for synthesis)	108-59-8	0632H 00500	GB
		Assay : Min. 99% C5H8O4 M.W. 114.15, Liquid, d. 1.156			
500 gm	0632I	DIMETHYL OXALATE (for Synthesis)	553-90-2	0632I 00500	PB
		Assay : Min. 98% C4H6O4 M.W. 118.09			
500 gm	0632J	2,6-DIMETHYLPHENOL (2,6-Xylenol)	576-26-1	0632J 00500	PB
		Assay : Min. 99% C8H10O M.W. 122.16			
		2,9-DIMETHYL-1, 10-PHENANTHROLINE AR See Neocuproin Cat No.1055B Page 137			
		2, 9-DIMETHYL-1, 10-PHENANTHROLINE HYDROCHLORIDE AR See Neocuproin Hydrochloride Cat No.1055C Page 137			
10 gm	0632F	2,4-DIMETHYLPHENOL (2,4-xylenol)	105-67-9	0632F 00010	GB
		Assay : Min. 98% C8H10O M.W 122.16			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	0632C	2,5-DIMETHYL PHENOL	95-87-4	0632C 00100	GB
250 gm		Assay : Min. 97% C8H10O M.W 122.16		0632C 00250	GB
100 gm	0632D	3,4-DIMETHYL PHENOL	95-65-8	0632D 00100	GB
500 gm		Assay : Min. 98% C8H10O M.W 122.16		0632D 00500	PB
100 gm	0632E	3,5-DIMETHYL PHENOL	108-68-9	0632E 00100	GB
500 gm		Assay : Min. 98% C8H10O M.W 122.16		0632E 00500	PB
10 gm	00633	N,N-DIMETHYL-p-PHENYLENEDIAMINE DIHYDROCHLORIDE AR	536-46-9	00633 00010	GB
25 gm				00633 00025	GB
100 gm		Assay : Min. 99% C8H12N2 .2HCl M.W. 209.12		00633 00100	PB
50 gm	0623K	N,N-DIMETHYL-p-PHENYLENEDIAMINE	99-98-9	0632K 00050	GB
		Assay : Min. 98% C8H12N2 M.W. 136.19			
5 gm	02222	N,N-DIMETHYL-P-PHENYLENE DIAMINE HEMIOXALATE	62778-12-5	02222 00005	GB
25 gm		Assay : Min. 98% C18H26N4O4 M.W. 181.21		02222 00025	GB
5 gm	02231	N,N-DIMETHYL-p-PHENYLENE DIAMINE SULPHATE	536-47-0	02231 00005	GB
25 gm		(CAS No.) (4-amino-N,N-dimethylaniline sulphate)		02231 00025	GB
		Assay : Min. 98% C8H12N2.H2O4S M.W. 234.27			
10 gm	02233	1-(2,3-DIMETHYLPHENYL) PIPERAZINE	1013-22-5	02233 00010	GB
25 gm		Assay : Min. 99% C12H18N2 M.W. 190.28		02233 00025	GB
10 gm	2233A	1-(2,5-DIMETHYLPHENYL) PIPERAZINE	1013-25-8	2233A 00010	GB
25 gm		Assay : Min. 96% C12H18N2 M.W. 190.28		2233A 00025	GB
50 gm	0634A	1,4-DIMETHYLPIPERAZINE	106-58-1	0634A 00050	GB
		Assay : Min. 98% C6H14N2 M.W. 114.19, Liquid, d. 0.85			
500 ml	00634	DIMETHYL PHTHALATE (for synthesis)	131-11-3	00634 00500	PB
2.5 Lt		Assay : Min. 99% C10H10O4 M.W. 194.19, Liquid, d. 1.19		00634 02500	PB
100 gm	0634B	DIMETHYLPOLYSILOXANE Liquid, d. 0.971-0.980	9016-00-6	0634B 00100	GB
5 gm	02236	DIMETHYL POPOP (scintillation grade)	3073-87-8	02236 00005	GB
25 gm		[1,4-bis (4-methyl-5-phonyl-2-oxazolyl)benzene]		02236 00025	GB
		Assay : Min. 99% C26H20N2O2 M.W. 392.45			
250 ml	2236A	DIMETHYL SUCCINATE (Succinic acid dimethyl ester), Liquid, d. 1.117	106-65-0	2236A 00250	GB
		Assay : Min. 98% C6H10O4 M.W. 146.14			
500 ml	00635	DIMETHYL SULPHATE (for synthesis)	77-78-1	00635 00500	GBT
		Assay : Min. 99% (CH3O)2SO2 M.W. 126.13, Liquid, d. 1.333			
500 ml	2236B	DIMETHYL SULPHIDE	75-18-3	2236B 00500	GBT
		Assay : Min. 99% C2H6S M.W. 62.13, Liquid. d. 0.846			
500 ml	00636	DIMETHYL SULPHOXIDE	67-68-5	00636 00500	GB
2.5 Lt		Assay : Min. 99% CH3SO.CH3 M.W. 78.13, Liquid, d. 1.10		00636 02500	GB
500 ml	0636A	DIMETHYL SULPHOXIDE AR	67-68-5	0636A 00500	GBT
2.5 Lt		Assay : Min. 99% CH3SO.CH3 M.W. 78.13, Liquid, d. 1.10		0636A 02500	GBT
500 ml	02241	DIMETHYL SULPHOXIDE HPLC & SPECTROSCOPY	67-68-5	02241 00500	GBT
2.5 Lt		Assay : Min. 99.7% CH3SO.CH3 M.W. 78.13, Liquid, d. 1.10		02241 02500	GBT
100 ml	2241B	DIMETHYL SULPHOXIDE (For Molecular Biology)	67-68-5	2241B 00100	GBT
500 ml		(DMSO), Liquid, d. 1.10 Store at 2-8°C		2241B 00500	GBT
		Assay : Min.99.5% C2H6OS M.W. 78.13			
100 gm	0636B	DIMETHYL TEREPHTHALATE	120-61-6	0636B 00100	GB
500 gm		Assay : Min. 99% C10H10O4 M.W. 194.18		0636B 00500	GB
500 gm	2241A	N,N-DIMETHYLUREA (for synthesis)	96-31-1	2241A 00500	PB
		Assay : Min. 98% C3H8N2O M.W. 88.11			
25 gm	00637	DIMETHYL YELLOW pH indicator (C.I. No.11020)	60-11-7	00637 00025	GB
100 gm		pH 2.9 – 4.0 red to orange yellow		00637 00100	PB
500 gm		C14H15N3 M.W. 225.29		00637 00500	PB
125 ml	02242	DIMETHYL YELLOW indicator solution		02242 00125	PB
500 ml				02242 00500	PB
100 mg	02246	DIMIDIUM BROMIDE (for tensile test)	518-67-2	02246 0100M	GB
1 gm		Assay : Min. 98% C20H18BrN3 M.W. 380.28		02246 00001	GB
100 gm	0637A	2, 4-DINITRO ANILINE (for synthesis)	97-02-9	0637A 00100	GB
500 gm		Assay : Min. 98% C6H5N3O4 M.W. 183.12		0637A 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	0638B	1,2-DINITROBENZENE	528-29-0	0638B 00005	GB
		Assay : Min. 98% C6H4N2O4 M.W. 168.11			
500 gm	00638	m-DINITROBENZENE (for synthesis)	99-65-0	00638 00500	PB
		Assay : Min. 98% C6H4N2O4 M.W. 168.11			
100 gm	0638A	m-DINITROBENZENE AR (for determination of 17 ketosteroids)	99-65-0	0638A 00100	PB
500 gm		Assay : Min. 99% C6H4N2O4 M.W. 168.11		0638A 00500	PB
100 gm	00639	3,5-DINITRO BENZOIC ACID	99-34-3	00639 00100	PB
500 gm		Assay : Min. 98% C7H4N2O6 M.W. 212.12		00639 00500	PB
100 gm	0639A	3,5-DINITRO BENZOIC ACID AR	99-34-3	0639A 00100	PB
500 gm		Assay : Min. 99% C7H4N2O6 M.W. 212.12		0639A 00500	PB
100 gm	2247A	3,5-DINITROBENZOYL CHLORIDE	99-33-2	2247A 00100	GB
		Assay : Min. 98% C7H3ClN2O5 M.W. 230.56			
		2,4-DINITROCHLOROBENZENE See 1-Chloro-2, 4-Dinitrobenzene Cat No.453 & 453A Page 55			
25 gm	02247	2,4-DINITRO-1-FLUOROBENZENE AR	70-34-8	02247 00025	GB
100 gm		(sanger's reagent, 1-fluoro-2-4-dinitrobenzene)		02247 00100	GB
		Assay : Min. 98% C6H3FN2O4 M.W. 186.10			
25 gm	0639B	2,4-DINITROPHENOL	51-28-5	0639B 00025	GB
100 gm		(for synthesis)		0639B 00100	GB
500 gm		Assay : Min. 97% C6H4N2O5 M.W. 184.11		0639B 00500	PB
25 gm	00640	2,4-DINITROPHENOL (indicator) AR	51-28-5	00640 00025	GB
100 gm		pH 2.8 – 4.7 colourless to yellow		00640 00100	GB
500 gm		Assay : Min. 98% C6H4N2O5 M.W. 184.11		00640 00500	PB
100 gm	00641	2,4-DINITROPHENYL HYDRAZINE (for synthesis)	119-26-6	00641 00100	GB
500 gm		Assay : Min. 98% C6H6N4O4 M.W. 198.14		00641 00500	PB
25 gm	0641A	2,4-DINITROPHENYL HYDRAZINE AR	119-26-6	0641A 00025	GB
100 gm				0641A 00100	GB
500 gm		Assay : Min. 99% C6H6N4O4 M.W. 198.14		0641A 00500	PB
25 gm	00642	3,5-DINITRO SALICYLIC ACID	609-99-4	00642 00025	GB
100 gm		(for synthesis)		00642 00100	GB
500 gm		Assay : Min. 97% C7H4N2O7 M.W. 228.12		00642 00500	PB
25 gm	0642A	3,5-DINITRO SALICYLIC ACID AR	609-99-4	0642A 00025	GB
100 gm		Assay : Min. 98% C7H4N2O7 M.W. 228.12		0642A 00100	PB
100 gm	0642B	2,4-DINITROTOLUENE	121-14-2	0642B 00100	GB
		Assay : Min. 95% C7H6O4N2 M.W. 182.13			
500 ml	00643	DIOCTYL PHTHALATE	117-81-7	00643 00500	GB
2.5 Lt		(DOP) (for synthesis)		00643 02500	GB
5 Lt		Assay : Min. 99% C24H38O4 M.W. 390.57, Liquid, d. 0.985		00643 05000	PC
500 ml	0643A	DIOCTYL SEBACATE [di(2-diethyl hexyl)sebacate]	122-62-3	0643A 00500	PB
2.5 Lt		Assay : Min. 98% C26H50O4 M.W. 426.68, Liquid, d. 0.914		0643A 02500	PB
500 gm	00644	DIOCTYL SODIUM SULPHOSUCCINATE	577-11-7	00644 00500	PB
		(manoxol OT) (DOSS) Assay : Min. 98% C20H37NaO7S M.W. 444.57			
1 gm	2247B	DIOSGENIN	512-04-9	2247B 00001	GB
5 gm		Assay : Min. 93% C27H42O3 M.W. 414.62		2247B 00005	GB
500 ml	0646B	1,3-DIOXOLANE (for synthesis)	646-06-0	0646B 00500	GB
2.5 Lt		Assay : Min. 99% C3H6O2 M.W. 74.06, Liquid, d. 1.06		0646B 02500	GB
500 ml	0646C	1,3-DIOXOLANE AR	646-06-0	0646C 00500	GBT
2.5 Lt		Assay : Min. 99% C3H6O2 M.W. 74.06, Liquid, d. 1.06		0646C 02500	GBT
500 ml	00645	1,4-DIOXAN (for synthesis)	123-91-1	00645 00500	GB
2.5 Lt		Assay : Min. 98% C4H8O2 M.W. 88.11, Liquid, d. 1.034		00645 02500	GB
500 ml	00646	1,4-DIOXAN AR	123-91-1	00646 00500	GBT
2.5 Lt		Assay : Min. 99% C4H8O2 M.W. 88.11, Liquid, d. 1.034		00646 02500	GBT
500 ml	02251	1,4-DIOXAN HPLC & SPECTROSCOPY	123-91-1	02251 00500	GBT
2.5 Lt		Assay : Min. 99.8% C4H8O2 M.W. 88.11, Liquid, d. 1.034		02251 02500	GBT
25 gm	0646A	DIPHEN HYDRAMINE HYDROCHLORIDE Extra Pure	147-24-0	0646A 00025	GB
100 gm		(for lab use)		0646A 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 98% C17H21NO.HCl M.W 291.82		0646A 00500	PB
		DIPHENYL See Biphenyl Cat No.269 Page 31			
100 gm	00647	DIPHENYL ACETIC ACID (for synthesis)	117-34-0	00647 00100	PB
		Assay : Min. 99% C14H12O2 M.W 212.24			
100 gm	00648	DIPHENYLAMINE	122-39-4	00648 00100	PB
500 gm		Assay : Min. 98% C12H11N M.W. 169.23		00648 00500	PB
100 gm	0648A	DIPHENYLAMINE AR	122-39-4	0648A 00100	GB
500 gm		Assay : Min. 99% C12H11N M.W. 169.23		0648A 00500	PB
500 ml	0648B	DIPHENYLAMINE solution, Liquid, d. 1.160		0648B 00500	GB
		DIPHENYLAMINE-4-SULPHONIC ACID BARIUM SALT AR See Barium Diphenylamine Sulphonate Cat No.211 Page 25			
		DIPHENYLAMINE-4-SULPHONIC ACID SODIUM SALT AR See Sodium Diphenylamine Sulphonate Cat No.1373 Page 179			
5 gm	0648C	N,N-DIPHENYL BENZIDINE AR (oxidation reduction indicator)	531-91-9	0648C 00005	GB
25 gm		Assay : Min. 96% C24H20N2 M.W 336.43		0648C 00025	GB
5 gm	00649	DIPHENYL CARBAZIDE	140-22-7	00649 00005	GB
25 gm		(1,5-diphenyl carbazide)		00649 00025	GB
100 gm		Assay : Min. 98% C13H14N4O M.W. 242.28		00649 00100	PB
500 gm				00649 00500	PB
5 gm	00650	DIPHENYL CARBAZIDE AR	140-22-7	00650 00005	GB
25 gm		(1,5-diphenyl carbazide)		00650 00025	GB
100 gm		Assay : Min. 98.5% C13H14N4O M.W. 242.28		00650 00100	PB
500 gm				00650 00500	PB
5 gm	0650A	DIPHENYL CARBAZONE	538-62-5	0650A 00005	GB
25 gm		(reagent for mercury)		0650A 00025	GB
100 gm		C13H12N4O M.W. 240.26		0650A 00100	PB
500 gm				0650A 00500	PB
5 gm	00651	DIPHENYL CARBAZONE AR	538-62-5	00651 00005	GB
25 gm		(reagent for mercury)		00651 00025	GB
100 gm		C13H12N4O M.W. 240.26		00651 00100	PB
		DIPHENYL CARBINOL See Benzhydrol Cat No.1891 Page 27			
250 gm	0651A	DIPHENYL CARBONATE (for synthesis)	102-09-0	0651A 00250	PB
1 Kg		Assay : Min. 99% C13H10O3 M.W. 214.22		0651A 01000	PB
500 ml	00652	DIPHENYL ETHER (diphenyl oxide)	101-84-8	00652 00500	GB
		Assay : Min. 98% C12H10O M.W. 170.21, Liquid, d. 1.073			
100 gm	0652A	5,5-DIPHENYLHYDANTOIN	57-41-0	0652A 00100	GB
		Assay : Min. 99% C15H12N2O2 M.W 252.27			
500 ml	00653	DIPHENYL METHANE	101-81-5	00653 00500	GB
		Assay : Min. 99% C13H12 M.W.168.23, Liquid, d. 1.006			
		DIPHENYL OXIDE See Diphenyl Ether Cat No.652 Page 81			
		4,7-DIPHENYL-1-10-PHENANTHROLINE See Bathophenanthroline Cat No.224D Page 26			
250 mg	0653A	2,2-DIPHENYL-1-PICRYLHYDRAZYL (free radical)	1898-66-4	0653A 0250M	GB
1 gm		(DPPH) Assay : Min. 85% C18H12N5O6 M.W. 394.32 (Store at 2-8°C)		0653A 00001	GB
5 gm	00654	DIPHENYL THIOCARBAZONE AR (CAS No.) GB 5 gm 18 847	60-10-6	00654 00005	GB
25 gm		(dithizone)		00654 00025	GB
100 gm		Assay : Min. 85% C13H12N4S M.W. 256.33		00654 00025	GB
100 gm	0654A	N,N'-DIPHENYLTHIOUREA Pure	102-08-9	0654A 00100	GB
		Assay : Min. 98% C13H12N2S M.W. 228.31			
100 gm	2251A	DIPHOSPHORIC ACID (for synthesis)	2466-09-3	2251A 00100	PB
		Assay : Min. 98% H4O7P2 M.W. 177.98			
		2,2-DIPYRIDYL See 2,2-Bipyridyl Cat No.270 Page 31			
		2,2-DIQUINOLYL See 2,2-Biquinoline Cat No.270A Page 31			
		DISODIUM PHENYL PHOSPHATE See Phenyl Phosphate Disodium Salt Cat No.1177A Page 152			
500 ml	00655	DISTILLED WATER (DM water)	7732-18-5	00655 00500	PB
5 Lt		H2O M.W. 18.02, Liquid, d. 1.000		00655 05000	PC

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	0655E	DISULPHINE BLUE (C.I. No.42045)	129-17-3	0655E 00025	GB
		C27H31N2NaO6S2 M.W.566.7			
1 gm	2251B	5,5-DITHIO BIS (2-NITRO BENZOIC ACID) extra pure (DTNB)	69-78-3	2251B 00001	GB
5 gm		(Eliman's reagent)		2251B 00005	GB
10 gm		Assay : Min. 99% C14H8N2O8S2 M.W. 396.35		2251B 00010	GB
1 gm	2251C	DITHIOERYTHRITOL (For Molecular Biology)	6892-68-8	2251C 00001	GB
5 gm		(D.T.E) (1,4-dithioerythritol) Store at 2 - 8°C		2251C 00005	GB
25 gm		Assay : Min. 99% C4H10O2S2 M.W. 154.25		2251C 00025	GB
		DITHIOOXAMIDE See Rubeanic Acid Cat No.1296 & 1296A Page 170			
1 gm	2251D	DITHIOTHREITOL	3483-12-3	2251D 00001	GB
5 gm		(D.T.T.) (Cleland's Reagent)		2251D 00005	GB
25 gm		Assay : Min. 99% C4H10O2S2 M.W. 154.24		2251D 00025	GB
		DITHIZONE See Diphenyl Thiocarbazone Cat No.654 Page 82			
5 gm	02252	DITHRANOL (for lab use) (1,8,9-anthracenetriol)	1143-38-0	02252 00005	GB
25 gm		Assay : Min. 98% C14H10O3 M.W 226.23		02252 00025	GB
25 gm	2252A	Di-p-TOLUOYL-D-TARTARIC ACID	32634-68-7	2252A 00025	GB
		Assay : Min. 95% C20H18O8 M.W. 386.35			
5 gm	02253	DI-p-TOLUOYL-L-TARTARIC ACID	32634-66-5	02253 00005	GB
25 gm		Assay : Min. 99% C20H18O8 M.W 386.35		02253 00025	GB
25 gm	2253A	n-DOCOSANE (for synthesis)	629-97-0	2253A 00025	GB
100 gm		Assay : Min. 99% C22H46 M.W. 310.60		2253A 00100	GB
500 ml	0654C	DODECANETHIOL Extra Pure	112-55-0	0654C 00500	GB
		(Lauryl Mercaptan, Dodecyl Mercaptan)			
		Assay : Min. 98% C12H26S M.W. 202.41, Liquid, d. 0.845			
100 ml	0654D	DODECYLAMINE (for synthesis) (Laurylamine)	124-22-1	0645D 00100	GB
500 ml		Assay : Min. 98% C12H27N M.W.185.35, Liquid. d. 0.802-0.806		0654D 00500	GB
		DL-DOPA See 3-(3,4-Dihydroxyphenyl)-DL-Alanine Cat No.2202 Page 76			
		L-DOPA See 3-(3,4-Dihydroxyphenyl)-L-Alanine Cat No.2203 Page 76			
		DNA See Deoxyrebonucleic Acid Cat No.588B & 588C Page 69			
5 gm	0654B	1-DODECANESULPHONIC ACID SODIUM SALT AR & HPLC	2386-53-0	0654B 00005	GB
25 gm		(sodium 1-dodecanesulphonate)		0654B 00025	GB
100 gm		Assay : Min. 98% C12H25NaO3S M.W. 272.38		0654B 00100	PB
		N-DODECANOIC ACID See Lauric Acid Cat No.853B Page 114			
		DODECYL ALCOHOL See Lauryl Alcohol Cat No.854 Page 132			
250 ml	02254	DODECYL BENZENE (for synthesis)	123-01-3	02254 00250	GB
500 ml		Assay : Min. 97% C18H30 M.W. 246.44, Liquid, d. 0.856		02254 00500	GB
100 gm	2254A	DODECYL BENZENE SULPHONIC ACID SODIUM SALT purified	25155-30-0	2254A 00100	PB
500 gm		Assay : Min. 20% C18H29NaO3S M.W. 348.48		2254A 00500	PB
500 gm	0655A	DOLOMITE (powder)	16389-88-1	0655A 00500	PB
		C2CaMgO6 M.W. 184.40			
25 gm	2254B	DOMPERIDONE MALEATE (for lab use)	99497-03-7	2254B 00025	GB
100 gm				2254B 00100	PB
25 gm	0655C	DOXYCLINE HYDROCHLORIDE (for lab use)	10592-13-9	0655C 00025	GB
100 gm		C22H24N2O8.HCl M.W. 480.90		0655C 00100	PB
25 gm	0655D	DOXYLAMINE SUCCINATE (for lab use)	562-10-7	0655D 00025	GB
100 gm		Assay : Min. 98% C17H22N2O.C4H6O4 M.W. 388.46		0655D 00100	PB
500 gm	0655B	DOWEX 50 X 8 (Na) (20-50 mesh)	69011-22-9	0655B 00500	PB
		(strongly acidic cation exchanger)			
250 ml	00656	D.P.X. MOUNTANT (for microscopy)		00656 00250	GB
500 ml		Liquid, d. 0.904		00656 00500	GB
500 ml	0656A	DRABKIN'S SOLUTION		0656A 00500	GB
2.5 Lt		(diluent)		0656A 02500	GB
125 ml	0565B	DRAGENDROFF'S REAGENT		0656B 00125	GB
500 ml		(test reagent for alkaloids), Liquid, d. 0.95		0656B 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	2254C	DROTAVERINE HYDROCHLORIDE (for lab use)	985-12-6	2254C 00005	GB
25 gm				2254C 00025	GB
		iso-DULCITE See L (+) Rhamnose Cat No.1288A Page 169			
25 gm	0656C	DULCITOL (for microscopy)	608-66-2	0656C 00025	GB
		Assay : Min. 99% C6H14O6 M.W. 182.17			
5 gm	02255	DYSPROSIUM CARBONATE AR(tetrahydrate)	38245-35-1	02255 00005	GB
25 gm		Assay : Min. 99.9% Dy2(CO3)3.4H2O M.W. 577.06		02255 00025	GB
1 gm	0656D	DYSPROSIUM (III) CHLORIDE AR (anhydrous)	10025-74-8	0656D 00001	GB
5 gm		Assay : Min. 99.99% DyCl3 M.W 268.86		0656D 00005	GB
5 gm	2254D	DYSPROSIUM (III) CHLORIDE (hexahydrate)	15059-52-6	2254D 00005	GB
25 gm		Assay : Min. 99.9% DyCl3·6H2O M.W. 376.75		2254D 00025	GB
5 gm	2255A	DYSPROSIUM NITRATE AR	100641-13-2	2255A 00005	GB
25 gm		Assay : Min. 99.99% Dy(NO3)3·xH2O M.W. 348.51 (anhy. basis)		2255A 00025	GB
5 gm	0656E	DYSPROSIUM OXIDE AR	1308-87-8	0656E 00005	GB
25 gm		Assay : Min. 99.9% Dy2O3 M.W. 373.00		0656E 00025	GB
1 gm	2255B	DYSPROSIUM SULPHATE AR	14373-91-2	2255B 00001	GB
5 gm		Assay : Min. 99.99% Dy2(SO4)3 M.W. 613.19		2255B 00005	GB
E					
		EDTA (plain) See Ethylenediamine Tetra Acetic Acid Cat No.690 & 690A Page 88			
		EDTA CALCIUM DISODIUM SALT See Ethylenediamine Tetra Acetic Acid Calcium Disodium Salt Cat No.690B Page 88			
		EDTA FERRIC SODIUM SALT See Ethyelenediamine Tetra Acetic Acid Ferric Monosodium Salt Cat No.2256 Page 88			
		EDTA DIPOTASSIUM SALT See Ethylenediamine Tetra Acetic Acid Dipotassium Salt Cat No.691 Page 88			
		EDTA DISODIUM SALT See Ethylenediamine Tetra Acetic Acid Disodium Salt Cat No.692 & 693 Page 88			
		EDTA MAGNESIUM SALT See Ethylenediamine Tetra Acetic Acid Magnesium Salt Cat No.693A Page 88			
125 ml	2255C	EDTA N/10 SOLUTION **NEW**		2255C 00125	PB
500 ml				2255C 00500	PB
500 ml	0656G	EDTA SOLUTION N/50 (0.02N) (for volumetric analysis), Liquid, d. 1.003		0656G 00500	PB
500 ml	0656J	EDTA 0.1 Mol/L (0.2N) SOLUTION traceable to NIST, Liquid, d. 1.02		0656J 00500	PB
500 ml	0656K	EDTA 0.01 Mol/L (0.02N) SOLUTION traceable to NIST, Liquid, d. 1.003		0656K 00500	PB
500 ml	0656L	EDTA DISODIUM SALT 0.1M SOLUTION, Liquid, d. 1.02		0656L 00500	PB
500 ml	0656M	EDTA DISODIUM SALT 0.01M (0.02N), Liquid, d. 1.003		0656M 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	0656N	EDTA DISODIUM SALT 0.1M (0.2N), Liquid, d. 1.02		0656N 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	0656O	EDTA DISODIUM SALT 0.5M (1N), Liquid, d. 1.003		0656O 00500	PB
		Standardized Solution, traceable to NIST			
4 amp	0656H	EDTA DISODIUM SALT (0.02N) N/50 (2x2 amps. Of set in a box)		0656H AMP04	AMP
125 ml	0656F	EDTA SOLUTION 5%		0656F 00125	PB
500 ml				0656F 00500	PB
4 amp	0656I	EDTA SOLUTION 5% (2x2 amps. Of set in a box)		0656I AMP04	AMP
		EDTA TETRASODIUM SALT See Ethylenediamine Tetra Acetic Acid Tetrasodium Salt Cat No.693B Page 88			
		EGG ALBUMIN See Albumin Egg Cat No.031 & 031A Page 6			
10 gm	2256A	E.G.T.A. 99% AR (For Molecular Biology)	67-42-5	2256A 00010	GB
25 gm		(ethylene glycol-o,o-bis (2-aminoethyl)-N,N,N,N-tetraacetic acid)		2256A 00025	GB
		Assay : Min. 99% C12H24N2O10 M.W. 380.35			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
125 ml	00657	EHRLICH'S REAGENT Liquid, d. 1.10		00657 00125	PB
500 ml		(For Detection Of Urobillinogen)		00657 00500	PB
125 ml	2256B	EHRLICH'S A REAGENT Liquid, d. 1.10		2256B 00125	PB
		For Diazo-Reaction For Determination of Bilirubin In Serum & Urine			
125 ml	2256C	EHRLICH'S B REAGENT Liquid, d. 1.10		2256C 00125	PB
		For Diazo-Reaction For Determination of Bilirubin In Serum & Urine			
25 gm	0657A	1-EICOSANE BROMIDE	4276-49-7	0657A 00025	GB
		Assay : Min. 96% $C_{20}H_{41}Br$ M.W 361.44			
25 gm	0657B	1-EICOSANOL	629-96-9	0657B 00025	GB
		Assay : Min. 96% $C_{20}H_{42}O$ M.W. 298.55			
500 gm	00658	EMALSIFYING WAX Extra Pure		00658 00500	PB
25 gm	00659	EOSINE BLUE (for microscopy)	548-24-3	00659 00025	GB
100 gm		(C.I. No.45400)		00659 00100	GB
500 gm		Dye Content : Min. 90% $C_{20}H_6Br_2N_2O_9Na_2$ M.W. 624.06		00659 00500	PB
125 ml	00660	EOSINE BLUE (2% w/v)		00660 00125	PB
500 ml		(staining solution)		00660 00500	PB
25 gm	00661	EOSINE SPIRIT SOLUBLE (for microscopy)	6359-05-3	00661 00025	GB
100 gm		(Ethyl eosine) (C.I.No.45386)		00661 00100	GB
500 gm		Dye Content : Min. 95% $C_{22}H_{11}Br_4KO_5$ M.W. 714.03		00661 00500	PB
25 gm	00662	EOSINE YELLOW (W.S.) (for microscopy)	17372-87-1	00662 00025	GB
100 gm		(C.I. No.45380)		00662 00100	GB
500 gm		Dye Content : Min. 85% $C_{20}H_6Br_4Na_2O_5$ M.W. 691.85		00662 00500	PB
125 ml	00663	EOSINE YELLOW (2% w/v) staining solution		00663 00125	PB
500 ml		Liquid, d. 1.015		00663 00500	PB
500 ml	02257	EOSINOPHYLLIA DILUTING FLUID		02257 00500	PB
500 ml	0663A	EPICHLOROHYDRIN (1-chloro-2, 3-epoxypropane)	106-89-8	0663A 00500	GBT
2.5 Lt		Assay : Min. 98.5% C_3H_5ClO M.W. 92.52, Liquid, d. 1.18		0663A 02500	GBT
500 ml	00664	EPICHLOROHYDRIN AR	106-89-8	00664 00500	GBT
2.5 Lt		(1-chloro-2, 3-epoxypropane)		00664 02500	GBT
		Assay : Min. 99% C_3H_5ClO M.W. 92.52, Liquid, d. 1.18			
125 ml	0664B	ERDMAN'S REAGENT (for protein test)		0664B 00125	PB
500 ml				0664B 00500	PB
25 gm	0664C	ERIOCHROME BLACK T (C.I.No.14645)	1787-61-7	0664C 00025	GB
100 gm		(mordant black 11) (solochrome black T)		0664C 00100	PB
500 gm		$C_{20}H_{12}N_3NaO_7S$ M.W. 461.38		0664C 00500	PB
25 gm	00665	ERIOCHROME BLACK T AR (C.I.No.14645)	1787-61-7	00665 00025	GB
100 gm		(mordant black 11) (solochrome black T)		00665 00100	PB
500 gm		$C_{20}H_{12}N_3NaO_7S$ M.W. 461.38		00665 00500	PB
125 ml	00666	ERIOCHROME BLACK T (indicator solution)		00666 00125	PB
500 ml		(solochrome black T solution), Liquid, d. 1.109		00666 00500	PB
		ERIOCHROME BLUE BLACK R See Calcon Cat No.400 Page 47			
10 gm	00667	ERIOCHROME CYANINE R AR (C.I. No.43820)	3564-18-9	00667 00010	GB
25 gm		(solochrome cyanine R) $C_{23}H_{15}Na_3O_9S$ M.W. 536.39		00667 00025	GB
10 gm	00669	ERIOGLAUCINE DISODIUM SALT (C.I. No.42090)	3844-45-9	00669 00010	GB
25 gm		$C_{37}H_{34}Na_2N_2O_9S_3$ M.W. 792.85		00669 00025	GB
		ERIOGLAUCINE A See Brilliant Blue FCF Cat No.303D Page 35			
5 gm	0669A	ERYTHROMYCIN Extra Pure	114-07-8	0669A 00005	GB
25 gm		(for lab use)		0669A 00025	GB
100 gm		$C_{37}H_{67}NO_{13}$ M.W 733.93		0669A 00100	PB
5 gm	0669B	ERYTHROMYCIN ESTOLATE Extra Pure	3521-62-8	0669B 00005	GB
25 gm		(for lab use)		0669B 00025	GB
100 gm		$C_{40}H_{71}NO_{14}{\cdot}C_{12}H_{26}SO_4$ M.W 1056.39		0669B 00100	PB
5 gm	0669C	ERYTHROMYCIN ETHYL SUCCINATE Extra Pure (for lab use)	1264-62-2	0669C 00005	GB
25 gm				0669C 00025	GB
100 gm		$C_{43}H_{75}NO_{16}$ M.W. 862.05		0669C 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	0669D	ERYTHROMYCIN STEARATE Extra Pure	643-22-1	0669D 00005	GB
25 gm		(for lab use)		0669D 00025	GB
100 gm		C37H67NO13·C18H36O2 M.W. 1018.40		0669D 00100	PB
25 gm	00670	ERYTHROSINE B (for microscopy) (iodoeosin)	16423-68-0	00670 00025	GB
100 gm		(C.I. No.45430) Dye Content : Min. 90% C20H6I4Na2O5 M.W. 879.84		00670 00100	PB
125 ml	00671	ESBACH'S REAGENT (for detection of proteins)		00671 00125	PB
500 ml		Liquid, d. 0.987		00671 00500	PB
100 gm	02258	ESCHKA'S MIXTURE AR	8007-09-8	02258 00100	PB
250 gm		(for determination of sulfur in coal)		02258 00250	PB
500 gm		Assay : Min. 38-42% 2MgO·Na2CO3		02258 00500	PB
		ESCULIN See Aesculin Cat No.025A Page 6			
100 mg	2258A	ESERINE SALICYLATE (Physostigmine salicylate)	57-64-7	2258A 0100M	GB
		Assay : Min. 97% C22H27O5N3 M.W. 413.47			
5 gm	0671C	ETHAMBUTOL DIHYDROCHLORIDE Extra Pure	1070-11-7	0671C 00005	GB
25 gm		(for lab use)		0671C 00025	GB
100 gm		C10H24N2O2·2HCl M.W 277.23		0671C 00100	PB
500 ml	0671A	ETHANOL Extra Pure (99 to 99.5%)	64-17-5	0671A 00500	PB
2.5 Lt		Assay : 99-99.5% C2H6O M.W. 46.07, Liquid, d. 0.789		0671A 02500	PB
		(against End Use Certificate)			
500 ml	0671B	ETHANOL AR (99.7 to 100%)	64-17-5	0671B 00500	PB
2.5 Lt		Assay : 99.7-100% C2H6O M.W. 46.07, Liquid, d. 0.789		0671B 02500	PB
		(against End Use Certificate)			
500 ml	0671D	ETHANOL 95-96%	64-17-5	0671D 00500	PB
1 Lt		Assay : 95-96% C2H6O M.W. 46.07		0671D 01000	PB
2.5 Lt		Liquid, d. 0.789 (against End Use Certificate)		0671D 02500	PB
		ETHANEDIOL See Ethylene Glycol mono Cat No.695 & 695A Page 89			
1 gm	02259	ETHANE SULPHONIC ACID SODIUM SALT AR & HPLC	5324-47-0	02259 00001	GB
5 gm		(sodium ethanesulphonate)		02259 00005	GB
		Assay : Min. 99% C2H5SO3Na.H2O M.W. 150.12			
500 ml	00672	ETHANOLAMINE (mono)	141-43-5	00672 00500	PB
2.5 Lt		(monoethanolamine) (2-aminoethanol)		00672 02500	PB
		Assay : Min. 99% C2H7NO M.W. 61.08, Liquid, d. 1.012			
500 ml	0672A	ETHANOLAMINE (mono) AR	141-43-5	0672A 00500	GB
2.5 Lt		(monoethanolamine) (2-aminoethanol)		0672A 02500	GB
		Assay : Min. 99% C2H7NO M.W. 61.08, Liquid, d. 1.012			
500 gm	0672B	ETHANOLAMINE HYDROCHLORIDE Purified	2002-24-6	0672B 00500	GB
		Assay : Min. 99% C2H8ClNO M.W. 97.55			
500 ml	00673	ETHER PETROLEUM 40°-60°C	8032-32-4	00673 00500	GB
2.5 Lt		(petroleum benzine) (petroleum ether)		00673 02500	GB
5 Lt		Liquid, d. 0.655		00673 05000	PC
500 ml	0673A	ETHER PETROLEUM 40°-60°C AR	8032-32-4	0673A 00500	GB
2.5 Lt		(petroleum benzine) (petroleum ether) Liquid, d. 0.655		0673A 02500	GB
500 ml	02261	ETHER PETROLEUM 40°-60°C HPLC & SPECTROSCOPY,	8032-32-4	02261 00500	GB
2.5 Lt		(CAS No.8032-32-4) Liquid, d. 0.655		02261 02500	GB
		(petroleum benzine)(petroleum ether)			
500 ml	00674	ETHER PETROLEUM 60°-80°C	8032-32-4	00674 00500	GB
2.5 Lt		(petroleum benzine) (petroleum ether)		00674 02500	GB
5 Lt		Liquid, d. 0.672		00674 05000	PC
500 ml	0674A	ETHER PETROLEUM 60°-80°C AR	8032-32-4	0674A 00500	GB
2.5 Lt		(petroleum benzine) (petroleum ether), Liquid, d. 0.672		0674A 02500	GB
500 ml	02266	ETHER PETROLEUM 60°-80°C HPLC & SPECTROSCOPY	8032-32-4	02266 00500	GB
2.5 Lt		(petroleum benzine) (petroleum ether) (CAS No.8032-32-4) Liquid, d. 0.67		02266 02500	GB
500 ml	00675	ETHER PETROLEUM 80°-100°C	8032-32-4	00675 00500	GB
2.5 Lt		(petroleum benzine) (petroleum ether), Liquid, d. 0.77		00675 02500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	0675A	ETHER PETROLEUM 100°-120°C Liquid, d. 0.77	8032-32-4	0675A 00500	GB
2.5 Lt		(petroleum benzine) (petroleum ether)		0675A 02500	GB
		ETHER SOLVENT See Diethyl Ether Cat No.617, 617A & 2201 Page 75			
1 gm	0675B	ETHIDIUM BROMIDE (For Molecular Biology)(for lab use)	1239-45-8	0675B 00001	GB
5 gm		Assay : Min. 95% C21H20BrN3 M.W. 394.31		0675B 00005	GB
50 ml	0675C	ETHIDIUM BROMIDE Solution ~1% In Water, Liquid, d. 1.00		0675C 00050	GB
		For Fluorescence, store at 2 - 8oC			
1 gm	02268	p-ETHOXY CHRYSOIDINE HYDROCHLORIDE (purified)	2313-87-3	02268 00001	GB
5 gm		Assay : Min. 98% C14H16N4O·HCl M.W. 292.76		02268 00005	GB
		2-ETHOXYETHANOL See Cellosolve Cat No.423 & 423A Page 51			
		2-ETHOXY ETHYL ACETATE See Cellosolve Acetate Cat No.423B Page 51			
10 gm	02269	1-(2-ETHOXYPHENYL) PIPERAZINE	83081-75-8	02269 00010	GB
25 gm		Assay : Min. 98% C12H18N2O·HCl M.W 242.75		02269 00025	GB
		ETHREL See 2-Chloroethyl Phosphonic Acid Cat No.453B Page 55			
500 ml	00676	ETHYL ACETATE	141-78-6	00676 00500	PB
2.5 Lt		(for synthesis)		00676 02500	PB
5 Lt		Assay : Min. 99% C4H8O2 M.W. 88.11, Liquid, d. 0.902		00676 05000	PC
500 ml	0676A	ETHYL ACETATE AR	141-78-6	0676A 00500	GB
2.5 Lt		Assay : Min. 99.5% C4H8O2 M.W. 88.11, Liquid, d. 0.902		0676A 02500	GB
500 ml	02271	ETHYL ACETATE HPLC & SPECTROSCOPY	141-78-6	02271 00500	GB
2.5 Lt		Assay : Min. 99.8% C4H8O2 M.W. 88.11, Liquid, d. 0.902		02271 02500	GB
500 ml	00677	ETHYL ACETO ACETATE (acetoacetic ester ethyl)	141-97-9	00677 00500	GB
2.5 Lt		Assay : Min. 99% C6H10O3 M.W. 130.14, Liquid, d. 1.029		00677 02500	GB
500 ml	0677A	ETHYL ACRYLATE (for synthesis)(d. 0.92)	140-88-5	0677A 00500	GB
		Assay : Min. 99% C5H8O2 M.W. 100.12, Liquid, d. 0.92			
500 ml	00678	ETHYLAMINE solution 70% (monoethylamine)	75-04-7	00678 00500	GB
2.5 Lt		Assay : Min. 70% C2H7N M.W. 45.08, Liquid, d. 0.689		00678 02500	GB
250 ml	02272	2-(ETHYLAMINO) ETHANOL (for synthesis)	110-73-6	02272 00250	GB
1 Lt		(N-ethylethanolamine)		02272 01000	GB
		Assay : Min. 98% C4H11NO M.W. 89.14, Liquid, d. 0.914			
500 ml	0678A	ETHYLANILINE (mono) (for synthesis)	103-69-5	0678A 00500	GB
2.5 Lt		(monoethylaniline) (N-ethylaniline)		0678A 02500	GB
		Assay : Min. 98% C8H11N M.W. 121.18, Liquid, d. 0.963			
100 ml	0678D	2-ETHYLANILINE	578-54-1	0678D 00100	GB
		Assay : Min. 97.5% C8H11N M.W. 121.18, Liquid, d. 0.983			
25 gm	0678B	3-ETHYL ANILINE	587-02-0	0678B 00025	GB
		Assay : Min. 98% C8H11N M.W. 121.18, Liquid, d. 0.975			
25 gm	0678C	4-ETHYL ANILINE	589-16-2	0678C 00025	GB
		Assay : Min. 98% C8H11N M.W. 121.18, Liquid, d. 0.975			
500 ml	00679	ETHYL ANTHRANILATE (for synthesis)	87-25-2	00679 00500	GB
		Assay : Min. 99% C9H11O2			
		M.W. 165.19, Liquid, d. 1.117			
500 ml	0679A	ETHYL BENZENE (for synthesis) (CAS No.) GB 500 ml 18 674	100-41-4	0679A 00500	GB
		Assay : Min. 99% C8H10 M.W. 106.17, Liquid, d. 0.867			
500 ml	00680	ETHYL BENZOATE Extra Pure	93-89-0	00680 00500	GB
		(benzoic acid ethyl ester) Liquid, d. 1.045-1.049			
		Assay : Min. 99% C9H10O2 M.W. 150.17			
100 ml	0680A	ETHYL BENZOYL ACETATE (for synthesis)	94-02-0	0680A 00100	GB
		Assay : Min. 88% C11H12O3 M.W. 192.21, Liquid, d. 1.11			
250 ml	00681	ETHYL BROMIDE (for synthesis)(bromoethane)	74-96-4	00681 00250	GB
500 ml		Assay : Min. 99% C2H5Br M.W. 108.97, Liquid, d. 1.46		00681 00500	GB
250 ml	0681A	ETHYL BROMOACETATE (for synthesis)	105-36-2	0681A 00250	GBT
500 ml		(bromoacetic acid ethyl ester)		0681A 00500	GBT
		Assay : Min. 95% C4H7BrO2 M.W. 167.00, Liquid, d. 1.506			
500 gm	00682	ETHYL BUTYRATE	105-54-4	00682 00500	GBT

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 98% C6H12O2 M.W. 116.16, Liquid, d. 0.875-0.879			
500 gm	00683	ETHYL CAPRYLATE	106-32-1	00683 00500	GB
		Assay : Min. 98% C10H20O2 M.W. 172.26, Liquid, d. 0.867-0.872			
25 gm	2273C	ETHYL CARBAZATE	4114-31-2	2273C 00025	GB
100 gm		Assay : Min. 98% C3H8N2O2 M.W. 104.11		2273C 00100	PB
		ETHYL CELLOSOLVE See Cellosolve Cat No.423 & 423A Page 51			
250 gm	0683A	ETHYL CELLULOSE (7 cps) (low viscosity)	9004-57-3	0683A 00250	PB
500 gm				0683A 00500	PB
250 gm	00684	ETHYL CELLULOSE (18-22 cps) (high viscosity) 00684 00250 PB 250 gm 18 1908			PB
500 gm		(CAS No.) 00684 00500 PB 500 gm 39123911 18 3509			PB
500 ml	00685	ETHYL CHLORO ACETATE (mono) (for synthesis)	105-39-5	00685 00500	GB
		Assay : Min. 99% C4H7ClO2 M.W. 122.55, Liquid, d. 1.145			
500 ml	00686	ETHYL CHLOROFORMATE (for synthesis)	541-41-3	00686 00500	GB
2.5 Lt		(ethyl chlorocarbonate) Assay : Min. 97% C3H5ClO2 M.W. 108.32, Liquid, d. 1.135		00686 02500	GB
500 gm	00687	ETHYL CINNAMATE (for synthesis)	103-36-6	00687 00500	GB
		Assay : Min. 98% C11H12O2 M.W 176.21, Liquid, d. 1.049			
500 ml	0687A	ETHYL CYANOACETATE (for synthesis)	105-56-6	0687A 00500	GB
		Assay : Min. 98% C5H7NO2 M.W. 113.11, Liquid, d. 1.063			
		ETHYL DIGOL See Diethylene Glycol Monoethyl Ether Cat No.616C Page 74			
		ETHYLENE CHLORIDE See Ethylene Dichloride Cat No.694, 694A & 2181 Page 89			
500 ml	00688	ETHYLENE CHLOROHYDRINE (2-chloroethanol)	107-07-3	00688 00500	GBT
		Assay : Min. 99% C2H5ClO M.W. 80.51, Liquid, d. 1.201			
500 ml	00689	ETHYLENE DIAMINE (1,2-diaminoethane)	107-15-3	00689 00500	GB
2.5 Lt		Assay : Min. 99% C2H8N2 M.W. 60.10, Liquid, d. 0.90		00689 02500	GB
100 gm	0689A	ETHYLENEDIAMINE DIHYDROCHLORIDE	333-18-6	0689A 00100	PB
500 gm		(1,2-diaminoethane dihydrochloride)		0689A 00500	PB
		Assay : Min. 98% C2H8N2.2HCl M.W. 133.02			
100 gm	00690	ETHYLENEDIAMINE TETRA ACETIC ACID (plain)	60-00-4	00690 00100	PB
500 gm		(salt free) (EDTA plain)		00690 00500	PB
5 Kg		Assay : Min. 98% C10H16N2O8 M.W. 292.24		00690 05000	PC
100 gm	0690A	ETHYLENEDIAMINE TETRA ACETIC ACID AR (plain)	60-00-4	0690A 00100	PB
500 gm		(salt free) (EDTA plain) Assay : Min. 99.5% C10H16N2O8 M.W. 292.24		0690A 00500	PB
100 gm	0690B	ETHYLENEDIAMINE TETRA ACETIC ACID CALCIUM DISODIUM SALT	62-33-9	0690B 00100	PB
500 gm		(EDTA calcium disodium salt))		0690B 00500	PB
		Assay : Min. 97% C10H12N2O8CaNa2 M.W. 374.27			
100 gm	02256	ETHYLENEDIAMINE TETRA ACETIC ACID FERRIC MONOSODIUM SALT	1578-42-6	02256 00100	PB
500 gm		(EDTA ferric monosodium salt)		02256 00500	PB
		Assay (Fe) : Min. 12-14% C10H12FeN2NaO8.H2O M.W. 367.05			
100 gm	00691	ETHYLENEDIAMINE TETRA ACETIC ACID DIPOTASSIUM SALT AR	25102-12-9	00691 00100	PB
500 gm		(EDTA dipotassium salt)		00691 00500	PB
		Assay : Min. 99% C10H14K2N2O8.2H2O M.W. 404.5			
100 gm	00692	ETHYLENEDIAMINE TETRA ACETIC ACID DISODIUM SALT	6381-92-6	00692 00100	PB
500 gm		(EDTA disodium salt)		00692 00500	PB
5 Kg		Assay : Min. 98.5% C10H14N2Na2O8.2H2O M.W. 372.24		00692 05000	PC
100 gm	00693	ETHYLENEDIAMINE TETRA ACETIC ACID DISODIUM SALT AR	6381-92-6	00693 00100	PB
500 gm		(EDTA disodium salt)		00693 00500	PB
5 Kg		Assay : Min. 99% C10H14N2Na2O8.2H2O M.W. 372.24		00693 05000	PC
500 gm	0692A	ETHYLENEDIAMINE TETRA ACETIC ACID DISODIUM SALT dihydrate	6381-92-6	0692A 00500	PB
1 Kg		(For Molecular Biology) (EDTA disodium salt)		0692A 01000	PB
		Assay : Min. 99% C10H14N2Na2O8.2H2O M.W. 372.24			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	0693A	ETHYLENEDIAMINE TETRA ACETIC ACID MAGNESIUM SALT AR	14402-88-1	0693A 00100	PB
500 gm		(EDTA magnesium salt AR)		0693A 00500	PB
		Assay : Min. 99% C10H12MgN2Na2O8.xH2O M.W. 358.50 (anhyd. basis)			
100 gm	0693B	ETHYLENE DIAMINE TETRA ACETIC ACID TETRASODIUM SALT	194491-31-1	0693B 00100	PB
500 gm		Assay : Min. 98% C10H12N2Na4O8·xH2O M.W 380.17		0693B 00500	PB
		ETHYLENE DIBROMIDE See 1,2-Dibromoethane Cat No.600B Page 71			
500 ml	00694	ETHYLENE DICHLORIDE (for synthesis)	107-06-2	00694 00500	GB
2.5 Lt		(against End Use Certificate)(1,2-dichloroethane)		00694 02500	GB
5 Lt		Assay : Min. 98% C2H4Cl2 M.W. 98.96, Liquid, d. 1.256		00694 05000	PC
500 ml	0694A	ETHYLENE DICHLORIDE AR (1,2-dichloroethane)	107-06-2	0694A 00500	GB
2.5 Lt		Assay : Min. 99% C2H4Cl2 M.W. 98.96, Liquid, d. 1.256		0694A 02500	GB
		(against End Use Certificate)			
500 ml	02181	ETHYLENE DICHLORIDE HPLC & SPECTROSCOPY	107-06-2	02181 00500	GB
2.5 Lt		(against End Use Certificate) (1,2-dichloroethane)		02181 02500	GB
		Assay : Min. 99.8% C2H4Cl2 M.W. 98.96, Liquid, d. 1.256			
500 ml	00695	ETHYLENE GLYCOL (mono) (ethanediol)	107-21-1	00695 00500	GB
2.5 Lt		(MEG) Assay : Min. 99% C2H6O2 M.W 62.07, Liquid, d. 1.113		00695 02500	GB
500 ml	0695A	ETHYLENE GLYCOL (mono) AR (ethanediol)	107-21-1	0695A 00500	GB
2.5 Lt		(MEG) Assay : Min. 99.5% C2H6O2 M.W 62.07, Liquid, d. 1.113		0695A 02500	GB
500 ml	00696	ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	00696 00500	GB
2.5 Lt		(2-butoxyethanol) (butyl glycol) (butyl cellosolve)		00696 02500	GB
		Assay : Min. 99% C6H14O2 M.W. 118.17, Liquid, d. 0.902			
1 Lt	0696B	ETHYLENE GLYCOL MONOBUTYL ETHER ACETATE	112-07-2	0696B 01000	GB
2.5 Lt		(for synthesis) (Butyl cellosolve acetate)		0696B 02500	GB
		Assay : Min. 99% C8H16O3 M.W.160.21, Liquid, d. 0.942			
		ETHYLENE GLYCOL MONOETHYL ETHER See Cellosolve Cat No.423 & 423A Page 51			
		ETHYLENE GLYCOL MONOMETHYL ETHER See 2-Methoxyethanol Cat No.1004 & 1004A Page 129			
100 gm	0696A	tri-ETHYL 1,1,2-ETHANETRICARBOXYLATE	7459-46-3	0696A 00100	GB
		Assay : Min. 99% C11H18O6 M.W. 246.26, Liquid, d. 1.074			
500 ml	00697	ETHYL FORMATE (formic acid ethyl ester)	109-94-4	00697 00500	GBT
		(for synthesis) Assay : Min. 97% C3H6O2 M.W. 74.08, Liquid, d. 0.917			
500 ml	00698	2-ETHYLHEXANOIC ACID(octoic acid)	149-57-5	00698 00500	PB
		Assay : Min. 99% C8H16O2 M.W. 144.21, Liquid, d. 0.903-0.910			
		2-ETHYL HEXANOL See iso-Octanol Cat No.1119A Page 143			
500 ml	0698A	2-ETHYL-1-HEXANOL	104-76-7	0698A 00500	GB
		Assay : Min. 99.6% C8H18O M.W. 130.23, Liquid, d. 0.833			
500 ml	00699	2-ETHYLHEXYL ACRYLATE (for synthesis)	103-11-7	00699 00500	GB
2.5 Lt		(acrylic acid 2-ethyl hexyl ether)		00699 02500	GB
		Assay : Min. 98% C11H20O2 M.W. 184.28, Liquid, d. 0.885			
250 ml	0699A	2-ETHYLHEXYL METHACRYLATE (for synthesis) stabilized,	688-84-6	0699A 00250	GB
1 Lt		Liquid, d. 0.885		0699A 01000	GB
		Assay : Min. 98% C12H22O2 M.W. 198.31			
		ETHYL-4-HYDROXY BENZOATE Extra Pure See Ethyl Paraben Cat No.706A Page 90			
		ETHYL HYDROXY CELLULOSE See Hydroxy Ethyl Cellulose Cat No.815 Page 107			
100 ml	00700	ETHYL IODIDE (for synthesis) (iodoethane)	75-03-6	00700 00100	GB
250 ml		Assay : Min. 99% C2H5I M.W. 155.97, Liquid, d. 1.940		00700 00250	GBT
500 gm	00701	ETHYL ISOBUTYRATE	97-62-1	00701 00500	GB
		Assay : Min. 99% C6H12O2 M.W 116.16, Liquid, d. 0.865-0.869			
100 ml	02275	ETHYL ISOCYANATE (5% solution in xylene)	109-90-0	02275 00100	GB
		Assay : Min. 98% C2H5NCO M.W. 71.08, Liquid, d. 0.898			
500 ml	00702	ETHYL LACTATE	687-47-8	00702 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99% C5H10O3 M.W.118.13, Liquid, d. 1.03			
500 gm	0702A	ETHYL LAURATE	106-33-2	0702A 00500	GB
		Assay : Min. 98% C14H28O2 M.W. 228.37, Liquid, d. 0.86			
5 gm	2275B	N-ETHYL MALEIMIDE (NEM) store at 2 - 8°C	128-53-0	2275B 00005	GB
25 gm		Assay : Min. 99% C6H7NO2 M.W. 125.13		2275B 00025	GB
10 gm	0702B	ETHYL METHANE SULPHONATE	62-50-0	0702B 00010	GB
		Assay : Min. 98% C3H8O3S M.W 124.16, Liquid, d. 1.206			
25 gm	0702E	ETHYL 2-METHYL ACETOACETATE	609-14-3	0702E 00025	GB
100 gm		(2-methyl acetoacetic acid ethyl ester)		0702E 00100	GB
		Assay : Min. 90% C7H12O3 M.W 144.17, Liquid, d. 1.019			
25 ml	0702C	N-ETHYLMETHYLAMINE (40% solution in toluene)	624-78-2	0702C 00025	GB
100 ml		Assay : Min. 97% C3H9N M.W 59.11, Liquid, d. 0.688		0702C 00100	GB
5 gm	0702D	1-ETHYL 2-METHYL INDOLE	40876-94-6	0702D 00005	GB
10 gm		Assay : Min. 97% C11H13N M.W 159.23		0702D 00010	GB
500 ml	00703	ETHYL METHYL KETONE (for synthesis)	78-93-3	00703 00500	GB
2.5 Lt		(butanone) (butane-2-one) (methyl ethyl ketone)		00703 02500	GB
5 Lt		Assay : Min. 99% C4H8O M.W. 72.11, Liquid, d. 0.805		00703 05000	PC
		(against End Use Certificate)			
500 ml	0703A	ETHYL METHYL KETONE AR (CAS No.78-93-3) GB 500 ml 29141200 18 593	78-93-3	0703A 00500	GB
2.5 Lt		(butane-2-one) (methyl ethyl ketone) (butanone) (d. 0.80) GB 2.5 Lt 29141200 18 2634		0703A 02500	GB
		Assay : Min. 99.5% C4H8O M.W. 72.11, Liquid, d. 0.805			
		(against End Use Certificate)			
500 ml	02006	ETHYL METHYL KETONE HPLC & SPECTROSCOPY	78-93-3	02006 00500	GB
2.5 Lt		(butanone) (butane-2-one) (methyl ethyl ketone)		02006 02500	GB
		Assay : Min. 99.7% C4H8O M.W. 72.11, Liquid, d. 0.805			
		(against End Use Certificate)			
10 gm	2275A	2-ETHYL-6-METHYLPHENOL	1687-64-5	2275A 00010	GB
		Assay : Min. 97% C9H12O M.W. 136.19			
250 ml	0703B	n-ETHYL MORPHOLINE (for synthesis)	100-74-3	0703B 00250	GB
1 Lt		(4-ethyl morpholine) Liquid, d. 0.91		0703B 01000	GB
		Assay : Min. 97% C6H13NO M.W. 115.17			
100 gm	0703C	ETHYL NICOTINATE (ethyl pyridine-3-carboxylate)	614-18-6	0703C 00100	GB
500 gm		Assay : Min. 99% C8H9NO2 M.W. 151.16, Liquid, d. 1.107		0703C 00500	GB
500 ml	00704	ETHYL OLEATE	111-62-6	00704 00500	GB
		Assay : Min. 98% C20H38O2 M.W. 310.51, Liquid, d. 0.87			
5 gm	00705	ETHYL ORANGE SODIUM SALT	62758-12-7	00705 00005	GB
		Dye Content : Min. 90% C16H18N3NaO3S M.W. 355.39			
500 ml	00706	ETHYL ORTHOFORMATE (triethyl orthoformate) (CAS No.) GBT 500 ml 18 895	122-51-0	00706 00500	GBT
		Assay : Min. 98% C7H16O3 M.W. 148.20, Liquid, d. 0.891			
100 gm	0706A	ETHYL PARABEN Extra Pure (nipagin A)	120-47-8	0706A 00100	PB
500 gm		(ethyl-p-hydroxy benzoate) Assay : Min. 99% C9H10O3 M.W. 166.17		0706A 00500	PB
		ETHYL PHENYL ACETATE See Phenyl Ethyl Acetate Cat No.1173 Page 151			
		ETHYL PHENYL ALCOHOL See 2-Phenyl Ethanol Cat No.1172B Page 151			
		ETHYL PHENYL SALICYLATE See Phenyl Ethyl Salicylate Cat No.1173A Page 151			
		ETHYL-P-HYDROXY BENZOATE See Ethyl Paraben Cat No.706A Page 90			
250 ml	0706B	n-ETHYL PIPERAZINE (for synthesis)	5308-25-8	0706B 00250	GB
1 Lt		Assay : Min. 98% C6H14N2 M.W. 114.19, Liquid, d. 0.899		0706B 01000	GB
500 gm	00707	ETHYL PROPIONATE	105-37-3	00707 00500	GB
		Assay : Min. 98% C5H10O2 M.W. 102.13, Liquid, d. 0.888			
100 gm	0707A	ETHYL PYRUVATE (for synthesis)	617-35-6	0707A 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 98% C5H8O3 M.W.116.12, Liquid, d. 1.05		0707A 00500	GB
25 gm	00708	ETHYL RED	76058-33-8	00708 00025	GB
100 gm		Assay : Min. 97% C17H19N3O2 M.W. 297.36		00708 00100	GB
500 gm	00709	ETHYL SALICYLATE	118-61-6	00709 00500	GBT
		Assay : Min. 99% C9H10O3 M.W. 166.17, Liquid, d. 1.131			
100 gm	0709A	ETHYL TRIFLUOROACETATE (for synthesis)	383-63-1	0709A 00100	GB
500 gm		Assay : Min. 99% C4H5F3O2 M.W.142.08, Liquid, d. 1.194		0709A 00500	GBT
100 gm	00710	ETHYL VANILINE	121-32-4	00710 00100	PB
		Assay : Min. 98% C9H10O3 M.W. 166.17			
25 gm	0710A	ETHYL VIOLET (for microscopy) (C.I. No.42600)	2390-59-2	0710A 00025	GB
		Dye Content : Min. 80% C31H42N3Cl M.W. 492.14			
500 ml	00711	EUCALYPTUS OIL Extra Pure Liquid, d. 0.909	8000-48-4	00711 00500	GB
100 gm	0711A	EUDRAGIT (L-100) Extra Pure	25806-15-1	0711A 00100	PB
250 gm		(for lab use)		0711A 00250	PB
500 gm				0711A 00500	PB
100 gm	0711C	EUDRAGIT RL - 100 Extra Pure **NEW**	33434-24-1	0711C 00100	PB
500 gm		(for lab use)		0711C 00500	PB
100 gm	0711B	EUDRAGIT (S-100) Extra Pure		0711B 00100	PB
250 gm		(for lab use)		0711B 00250	PB
500 gm				0711B 00500	PB
100 gm	0711D	EUDRAGIT RS - 100 Extra Pure **NEW**		0711D 00100	PB
500 gm				0711D 00500	PB
100 gm	00712	EUGENOL	97-53-0	00712 00100	GB
		Assay : Min. 99% C10H12O2 M.W. 164.20, Liquid, d. 1.067			
100 ml	0712A	EUPAROL (for microscopy)		0712A 00100	GB
1 gm	0712B	EUROPIUM OXIDE AR	1308-96-9	0712B 00001	GB
5 gm		Assay : Min. 99.9% Eu2O3 M.W. 351.93		0712B 00005	GB
5 gm	00713	EVAN'S BLUE (for microscopy)	314-13-6	00713 00005	GB
25 gm		(C.I. No.23860)		00713 00025	GB
100 gm		Dye Content : Min. 75% C34H24N6Na4O14S4 M.W. 960.81		00713 00100	GB
125 ml	0713A	EVAN'S BLUE		0713A 00125	PB
500 ml		staining solution		0713A 00500	PB
125 ml	0713B	EXTEN'S REAGENT		0713B 00125	PB
500 ml				0713B 00500	PB
F					
25 gm	0713C	FAST BLUE B SALT (for microscopy)	14263-94-6	0713C 00025	GB
100 gm		(C.I. No.37235)		0713C 00100	PB
500 gm		Dye Content : Min. 95% C14H12N4O2Cl2·ZnCl M.W. 475.47		0713C 00500	PB
25 gm	0713D	FAST BLUE BB SALT (for microscopy)	5486-84-0	0713D 00025	GB
		(C.I. No.37175)			
		Dye Content : Min. 80% C17H18N3O3Cl·1/2 ZnCl2 M.W. 415.94			
5 gm	0713E	FAST GARNET GBC SULFATE SALT (C.I.No.37210)	101-89-3	0713E 00005	GB
		Dye Content : Min. 90% C14H14N4O4S M.W. 334.35			
		FAST GREEN (for microscopy) See Malachite Green Cat No.937 Page 122			
5 gm	00715	FAST GREEN FCF (M.S.)	2353-45-9	00715 0005	GB
25 gm		(C.I. No.42053)		00715 0025	GB
100 gm		Dye Content : Min. 85% C37H34N2O10S3Na2 M.W. 808.85		00715 0100	PB
10 gm	00716	FAST GREEN FCF (For Molecular Biology)	2353-45-9	00716 00010	GB
25 gm		Dye Content : Min. 85% C37H34N2O10S3Na2 M.W. 808.85		00716 00025	GB
		FAST GREEN indicator solution See Malachit Green Solution Cat No.938 Page 122			
25 gm	00717	FAST SULPHON BLACK F	3682-47-1	00717 00025	GB
100 gm		(C.I. No.26990		00717 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		C30H20N4O11S3 M.W. 708.695		00717 00500	PB
500 ml	00718	FEHLING SOLUTION 'A'		00718 00500	PB
5 Lt		(Fehling solution No.1) (d. 1.038-1.060)		00718 05000	PC
500 ml	00719	FEHLING SOLUTION 'B'		00719 00500	PB
5 Lt		(Fehling solution No.2) (d. 1.23 - 1.25)		00719 05000	PC
500 ml	00720	FENNEL OIL Extra Pure (d. 0.963)		00720 00500	GB
500 gm	00721	FERRIC ACETATE (CAS No.10450-55-2) [iron (III) acetate]		00721 00500	PB
		FERRIC ALUM See Ammonium Ferric Sulphate Cat No.113 & 113A Page 15			
		FERRIC AMMONIUM CITRATE See Ammonium Ferric Citrate Cat No.112 Page 15			
		FERRIC AMMONIUM SULPHATE See Ammonium Ferric Sulphate Cat No.113 & 113A Page 15			
500 gm	00724	FERRIC BORATE [iron (III) borate]	20542-97-6	00724 00500	PB
500 gm	00725	FERRIC BROMIDE[iron (III) bromide]	10031-26-2	00725 00500	PB
		Assay : Min. 98% FeBr3 M.W. 295.56			
500 gm	00726	FERRIC CARBONATE [iron (III) carbonate]		00726 00500	PB
500 gm	00727	FERRIC CHLORIDE (anhydrous)	7705-08-0	00727 00500	PB
5 Kg		[iron (III) chloride]		00727 05000	PC
50 Kg		Assay : Min. 97% FeCl3 M.W. 162.20		00727 50000	FD
500 gm	0727A	FERRIC CHLORIDE (anhydrous) AR	7705-08-0	0727A 00500	PB
		[iron (III) chloride] Assay : Min. 98% FeCl3 M.W. 162.20			
500 gm	0727B	FERRIC CHLORIDE (hexahydrate)	10025-77-1	0727B 00500	PB
		Assay : Min. 98.5% FeCl3.6H2O M.W. 270.30			
500 gm	0727C	FERRIC CHLORIDE (hexahydrate) AR	10025-77-1	0727C 00500	PB
		Assay : Min. 99% FeCl3.6H2O M.W. 270.30			
500 gm	00728	FERRIC CHLORIDE (lumps)	10025-77-1	00728 00500	PB
5 Kg		[iron (III) chloride 6-hydrate]		00728 05000	PC
50 Kg		Assay : Min. 98% FeCl3.6H2O M.W. 270.30		00728 50000	PD
500 ml	02276	FERRIC CHLORIDE 10% solution w/v, Liquid, d. 1.086		02276 00500	PB
500 gm	00729	FERRIC CITRATE (tribasic) (monohydrate)		00729 00500	PB
		[iron (III) citrate] Assay (Fe) : Min. 18-20% C6H5FeO7·H2O M.W. 262.96			
500 gm	00731	FERRIC NITRATE [iron (III) nitrate]	2338-05-8	00731 00500	PB
5 Kg		Assay : Min. 98% Fe(NO3)3.9H2O M.W. 404.00		00731 05000	PC
500 gm	0731A	FERRIC NITRATE AR [iron (III) nitrate]	7782-61-8	0731A 00500	PB
		Assay : Min. 99% Fe(NO3)3.9H2O M.W. 404.00			
500 gm	00732	FERRIC OXALATE (hexahydrate)	7782-61-8	00732 00500	PB
		[iron (III) oxalate]			
		Assay (ex Fe) : Min. 22-25% C6Fe2O12·6H2O M.W. 483.84			
500 gm	0732A	FERRIC OXIDE (black) (practical)	1309-37-1	0732A 00500	PB
5 Kg		[iron (III) oxide black] Assay : Min. 98% Fe2O3 M.W. 159.69		0732A 05000	PC
500 gm	00733	FERRIC OXIDE (red) (practical)	1309-37-1	00733 00500	PB
		[iron (III) oxide red] Assay : Min. 95% Fe2O3 M.W. 159.69			
500 gm	0733A	FERRIC OXIDE (red) Extra Pure	1309-37-1	0733A 00500	PB
		[iron (III) oxide red] Assay : Min. 95-98% Fe2O3 M.W. 159.69			
500 gm	0733D	FERRIC OXIDE YELLOW (for synthesis)	1309-37-1	0733D 00500	PB
5 Kg		Assay (as Fe2O3 yellow) : Min. 86-88% Fe2O3.H2O M.W. 177.71		0733D 05000	PC
500 gm	00734	FERRIC PHOSPHATE [iron (III) phosphate]	10045-86-0	00734 00500	PB
		Assay (ex Fe) : Min. 29% FePO4·2H2O M.W. 186.85			
500 gm	0734A	FERRIC PYROPHOSPHATE PURE	10058-44-3	0734A 00500	PB
		Assay : Min. 97% Fe4(P2O7)3 M.W. 745.21			
500 gm	00735	FERRIC SULPHATE hydrate[iron (III) sulphate]	15244-10-7	00735 00500	PB
		Assay (ex Fe) : Min. 20% Fe2(SO4)3.xH2O M.W. 399.88			
500 gm	0735A	FERRIC SULPHATE AR hydrate [iron (III) sulphate]	15244-10-7	0735A 00500	PB
		Assay (ex Fe) : Min. 20% Fe2(SO4)3.xH2O M.W. 399.88			
500 gm	00736	FERRIC TARTRATE [iron (III) tartrate]	2944-68-5	00736 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay (ex Fe) : Min. 18.5-23% $Fe_2(C_4H_4O_6)_3$ M.W. 555.90			
25 gm	02277	FERROCENE (for synthesis)	102-54-5	02277 00025	GB
100 gm		(dicylopentadienyliron) Assay : Min. 98% $C_{10}H_{10}Fe$ M.W. 186.03		02277 00100	PB
100 ml	00737	FERROIN SOLUTION AR (0.025 M) (redox indicator)		00737 00100	GB
250 ml		(CAS No.14634-91-4) $C_{36}H_{24}FeN_6SO_4$ M.W. 692.52, Liquid, d. 1.006		00737 00250	GB
		FERROUS AMMONIUM SULPHATE See Ammonium Ferrous Sulphate Cat No.114 & 114A Page 15			
500 gm	0737A	FERROUS BORATE [iron (II) borate]		0737A 00500	PB
500 gm	0737B	FERROUS BROMIDE [iron (II) bromide]	7789-46-0	0737B 00500	PB
		Assay : Min. 98% $FeBr_2$ M.W. 215.65			
500 gm	00738	FERROUS CARBONATE [iron (II) carbonate]	563-71-3	00738 00500	PB
500 gm	00739	FERROUS CHLORIDE (practical) (tetrahydrate)	13478-10-9	00739 00500	PB
		[iron (II) chloride] Assay : Min. 98% $FeCl_2.4H_2O$ M.W. 198.81			
500 gm	02281	FERROUS CHLORIDE (tetrahydrate) purified	13478-10-9	02281 00500	PB
5 Kg		[iron (II) chloride] Assay : Min. 99% $FeCl_2.4H_2O$ M.W. 198.81		02281 05000	PC
500 gm	0740A	FERROUS FLUORIDE [iron (II) fluoride]	7789-28-8	0740A 00500	PB
		Assay : Min. 98% FeF_2 M.W. 93.84			
500 gm	0740B	FERROUS FUMARATE [iron (II) fumarate]	141-01-5	0740B 00500	PB
		Assay : Min. 97% $C_4H_2FeO_4$ M.W. 169.90			
500 gm	0740C	FERROUS GLUCONATE	22830-45-1	0740C 00500	PB
		Assay : Min. 98% $C_{12}H_{22}FeO_{14}·2H_2O$ M.W. 482.17			
500 gm	00741	FERROUS OXALATE [iron (II) oxalate]	6047-25-2	00741 00500	PB
		Assay : Min. 99% $C_2FeO_4·2H_2O$ M.W. 179.89			
500 gm	00742	FERROUS PHOSPHATE[iron (II) phosphate]	14940-41-1	00742 00500	PB
		Assay : Min. 98% $Fe_3O_8P_2$ M.W. 357.47			
500 gm	00743	FERROUS SULPHATE (heptahydrate)	7782-63-0	00743 00500	PB
5 Kg		[iron (II) sulphate]		00743 05000	PC
50 Kg		Assay : Min. 98.5-104.5% $FeSO_4.7H_2O$ M.W. 278.01		00743 50000	FD
500 gm	0743A	FERROUS SULPHATE AR (heptahydrate)	7782-63-0	0743A 00500	PB
25 Kg		[iron (II) sulphate] Assay : Min. 99% $FeSO_4.7H_2O$ M.W. 278.01		0743A 25000	PB
500 gm	0743B	FERROUS SULPHATE (dried) (exsiccated white powder)	13463-43-9	0743B 00500	PB
50 kg				0743B 50000	PD
		Assay : Min. 97% $FeSO_4·aq$ M.W. 151.91(anhy. Basis)			
500 gm	00744	FERROUS SULPHIDE POWDER	1317-37-9	00744 00500	PB
5 Kg		[iron (II) sulphide powder]		00744 50000	PD
		Assay (Fe) : Min. 67-72% FeS M.W. 87.91			
500 gm	00745	FERROUS SULPHIDE STICKS	1317-37-9	00745 00500	PB
5 Kg		[iron (II) sulphide sticks] (selected sticks for producing H_2S)		00745 05000	PC
50 Kg		Assay (Sulphide, Sulphur) : Min. 29% FeS M.W. 87.91		00745 50000	PD
1 gm	2283B	FERROZINE Extra pure	69898-45-9	2283B 00001	GB
5 gm		(3-(2-Pyridyl)-5,6-diphenyl-1,2,4-triazine-4',4"-disulphonic acid monosodium salt)		2283B 00005	GB
25 gm		Assay : Min. 97% $C_{20}H_{13}N_4O_6S_2Na$ M.W. 492.46		2283B 00025	GB
10 gm	2283A	FERULIC ACID Pure	537-98-4	2283A 00010	GB
25 gm		(4-Hydroxy-3-methoxycinnamic acid, Pure)		2283A 00025	GB
		Assay : Min. 99% $C_{10}H_{10}O_4$ M.W. 194.18			
		FEULGEN REAGENT solution See Schiff's Reagent solution Cat No.1304 Page 171			
25 gm	02283	FIELD'S STAIN 'A' POWDER		02283 00025	GB
100 gm				02283 00100	PB
500 gm				02283 00500	PB
125 ml	0745A	FIELD'S STAIN 'A' solution, Liquid, d. 0.89		0745A 00125	PB
500 ml		(microscopical staining)		0745A 00500	PB
25 gm	02284	FIELD'S STAIN 'B' POWDER		02284 00025	GB
100 gm				02284 00100	PB
500 gm				02284 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
125 ml	0745B	FIELD'S STAIN 'B' solution		0745B 00125	PB
500 ml		(microscopical staining)		0745B 00500	PB
100 gm	0745C	FLORISIL POWDER (60-100 mesh)	1343-88-0	0745C 00100	PB
500 gm				0745C 00500	PB
5 gm	0745E	FLUCONAZOLE	86386-73-4	0745E 00005	GB
		Assay : Min. 98% C13H12F2N6O M.W. 306.27			
500 ml	0745D	FLUOBORIC ACID 40% (borofluoric acid)	16872-11-0	0745D 00500	GB
		Assay : Min. 40% HBF4 MW 87.81, Liquid, d. 1.38			
100 gm	00746	FLUORENE (diphenylenene methane)	86-73-7	00746 00100	PB
250 gm		Assay : Min. 98% C13H10 M.W. 166.22		00746 00250	PB
5 gm	0746A	9-FLUORENONE 2-CARBOXYLIC ACID	784-50-9	0746A 00005	GB
25 gm		(for synthesis) Assay : Min. 98% C14H8O3 M.W 224.21		0746A 00025	GB
25 gm	00747	FLUORESCEIN (M.S)	2321-07-5	00747 00025	GB
100 gm		(C. I. No.45350)		00747 00100	PB
500 gm		Assay : Min. 98% C20H12O5 M.W. 332.31		00747 00500	PB
		FLUORESCEIN COMPLEXONE See Calceine indicator Cat No.370 Page 45			
25 gm	00748	FLUORESCEIN SODIUM	518-47-8	00748 00025	GB
100 gm		(C. I. No.45350)		00748 00100	PB
500 gm		Assay : Min. 98% C20H10Na2O5 M.W. 376.28		00748 00500	PB
25 gm	0748A	4-FLUORO ACETOPHENONE (for synthesis)	403-42-9	0748A 00025	GB
100 gm		Assay : Min. 98% C8H7FO M.W 138.34, Liquid, d. 1.138		0748A 00100	PB
100 ml	0748B	2-FLUORO ANILINE (for synthesis)	348-54-9	0748B 00100	GB
500 ml		Assay : Min. 99% C6H6FN M.W. 111.12, Liquid, d. 1.151		0748B 00500	GBT
100 ml	0748C	4-FLUORO ANILINE (for synthesis)	371-40-4	0748C 00100	GB
500 ml		Assay : Min. 98% C6H6FN M.W. 111.12, Liquid, d. 1.173		0748C 00500	GBT
100 ml	0748F	p-FLUROBENZALDEHYDE	459-57-4	0748F 00100	GB
250 ml		Assay : Min. 98% C7H5FO M.W 124.11, Liquid, 1.157		0748F 00250	GBT
500 ml	0748D	FLUOROBENZENE (for synthesis)	462-06-6	0748D 00500	GBT
2.5 Lt		Assay : Min. 98% C6H5F M.W. 96.10, Liquid, 1.024		0748D 02500	GBT
100 gm	0748E	4-FLUORO BENZOIC ACID	456-22-4	0748E 00100	PB
500 gm		Assay : Min. 99% C7H5FO2 M. W. 140.11		0748E 00500	PB
100 ml	00749	1-FLURO-4-NITROBENZENE (for synthesis)	350-46-9	00749 00100	GB
		Assay : Min. 98% C6H4FNO2 M.W. 141.10, Liquid, d. 1.33			
		1-FLUORO-2,4,-DINITROBENZENE See 2,4-Dinitro-1-Fluorobenzene Cat No.2247 Page 80			
25 gm	0749A	4-FLUOROPHENOL	371-41-5	0749A 00025	GB
100 gm		Assay : Min. 98.5% C6H5FO M.W. 112.1		0749A 00100	PB
10 gm	0748G	1-(4-FLUOROPHENYL) PIPERAZINE	2252-63-3	0748G 00010	GB
25 gm		Assay : Min. 98% C10H13FN2 M.W 180.22		0748G 00025	GB
1 gm	02285	5-FLUOROURACIL Extra Pure (for biochemistry)	51-21-8	02285 00001	GB
5 gm		(2,4-dihydroxy-5-fluoropyrimidine)		02285 00005	GB
		Assay : Min. 99% C4H3FN2O2 M.W. 130.08			
25 gm	00750	FOLIC ACID	59-30-3	00750 00005	GB
100 gm		(for biochemistry)		00750 00100	PB
1 Kg		Assay : Min. 97% C19H19N7O6 M.W. 441.40		00750 01000	PB
100 ml	00751	FOLIN & CIOCALTEU'S PHENOL REAGENT		00751 00100	GB
500 ml		(phenol reagent) (d. 1.24)		00751 00500	GB
500 ml	0751A	FOLIN & WU'S PHOSPHATE - MOLYBDATE SOLUTION		0751A 00500	GB
		(phosphate molybdate solution)			
500 ml	00752	FORMALDEHYDE SOLUTION	50-00-0	00752 00500	PB
2.5 Lt		(37-41% w/v H.CHO)		00752 02500	PB
5 Lt		(formaline solution)		00752 05000	PC
25 Lt		Assay : Min. 37-41% HCHO M.W. 30.03		00752 25000	PD
200 Lt		Liquid, d. 1.09		00752 0200L	PD
500 ml	0752A	FORMALDEHYDE SOLUTION AR	50-00-0	0752A 00500	PB
2.5 Lt		(formaline solution), Liquid, d. 1.09		0752A 02500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 Lt		Assay : Min. 37-41% HCHO M.W. 30.03		0752A 25000	PD
500 ml	0752B	FORMALDEHYDE SOLUTION(For Molecular Biology)	50-00-0	0752B 00500	GB
		(Formalin, Methanal) Assay : Min. 37% CH2O M.W. 30.03, Liquid, d. 1.09			
500 ml	00753	FORMAMIDE (for synthesis)	75-12-7	00753 00500	PB
2.5 Lt		Assay : Min. 98% CONH3 M.W. 45.04, Liquid,d. 1.134		00753 02500	PB
500 ml	0753A	FORMAMIDE AR	75-12-7	0753A 00500	GB
2.5 Lt		Assay : Min. 99% CONH3 M.W. 45.04, Liquid,d. 1.134		0753A 02500	GB
500 ml	0753B	FORMAMIDE (For Molecular Biology)	75-12-7	0753B 00500	GB
1 Lt		Forms a clear colourless solution in water (10%)		0753B 01000	GB
		Assay : Min. 99.5% CONH3 M.W. 45.04, Liquid,d. 1.134			
500 ml	00754	FORMIC ACID 85% (for synthesis)	64-18-6	00754 00500	PB
2.5 Lt		Assay : Min. 85% CH2O2 M.W. 46.03, Liquid,d. 1.22		00754 02500	PB
500 ml	02286	FORMIC ACID 90%	64-18-6	02286 00500	PB
		Assay : Min. 90% CH2O2 M.W. 46.03, Liquid,d. 1.22			
500 ml	02291	FORMIC ACID 90% AR	64-18-6	02291 00500	GB
		Assay : Min. 90% CH2O2 M.W. 46.03, Liquid,d. 1.22			
500 ml	02296	FORMIC ACID 98-100%	64-18-6	02296 00500	GBT
		Assay : Min. 98% CH2O2 M.W. 46.03, Liquid,d. 1.22			
500 ml	02301	FORMIC ACID 98-100% AR	64-18-6	02301 00500	GBT
		Assay : Min. 98-100% CH2O2 M.W. 46.03, Liquid,d. 1.22			
125 ml	00755	FOUCHET'S REAGENT		00755 00125	GB
500 ml		(for bile pigment)		00755 00500	GB
500 ml	0755A	FOUGLER'S REAGENT solution		0755A 00500	GB
500 gm	00756	FRENCH CHALK POWDER Extra Pure	14807-96-6	00756 00500	PB
5 Kg		(talcum powder)		00756 05000	PC
50 Kg		MgO·4SiO2·H2O M.W. 379.27		00756 50000	PD
100 gm	00757	D-(-)-FRUCTOSE	57-48-7	00757 00100	PB
500 gm		(levulose)		00757 00500	PB
5 Kg		Assay : Min. 98% C6H12O6 M.W. 180.16		00757 05000	PC
100 gm	0757A	D-(-)-FRUCTOSE AR (For Molecular Biology)	57-48-7	0757A 00100	PB
500 gm		(levulose)		0757A 00500	PB
5 Kg		Assay : Min. 99% C6H12O6 M.W. 180.16		0757A 05000	PC
5 gm	0757B	D-FRUCTOSE-1,6-DIPHOSPHATE, TETRASODIUM SALT	23784-19-2	0757B 00005	GB
		Assay : Min. 99% C6H10O12P2Na4 M.W. 428.04			
25 gm	00758	FUCHSIN ACID (M.S.) (C.I.No.42685)	3244-88-0	00758 00025	GB
100 gm		(magenta acid) (acid fuchsin)		00758 00100	PB
500 gm		Dye Content : Min. 70% C20H17N3Na2O9S3 M.W. 585.54		00758 00500	PB
125 ml	00759	FUCHSIN ACID staining solution		00759 00125	PB
500 ml		(acid fuchsin solution)		00759 00500	PB
		FUCHSIN BASIC See Basic Fuchsin Cat No.224 & 1877 Page 26			
500 gm	00760	FULLER'S EARTH	8031-18-3	00760 00500	PB
500 gm	00761	FUMARIC ACID (for synthesis)	110-17-8	00761 00500	PB
		Assay : Min. 99% C4H4O4 M.W. 116.07			
500 gm	02306	FUMARIC ACID AR	110-17-8	02306 00500	PB
		Assay : Min. 99.5-100.5% C4H4O4 M.W. 116.07			
		FUNGAL DIASTASE See Diastase Cat No.598 & 598A Page 70			
250 mg	0759A	D-(+)-FUCOSE	3615-37-0	0759A 0250M	GB
1 gm		Assay : Min. 98% C6H12O5 M.W. 164.16		0759A 00001	GB
1 gm	0759B	L-(-)-FUCOSE	2438-80-4	0759B 00001	GB
		Assay : Min. 99% C6H12O5 M.W. 164.16			
500 ml	00762	FURFURALDEHYDE (for synthesis) (furfural)	98-01-1	00762 00500	GBT
		Assay : Min. 98% C5H4O2 M.W. 96.09, Liquid, d. 1.16			
500 ml	0762A	FURFURALDEHYDE AR (furfural)	98-01-1	0762A 00500	GBT
		Assay : Min. 99% C5H4O2 M.W. 96.09, Liquid, d. 1.16			
500 ml	0762B	FURFURYL ALCOHOL (for synthesis)	98-00-0	0762B 00500	GB
		Assay : Min. 98% C5H6O2 M.W. 98.10, Liquid, d. 1.135			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 ml	2306A	FURAN **NEW**	110-00-9	2306A 00100	GB
500 ml		C4H4O M.W. 68.08 Liquid, d. 0.936		2306A 00500	GB
500 ml	0762C	FURFURYLAMINE (for synthesis)	617-89-0	0762C 00500	GB
		Assay : Min. 98% C5H7NO M.W. 97.12, Liquid, d. 1.099			
		6-FURFURYL AMINOPURINE See Kinetine Cat No.843C Page 113			
500 gm	00763	FUSION MIXTURE (sodium potassium carbonate)	10424-09-6	00763 00500	PB
G					
5 gm	0763A	GADOLINIUM (III) CARBONATE	38245-36-2	0763A 00005	GB
25 gm		Assay : Min. 99% C3Gd2O9.xH2O M.W 494.53 (anhy. basis)		0763A 00025	GB
5 gm	0763C	GADOLINIUM (III) CHLORIDE (hexahydrate)	13450-84-5	0763C 00005	GB
25 gm		Assay : Min. 99.9% GdCl3·6H2O M.W. 371.70		0763C 00025	GB
5 gm	02310	GADOLINIUM (III) OXIDE	12064-62-9	02310 00005	GB
25 gm		Assay : Min. 99.9% Gd2O3 M.W. 362.50		02310 00025	GB
5 gm	0763B	GADOLINIUM (III) SULPHATE	13450-87-8	0763B 00005	GB
25 gm		Assay : Min. 99% Gd2O12S3.8H2O M.W. 746.81		0763B 00025	GB
		GALACTITOL See Dulcitol Cat No. 656C Page 83			
25 gm	00764	D-(+)-GALACTOSE (For Molecular Biology)	59-23-4	00764 00025	GB
100 gm				00764 00100	PB
500 gm		Assay : Min. 99% C6H12O6 M.W. 180.16		00764 00500	PB
250 gm	00765	GALLIC ACID (3, 4, 5-trihydroxybenzoic acid)	5995-86-8	00765 00250	PB
500 gm		Assay : Min. 98% C7H6O5.H2O M.W. 188.13		00765 00500	PB
5 gm	2310A	GALLIUM (metal) 99.99%	7440-55-3	2310A 00005	GB
10 gm		Assay : Min. 99.99% Ga M.W 69.72, Solid/Liquid, d. 5.904		2310A 00010	GB
5 gm	2310B	GALLIUM (metal) 99.999%	7440-55-3	2310B 00005	GB
10 gm		Assay : Min. 99.999% Ga M.W 69.72, Solid/Liquid, d. 5.904		2310B 00010	GB
1 gm	2310C	GALLIUM (III) CHLORIDE	13450-90-3	2310C 00001	GB
		Assay : Min. 99.99% GaCl3 M.W 176.08			
5 gm	00766	GALLOCYANINE (C.I.No.51030)	1562-85-2	00766 00005	GB
25 gm		Dye Content : Min. 90% C15H13ClN2O5 M.W. 336.73		00766 00025	GB
1 gm	0766A	GALLOCYANINE CHLORIDE AR	524-26-5	0766A 00001	GB
		C15H12N2O5 M.W. 300.27			
100 ml	00769	GARLIC OIL Extra Pure	8000-78-0	00769 00100	GB
250 ml		Liquid, d. 1.073		00769 00250	GB
500 gm	00770	GELATINE POWDER (for bacteriology)	9000-70-8	00770 00500	PB
5 Kg				00770 05000	PB
100 gm	2310D	GELLAN GUM Extra Pure	71010-52-1	2310D 00100	PB
500 gm		(agar substitute gelling agent) (phytagel)		2310D 00500	PB
5 gm	0769A	GENTAMYSIN SULPHATE Extra Pure	1405-41-0	0769A 00005	GB
25 gm		(for lab use)		0769A 00025	GB
100 gm				0769A 00100	PB
		GENTIAN VIOLET See Crystal Violet Cat No.574 Page 66			
		GENTIAN VIOLET AR See Crystal Violet AR Cat No.574A Page 66			
125 ml	0770A	GENTIAN VIOLET SOLUTION		0770A 00125	PB
500 ml		(aqueous staining solution)		0770A 00500	PB
125 ml	0770B	GENTIAN VIOLET SOLUTION		0770B 00125	PB
500 ml		(alcoholic solution)		0770B 00500	PB
100 ml	0770D	GERANIUM OIL Extra Pure	8000-46-2	0770D 00100	GB
500 ml		Liquid, d. 0.887		0770D 00500	GB
500 gm	00771	GERANYL ACETATE	105-87-3	00771 00500	GB
		Assay : Min. 98% C12H20O2 M.W. 196.29, Liquid, d. 0.916			
500 gm	0771A	GERANYL BUTYRATE	106-29-6	0771A 00500	GB
		C14H24O2 M.W 224.34, Liquid, d. 0.896			
500 gm	0771B	GERANYL FORMATE (d. 0.91)	105-86-2	0771B 00500	GB
		C11H18O2 M.W 182.26, Liquid, d. 0.915			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	0771D	GERANYL PROPIONATE	105-90-8	0771D 00500	GB
		C13H22O2 M.W. 210.31, Liquid, d. 0.899			
1 gm	0771E	GERMANIUM (metal) LUMPS 99.999%	7440-56-4	0771E 00001	GB
5 gm		Assay : Min. 99.999% Ge M.W. 72.64 GB 5 gm 81129200 18 17346		0771E 00005	GB
1 gm	0771F	GERMANIUM (metal) POWDER 99.9%	7440-56-4	0771F 00001	GB
5 gm		Assay : Min. 99.9% Ge M.W. 72.64		0771F 00005	GB
1 gm	0771G	GERMANIUM DIOXIDE (electronic grade)	1310-53-8	0771G 00001	GB
10 gm		(germanium (IV) oxide) Assay : Min. 99.999% GeO2 M.W. 104.64		0771G 00010	GB
		GIBBS REAGENT AR See 2, 6-Dichloroquinone-4-Chlorimide Cat No.612B Page 73			
25 gm	00773	GIEMSA'S STAIN	51811-82-6	00773 00025	GB
100 gm		(for microscopy)		00773 00100	PB
500 gm		C14H14ClN3S M.W. 291.80		00773 00500	PB
125 ml	00774	GIEMSA'S STAIN SOLUTION		00774 00125	PB
500 ml		(azur-eosin-methylene blue staining solution)		00774 00500	PB
500 ml	02311	GINGER OIL Extra Pure , Liquid, d. 0.871	8007-08-7	02311 00500	GB
25 gm	0774C	GINSENG powder (purified)	50647-08-0	0774C 00025	GB
100 gm				0774C 00100	PB
25 gm	0774D	GINSENG extract (purified)	90045-38-8	0774D 00025	GB
100 gm				0774D 00100	PB
25 gm	0774E	GIRARD'S REAGENT P AR	1126-58-5	0774E 00025	GB
100 gm		Assay : Min. 98% C7H10ClN3O M.W. 187.63		0774E 00100	PB
500 gm	00775	GLASS BEADS (drilled)		00775 00500	PB
500 gm	00776	GLASS BEADS (undrilled)		00776 00500	PB
250 gm	00777	GLASS WOOL	65997-19-3	00777 00250	PB
500 gm		(low in lead)		00777 00500	PB
500 mg	0777A	GLOBULIN (y-) (bovine)	9007-83-4	0777A 0500M	GB
1 gm		Assay : Min. 98%		0777A 00001	GB
500 ml	00778	GLUCONIC ACID (approx. 50%)	526-95-4	00778 00500	GB
		C6H12O7 M.W 196.16, Liquid, d. 1.234			
		GLUCOSAMINE HYDROCHLORIDE [D-(+)] See Chitosamine Hydrochloride Cat No.2095 Page 53			
		GLUCOSE See Dextrose Cat No.591A, 591B, 592, 592A & 592B Page 70			
Vial	2311A	GLUCOSE OXIDASE (vial of 10000 units)	9001-37-0	2311A 01VIA	GB
		(from aspergillus nigar)			
1 gm	0778A	GLUCOSE-1-PHOSPHATE DIPOTASSIUM SALT (for biochemistry)	5996-14-5	0778A 00001	GB
5 gm		(store in refrigerator)		0778A 00005	GB
		Assay : Min. 99% C6H11K2O9P.xH2O M.W. 336.32 (anhy basis)			
1 gm	0778B	GLUCOSE-1-PHOSPHATE DISODIUM SALT (for biochemistry)	150399-99-8	0778B 00001	GB
5 gm		(store in refrigerator)		0778B 00005	GB
1 gm	0778C	GLUCOSE-6-PHOSPHATE DISODIUM SALT AR	3671-99-6	0778C 00001	GB
5 gm		(store in refrigerator)		0778C 00005	GB
		Assay : Min. 98% C6H11Na2O9P·xH2O M.W. 304.10 (Anhyd. basis)			
100 ml	0778D	GLUCOSE STANDARD STOCK SOLUTION (1% w/v)		0778D 00100	PB
500 ml		Liquid, d. 1.0		0778D 00500	PB
25 gm	0778E	DL-GLUTAMIC ACID (monohydrate)	19285-83-7	0778E 00025	GB
100 gm		Assay : Min. 98% C5H9NO4·H2O M.W. 165.14		0778E 00100	PB
100 gm	00779	L-GLUTAMIC ACID	56-86-0	00779 00100	PB
500 gm		(for biochemistry)		00779 00500	PB
5 Kg		Assay : Min. 99% C5H9NO4 M.W. 147.13		00779 05000	PC
		L-GLUTAMIC ACID MONO SODIUM SALT See Sodium-L-Glutamate Cat 1379 Page 180			
25 gm	0779A	L-GLUTAMINE	56-85-9	0779A 00025	GB
100 gm		(for biochemistry)		0779A 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 99% C5H10N2O3 M.W. 146.15		0779A 00500	PB
500 ml	0779B	GLUTARALDEHYDE (25% aqueous solution)	111-30-8	0779B 00500	GB
		Assay : Min. 25% C5H8O2 M.W. 100.12, Liquid, d. 1.06			
100 ml	0779E	GLUTARALDEHYDE 8% Solution	111-30-8	0779E 00100	GB
		In Water Fixing Agent , Liquid, d. 1.016			
100 gm	0779C	GLUTARIC ACID Extra Pure (pentanedioic acid)	110-94-1	0779C 00100	GB
500 gm		Assay : Min. 99% C5H8O4 M.W. 132.11		0779C 00500	PB
25 gm	0779F	GLUTARIC ANHYDRIDE	108-55-4	0779F 00025	GB
		Assay : Min. 98% C5H6O3 M.W. 114.1			
1 gm	0779D	L-GLUTATHIONE reduced (For Molecular Biology)	70-18-8	0779D 00001	GB
5 gm		Store at 2 - 8°C		0779D 00005	GB
25 gm		Assay : Min. 99% C10H17N3O6S M.W. 307.33		0779D 00025	GB
250 ml	00780	GLYCERINE purified	56-81-5	00780 00250	PB
500 ml		(1,2,3-Propanetriol) (glycerol)		00780 00500	PB
2.5 Lt		Assay : Min. 98% C3H8O3 M.W. 92.09, Liquid, d. 1.25		07780 02500	PB
5 Lt				00780 05000	PC
25 Lt				00780 25000	PD
500 ml	0780A	GLYCERINE AR (1,2,3-Propanetriol) (glycerol)	56-81-5	0780A 00500	GB
2.5 Lt		Assay : Min. 99% C3H8O3 M.W. 92.09, Liquid, d. 1.25		0780A 02500	GB
500 ml	0780C	GLYCERINE (For Molecular Biology) , Liquid, d. 1.25	56-81-5	0780C 00500	GB
		(1,2,3-Propanetriol) (glycerol) Assay : Min. 99.5% C3H8O3 M.W. 92.09			
500 gm	0780B	GLYCEROL MONO OLEATE	111-03-5	0780B 00500	PB
		Assay : Min. 99% C21H40O4 M.W. 356.54			
500 gm	00781	GLYCEROL MONO STEARATE	123-94-4	00781 00500	PB
		C21H42O4 M.W. 358.56			
500 ml	0781A	GLYCEROL TRIACETATE (triacetin)	123-94-4	0781A 00500	GB
		Assay : Min. 99% C9H14O6 M.W. 218.21, Liquid, d. 1.16			
		GLYCEROL TRIBUTYRATE See Tributyrin Cat No.1536B Page 202			
		GLYCINE See Aminoacetic Acid Cat No.079 & 079A Page 10			
25 gm	2311B	GLYCINE ANHYDRIDE (2,5-piperazinediene)	106-57-0	2311B 00025	GB
100 gm		Assay : Min. 99% C4H6N2O2 M.W 114.10		2311B 00100	PB
100 gm	2311C	GLYCINE ETHYLESTER HYDROCHLORIDE (for synthesis)	623-33-6	2311C 00100	PB
500 gm		Assay : Min. 99% C4H9NO2.HCl M.W. 139.6		2311C 00500	PB
250 ml	2311D	GLYCOFUROL Liquid, d. 1.09	31692-85-0	2311D 00250	GB
		(Tetraglycol ; Tetrahydrofurfuryl alcohol polyethyleneglycol ether)			
1 gm	0781B	GLYCOGEN (From Oysters) Type II (For Molecular Biology)	9005-79-2	0781B 00001	GB
5 gm		Assay : Min. 90% (C6H10O5)n		0781B 00005	GB
500 ml	0781C	GLYCOLIC ACID 70% (in water) (for synthesis)	79-14-1	0781C 00500	GB
		Assay : Min. 70% C2H4O3 M.W. 76.05, Liquid, d. 1.25			
10 gm	0781D	GLYCYL GLYCINE (for biochemistry)	556-50-3	0781D 00010	GB
25 gm		(Gly-Gly, diglycine) useful pH range 7.5-8.9		0781D 00025	GB
100 gm		Assay : Min. 99% C4H8N2O3 M.W. 132.12 PB 100 gm 29241900 18 4484		0781D 00100	PB
500 ml	00782	GLYOXAL (liquid) 40% (for synthesis)	107-22-2	00782 00500	GB
		Assay : Min. 40% C2H2O2 M.W 58.04, Liquid, d. 1.265			
		GLYOXAL-BIS-(2-HYDROXYANIL) See 1,2-bis (2-Hydroxyphenylimino) Ethane Cat No.1924 Page 32			
		GLYOXALINE See Imidazole Cat No.822B & 822C Page 108			
250 ml	0782A	GLYOXYLIC ACID 50% solution	298-12-4	0782A 00250	GB
500 ml		Assay : Min. 40% C2H2O3 M.W. 74.04, Liquid, d. 1.34		0782A 00500	GB
125 ml	0782B	GOLD AAS STANDARD SOLUTION, Liquid, d. 1.033		0782B 00125	GB
500 ml		1000mg/L in Hydrochloric Acid		0782B 00500	GB
125 ml	0782C	GOLD ICP STANDARD SOLUTION 1000mg/L in Hydrochloric Acid		0782C 00125	GB
		Liquid, d. 1.033			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		GOLD CHLORIDE See Auric Chloride Cat No.192A & 192B Page 23			
1 gm	02312	GOLD POTASSIUM CYANIDE (potassium gold cyanide)	13967-50-5	02312 00001	GB
5 gm		Assay (Au) : Min. 40% KAu(CN)2 M.W. 288.10		02312 00005	GB
500 ml	00783	GOWER'S SOLUTION (R.B.C. diluting fluid)		00783 00500	PB
25 gm	02316	GRAM'S IODINE (for microscopy)	12298-68-9	02316 00025	GB
100 gm				02316 00025	GB
125 ml	00784	GRAM'S IODINE staining solution		00784 00125	GB
500 ml		Liquid, d. 1.027		00784 00500	GB
Kit	02317	GRAM'S STAINING KIT (each 125ml stain solution)		02317 01KIT	GB
500 gm	00785	GRAPHITE POWDER	7782-42-5	00785 00500	PB
5 Kg		Assay : Min. 99% C M.W. 12.01		00785 05000	PC
500 ml	0785A	GROUNDNUT OIL Liquid, d. 0.91	8002-03-7	0785A 00500	GB
500 ml	00786	GUAIACOL (liquid) (o-methoxy phenol) (d. 1.13)	90-05-1	00786 00500	GB
		Assay : Min. 99% C7H8O2 M.W. 124.14, Liquid, d. 1.129			
500 gm	0786A	GUANIDINE CARBONATE (Guanidinium carbonate)	593-85-1	0786A 00500	PB
		Assay : Min. 98% C3H12N6O3 M.W. 180.17			
25 gm	00787	GUANIDINE HYDROCHLORIDE (for biochemistry)	50-01-1	00787 00025	GB
100 gm		(guanidium chloride)		00787 00100	PB
500 gm		Assay : Min. 99% CH5N3.HCl M.W. 95.53		00787 00500	PB
500 gm	00788	GUANIDINE NITRATE (guanidium nitrate)	506-93-4	00788 00500	PB
		Assay : Min. 98% CH5N3.HNO3 M.W. 122.08			
100 gm	02319	GUANIDINE THIOCYANATE (for molecular biology)	593-84-0	02319 00100	PB
500 gm		(guanidine rhodanide)		02319 00500	PB
		Assay : Min. 99% CH5N3.CHNS M.W. 118.16			
5 gm	0788A	GUANINE (For Molecular Biology)	73-40-5	0788A 00005	GB
25 gm		Assay : Min. 98% C5H5N5O M.W. 151.13		0788A 00025	GB
5 gm	0788B	GUANINE HYDROCHLORIDE	635-39-2	0788B 00005	GB
25 gm		Assay : Min. 99% C5H5N5O.HCl M.W. 187.59		0788B 00025	GB
100 gm				0788B 00100	PB
5 gm	0788C	GUANINE SULPHATE	10333-92-3	0788C 00005	GB
25 gm		Assay : Min. 99% C5H7N5O5S M.W. 249.206		0788C 00025	GB
5 gm	0788D	GUANOSINE	118-00-3	0788D 00005	GB
25 gm		(for biochemistry)		0788D 00025	GB
100 gm		Assay : Min. 99% C10H13N5O5 M.W. 283.25		0788D 00100	PB
		GUM ACACIA See Acacia Cat No.1621 & 1621A Page 1			
100 gm	00790	GUM GHATTI Extra Pure	9000-28-6	00790 00100	PB
500 gm				00790 00500	PB
125 ml	0790A	GUM GHATTI Solution		0790A 00125	PB
500 ml				0790A 00500	PB
500 gm	00791	GUM GUAR Extra Pure	9000-30-0	00791 00500	PB
500 gm	0791A	GUM KARAYA Extra Pure	9000-36-6	0791A 00500	PB
2.5 Kg		(karaya gum)		0791A 02500	PC
25 gm	0791B	GUM LOCUST BEAN	9000-40-2	0791B 00025	GB
100 gm		(locust bean gum)		0791B 00100	PB
250 gm				0791B 00250	PB
500 gm	00792	GUM TRAGACANTH	9000-65-1	00792 00500	PB
5 Kg		(tragacanth gum powder)		00792 05000	PC
		GUM XANTHAN Extra Pure (food grade) See Xanthan Gum Cat No.1576B Page 209			
500 gm	02321	GYPSUM POWDER (practical)		02321 00500	PB
5 Kg		(natural hydrated calcium sulphate)		02321 05000	PC
H					
5 gm	02322	HABA for automatic analysis	1634-82-8	02322 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		[2-(4-hydroxybenzeneazo)-benzoic acid]		02322 00025	GB
		Assay : Min. 98% C13H10N2O3 M.W. 242.23			
25 gm	2322A	HAFNIUM OXIDE[hafnium (IV) oxide]	12055-23-1	2322A 00025	GB
100 gm		Assay : Min. 99% HfO2 M.W. 210.49		2322A 00100	PB
125 ml	0792A	HAGER'S REAGENT		0792A 00125	PB
500 ml		(for estimation of alkalaids)		0792A 00500	PB
125 ml	0792B	HAIN'S FLUID		0792B 00125	PB
500 ml				0792B 00500	PB
5 gm	0792D	HALOPERIDOL (for lab use)		0792D 00005	GB
10 gm		Assay : Min. 98% C21H23ClFNO2 M.W. 375.86		0792D 00010	GB
1 gm	0792E	HATU Extra Pure For Peptide Synthesis	148893-10-1	0792E 00001	GB
5 gm		[O-(7-Azobenzotriazol-1-Yl) N, N, N'N'-Tetramethyluronium Hexafluorophophate)]		0792E 00005	GB
		Assay : Min. 97% C10H15F6N6OP M.W. 380.23 (store at 2 - 8°C)			
125 ml	0792C	HAYEM'S SOLUTION		0792C 00125	GB
500 ml		Liquid, d. 1.014		0792C 00500	GB
5 gm	0792F	HBTU For Peptide Synthesis	94790-37-1	0792F 00005	GB
25 gm		[O-(Benzotriazol-1-Yl) N, N, N'N'-Tetramethyluronium Hexafluorophosphate)]		0792F 00025	GB
100 gm		Assay : Min. 97% C11H16F6N5OP M.W. 379.2 (store at 2 - 8°C)		0792F 00100	PB
5 gm	00793	HEMATOXYLIN STAIN (certified)	517-28-2	00793 00005	GB
25 gm		(for microscopy) (C.I.No.75290)		00793 00025	GB
100 gm		Dye Content : Min. 95% C16H14O6.xH2O M.W. 302.28 (anhys basis)		00793 00100	PB
125 ml	00794	HEMATOXYLIN (Delafield) staining solution		00794 00125	PB
500 ml		Liquid, d. 1.00-1.04		00794 00500	PB
125 ml	00795	HEMATOXYLIN (Ehrlich) staining solution		00795 00125	PB
500 ml		Liquid, d. 1.02		00795 00500	PB
125 ml	0795A	HEMATOXYLIN (Harris) staining solution		0795A 00125	PB
500 ml		(papanicolaous solution 1 a)		0795A 00500	PB
125 ml	0792G	HEMATOXYLIN (mayer's) staining solution		0792G 00125	PB
500 ml		(hemalum mayer's) Liquid, d. 1.044		0792G 00500	PB
1 gm	0792H	HEMICELLULASE for biochemistry **NEW**	9025-56-3	0792H 00001	GB
5 gm				0792H 00005	GB
100 gm	0795B	HEMOGLOBIN POWDER (as protease substrate)	9008-02-0	0795B 00100	PB
500 gm				0795B 00500	PB
Vial	0795C	HEPARIN SODIUM Extra Pure 20,000 IU/VIAL	9041-08-1	0795C 01VIA	GB
		(store in refrigerator)			
Vial	0795D	HEPARIN SODIUM Extra Pure 1,00,000 IU/VIAL	9041-08-1	0795D 01VIA	GB
		(store in refrigerator)			
5 gm	2322B	HEPES (For Molecular Biology)	7365-45-9	2322B 00005	GB
25 gm		(good zwitteruonic buffer substance)		2322B 00025	GB
100 gm		[4-(2-hydroxyethyl)-1-piperazineethanesulphonic acid]		2322B 00100	PB
500 gm		Assay : Min. 99% C8H18N2O4S M.W. 238.30		2322B 00500	PB
125 ml	2322C	HEPES BUFFER Solution		2322C 00125	GB
500 ml		1 M Solution In Water, Liquid, d. 1.070		2322C 00500	PB
500 ml	0795E	HEPTANE 85% (fraction from petroleum)	142-82-5	0795E 00500	GB
2.5 Lt		Assay : Min. 85% C7H16 M.W. 100.20, Liquid, d. 0.685		0795E 02500	GB
500 ml	00796	n-HEPTANE 99% (for synthesis)	142-82-5	00796 00500	GB
2.5 Lt		Assay : Min. 99% C7H16 M.W. 100.20, Liquid, d. 0.685		00796 02500	GB
500 ml	0796A	n-HEPTANE AR	142-82-5	0796A 00500	GB
2.5 Lt		Assay : Min. 99% C7H16 M.W. 100.20, Liquid, d. 0.685		0796A 02500	GBT
500 ml	02323	n-HEPTANE HPLC & SPECTROSCOPY	142-82-5	02323 00500	GB
2.5 Lt		Assay : Min. 99.5% C7H16 M.W. 100.20, Liquid, d. 0.685		02323 02500	GBT
5 gm	0796B	1-HEPTANESULPHONIC ACID SODIUM SALT AR & HPLC (anhydrous)	22767-50-6	0796B 00005	GB
25 gm		(sodium-1-heptansulphonate)		0796B 00025	GB
100 gm		Assay : Min. 99% C7H15O3SNa M.W. 202.25		0796B 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	0796C	1-HEPTANESULPHONIC ACID SODIUM SALT AR & HPLC	207300-90-1	0796C 00005	GB
25 gm		(monohydrate) (sodium-1-heptansulphonate)		0796C 00025	GB
100 gm		Assay : Min. 99% C7H15NaO3S.H2O M.W. 220.26		0796C 00100	PB
100 ml	2323A	HEPTANOIC ACID (enanthic acid)	111-14-8	2323A 00100	GB
500 ml		Assay : Min. 97% C7H14O2 M.W. 130.18, Liquid, d. 0.918		2323A 00500	GBT
500 ml	0796D	n-HEPTANOL (for synthesis)	11-70-6	0796D 00500	GB
2.5 Lt		(n-heptyl alcohol) (heptan-1-ol)		0796D 02500	PB
		Assay : Min. 99% C7H16O M.W. 116.20, Liquid, d. 0.823			
500 ml	0796E	n-HEPTANOL AR (heptan-1-ol) (n-heptyl alcohol)	111-70-6	0796E 00500	GB
2.5 Lt		Assay : Min. 99.5% C7H16O M.W. 116.20, Liquid, d. 0.823		0796E 02500	GBT
25 ml	02324	2-HEPTANOL (o-heptanol)	543-49-7	02324 00025	GB
100 ml		Assay : Min. 99% C7H16O M.W. 116.20, Liquid, d. 0.817		02324 00100	GB
25 ml	02325	4-HEPTANONE(p-heptanone)	123-19-3	02325 00025	GB
100 ml		Assay : Min. 98% C7H14O M.W. 114.19, Liquid, d. 0.817		02325 00100	GB
5 gm	2325A	HESPERIDIN (for lab use)	520-26-3	2325A 00005	GB
100 gm		Assay : Min. 80% C28H34O15 M.W. 610.56		2325A 00025	GB
25 gm	0796F	HEXACHLORO BENZENE AR (crystalline)	118-74-1	0796F 00025	GB
		Assay : Min. 99% C6Cl6 M.W. 284.78			
100 gm	0796G	HEXACHLORO ETHANE	67-72-1	0796G 00100	PB
500 gm		Assay : Min. 98.5% C2Cl6 M.W. 236.74		0796G 00500	PB
5 gm	02326	1-HEXADECANE SULPHONIC ACID SODIUM SALT AR & HPLC	15015-81-3	02326 00005	GB
25 gm		(anhydrous) (sodium 1-hexadecanesulphonate)		02326 00025	GB
100 gm		Assay : Min. 98% C16H33NaO3S M.W. 328.49		02326 00100	PB
		1-HEXADECANOL See Cetyl Alcohol Cat No.434 Page 52			
100 ml	2326A	HEXAMETHYLDISILAZANE (bis(trimethylsilyl)amine)	999-97-3	2326A 00100	GB
500 ml		Assay : Min. 98% C6H19NSi2 M.W. 161.39, Liquid, d. 0.774		2326A 00500	GB
100 ml	2326B	HEXAMETHYL DISILOXANE (for synthesis)	107-46-0	2326B 00100	GB
500 ml		Assay : Min. 99% C6H18OSi2 M.W. 162.38, Liquid, d. 0.764		2326B 00500	GB
100 ml	2326C	HEXAMETHYLPHOSPHORIC ACID TRIAMIDE	680-31-9	2326C 00100	GB
500 ml		(HMPA) Assay : Min. 98% [(CH3)2N]3PO M.W. 179.20, Liquid, d. 1.03		2326C 00500	GB
500 gm	00797	HEXAMINE(hexamethylene tetramine)	100-97-0	00797 00500	PB
5 Kg		Assay : Min. 99% C6H12N4 M.W. 140.19		00797 05000	PC
500 gm	0797A	HEXAMINE AR (hexamethylene tetramine)	100-97-0	0797A 00500	PB
5 Kg		Assay : Min. 99.5% C6H12N4 M.W. 140.19		0797A 05000	PC
		HEXACHLORO PLATINIC ACID See Platinum Chloride Cat No.1207 Page 155			
500 ml	00798	HEXANE 65-70°C (fraction from petroleum)	110-54-3	00798 00500	GB
2.5 Lt		Assay : Min. 85% C6H14 M.W. 86.18, Liquid, d. 0.659		00798 02500	GB
500 ml	0798A	HEXANE 65-70oC AR (fraction from petroleum)	110-54-3	0798A 00500	GB
2.5 Lt		Assay : Min. 85% C6H14 M.W. 86.18, Liquid, d. 0.659		0798A 02500	GBT
500 ml	0798B	n-HEXANE 95% (for synthesis)	110-54-3	0798B 00500	GB
2.5 Lt		Assay : Min. 95% C6H14 M.W. 86.18, Liquid, d. 0.659		0798B 02500	GB
500 ml	0798C	n-HEXANE 99% (for synthesis)	110-54-3	0798C 00500	GB
2.5 Lt		Assay : Min. 99% C6H14 M.W. 86.18, Liquid, d. 0.659		0798C 02500	GBT
500 ml	0798D	n-HEXANE AR	110-54-3	0798D 00500	GB
2.5 Lt		Assay : Min. 99% C6H14 M.W. 86.18, Liquid, d. 0.659		0798D 02500	GBT
500 ml	02331	n-HEXANE HPLC & SPECTROSCOPY	110-54-3	02331 00500	GB
2.5 Lt		Assay : Min. 99.5% C6H14 M.W. 86.18, Liquid, d. 0.659		02331 02500	GBT
5 gm	0798E	1-HEXANESULPHONIC ACID SODIUM SALT AR & HPLC (anhydrous)	2832-45-3	0798E 00005	GB
25 gm		(sodium-1-hexanesulphonate)		0798E 00025	GB
100 gm		Assay : Min. 98% C6H13NaO3S M.W. 188.22		0798E 00100	PB
5 gm	0798F	1-HEXANESULPHONIC ACID SODIUM SALT AR & HPLC	207300-91-2	0798F 00005	GB
25 gm		(monohydrate) (sodium-1-hexanesulphonate)		0798F 00025	GB
100 gm		Assay : Min. 98% C6H13NaO3S.H2O M.W. 206.24		0798F 00100	PB
500 ml	0798G	n-HEXANOL (for synthesis) (n-hexyl alcohol) (hexan-1-ol)	111-27-3	0798G 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
2.5 Lt		Assay : Min. 98% C6H14O M.W. 102.18, Liquid, d. 0.814		0798G 02500	PB
500 ml	0798H	n-HEXANOL AR (hexan-1-ol) (n-hexyl alcohol)	111-27-3	0798H 00500	GB
2.5 Lt		Assay : Min. 99% C6H14O M.W. 102.18, Liquid, d. 0.814		0798H 02500	GBT
100 ml	0798I	1-HEXENE **NEW**	592-41-6	0798I 00100	PB
250 ml		Assay : Min. 99% C6H12C6H12 M.W. 84.16, Liquid, d. 0.678		0798I 00250	PB
500 ml	00799	HEXYLENE GLYCOL (for synthesis) (2-methylpentane-2, 4-diol)	107-41-5	00799 00500	GB
		Assay : Min. 99% C6H14O2 M.W. 118.17,			
		Liquid, d. 0.925			
1 gm	0799A	2-HEXYLTHIOPHENE	18794-77-9	0799A 00001	GB
5 gm		Assay : Min. 97% C10H16S M.W. 168.30, Liquid, d. 0.932		0799A 00005	GB
		HIGH VACCUM SILICON GREASE See Silicone Grease Cat No.1323 Page 173			
100 gm	00800	HIPPURIC ACID (crystals) (benzoylglycine)	495-69-2	00800 00100	PB
500 gm		Assay : Min. 99% C9H9NO3 M.W. 179.18		00800 00500	PB
25 gm	2331A	HIPPURIC ACID SODIUM SALT	532-94-5	2331A 00025	GB
100 gm		(sodium hippurate) (N-benzoglycine sodium salt)		2331A 00100	PB
		Assay : Min. 99% C9H8NNaO3.xH2O M.W.201.15 (anhy basis)			
1 gm	02332	HISTAMINE ACID PHOSPHATE (monohydrate)	23297-93-0	02332 00001	GB
5 gm		(histamine diphosphate) (store in refrigerator)		02332 00005	GB
		Assay : Min. 99% C5H9N3·2H3PO4·H2O M.W. 325.15			
1 gm	0800A	HISTAMINE DIHYDROCHLORIDE	56-92-8	0800A 00001	GB
5 gm		Assay : Min. 99% C5H9N3·2HCl M.W. 184.07		0800A 00005	GB
25 gm				0800A 00025	GB
25 gm	0800B	L-HISTIDINE	71-00-1	0800B 00025	GB
100 gm		(for biochemistry)		0800B 00100	PB
500 gm		Assay : Min. 99% C6H9N3O2 M.W. 155.15		0800B 00500	PB
25 gm	0800C	L-HISTIDINE MONOHYDROCHLORIDE	5934-29-2	0800C 00025	GB
100 gm		(for biochemistry)		0800C 00100	PB
500 gm		Assay : Min. 99% C6H10ClN3O2.H2O M.W. 209.63		0800C 00500	PB
5 gm	2332A	HOLMIUM OXIDE [holminium (III) oxide]	12055-62-8	2332A 00005	GB
25 gm		Assay : Min. 99.9% Ho2O3 M.W. 377.88		2332A 00025	GB
5 gm	0800D	HOMATROPINE HYDROBROMIDE AR	51-56-9	0800D 00005	GB
		Assay : Min. 98.5% C16H21NO3·HBr M.W 356.25			
5 gm	0800E	HOMATROPINE METHYL BROMIDE AR	80-49-9	0800E 00005	GB
		C17H24BrNO3 M.W. 370.28			
500 gm	2332B	HUMIC ACID (metal chelator)	1415-93-6	2332B 00500	PB
5 Kg				2332B 05000	PC
100 gm	0800J	HUMIC ACID SODIUM SALT	68131-04-4	0800J 00100	PB
1 gm	2332C	HYALURONIC ACID SODIUM SALT	9067-32-7	2332C 00001	GB
5 gm				2332C 00025	GB
25 gm	0800F	HYAMINE 1622 (for tensile test) (benzethonium chloride)	121-54-0	0800F 00025	GB
100 gm		Assay : Min. 99% C27H42ClNO2 M.W. 448.08		0800F 00100	PB
500 ml	0800G	HYAMINE 1622 Solution 0.004M		0800G 00500	GB
1 Lt		(store at 2 - 8oC, Liquid, d, 0.998		0800G 01000	GB
500 ml	0800H	HYAMINE 1622 Solution 0.004M (0.004N), Liquid, d.0.998		0800H 00500	GB
		Standardized Solution, traceable to NIST (store at 2 - 8oC)			
500 ml	0800I	HYAMINE 1622 Solution 0.04M (0.04N), Liquid, d.0.998		0800I 00500	GB
		Standardized Solution, traceable to NIST (store at 2 - 8oC)			
		HYDRAZINE CHLORIDE See Hydrazine hydrochloride Cat No.802 Page 104			
500 ml	00801	HYDRAZINE HYDRATE 80% (for synthesis)	7803-57-8	00801 00500	GB
2.5 Lt		Assay : Min. 80% H4N2.H2O M.W. 50.06, Liquid, d. 1.032		00801 02500	GB
500 ml	0801A	HYDRAZINE HYDRATE 80% AR	7803-57-8	0801A 00500	GB
2.5 Lt		Assay : Min. 80% H4N2.H2O M.W. 50.06, Liquid, d. 1.032		0801A 02500	GB
500 ml	0801B	HYDRAZINE HYDRATE 99% (for synthesis)	7803-57-8	0801B 00500	GBT
		Assay : Min. 99% H4N2.H2O M.W. 50.06, Liquid, d. 1.032			
500 ml	0801C	HYDRAZINE HYDRATE 99% AR	7803-57-8	0801C 00500	GBT

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99% H4N2.H2O M.W. 50.06, Liquid, d. 1.032			
100 gm	00802	HYDRAZINE HYDROCHLORIDE (hydrazine chloride)	5341-61-7	00802 00100	PB
500 gm		(hydrazinium chloride) Assay : Min. 99% N2H4.2HCl M.W. 104.97		00802 00500	PB
100 gm	00803	HYDRAZINE SULPHATE (hydrazinium sulphate)	10034-93-2	00803 00100	PB
500 gm		Assay : Min. 98% N2H6SO4 M.W. 130.12		00803 00500	PB
100 gm	0803A	HYDRAZINE SULPHATE AR (hydrazinium sulphate)	10034-93-2	0803A 00100	PB
500 gm		Assay : Min. 99% N2H6SO4 M.W. 130.12		0803A 00500	PB
100 ml	00804	HYDRIODIC ACID AR	10034-93-2	00804 00100	GB
250 ml		(about 57% HI) , Liquid, d. 1.701		00804 00250	GB
500 ml		Assay : Min. 55-59% HI M.W. 127.91		00804 00500	GB
		HYDRO See Sodium Dithionite Cat No.1374 & 1374A Page 179 & 180			
500 ml	00805	HYDROBROMIC ACID 48% (hydrogen bromide)	10035-10-6	00805 00500	GBT
2.5 Lt		Assay : Min. 46-48% HBr M.W. 80.91, Liquid, d. 1.490		00805 02500	GBT
500 ml	0805A	HYDROBROMIC ACID 48% AR Liquid, d. 1.490	10035-10-6	0805A 00500	GBT
2.5 Lt		Assay : Min. 47-49% HBr M.W. 80.91, (hydrogen bromide)		0805A 02500	GBT
500 ml	0805B	HYDROBROMIC ACID SOLUTION (in glacial acetic acid 33% w/v HBr)		0805B 00500	GBT
		Liquid, d. 1.040			
500 ml	00806	HYDROCHLORIC ACID 35-38%	7647-01-0	00806 00500	GB
2.5 Lt				00806 02500	GB
5 Lt		Assay : Min. 35-38% HCl M.W. 36.46, Liquid, d. 1.2		00806 05000	PC
20 Lt				00806 20000	PD
500 ml	00807	HYDROCHLORIC ACID 35.4% AR	7647-01-0	00807 00500	GBT
2.5 Lt				00807 02500	GBT
5 Lt		Assay : Min. 35.4% HCl M.W. 36.46, Liquid, d. 1.2		00807 05000	PC
500 ml	00808	HYDROCHLORIC ACID N/10 solution		00808 00500	PB
		(0.1N solution for volumetric analysis), Liquid, d. 1.0			
500 ml	0807A	HYDROCHLORIC ACID 0.01M SOLUTION, Liquid, d. 1.0		0807A 00500	PB
500 ml	0807B	HYDROCHLORIC ACID 0.5N SOLUTION, Liquid, d. 1.01		0807B 00500	PB
500 ml	0807C	HYDROCHLORIC ACID 1N SOLUTION, Liquid, d. 1.02		0807C 00500	PB
500 ml	0807D	HYDROCHLORIC ACID 0.05M (0.05N), Liquid, d. 1.0		0807D 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	0807E	HYDROCHLORIC ACID 0.25M (0.25N), Liquid, d. 1.1		0807E 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	0807F	HYDROCHLORIC ACID 0.2M (0.2N), Liquid, d. 1.005		0807F 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	0807G	HYDROCHLORIC ACID 2M (2N), Liquid, d. 1.03		0807G 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	0807H	HYDROCHLORIC ACID 5M (5N), Liquid, d. 1.1		0807H 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	0807I	HYDROCHLORIC ACID 6M (6N) Standardized Solution, traceable to NIST		0807I 00500	PB
4 Amp	0808C	HYDROCHLORIC ACID 0.1 mol/L (0.1N) for 500ml Solution		0808C AMP04	AMP
		(2x2 amps. Of set in a box)			
4 Amp	0808D	HYDROCHLORIC ACID 1 mol/L (1N) SOLUTION for 500ml Solution		0808D AMP04	AMP
		(2x2 amps. Of set in a box)			
100 gm	0808A	HYDROCHLOROTHIAZIDE Extra Pure	58-93-5	0808A 00100	PB
500 gm		(for lab use) Assay : Min. 99% C7H8ClN3O4S2 M.W. 297.74		0808A 00500	PB
1 gm	0808B	HYDROCORTISONE	50-23-7	0808B 00001	GB
5 gm		Assay : Min. 99% C21H30O5 M.W. 362.46		0808B 00005	GB
1 gm	0808E	HYDROCORTISONE ACETATE Extra Pure	50-03-3	0808E 00001	GB
5 gm		Assay : Min. 97% C23H32O6 M.W. 404.51		0808E 00005	GB
500 ml	00809	HYDROFLUORIC ACID 40% (for glass etching)	7664-39-3	00809 00500	PB
		(d. 1.16) Assay : Min. 39-43% HF M.W. 20.01, Liquid, d. 1.15			
500 ml	0809A	HYDROFLUORIC ACID 60%	7664-39-3	0809A 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 60% HF M.W. 20.01, Liquid, d. 1.15			
500 ml	0809B	HYDROFLUORIC ACID 48% AR	7664-39-3	0809B 00500	PB
		Assay : Min. 48% HF M.W. 20.01, Liquid, d. 1.15			
500 ml	00810	HYDROFLUORIC ACID 48% (electronic grade)	7664-39-3	00810 00500	PB
		Assay : Min. 48% HF M.W. 20.01, Liquid, d. 1.15			
		HYDROGEN BROMIDE See Hydrobromic Acid Cat No.805, 805A & 805B Page 105			
500 ml	00811	HYDROGEN PEROXIDE (20 Vol.) solution (6% w/v H_2O_2)	7722-84-1	00811 00500	PB
5 Lt		Assay : Min. 6% H_2O_2 M.W. 34.01, Liquid, d. 1.135-1.145		00811 05000	PC
500 ml	00812	HYDROGEN PEROXIDE (100 Vol.) solution (30% w/v H_2O_2)	7722-84-1	00812 00500	PB
		Assay : Min. 30% H_2O_2 M.W. 34.01, Liquid, d. 1.135-1.145			
500 ml	0812A	HYDROGEN PEROXIDE (100 Vol.) AR (30% w/v H_2O_2)	7722-84-1	0812A 00500	PB
		Assay : Min. 30% H_2O_2 M.W. 34.01, Liquid, d. 1.135-1.145			
500 ml	0812B	HYDROGEN PEROXIDE 50% w/w solution (d. 1.20)	7722-84-1	0812B 00500	PB
500 ml	0812C	HYDROGEN SULPHIDE solution		0812C 00500	GB
100 gm	00813	HYDROQUINONE (for synthesis)	123-31-9	00813 00100	PB
500 gm		(quinol)		00813 00500	PB
5 Kg		Assay : Min. 99-101% $C_6H_6O_2$ M.W. 110.11		00813 05000	PC
100 gm	0813A	HYDROQUINONE AR	123-31-9	0813A 00100	PB
500 gm		(quinol)		0813A 00500	PB
5 Kg		Assay : Min. 99% $C_6H_6O_2$ M.W. 110.11		0813A 05000	PC
250 gm	2332D	HYDROQUINONE DIMETHYL ETHER (for synthesis)	150-78-7	2332D 00250	PB
1 Kg		(1,4-dimethoxybenzene)		2332D 01000	PB
		Assay : Min. 99% $C_8H_{10}O_2$ M.W. 138.17			
100 gm	2332E	HYDROQUINONE MONOMETHYL ETHER	150-76-5	2332E 00100	PB
250 gm		(4-methoxyphenol) (MEHQ) Assay : Min. 99% $C_7H_8O_2$ M.W. 124.14		2332E 00250	PB
25 gm	2332F	m-HYDROXY ACETOPHENONE (for synthesis)	121-71-1	2332F 00025	GB
100 gm		(3-hydroxyacetophenone) Assay : Min. 96% $C_8H_8O_2$ M.W 136.15		2332F 00100	PB
100 ml	0813B	o-HYDROXY ACETOPHENONE , Liquid, d. 1.131	118-93-4	0813B 00100	GB
500 ml		(2-hydroxy acetophenone) Assay : Min. 98% $C_8H_8O_2$ M.W 136.15		0813B 00500	GB
100 gm	0813C	p-HYDROXY ACETOPHENONE (for synthesis)	99-93-4	0813C 00100	PB
500 gm		(4-hydroxy acetophenone) Assay : Min. 98% $C_8H_8O_2$ M.W 136.15		0813C 00500	PB
25 gm	0813D	p-HYDROXY AZOBENZENE	1689-82-3	0813D 00025	GB
		Assay : Min. 98% $C_{12}H_{10}N_2O$ M.W. 198.22			
100 gm	0813E	m-HYDROXY BENZALDEHYDE	100-83-4	0813E 00100	PB
		(3-hydroxy benzaldehyde) Assay : Min. 98% $C_7H_6O_2$ M.W 122.12			
		o-HYDROXY BENZALDEHYDE See Salicylaldehyde Cat No.1300 Page 171			
100 gm	0813F	p-HYDROXY BENZALDEHYDE	123-08-0	0813F 00100	PB
500 gm		(4-hydroxy benzaldehyde) Assay : Min. 98% $C_7H_6O_2$ M.W. 122.12		0813F 00500	PB
100 gm	2332G	4-HYDROXY BENZAMIDE	619-57-8	2332G 00100	PB
		Assay : Min. 98% $C_7H_7NO_2$ M.W. 137.14			
100 gm	0813G	m-HYDROXY BENZOIC ACID (for synthesis)	99-06-9	0813G 00100	PB
500 gm		(3-hydroxy benzoic acid) Assay : Min. 98% $C_7H_6O_3$ M.W. 122.12		0813G 00500	PB
100 gm	00814	p-HYDROXY BENZOIC ACID (for synthesis)	99-96-7	00814 00100	PB
500 gm		(4-hydroxy benzoic acid) Assay : Min. 98% $C_7H_6O_3$ M.W. 122.12		00814 00500	PB
100 gm	0814E	p-HYDROXYBENZOPHENONE (p-Benzoylphenol)	1137-42-4	0814E 00100	PB
500 gm		Assay : Min. 98% $C_{13}H_{10}O_2$ M.W. 198.22		0814E 00500	PB
100 gm	0814A	1-HYDROXY BENZOTRIAZOLE (anhydrous) (for synthesis)	2592-95-2	0814A 00100	PB
250 gm		(CAS No.2592-95-2) Assay : Min. 98% $C_6H_5N_3O$ M.W. 135.12		0814A 00250	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	0814B	1-HYDROXY BENZOTRIAZOLE (hydrate) (for synthesis) (anhy. basis)	123333-53-9	0814B 00100	PB
500 gm		Assay : Min. 98% C6H5N3O·xH2O M.W. 135.12		0814B 00500	PB
5 gm	0814D	6-HYDROXY-3-COUMARANONE	6272-26-0	0814D 00005	GB
		Assay : Min. 97% C8H6O3 M.W 150.13			
100 gm	0814F	4-HYDROXYCOUMARIN	1076-38-6	0814F 00100	PB
500 gm		Assay : Min. 98% C9H6O3 M.W. 162.14		0814F 00500	PB
100 gm	0814C	p-HYDROXY DIPHENYL	92-69-3	0814C 00100	PB
500 gm		Assay : Min. 97% C12H10O M.W. 170.21		0814C 00500	PB
100 gm	00815	HYDROXY ETHYL CELLULOSE (high viscosity) (for synthesis)	9004-62-0	00815 00100	PB
500 gm		(ethyl hydroxy cellulose)		00815 00500	PB
500 gm	0815A	HYDROXYETHYL CELLULOSE (Low Viscosity) (145 m Pas)	9004-62-0	0815A 00500	PB
500 ml	0815B	2-HYDROXY ETHYL METHACRYLATE Extra Pure	868-77-9	0815B 00500	GB
		(Store at 2-8oC)			
		Assay : Min. 96.5% C6H10O3 M.W. 130.14, Liquid, d. 1.073			
		4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULPHONIC ACID (BUFFER) See HEPES Buffer Cat No.2322B Page 102			
		2-HYDROXY-1-(2-HYDROXY-4-SULPHO-1-NAPHTHYLAZO)-3-NAPHTHOIC ACID AR See Patton & Reeder's Reagent Cat No.1147 Page 147			
100 gm	00816	HYDROXYLAMINE HYDROCHLORIDE (for synthesis)	5470-11-1	00816 00100	PB
500 gm		(hydroxyl ammonium chloride)		00816 00500	PB
5 Kg		Assay : Min. 98% H4ClNO M.W. 69.49		00816 05000	PC
100 gm	0816A	HYDROXYLAMINE HYDROCHLORIDE AR	5470-11-1	0816A 00100	GB
500 gm		(hydroxyl ammonium chloride) Assay : Min. 99% H4ClNO M.W. 69.49		0816A 00500	PB
100 gm	00817	HYDROXYLAMINE SULPHATE	10039-54-0	00817 00100	PB
500 gm		(hydroxyl ammonium sulphate)		00817 00500	PB
5 Kg		Assay : Min. 99% H8N2O6S M.W. 164.13		00817 05000	PB
100 gm	0817A	HYDROXYLAMINE SULPHATE AR	10039-54-0	0817A 00100	PB
500 gm		(hydroxyl ammonium sulphate)		0817A 00500	PB
5 Kg		Assay : Min. 99.9% H8N2O6S M.W. 164.13		0817A 05000	PC
		4-HYDROXY-4-METHYL PENTAN-2-ONE See Diacetone Alcohol Cat No.593 Page 70			
5 gm	0817B	1-HYDROXY NAPHTHALENE-2-CARBOXYLIC ACID (for synthesis)	92-70-6	0817B 00005	GB
25 gm		Assay : Min. 96% C11H8O3 M.W. 188.18		0817B 00025	PB
5 gm	00818	HYDROXY NAPHTHOL BLUE AR	63451-35-4	00818 00005	GB
25 gm		(indicator for calcium determination)		00818 00010	GB
100 gm		C20H11N2Na3O11S3 M.W. 620.48		00818 00100	PB
		2-HYDROXY-1-NITROSO-3, 6-NAPHTHALENE DISULPHONIC ACID SODIUM SALT AR See Nitroso R Salt Cat No.1113 Page 142			
5 gm	0818A	L-HYDROXY PROLINE	51-35-4	0818A 00005	GB
25 gm		(for biochemistry)		0818A 00025	GB
100 gm		Assay : Min. 99% C5H9NO3 M.W. 131.13		0818A 00100	PB
100 gm	02333	HYDROXY PROPYL CELLULOSE Extra Pure	9004-64-2	02333 00100	PB
500 gm		(propyl hydroxy cellulose) (klucel)		02333 00500	PB
250 gm	0818B	HYDROXY PROPYL METHYL CELLULOSE (HPMC) (15Cps)	9004-65-3	0818B 00250	PB
500 gm				0818B 00500	PB
1 Kg	0818C	HYDROXY PROPYL METHYL CELLULOSE (HPMC)	9004-65-3	0818C 01000	PB
		E 50 Lv Premium (Confirming to USP)			
1 Kg	0818D	HYDROXY PROPYL METHYL CELLULOSE (HPMC)	9004-65-3	0818D 01000	PB
		E 15 Lv Premium (Confirming to USP)			
100 gm	0818E	HYDROXY PROPYL METHYL CELLULOSE K 100 (HPMC) **NEW**	9004-65-3	0818E 00100	PB
500 gm				0818E 00500	PB
100 gm	0818F	HYDROXY PROPYL METHYL CELLULOSE K 4M (HPMC) **NEW**	9004-65-3	0818F 00100	PB
500 gm				0818F 00500	PB
100 gm	0818G	HYDROXY PROPYL METHYL CELLULOSE K 15M (HPMC) **NEW**	9004-65-3	0818G 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm				0818G 00500	PB
100 gm	00819	8-HYDROXYQUINOLINE (oxine)	148-24-3	00819 00100	PB
500 gm		Assay : Min. 98.5% C9H7NO M.W. 145.16		00819 00500	PB
100 gm	00820	8-HYDROXYQUINOLINE AR (oxine)	148-24-3	00820 00100	PB
500 gm		Assay : Min. 99-101% C9H7NO M.W. 145.16		00820 00500	PB
25 gm	0820A	n-HYDROXY SUCCINIMIDE	6066-82-6	0820A 00025	GB
100 gm		(reagent for peptide synthesis) (1-hydroxy-2,5-pyrrolidinedione)		0820A 00100	PB
500 gm		Assay : Min. 98% C4H5NO3 M.W. 115.09		0820A 00500	PB
1 gm	0820B	5-L-HYDROXY TRYPTOPHANE	4350-09-8	0820B 00001	GB
5 gm		Assay : Min. 98% C11H12N2O3 M.W. 220.22		0820B 00005	GB
5 gm	02334	9-HYDROXYXANTHENE (xanthydrol)	90-46-0	02334 00005	GB
25 gm		Assay : Min. 98% C13H10O2 M.W 198.22		02334 00025	GB
500 gm	00821	HYFLO SUPER-CEL (filter aid)		00821 00500	PB
1 gm	02335	HYOSCYAMINE HYDROBROMIDE (for lab use)	306-03-6	02335 00001	GB
5 gm		Assay : Min. 99% C17H23NO3·HBr M.W. 370.28		02335 00005	GB
		HYPO See Sodium Thiosulphate Cat No.1429, 1429A, 1429B & 1429C Page 188			
500 ml	0821A	HYPOBROMIDE solution, Liquid, d. 3.37 (sodium hypobromide solution)		0821A 00500	GB
500 ml	02336	HYPOBROMITE solution, Liquid, d. 1.0 (sodium hypobromite solution)		02336 00500	GB
500 ml	0821B	HYPOIODIDE solution, Liquid, d. 0.8(sodium hypoiodide solution)		0821B 00500	GB
500 ml	00822	HYPOPHOSPHOROUS ACID 30-32%	6303-21-5	00822 00500	GB
		Assay : Min. 30-32% HPH2O2 M.W. 66.0, Liquid, d. 1.21-1.26			
5 gm	0822A	HYPOXANTHINE (for biochemistry)	68-94-0	0822A 00005	GB
		Assay : Min. 99% C5H4N4O M.W. 136.11			
I					
25 gm	0821C	IBUPROFEN (powder) Extra Pure	15687-27-1	0821C 00025	GB
100 gm		(for lab use)		0821C 00100	PB
500 gm		Assay : Min. 98% C13H18O2 M.W. 206.28		0821C 00500	PB
250 gm	02337	ICHTHAMMOL Extra Pure (for lab use)	8029-68-3	02337 00250	PB
500 gm		(ammonium bituminosulfonate)		02337 00500	PB
100 gm	0822B	IMIDAZOLE (glyoxaline)	288-32-4	0822B 00100	PB
500 gm		Assay : Min. 99% C3H4N2 M.W. 68.08		0822B 00500	PB
100 gm	0822C	IMIDAZOLE AR (For Molecular Biology) (glyoxaline)	288-32-4	0822C 00100	PB
500 gm		Assay : Min. 99.5% C3H4N2 M.W. 68.08		0822C 00500	PB
250 gm	02338	IMINODIACETIC ACID (for synthesis)	142-73-4	02338 00250	PB
500 gm		Assay : Min. 98% C4H7NO4 M.W. 133.10		02338 00500	PB
25 gm	2338A	IMINO DIBENZYL (for synthesis)	494-19-9	2338A 00025	GB
100 gm		Assay : Min. 97% C14H13N M.W 195.26		2338A 00100	PB
		IMMERSION OIL See Cedarwood Oil Cat No.420 Page 50			
100 ml	2338B	INDIANK INK, Liquid, d. 0.90-1.00 PB 100 ml 12 369		2338B 00100	PB
		(Used As Stain For Proteins On Nitrocellulose Blotting Membranes)			
		INDICATOR PAPER pH 1-10 See Universal Indicator paper Cat No.1556 Page 206			
10 bks	0822D	INDICATOR PAPER (specific range) pH 2.0-4.5 (with colour scale)		0822D 010BK	CB
10 bks	0822E	INDICATOR PAPER (specific range) pH 3.5-6.0 (with colour scale)		0822E 010BK	CB
10 bks	0822F	INDICATOR PAPER (specific range) pH 5.0-7.5 (with colour scale)		0822F 010BK	CB
10 bks	0822G	INDICATOR PAPER (specific range) pH 6.5-9.0 (with colour scale)		0822G 010BK	CB
10 bks	0822H	INDICATOR PAPER (specific range) pH 8.0-10.5 (with colour scale)		0822H 010BK	CB
10 bks	0822I	INDICATOR PAPER (wide range) pH 2.0-10.5 (with colour scale)		0822I 010BK	CB
10 bks	0822J	INDICATOR PAPER (full range) pH 1.0-14.0 (with colour scale)		0822J 010BK	CB
25 gm	00823	INDIGO CARMINE AR	860-22-0	00823 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		(C.I. No.73015)		00823 00100	PB
500 gm		C16H8N2Na2O8S2 M.W. 466.35		00823 00500	PB
125 ml	00824	INDIGO CARMINE staining solution		00824 00125	PB
500 ml				00824 00500	PB
125 ml	0824G	INDIUM AAS STANDARD SOLUTION		0824G 00125	PB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.02		0824G 00500	PB
125 ml	0824H	INDIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid (d. 1.014)		0824H 00125	PB
10 gm	0824A	INDIUM (metal) INGOTS AR	7440-74-6	0824A 00010	GB
		Assay : Min. 99.9% In M.W. 114.82			
10 gm	0824B	INDIUM NITRATE (hydrate)	207398-97-8	0824B 00010	GB
		Assay : Min. 99.99% InN3O9. xH2O M.W. 300.83 (anhy. basis)			
10 gm	0824C	INDIUM OXIDE	1312-43-2	0824C 00010	GB
		Assay : Min. 99.5% In2O3 M.W. 277.63			
10 gm	0824D	INDIUM SULPHATE (hydrate)	304655-87-6	0824D 00010	GB
		Assay : Min. 99.99% In2(SO4)3·xH2O M.W 517.82 (on anhydr.basis)			
10 gm	0824E	INDIUM TRICHLORIDE	10025-82-8	0824E 00010	GB
		Assay : Min. 98% InCl3 M.W. 221.18			
10 gm	0824F	INDOLE (crystalline) AR (2, 3-benzopyrrole)	120-72-9	0824F 00010	GB
100 gm		Assay : Min. 99% C8H7N M.W. 117.15		0824F 00100	PB
5 gm	00825	INDOLE-3-ACETIC ACID (IAA) (plant growth harmone)	87-51-4	00825 00005	GB
25 gm		(for biochemistry)		00825 00025	GB
100 gm		Assay : Min. 99% C10H9NO2 M.W. 175.19		00825 00100	PB
5 gm	00826	INDOLE-3-BUTYRIC ACID (IBA)	133-32-4	00826 00005	GB
25 gm		(for biochemistry) (plant growth harmone)		00826 00025	GB
100 gm		Assay : Min. 99% C12H13NO2 M.W. 203.24		00826 00100	PB
1 gm	02341	INDOLE-3-CARBOXYLIC ACID AR (for biochemistry)	771-50-6	02341 00001	GB
5 gm		Assay : Min. 99% C9H7NO2 M.W. 161.16		02341 00005	GB
1 gm	02342	INDOLE-5-CARBOXYLIC ACID	1670-81-1	02342 00001	GB
5 gm		Assay : Min. 98% C9H7NO2 M.W. 161.16		02342 00005	GB
5 gm	02346	INDOLE-3-PROPIONIC ACID AR (for biochemistry)	830-96-6	02346 00005	GB
25 gm		Assay : Min. 99% C11H11NO2 M.W. 189.22		02346 00025	GB
25 gm	02348	INDOMETHACIN	53-86-1	02348 00025	GB
100 gm		Assay : Min. 99% C19H16ClNO4 M.W 357.79		02348 00100	PB
1 gm	2348A	3-INDOXYL ACETATE (3-acetoxyindole)	608-08-2	2348A 00001	GB
5 gm		Assay : Min. 97% C10H9NO2 M.W. 175.18		2348A 00005	GB
5 gm	02349	INOSINE (for boichemistry) (hypoxanthine-9-d-ribofurnoside)	58-63-9	02349 00005	GB
25 gm		Assay : Min. 99% C10H12N4O5 M.W. 268.23		02349 00025	GB
25 gm	0826A	meso-INOSITOL	87-89-8	0826A 00025	GB
100 gm		(myo-inositol)		0826A 00100	PB
500 gm		Assay : Min. 99% C6H12O6 M.W. 180.16		0826A 00500	PB
1 gm	0826B	I.N.T. (For Molecular Biology)	146-68-9	0826B 00001	GB
5 gm		[2-(4-iodophenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride]		0826B 00005	GB
		Assay : Min. 95% C19H13ClIN5O2 M.W. 505.70			
25 gm	0826C	INULIN (for biochemistry) (CAS No.9005-80-5)	9005-80-5	0826C 00025	GB
100 gm		(C6H10O5)n		0826C 00100	PB
25 gm	0826D	IODIC ACID AR	7782-68-5	0826D 00025	GB
100 gm		Assay : Min. 99.5% HIO3 M.W. 175.91		0826D 00100	PB
25 gm	00827	IODINE	7553-56-2	00827 00025	GB
100 gm		(crystals)		00827 00100	GB
500 gm		(resublimed)		00827 00500	GB
5 Kg		Assay : Min. 98.5% I2 M.W. 253.81		00827 05000	PC
25 gm	0827A	IODINE AR	7553-56-2	0827A 00025	GB
100 gm		(crystals)		0827A 00100	GB
500 gm		(resublimed)		0827A 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		Assay : Min. 99.5% I2 M.W. 253.81		0827A 05000	PC
		IODINE SOLUTION See Gram's Iodine Solution Cat No.784 Page 100			
125 ml	00828	IODINE N/10 SOLUTION		00828 00125	GB
500 ml		(iodine 0.1N solution), Liquid, d. 1.02		00828 00500	GB
125 ml	0828B	IODINE 0.02365M (0.0473N)		0828B 00125	GB
500 ml		Standardized Solution, traceable to NIST		0828B 00500	GB
125 ml	0828C	IODINE 0.5M (1N), Liquid, d. 1.22		0828C 00125	GB
500 ml		Standardized Solution, traceable to NIST		0828C 00500	GB
125 ml	0828D	IODINE 0.05 Mol/L (0.1N) SOLUTION traceble to NIST		0828D 00125	GB
500 ml		Liquid, d. 1.22		0828D 00500	GB
125 ml	0828E	IODINE 0.025 Mol/L (0.05N) SOLUTION traceble to NIST		0828E 00125	GB
500 ml		Liquid, d. 1.02		0828E 00500	GB
125 ml	0828F	IODINE 0.005 Mol/L (0.01N) SOLUTION traceble to NIST		0828F 00125	GB
500 ml		Liquid, d. 1.03		0828F 00500	GB
125 ml	0828G	IODINE 0.01 Normal Volumetric Solution		0828G 00125	GB
500 ml		Liquid, d. 1.00		0828G 00500	GB
125 ml	0828H	IODINE 1N (0.5M) SOLUTION		0828H 00125	GB
500 ml		Liquid, d. 1.22		0828H 00500	GB
04 Amp	0828A	IODINE SOLUTION 0.05 mol/L (0.1N) SOLUTION		0828A AMP04	AMP
		For 500 ml solution (2x2 amps. Of set in a box)			
		IODINE BROMIDE See Iodine Monobromide Cat No.2351 Page 110			
		IODINE CHLORIDE See Iodine Monochloride Cat No.829 Page 110			
50 gm	02351	IODINE MONOBROMIDE (for synthesis)	7789-33-5	02351 00050	GB
100 gm		(iodine bromide) Assay : Min. 99% IBr M.W. 206.81		02351 00100	GB
50 gm	00829	IODINE MONOCHLORIDE (for synthesis)	7790-99-0	00829 00050	GB
100 gm		(iodine chloride) Assay : Min. 98% ICl M.W. 162.36		00829 00100	GB
25 gm	00830	IODINE PENTOXIDE AR	12029-98-0	00830 00025	GB
100 gm		Assay : Min. 99% I2O5 M.W. 333.81		00830 00100	PB
25 gm	00831	IODINE TRICHLORIDE (for synthesis)	865-44-1	00831 00025	GB
100 gm		Assay : Min. 97% ICl3 M.W. 233.26		00831 00100	GB
5 gm	2351A	4-IODOBENZAMIDE	3956-07-8	2351A 00005	GB
		Assay : Min. 97% C7H6INO M.W. 247.03			
100 gm	2351B	IODOBENZENE (for synthesis)	591-50-4	2351B 00100	GB
500 gm		Assay : Min. 98% C6H5I M.W. 204.01		2351B 00500	PB
25 gm	0831A	2-IODOBENZOIC ACID(o-iodobenzoic acid)	88-67-5	0831A 00025	GB
100 gm		Assay : Min. 98% C7H5IO2 M.W. 248.02		0831A 00100	PB
10 gm	0831B	3-IODOBENZOIC ACID (m-iodobenzoic acid)	618-51-9	0831B 00010	GB
25 gm		Assay : Min. 98% C7H5IO2 M.W. 248.02		0831B 00025	GB
10 gm	0831C	4-IODOBENZOIC ACID (p-iodobenzoic acid)	619-58-9	0831C 00010	GB
25 gm		Assay : Min. 98% C7H5IO2 M.W. 248.02		0831C 00025	GB
		IODOEOSIN See Erythrosine B Cat No.670 Page 85			
		IODOETHANE See Ethyl Iodide Cat No.700 Page 89			
25 gm	00832	IODOFORM Extra Pure	75-47-8	00832 00025	GB
100 gm		Assay : Min. 99-100.5% CHI3 M.W. 393.73		00832 00100	PB
250 gm				00832 00250	PB
500 gm				00832 00500	PB
		IODOMETHANE See Methyl Iodide Cat No.1024 Page 131			
		2-(4-IODOPHENYL)-3-(4-NITROPHENYL)-5-PHENYLTETRAZOLIUM CHLORIDE See I.N.T. Cat No.826B Page 109			
5 Lt	0832A	IODOPHOR, Liquid, d. 1.01		0832A 05000	PC
25 gm	2351C	IODOSUCCINIMIDE (for synthesis)	516-12-1	2351C 00025	GB
100 gm		Assay : Min. 95% C4H4INO2 M.W. 224.98		2351C 00100	PB
500 gm	0832B	b-IONONE	14901-07-6	0832B 00500	PB
		Assay : Min. 96% C13H20O M.W. 192.30, Liquid, d. 0.945			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
1 gm	02352	IRIDIUM (metal) POWDER	7439-88-5	02352 00001	GB
10 gm		Assay : Min. 99.9% Ir M.W 192.22		02352 00010	GB
1 gm	0832C	IRIDIUM TRICHLORIDE (iridium content approx. 46%)	10025-83-9	0832C 00001	GB
10 gm		Assay (Ir) : Min. 46% IrCl3 M.W. 298.58		0832C 00010	GB
125 ml	02356	IRON AAS STANDARD SOLUTION		02356 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.015		02356 00500	GB
125 ml	2356B	IRON ICP STANDARD SOLUTION 1000 mg/L in Nitric Acid		2356B 00125	GB
		Liquid, d. 1.015			
125 ml	2356C	IRON ICP STANDARD SOLUTION 10000 mg/L in Nitric Acid		2356C 00125	GB
		Liquid, d. 1.082			
500 gm	00833	IRON (metal) FILLING (small pieces)	7439-89-6	00833 00500	PB
5 Kg		Assay : Min. 99.5% Fe A.W. 55.85		00833 05000	PC
500 gm	00834	IRON (metal) POWDER	7439-89-6	00834 00500	PB
5 Kg		(electrolytic grade, 250-300 mesh) Assay : Min. 99% Fe A.W. 55.85		00834 05000	PC
		IRON ALUM See Ammonium Ferric Sulphate Cat No.113 & 113A Page 15			
		IRON OXIDE See Ferric Oxide Cat No.732A, 733 & 733A Page 93			
		IRON SULPHIDE See Ferrous Sulphide Cat No.744 & 745 Page 94			
500 ml	0833A	IRON (II) SULPHATE 0.1M (0.1N), Liquid, d. 1.30		0833A 00500	PB
		Standardized Solution, traceable to NIST			
25 gm	0834B	ISATIN AR	91-56-5	0834B 00025	GB
100 gm		Assay : Min. 98% C8H5NO2 M.W. 147.14		0834B 00100	PB
25 gm	2356D	ISATOIC ANHYDRIDE	118-48-9	2356D 00025	GB
100 gm		(4H-3,1-benzoxazine-2,4(1H)-dione)		2356D 00100	PB
500 gm		Assay : Min. 96% C8H5NO3 M.W. 163.13		2356D 00500	PB
100 ml	2356A	ISO BUTYRALDEHYDE (for synthesis)	78-84-2	2356A 00100	GB
500 ml		(2-methyl propanal) Assay : Min. 99% C4H8O M.W. 72.10, Liquid, d. 0.79		2356A 00500	GB
100 gm	02357	ISONIAZIDE (isonicotinic acid hydrazide)	54-85-3	02357 00100	PB
500 gm		Assay : Min. 99% C6H7N3O M.W. 137.14		02357 00500	PB
100 gm	2356E	ISONICOTINIC ACID (4-picolinic acid)	55-22-1	2356E 00100	PB
500 gm		(pyridine-4-carboxylic acid) Assay : Min. 99% C6H5NO2 M.W. 123.11		2356E 00500	PB
500 ml	2357A	ISOPHORONE (for synthesis)	78-59-1	2357A 00500	GB
2.5 Lt		(3,5,5-trimethyl-2-cyclohexane-1-one)		2357A 02500	GB
		Assay : Min. 99% C9H14O M.W 138.21, Liquid, d. 0.923			
100 gm	2357C	ISOPHTHALALDEHYDE (for synthesis)	626-19-7	2357C 00100	PB
		Assay : Min. 98% C8H6O2 M.W. 134.13			
5 gm	2357B	4-ISOPROPOXY ANILINE	7664-66-6	2357B 00005	GB
		Assay : Min. 99% C9H13NO M.W 151.21			
		ISO PROPYL ALCOHOL See iso-Propyl Alcohol Cat No.1271, 1271A & 2361 Page 165			
		ISOPROPYLAMINE See iso-Propylamine Cat No.1273 Page 166			
		ISOPROPYL ETHER See Di-Isopropyl Ether Cat No.621E Page 76			
		ISO PROPYL MYRISTATE See iso-Propyl Myristate Cat No.1276C Page 166			
		ISO PROPYL PALMITATE See iso-Propyl Palmitate Cat No.2487 Page 166			
5 gm	2361C	1-ISOPROPYL PIPERAZINE (d. 0.89)	4318-42-7	2361C 00005	GB
10 gm		Assay : Min. 97% C7H16N2 M.W. 128.22		2361C 00010	GB
250 mg	2361A	ISO PROPYL b-D-1THIOGALACTOPYRANOSIDE (IPTG)	367-93-1	2361A 0250M	GB
1 gm		(for moleculer biology) non metabolizable galactose analog		2361A 00001	GB
5 gm		Assay : Min. 99% C9H18O5S M.W. 238.30		2361A 00005	GB
25 gm	2361D	ISOSORBIDE DINITRATE (for lab use)	87-33-2	2361D 00025	GB
100 gm		Assay : Min. 99% C6H8N2O8 M.W. 236.14		2361D 00100	PB
10 gm	2361E	3-(ISOTHIOCYANATO METHYL) PYRIDINE	36810-90-9	2361E 00010	GB
25 gm		Assay : Min. 95% C7H7BrN2S M.W. 231.11		2361E 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 ml	2361B	ISO VALERALDEHYDE (for synthesis)	590-86-3	2361B 00100	GB
500 ml		Assay : Min. 98% C5H10O M.W.86.13, Liquid, d. 0.803		2361B 00500	GB
2.5 Lt				2361B 02500	GB
25 gm	2361F	ISOVANILINE Pure	621-59-0	2361F 00025	GB
100 gm		Assay : Min. 98% C8H8O3 M.W.152.2		2361F 00100	PB
500 gm	0834C	ITACONIC ACID (for synthesis)	97-65-4	0834C 00500	PB
		(methylene succinic acid) Assay : Min. 99% C5H6O4 M.W. 130.10			
25 gm	0834D	ITRACONAZOLE (PELLETS)	84625-61-6	0834D 00025	GB
100 gm		Assay : Min. 98% C35H38Cl2N8O4 M.W 705.63		0834D 00100	GB
J					
100 gm	0834A	JACK BEAN MEAL	9002-13-5	0834A 00100	PB
500 gm		(urease active meal)		0834A 00500	PB
500 ml	00835	JAM ROSA OIL Extra Pure Liquid, d. 0.870	90106-38-0	00835 00500	GB
5 gm	00836	JANUS GREEN B (M.S.)	2869-83-2	00836 00005	GB
10 gm		(C.I. No.11050)		00836 00010	GB
25 gm		Dye Content : Min. 65% C30H31ClN6 M.W. 511.06		00836 00025	GB
125 ml	0836A	JANUS GREEN B solution		0836A 00125	PB
500 ml		Liquid, d. 1.0		0836A 00500	PB
500 ml	0836B	JASMINE OIL Extra Pure Liquid, d. 0.947	8022-96-6	0836B 00500	GB
25 gm	00837	JENNER'S STAIN (for microscopy)	62851-42-7	00837 00025	PB
500 ml	0837A	JOJOBA OIL Liquid, d. 0.86-0.87	61789-91-1	0837A 00500	GB
125 ml	00838	J.S.B. STAIN solution 1		00838 00125	PB
500 ml				00838 00500	PB
125 ml	00839	J.S.B. STAIN solution 2		00839 00125	PB
500 ml				00839 00500	PB
500 ml	00840	JUNIPER BERRY OIL Extra Pure Liquid, d. 0.863	8002-68-4	00840 00500	GB
K					
10 gm	00841	KALIGNOST AR	143-66-8	00841 00010	GB
25 gm		(sodium tetra phenyl boron) (sodium tetra phenyl borate)		00841 00025	GB
100 gm		Assay : Min. 99.5% C24H20BNa M.W. 342.23		00841 00100	GB
1 gm	0841A	KANAMYCIN SULPHATE (For Molecular Biology)	25389-94-0	0841A 00001	GB
5 gm		Potency : Min. 750 units/mg C18H36N4O11·H2O4S M.W. 582.58		0841A 00005	GB
500 gm	02365	KAOLIN Extra Pure (heavy powder)	1332-58-7	02365 00500	PB
5 Kg				02365 05000	PC
500 gm	00842	KAOLIN Extra Pure (light powder)	1332-58-7	00842 00500	PB
5 Kg				00842 05000	PC
500 ml	02366	KARANJA OIL, Liquid, d. 0.98		02366 00500	GB
		KARAYA GUM See Gum Karaya Cat No.791A Page 101			
2x250 ml	0842A	KARL FISCHER REAGENT (pyridine free, single solution), Liquid, d. 0.93		0842A 00500	GB
25 gm	00843	a-KETOGLUTARIC ACID (For Molecular Biology)	328-50-7	00843 00025	GB
100 gm		(2-oxoglutaric acid) Store at 2 - 8°C		00843 00100	GB
500 gm		Assay : Min. 99% C5H6O5 M.W. 146.10		00843 00500	PB
5 gm	0842B	KETOPROFEN Extra Pure	22071-15-4	0842B 00005	GB
10 gm		(for lab use)		0842B 00010	PB
25 gm		Assay : Min. 98% C16H14O3 M.W. 254.28		0842B 00025	GB
500 gm	0843A	KIESELGUHR (purified white)		0843A 00500	PB
500 gm	0843B	KIESELGUHR G (for TLC)		0843B 00500	PB
1 gm	0843C	KINETINE AR	525-79-1	0843C 00001	GB
10 gm		(6-furfuryl aminopurine)		0843C 00010	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		Assay : Min. 99.5% C10H9N5O M.W. 215.21		0843C 00025	GB
		KLUCEL See Hydroxy Propyl Cellulose Cat No.2333 Page 107			
1 gm	02368	KOJIC ACID (for biochemistry)	501-30-4	02368 00001	GB
10 gm		[5-hydroxy-2-(hydroxymethyl)-4H-pyran-4-one]		02368 00010	GB
		Assay : Min. 98% C6H6O4 M.W 142.11			
1 gm	2368A	KOJIC ACID DIPALMITATE	79725-98-7	2368A 00001	GB
5 gm				2368A 00005	GB
125 ml	0843D	KOVAC'S INDOLE REAGENT Liquid, d. 0.920		0843D 00125	GB
L					
		LAB LEMCO See Beef Extract Cat No.226 & 227 Page 26			
500 ml	0843E	LABOCLINOL'RL (Laboratory Detergent) Liquid, d. 1.280		0843E 00500	PB
5 Lt		(for cleaning all laboratory equipment,non-hazardous neutral liquid detergent)		0843E 05000	PC
500 ml	00844	LAB SOLVENT (practical)		00844 00500	PB
5 Lt		(suitable for school & college practical)		00844 05000	PC
25 Lt		Liquid, d. 0.785		00844 25000	PD
5 gm	00845	LACMOID (pH indicator) C24H16N2O6 M.W. 428.39	33869-21-5	00845 00005	GB
500 ml	00846	LACTIC ACID	79-33-4	00846 00500	PB
2.5 Lt		Assay : Min. 88% C3H6O3 M.W. 90.08, Liquid, d. 1.209		00846 02500	PB
5 Lt				00846 05000	PC
500 ml	0846A	LACTIC ACID AR	79-33-4	0846A 00500	GB
2.5 Lt		Assay : Min. 88% C3H6O3 M.W. 90.08, Liquid, d. 1.209		0846A 02500	GB
125 ml	0846B	LACTIC ACID 0.1N Solution		0846B 00125	PB
500 ml		Liquid, d. 1.00		0846B 00500	PB
		LACTIC ACID LITHIUM SALT See Lithium Lactate Cat No.896 Page 118			
125 ml	00847	LACTOPHENOL solution		00847 00125	PB
500 ml		(for microscopy)		00847 00500	PB
125 ml	0847A	LACTOPHENOL PICRIC ACID solution		0847A 00125	PB
500 ml		(for microscopy)		0847A 00500	PB
500 gm	00848	LACTOSE Extra Pure	64044-51-5	00848 00500	PB
5 Kg		(monohydrate)		00848 05000	PC
25 Kg		Assay : Min. 98% C12H22O11.H2O M.W. 360.31		00848 25000	FD
500 gm	0848A	LACTOSE AR	64044-51-5	0848A 00500	PB
5 Kg		(monohydrate)		0848A 05000	PC
25 Kg		Assay : Min. 98.5% C12H22O11.H2O M.W. 360.31		0848A 25000	FD
500 gm	0848B	LANETTE WAX Extra Pure	8038-90-2	0848B 00500	PB
500 gm	00849	LANOLIN (anhydrous)(wool fat)	8006-54-0	00849 00500	PB
125 ml	02371	LANTHANUM AAS STANDARD SOLUTION		02371 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.013		02371 00500	GB
125 ml	2371A	LANTHANUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2371A 00125	GB
		Liquid, d. 1.013			
25 gm	0849A	LANTHANUM ACETATE AR (sesquihydrate)	25721-92-0	0849A 00025	GB
100 gm		Assay : Min. 99.9% C6H9LaO6.1.5H2O M.W. 343.05		0849A 00100	GB
25 gm	0849B	LANTHANUM CARBONATE AR (hydrate)	54451-24-0	0849B 00025	GB
100 gm		Assay : Min. 99.5% C3La2O9.xH2O M.W 457.94 (anhy basis)		0849B 00100	GB
25 gm	00850	LANTHANUM CHLORIDE AR	10025-84-0	00850 00025	GB
100 gm		(heptahydrate)		00850 00100	GB
500 gm		Assay : Min. 99% LaCl3.7H2O M.W. 371.37		00850 00500	PB
25 gm	0850A	LANTHANUM FLUORIDE AR (anhydrous)	13709-38-1	0850A 00025	GB
100 gm		Assay : Min. 99.99% LaF3 M.W. 195.90		0850A 00100	PB
25 gm	0850B	LANTHANUM HYDROXIDE AR	14507-19-8	0850B 00025	GB
100 gm		Assay : Min. 99.9% La(OH)3 M.W. 189.93		0850B 00100	PB
25 gm	00851	LANTHANUM NITRATE 99% purified	10277-43-7	00851 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		(hexahydrate)		00851 00100	PB
500 gm		Assay : Min. 99% LaN3O9.6H2O M.W. 433.02		00851 00500	PB
25 gm	0851A	LANTHANUM NITRATE AR	10277-43-7	0851A 00025	GB
100 gm		(hexahydrate)		0851A 00100	PB
500 gm		Assay : Min. 99.9% LaN3O9.6H2O M.W. 433.02		0851A 00500	PB
25 gm	0851B	LANTHANUM OXALATE AR (hydrate)	79079-18-8	0851B 00025	GB
		Assay : Min. 99.5% La2(C2O4)3·xH2O M.W 541.87 (anhy basis)			
25 gm	00852	LANTHANUM OXIDE	1312-81-8	00852 00025	GB
100 gm		(lanthanum (III) oxide)		00852 00100	PB
500 gm		Assay : Min. 99.5% La2O3 M.W. 325.81		00852 00500	PB
25 gm	0852A	LANTHANUM OXIDE AR	1312-81-8	0852A 00025	GB
100 gm		(lanthanum (III) oxide)		0852A 00100	PB
500 gm		Assay : Min. 99.9% La2O3 M.W. 325.81		0852A 00500	PB
25 gm	00853	LANTHANUM SULPHATE (hydrate)	57804-25-8	00853 00025	GB
100 gm		Assay : Min. 99% La2(SO4)3·xH2O M.W. 566.00 (anhy basis)		00853 00100	PB
25 gm	0853A	LANTHANUM SULPHATE AR (hydrate)	57804-25-8	0853A 00025	GB
100 gm		Assay : Min. 99.9% La2(SO4)3·xH2O M.W. 566.00 (anhy basis)		0853A 00100	PB
500 gm	0853B	LAURIC ACID (N-dodecanoic acid)	143-07-7	0853B 00500	PB
		Assay : Min. 99% C12H24O2 M.W. 200.32			
500 ml	00854	LAURYL ALCOHOL (dodecyl alcohol)	112-53-8	00854 00500	PB
		Assay : Min. 98% C12H26O M.W. 186.33, Liquid, d. 0.833			
500 ml	00855	LAVENDER OIL Extra Pure Liquid, d. 0.879	8000-28-0	00855 00500	GB
125 ml	02376	LEAD AAS STANDARD SOLUTION Liquid, d. 1.02		02376 00125	GB
500 ml		1000mg/L in Nitric Acid		02376 00500	GB
125 ml	2376A	LEAD ICP STANDARD SOLUTION 1000mg/L in Nitric Acid, (d. 1.02)		2376A 00125	GB
500 gm	00856	LEAD (metal) FOIL (practical)	7439-92-1	00856 00500	PB
		Pb A.W. 207.2			
250 gm	0856A	LEAD (metal) FOIL AR	7439-92-1	0856A 00250	PB
500 gm		Pb A.W. 207.2		0856A 00500	PB
500 gm	0856B	LEAD (metal) GRANULARS	7439-92-1	0856B 00500	PB
		Assay : Min. 99.5% Pb A.W. 207.2			
500 gm	0856C	LEAD (metal) POWDER	7439-92-1	0856C 00500	PB
		Assay : Min. 99.5% Pb A.W. 207.2			
500 gm	00857	LEAD (metal) SHOTS	7439-92-1	00857 00500	PB
		Assay : Min. 99.9% Pb A.W. 207.2			
500 gm	00858	LEAD ACETATE (trihydrate crystals) (lead (II) acetate)	6080-56-4	00858 00500	PB
5 Kg		Assay : Min. 99% C4H6O4Pb.3H2O M.W. 379.33		00858 05000	PC
500 gm	0858A	LEAD ACETATE AR (trihydrate crystals)	6080-56-4	0858A 00500	PB
5 Kg		(lead (II) acetate) Assay : Min. 99.5% C4H6O4Pb.3H2O M.W. 379.33		0858A 05000	PC
500 gm	00859	LEAD ACETATE (basic)(for sugar analysis by Horne method)	51404-69-4	00859 00500	PB
2.5 Kg		(anhydrous) (lead subacetate)		00859 02500	PB
5 Kg		Assay : Min. 99.8% (CH3COO)2Pb.Pb(OH)2 M.W. 566.50		00859 05000	PC
Pkt	00860	LEAD ACETATE papers (Pkt. contains 100 leaves)		00860 001PK	CB
24 Pkt				00860 024PK	CB
500 ml	00861	LEAD ACETATE SOLUTION Liquid, d. 1.05		00861 00500	PB
500 gm	00863	LEAD BORATE	12676-62-9	00863 00500	PB
		Assay : Min. 98% B2O4Pb.H2O M.W. 310.81			
500 gm	00864	LEAD BROMIDE (for synthesis)	10031-22-8	00864 00500	PB
		Assay : Min. 98% PbBr2 M.W. 367.01			
500 gm	0864A	LEAD BROMIDE AR	10031-22-8	0864A 00500	PB
		Assay : Min. 99% PbBr2 M.W. 367.01			
500 gm	00865	LEAD CARBONATE (basic) [lead (II) carbonate basic]	598-63-0	00865 00500	PB
5 Kg		Assay : Min. 98% PbCO3 M.W. 267.21		00865 05000	PB
500 gm	0865A	LEAD CARBONATE AR [lead (II) carbonate basic]	598-63-0	0865A 00500	PB
		Assay : Min. 99% PbCO3 M.W. 267.21			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	00866	LEAD CHLORIDE (anhydrous) (lead (II) chloride)	7758-95-4	00866 00500	PB
5 kg		Assay : Min. 98% PbCl2 M.W. 278.11		00866 05000	PB
500 gm	02381	LEAD CHLORIDE AR (anhydrous) (lead (II) chloride)	7758-95-4	02381 00500	PB
		Assay : Min. 99% PbCl2 M.W. 278.11			
500 gm	00867	LEAD CHROMATE [lead (II) chromate]	7758-97-6	00867 00500	PB
		Assay : Min. 98% CrO4Pb M.W. 323.18			
100 gm	0867A	LEAD CHROMATE AR [lead (II) chromate]	7758-97-6	0867A 00100	PB
250 gm		Assay : Min. 99% CrO4Pb M.W. 323.18		0867A 00250	PB
500 gm	0867B	LEAD CITRATE tribasic, trihydrate	6107-83-1	0867B 00500	PB
		Assay : Min. 95% C12H10Pb3O14.3H2O M.W 1053.85			
500 gm	00868	LEAD DIOXIDE	1309-60-0	00868 00500	PB
5 Kg		(lead peroxide) [lead (IV) oxide]		00868 05000	PC
25 Kg		Assay : Min. 95% PbO2 M.W. 239.20		00868 25000	FD
250 gm	0868A	LEAD DIOXIDE AR (lead peroxide)	1309-60-0	0868A 00250	PB
		[lead (IV) oxide] Assay : Min. 97% PbO2 M.W. 239.20			
500 gm	00869	LEAD FERROCYANIDE [lead (II) hexacyanoferrate(III)]	14402-61-0	00869 00500	PB
		Assay : Min. 97% C6FeN6Pb2 M.W. 626.35			
500 gm	0869A	LEAD FLUOBORATE (49%)	13814-96-5	0869A 00500	PB
		Assay : Min. 49% B2F8Pb M.W. 380.80, Liquid, d. 1.615			
500 gm	00870	LEAD FLUORIDE	7783-46-2	00870 00500	PB
		Assay : Min. 99.9% PbF2 M.W 245.20			
500 gm	0870D	LEAD HYDROXIDE (for synthesis)	1319-46-6	0870D 00500	PB
5 Kg		Assay : Min. 98% Pb(OH)2 M.W. 241.21		0870D 05000	PC
250 gm	00871	LEAD IODIDE	10101-63-0	00871 00250	PB
		Assay : Min. 99% PbI2 M.W 461.01			
500 gm	00872	LEAD MONOXIDE (litharge)	1317-36-8	00872 00500	PB
5 Kg		(lead oxide yellow)		00872 05000	PC
25 Kg		Assay : Min. 99-100.5% PbO M.W 223.20		00872 25000	FD
250 gm	0872A	LEAD MONOXIDE AR (litharge)	1317-36-8	0872A 00250	PB
		(lead oxide yellow) Assay : Min. 99.9% PbO M.W 223.20			
500 gm	0872B	LEAD NAPHTHENATE (24% solution)	61790-14-5	0872B 00500	PB
		Assay : Min. 24% C14H22O4Pb M.W 461.52, Liquid, d. 1.131			
500 gm	00873	LEAD NITRATE (lead (II) nitrate)	10099-74-8	00873 00500	PB
5 Kg		Assay : Min. 99% N2O6Pb M.W. 331.21		00873 05000	PC
500 gm	0873A	LEAD NITRATE AR (lead (II) nitrate)	10099-74-8	0873A 00500	PB
5 Kg		Assay : Min. 99.5% N2O6Pb M.W. 331.21		0873A 05000	PC
500 ml	0873B	LEAD (II) NITRATE 0.01M (0.02N) Standardized Solution, traceable to NIST		0873B 00500	PB
500 ml	0873C	LEAD (II) NITRATE 0.5M (1N) Standardized Solution, traceable to NIST		0873C 00500	PB
500 gm	00874	LEAD OXALATE	814-93-7	00874 05000	PB
		Assay : Min. 99% C2O4Pb M.W. 295.23			
500 gm	00875	LEAD OXIDE RED	1314-41-6	00874 05000	PB
5 Kg		(red lead) [lead (II, IV) oxide]		00875 00500	PC
25 Kg		Assay : Min. 95% Pb3O4 M.W. 685.60		00875 25000	FD
		LEAD OXIDE YELLOW (litharge) See Lead Monoxide Cat No.872 & 872A Page 134			
		LEAD PEROXIDE See Lead Dioxide Cat No.868 & 868A Page 115			
500 gm	00876	LEAD PHOSPHATE	7446-27-7	00876 00500	PB
		Assay : Min. 98% O8P2Pb3 M.W. 811.54			
500 gm	0876A	LEAD STEARATE (anhydrous) (C18H35O2)2	1072-35-1	0876A 00500	PB
		LEAD SUBACETATE See Lead Acetate (basic) Cat No.859 Page 115			
500 gm	00877	LEAD SULPHATE	7446-14-2	00877 00500	PB
5 Kg		Assay : Min. 98.5% PbSO4 M.W. 303.26		00877 05000	PC
500 gm	0877A	LEAD SULPHATE AR	7446-14-2	0877A 00500	PB
		Assay : Min. 99% PbSO4 M.W. 303.26			
500 gm	00878	LEAD SULPHIDE	1314-87-0	00878 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99.9% PbS M.W 239.27			
500 gm	00879	LEAD SULPHITE		00879 00500	PB
500 gm	00880	LEAD TARTRATE	815-84-9	00880 00500	PB
		Assay : Min. 99% C4H4O6Pb M.W. 355.27			
100 gm	0880A	LEAD TETRAACETATE AR	546-67-8	0880A 00100	PB
500 gm		Assay : Min. 95% C8H12O8Pb M.W. 443.38		0880A 00500	PB
500 gm	00881	LEAD THIOCYANATE	592-87-0	00881 00500	PB
		Assay : Min. 98% C2N2PbS2 M.W. 323.36			
500 gm	00882	LEAD THIOSULPHATE	13478-50-7	00882 00500	PB
		Assay : Min. 97% O3PbS2 M.W. 319.32			
100 gm	02383	LECITHIN SOYA (purified) 30%	8002-43-5	02383 00100	PB
250 gm		Assay : Min. 30% (l-a-phosphatidyl choline)		02383 00250	PB
500 gm	02384	LECITHIN SOYA LIQUID (practical)		02384 00500	PB
25 gm	00885	LEISHMAN'S STAIN	12627-53-1	00885 00025	GB
100 gm		(for microscopy) (eosin methylene blue compound)		00885 00100	PB
500 gm				00885 00500	PB
125 ml	00886	LEISHMAN'S STAIN solution Liquid, d. 0.79		00886 00125	GB
250 ml		(eosin methylene blue compound ready mixed)		00886 00250	GB
500 ml	00883	LEMONGRASS OIL Extra Pure Liquid, d. 0.887		00883 00500	GB
500 ml	00884	LEMON OIL Extra Pure Liquid, d. 0.850		00884 00500	GB
25 gm	0886A	L-iso-LEUCINE (for biochemistry)	73-32-5	0886A 00025	GB
		Assay : Min. 99% C6H13NO2 M.W. 131.18			
25 gm	0886B	L-LEUCINE (for biochemistry)	61-90-5	0886B 00025	GB
		Assay : Min. 99% C6H13NO2 M.W. 131.18			
10 gm	0886C	DL-nor-LEUCINE (for biochemistry)	616-06-8	0886C 00010	GB
25 gm		Assay : Min. 99% C6H13NO2 M.W 131.17		0886C 00025	GB
5 gm	0886E	LEVOFLOXACIN (anhydrous) (ofloxacin)	100986-85-4	0886E 00005	GB
25 gm		Assay : Min. 98% C18H20FN3O4 M.W. 361.37		0886E 00025	GB
		LEVULOSE See D-Fructose Cat No.757 & 757A Page 96			
25 gm	00887	LIGHT GREEN (for microscopy) (C.I. No.42095)	5141-20-8	00887 00025	GB
100 gm		(light green SF yellowish)		00887 00100	PB
500 gm		Dye Content : Min. 80% C37H34N2Na2O9S3 M.W. 792.85		00887 00500	PB
25 gm	0887A	LIGHT GREEN SF yellowish (For Molecular Biology) (for Microscopy)	5141-20-8	0887A 00025	GB
100 gm		(C.I.No.42095) Animal Tissue Staining		0887A 00100	PB
125 ml	00888	LIGHT GREEN Solution 0.1%		00888 00125	PB
500 ml				00888 00500	PB
25 gm	0888A	LIGNOCAINE base	137-58-6	0888A 00025	GB
100 gm		Assay : Min. 98% C14H22N2O M.W 234.34		0888A 00100	PB
25 gm	0888B	LIGNOCAINE HYDROCHLORIDE (monohydrate)	6108-05-0	0888B 00025	GB
100 gm		Assay : Min. 99% C14H22N2O.HCl.H2O M.W. 288.81		0888B 00100	PB
500 ml	00889	LIME OIL Extra Pure Liquid, d. 0.861	8008-26-2	00889 00500	GB
500 ml	00890	LIME WATER (for testing carbonates)		00890 00500	PB
5 Lt				00890 05000	PC
100 gm	02386	LINOLEIC ACID (liquid)	60-33-3	02386 00100	GB
500 gm		Assay : Min. 95% C18H32O2 M.W. 280.45, Liquid, d. 0.902		02386 00500	GB
1 gm	2386A	LINOLEIC ACID, Free acid	60-33-3	2386A 00001	GB
		Assay : Min. 99% C18H32O2 M.W. 280.45, Liquid, d. 0.902			
1 gm	2386B	LINOLEIC ACID METHYL ESTER	112-63-0	2386B 00001	GB
5 gm		Assay : Min. 99% C19H34O2 M.W. 294.47		2386B 00005	GB
500 ml	0890A	LINSEED OIL Extra Pure Liquid, d. 0.93	8001-26-1	0890A 00500	GB
5 gm	02391	LIPASE	9001-62-1	02391 00005	GB
25 gm				02391 00025	GB
5 gm	2391A	L-a-LIPOIC ACID (DL-thioctic acid)	1077-28-7	2391A 00005	GB
25 gm		Assay : Min. 98% C8H14O2S2 M.W. 206.33		2391A 00025	GB
		LIQUID PARAFFIN See Paraffin Liquid Cat No.1136 & 1137 Page 146			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		LIQUOR AMMONIA See Ammonia Solution Cat No.092, 093 & 094 Page 13			
25 gm	02393	LISSAMINE GREEN B (C.I. No.44090)	3087-16-9	02393 00025	GB
		Dye Content : Min. 60% C27H25N2NaO7S2 M.W. 576.62			
		LITHARGE See Lead Monoxide Cat No.872 & 872A Page 116			
125 ml	02396	LITHIUM AAS STANDARD SOLUTION		02396 00125	PB
500 ml		1000mg/L in Nitric Acid, Liquid, d.1.017		02396 00500	PB
125 ml	2396B	LITHIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2396B 00125	PB
		Liquid, d. 1.017			
25 gm	2393A	LITHIUM (metal) 99% (coated)	7439-93-2	2393A 00025	GB
100 gm		Assay : Min. 99% Li A.W. 6.94		2393A 00100	GB
500 gm	0890B	LITHIUM ACETATE (dihydrate) (acetic acid lithium salt)	6108-17-4	0890B 00500	PB
		Assay : Min. 97.5% C2H3LiO2.2H2O M.W. 102.02			
250 gm	2396A	LITHIUM ACETATE AR (dihydrate)	6108-17-4	2396A 00250	PB
		(acetic acid lithium salt) Assay : Min. 98% C2H3LiO2.2H2O M.W. 102.02			
25 gm	0890C	LITHIUM ALUMINIUM HYDRIDE (for synthesis)	16853-85-3	0890C 00025	GB
100 gm		Assay : Min. 96% LiAlH4 M.W. 37.95		0890C 00100	PB
100 gm	0890D	di-LITHIUM BORATE tetra AR	12007-60-2	0890D 00100	PB
500 gm		(di-lithium tetraborate) Assay : Min. 99% Li2B4O7 M.W 169.12		0890D 00500	PB
500 gm	00891	LITHIUM BROMIDE (anhydrous)	7550-35-8	00891 00500	PB
		Assay : Min. 99% LiBr M.W. 86.85			
250 gm	00892	LITHIUM CARBONATE	554-13-2	00892 00250	PB
500 gm		Assay : Min. 98.5% Li2CO3 M.W. 73.89		00892 00500	PB
100 gm	0892A	LITHIUM CARBONATE AR	554-13-2	0892A 00100	PB
250 gm		Assay : Min. 99.5% Li2CO3 M.W. 73.89		0892A 00250	PB
250 gm	00893	LITHIUM CHLORIDE (anhydrous)	7447-41-8	00893 00250	GB
500 gm		Assay : Min. 98% LiCl M.W. 42.39		00893 00500	GB
100 gm	00894	LITHIUM CHLORIDE AR (anhydrous)	7447-41-8	00894 00100	GB
250 gm		Assay : Min. 99% LiCl M.W. 42.39		00894 00250	GB
100 gm	0893A	LITHIUM CHLORIDE (For Molecular Biology)	7447-41-8	0893A 00100	GB
500 gm		Assay : Min. 99% LiCl M.W. 42.39		0893A 00500	GB
250 gm	0894A	tri-LITHIUM CITRATE (tetrahydrate)	6080-58-6	0894A 00250	PB
		Assay : Min. 98% C6H5Li3O7.4H2O M.W. 281.99			
250 gm	0894B	tri-LITHIUM CITRATE AR (tetrahydrate)	6080-58-6	0894B 00250	PB
		Assay : Min. 99% C6H5Li3O7.4H2O M.W. 281.99			
500 gm	0894C	LITHIUM FLUORIDE	7789-24-4	0894C 00500	PB
		Assay : Min. 98% LiF M.W. 25.94			
500 gm	00895	LITHIUM HYDROXIDE (monohydrate)	1310-66-3	00895 00500	PB
		Assay : Min. 99% LiOH.H2O M.W. 41.96			
500 gm	0895A	LITHIUM HYDROXIDE AR (monohydrate)	1310-66-3	0895A 00500	PB
		Assay : Min. 99.5% LiOH.H2O M.W. 41.96			
100 gm	0895B	LITHIUM IODIDE (for synthesis)	10377-51-2	0895B 00100	PB
500 gm		Assay : Min. 99% LiI M.W. 133.85		0895B 00500	PB
100 gm	00896	LITHIUM LACTATE (lactic acid lithium salt)	867-55-0	00896 00100	PB
500 gm		Assay : Min. 98% C3H5LiO3 M.W. 96.01		00896 00500	PB
250 gm	0896A	LITHIUM METABORATE (anhydrous)	13453-69-5	0896A 00250	PB
		Assay : Min. 98% LiBO2 M.W. 49.75			
250 gm	0896B	LITHIUM METABORATE AR (anhydrous)	13453-69-5	0896B 00250	PB
		Assay : Min. 99% LiBO2 M.W. 49.75			
500 gm	00897	LITHIUM NITRATE (anhydrous)	7790-69-4	00897 00500	PB
		Assay : Min. 98% LiNO3 M.W. 68.95			
100 gm	02401	LITHIUM OXALATE	553-91-3	02401 00100	PB
		Assay : Min. 99% C2O4Li2 M.W. 101.90			
25 gm	0897A	LITHIUM PERCHLORATE AR (trihydrate)	13453-78-6	0897A 00025	GB
100 gm		Assay : Min. 99% LiClO4.3H2O M.W. 160.44		0897A 00100	PB
250 gm	00898	LITHIUM SULPHATE (monohydrate)	10102-25-7	00898 00250	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 98% Li2SO4.H2O M.W. 127.96		00898 00500	PB
100 gm	0898A	LITHIUM SULPHATE AR (monohydrate)	10102-25-7	0898A 00100	PB
250 gm		Assay : Min. 99% Li2SO4.H2O M.W. 127.96		0898A 00250	PB
		di-LITHIUM TETRABORATE See di-Lithium Borate tetra Cat No.890D Page 118			
10 gm	00899	LITMUS (pH indicator)	1393-92-6	00899 00010	GB
25 gm		pH 5.0-8.0 red to blue		00899 00025	GB
100 gm		(litmus granular)		00899 00100	PB
500 gm				00899 00500	PB
Pkt	00900	LITMUS BLUE indicator papers		00900 001PK	CB
24 Pkt		(one Pkt. contains 100 leaves)		00900 024PK	CB
Pkt	00901	LITMUS RED indicator papers		00901 001PK	CB
24 Pkt		(one Pkt. contains 100 leaves)		00901 024PK	CB
125 ml	00902	LITMUS BLUE indicator solution		00902 00125	PB
500 ml				00902 00500	PB
125 ml	00903	LITMUS RED indicator solution		00903 00125	PB
500 ml				00903 00500	PB
500 gm	0903A	LIVER EXTRACT POWDER (for bacteriology)		0903A 00500	PB
		(liver hydrolysate enzymatic)			
		LOCUST BEAN GUM See Gum Locust Bean Cat No.791B Page 101			
25 gm	0903B	LOPERAMIDE Extra Pure (for lab use)	53179-11-6	0903B 00025	GB
100 gm				0903B 00100	PB
100 ml	0903C	LUCAS REAGENT solution		0903C 00100	PB
500 ml				0903C 00500	PB
125 ml	00904	LUGOL'S IODINE indicator solution		00904 00125	GB
500 ml				00904 00500	GB
5 gm	0904B	LUMINOL (for synthesis)	521-31-3	0904B 00005	GB
25 gm		Assay : Min. 97% C8H7N3O2 M.W.177.16		0904B 00025	GB
250 ml	2402C	2,3-LUTIDINE (for synthesis)	583-61-9	2402C 00250	GB
		Assay : Min. 99% C7H9N M.W.107.15, Liquid, d. 0.945			
100 ml	2402A	2,6-LUTIDINE (2,6-dimethylpyridine)	108-48-5	2402A 00100	GB
500 ml		Assay : Min. 98% C7H9N M.W.107.15, Liquid, d. 0.92		2402A 00500	GB
250 ml	2402D	3,4-LUTIDINE (for synthesis)	583-58-4	2402D 00250	GB
		Assay : Min. 97.5% C7H9N M.W. 107.15, Liquid, d. 0.954			
100 ml	2402B	3,5-LUTIDINE (3,5-dimethylpyridine)	591-22-0	2402B 00100	GB
500 ml		Assay : Min. 99% C7H9N M.W. 107.15, Liquid, d. 0.939		2402B 00500	GB
100 gm	0904A	LYCOPODIUM (for synthesis) (powder)	8023-70-9	0904A 00100	PB
		(against End Use Certificate)			
10 gm	0904C	L-LYSINE (Base) Monohydrate Extra Pure	39665-12-8	0904C 00010	GB
25 gm		Assay : Min. 99% C6H14N2O2.H2O M.W.164.21		0904C 00025	GB
100 gm		(store at 2 - 8°C)		0904C 00100	PB
100 gm	00905	L-LYSINE MONOHYDROCHLORIDE	657-27-2	00905 00100	PB
500 gm		(for biochemistry)		00905 00500	PB
5 Kg		Assay : Min. 99% C6H14N2O2.HCl M.W. 182.65		00905 05000	PC
500 ml	00906	LYSOL (cresol soap solution), Liquid, d. 0.748	12772-68-8	00906 00500	PB
1 gm	02403	LYSOZYME (For Molecular Biology)	12650-88-3	02403 00001	GB
5 gm		(muramidase) (from chicken egg white) M.W. 14600 Daltons (Average)		02403 00005	GB
1 gm	2403A	LYSOZYME CHLORIDE	9066-59-5	2403A 00001	GB
5 gm		(for biochemistry)		2403A 00005	GB
1 gm	2403B	D-LYXOSE (for biochemistry)	1114-34-7	2403B 00001	GB
M					
500 ml	02404	MACE OIL , Liquid, d. 0.88	8007-12-3	02404 00500	GB
		MAGENTA ACID See Fuchsin Acid Cat No.758 & 759 Page 96			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		MAGENTA BASIC See Basic Fuchsin Cat No.224 & 1877 Page 26			
125 ml	02406	MAGNESIUM AAS STANDARD SOLUTION		02406 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.016		02406 00500	GB
125 ml	2406A	MAGNESIUM ICP STANDARD SOLUTION		2406A 00125	GB
		1000mg/L in Nitric Acid, Liquid, d. 1.016			
125 ml	2406B	MAGNESIUM ICP STANDARD SOLUTION		2406B 00125	GB
		10000mg/L in Nitric Acid, Liquid, d. 1.058			
100 gm	00907	MAGNESIUM (metal) POWDER	7439-95-4	00907 00100	PB
500 gm		Assay : Min. 99% Mg M.W. 24.31		00907 00500	PB
25 gm	00908	MAGNESIUM (metal) RIBBON	7439-95-4	00908 00025	PB
25x25 gm		Assay : Min. 99.5% Mg M.W. 24.31		00908 00625	PB
250 gm	00909	MAGNESIUM (metal) TURNINGS (acc. grignard reactions)	7439-95-4	00909 00250	PB
500 gm		(CAS No.7439-95-4) Assay : Min. 99.9% Mg M.W. 24.31		00909 00500	PB
500 gm	00910	MAGNESIUM ACETATE (tetrahydrate)	16674-78-5	00910 00500	PB
5 Kg		Assay : Min. 98-102% C4H6MgO4.4H2O M.W. 214.45		00910 05000	PC
500 gm	00911	MAGNESIUM ACETATE AR (tetrahydrate)	16674-78-5	00911 00500	PB
		Assay : Min. 99.5-102% C4H6MgO4.4H2O M.W. 214.45			
100 gm	00912	MAGNESIUM ACETATE (tetrahydrate) (For Molecular Biology)	16674-78-5	00912 00100	PB
500 gm		Assay : Min. 99% C4H6MgO4.4H2O M.W. 214.45 PB 500 gm 29152920 18 3779		00912 00500	PB
		MAGNESIUM ALUMINIUM SILICATE See Veegum Cat No.1571A Page 208			
500 gm	00913	MAGNESIUM BORATE	13703-82-7	00913 00500	PB
		Assay : Min. 90% B2O4Mg M.W. 109.92			
500 gm	00914	MAGNESIUM BROMIDE	13446-53-2	00914 00500	PB
		Assay : Min. 99% MgBr2.6H2O M.W. 292.20			
500 gm	0914A	MAGNESIUM BROMIDE AR	13446-53-2	0914A 00500	PB
		Assay : Min. 99.5% MgBr2.6H2O M.W. 292.20			
250 gm	00915	MAGNESIUM CARBONATE (light)	39409-82-0	00915 00250	PB
500 gm		(magnesium hydroxide carbonate)		00915 00500	PB
2.5 Kg		Assay (as MgO) : Min. 40-50% MgCO3 M.W 84.31		00915 02500	PC
250 gm	0915A	MAGNESIUM CARBONATE AR (light)	39409-82-0	0915A 00250	PB
500 gm		(magnesium hydroxide carbonate) Assay : Min. 24% MgCO3 M.W 84.31		0915A 00500	PB
500 gm	0915B	MAGNESIUM CARBONATE (practical) (heavy)		0915B 00500	PB
5 Kg		MgCO3 M.W 84.31 (magnesium hydroxide carbonate)		0915B 05000	PC
500 gm	02411	MAGNESIUM CARBONATE purified (heavy)		02411 00500	PB
5 Kg		(magnesium hydroxide carbonate)		02411 05000	PC
		Assay (as MgO) : Min. 40-50% MgCO3 M.W 84.31			
500 gm	00916	MAGNESIUM CHLORIDE (crystals) (hexahydrate)	7791-18-6	00916 00500	PB
5 Kg		Assay : Min. 98% MgCl2.6H2O M.W. 203.30 PC 5 Kg 28273100 18 1585		00916 05000	PC
500 gm	0916A	MAGNESIUM CHLORIDE AR (crystals) (hexahydrate)	7791-18-6	0916A 00500	PB
5 Kg		Assay : Min. 99% MgCl2.6H2O M.W. 203.30		0916A 05000	PC
100 gm	2411A	MAGNESIUM CHLORIDE (hexahydrate) (For Molecular Biology)	7791-18-6	2411A 00100	PB
500 gm		Assay : Min. 99.5% MgCl2.6H2O M.W. 203.30		2411A 00500	PB
500 ml	0916B	MAGNESIUM CHLORIDE 0.01M (0.02N)		0916B 00500	PB
		Standardized Solution, traceable to NIST			
500 gm	00917	MAGNESIUM CHROMATE (hydrate)	16569-85-0	00917 00500	PB
		Assay : Min. 99.8% MgCrO4.xH2O M.W. 14.30 (anhydr. basis)			
500 gm	00918	MAGNESIUM CITRATE	3344-18-1	00918 00500	PB
		Assay (Mg) : Min. 14.5-16.4% C12H10 Mg3O14 M.W. 451.11			
500 gm	00919	MAGNESIUM FLUORIDE	7783-40-6	00919 00500	PB
		Assay : Min. 97% MgF2 M.W. 62.30			
500 gm	00920	MAGNESIUM HYDROXIDE Extra Pure	1309-42-8	00920 00500	PB
5 Kg		Assay : Min. 95% Mg(OH)2 M.W. 58.32		00920 05000	PC
100 gm	00921	MAGNESIUM IODIDE	10377-58-9	00921 00100	PB
250 gm		Assay : Min. 98% MgI2 M.W. 278.11		00921 00250	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	00922	MAGNESIUM NITRATE (hexahydrate)	13446-18-9	00922 00500	PB
5 Kg		Assay : Min. 98% $Mg(NO_3)_2.6H_2O$ M.W. 256.41		00922 05000	PC
500 gm	0922A	MAGNESIUM NITRATE AR (hexahydrate)	13446-18-9	0922A 00500	PB
5 Kg		Assay : Min. 99% $Mg(NO_3)_2.6H_2O$ M.W. 256.41		0922A 05000	PC
500 gm	00923	MAGNESIUM OXALATE	547-66-0	00923 00500	PB
		Assay : Min. 98.5% $MgC_2O_4.2H_2O$ M.W. 148.36			
500 gm	00924	MAGNESIUM OXIDE (light)	1309-48-4	00924 00500	PB
2.5 Kg		Assay : Min. 97% MgO M.W. 40.30		00924 02500	PC
500 gm	0924B	MAGNESIUM OXIDE AR (light)	1309-48-4	0924B 00500	PB
		Assay : Min. 98% MgO M.W. 40.30			
500 gm	0924A	MAGNESIUM OXIDE (heavy) extra pure	1309-48-4	0924A 00500	PB
5 Kg		Assay : Min. 98% MgO M.W. 40.30		0924A 05000	PC
100 gm	00925	MAGNESIUM PERCHLORATE AR (hydrate)	64010-42-0	00925 00100	PB
500 gm		Assay : Min. 99% $Mg(ClO_4)_2.xH_2O$ M.W. 223.21 (anhy basis)		00925 00500	PB
500 gm	00926	MAGNESIUM PHOSPHATE (dibasic, trihydrate)	7782-75-4	00926 00500	PB
		Assay : Min. 98-102% $MgHPO_4.3H_2O$ M.W. 174.33			
500 gm	0926A	MAGNESIUM SILICATE	335277-38-8	0926A 00500	PB
500 gm	00927	MAGNESIUM STEARATE	557-04-0	00927 00500	PB
5 Kg		(precipitated)		00927 05000	PC
25 Kg		Assay : Min. 4-5% $C_{36}H_{70}MgO_4$ M.W. 591.24		00927 25000	FD
500 gm	00928	MAGNESIUM SULPHATE (heptahydrate)	10034-99-8	00928 00500	PB
5 Kg				00928 05000	PC
50 Kg		Assay : Min. 99% $MgSO_4.7H_2O$ M.W. 246.47		00928 50000	FD
500 gm	00929	MAGNESIUM SULPHATE AR (heptahydrate)	10034-99-8	00929 00500	PB
5 Kg				00929 05000	PC
50 Kg		Assay : Min. 99.5% $MgSO_4.7H_2O$ M.W. 246.47		00929 50000	FD
500 gm	2416A	MAGNESIUM SULPHATE (heptahydrate) (For Molecular Biology)	10034-99-8	2416A 00500	PB
		Assay : Min. 99% $MgSO_4.7H_2O$ M.W. 246.47			
500 gm	02416	MAGNESIUM SULPHATE (dried)	10034-99-8	02416 00500	PB
		Assay : Min. 70% $MgSO_4$ M.W. 120.37			
500 gm	00930	MAGNESIUM SULPHIDE	12032-36-9	00930 00500	PB
		Assay : Min. 98% MgS M.W. 56.38			
500 gm	00931	MAGNESIUM SULPHITE	7757-88-2	00931 00500	PB
500 gm	00932	MAGNESIUM TARTRATE	20752-56-1	00932 00500	PB
100 gm	00933	MAGNESIUM THIOSULPHATE AR (hexahydrate)	13446-30-5	00933 00100	PB
		Assay : Min. 99% $MgS_2O_3 \cdot 6H_2O$ M.W. 244.52			
500 gm	00934	MAGNESIUM TRISILICATE (hydrate) (powder)	14987-04-3	00934 00500	PB
5 Kg		Assay : Min. 20% (MgO), 45% (SiO_2)		00934 05000	PC
25 Kg		$2MgO \cdot 3SiO_2 \cdot aq$ M.W. 260.86 (anhy basis)		00934 25000	FD
		MAGNESIUM URANYL ACETATE See Uranyl Magnesium Acetate Cat No.1561A & 2591 Page 207			
25 gm	00935	MAGNESON I AR	74-39-5	00935 00025	GB
100 gm		[4-(4-nitrophenylazo) resorcinol]		00935 00100	PB
500 gm		Dye Content : Min. 90% $C_{12}H_9N_3O_4$ M.W. 259.22		00935 00500	PB
25 gm	00936	MAGNESON II AR	5290-62-0	00936 00025	GB
100 gm		(reagent for magnesium) [4-(4-nitrophenylazo)-1-naphthol]		00936 00100	PB
500 gm		$C_{16}H_{11}N_3O_3$ M.W. 293.28		00936 00500	PB
25 gm	00937	MALACHITE GREEN (M.S.) (C.I. No.42000)	2437-29-8	00937 00025	GB
100 gm		(malachite green oxalate)		00937 00100	PB
500 gm		$C_{52}H_{54}N_4O_{12}$ M.W. 927.02		00937 00500	PB
125 ml	00938	MALACHITE GREEN indicator solution		00938 00125	PB
500 ml				00938 00500	PB
500 gm	00939	MALEIC ACID (for synthesis)	110-16-7	00939 00500	PB
5 Kg		Assay : Min. 99% $C_4H_4O_4$ M.W. 116.07		00939 05000	PC
100 gm	0939A	MALEIC ACID AR	110-16-7	0939A 00100	PB
500 gm		Assay : Min. 99.5% $C_4H_4O_4$ M.W. 116.07		0939A 00500	PB
500 gm	00940	MALEIC ANHYDRIDE	108-31-6	00940 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 95% C4H2O3 M.W. 98.06			
100 gm	0940A	MALEIC HYDRAZIDE	123-33-1	0940A 00100	PB
500 gm		Assay : Min. 98% C4H4N2O2 M.W. 112.09		0940A 00500	PB
500 gm	00941	DL-MALIC ACID	6915-15-7	00941 00500	PB
5 Kg		Assay : Min. 99% C4H6O5 M.W. 134.09		00941 05000	PC
500 gm	0941C	DL-MALIC ACID (For Molecular Biology)	6915-15-7	0941C 00500	PB
		Assay : Min. 99% C4H6O5 M.W. 134.09			
100 gm	0941A	MALONIC ACID AR	141-82-2	0941A 00100	PB
250 gm		Assay : Min. 99% C3H4O4 M.W. 104.06		0941A 00250	PB
500 gm				0941A 00500	PB
100 gm	0941B	MALONONITRILE (for synthesis)	109-77-3	0941B 00100	GB
500 gm		(dicyanomethane) Assay : Min. 98% C3H2N2 M.W. 66.06		0941B 00500	GB
500 gm	00942	MALT EXTRACT powder (for bacteriology)	8002-48-0	00942 00500	PB
500 gm	0942A	MALTO DEXTRINE POWDER	9050-36-6	0942A 00500	PB
2.5 Kg				0942A 02500	PC
100 gm	00943	MALTOSE (monohydrate)	6363-53-7	00943 00100	PB
500 gm		(for bacteriology & biochemistry)		00943 00500	PB
5 Kg		Assay : Min. 95% C12H22O11.H2O M.W. 360.32		00943 05000	PC
100 gm	0943A	MALTOSE AR (monohydrate)	6363-53-7	0943A 00100	PB
500 gm		(NRC grade for Vaccine production)		0943A 00500	PB
5 Kg		C12H22O11.H2O M.W. 360.32		0943A 05000	PC
500 gm	0943B	DL-MANDELIC ACID (for synthesis)	90-64-2	0943B 00500	PB
		Assay : Min. 99% C8H8O3 M.W.152.15			
100 gm	0943C	R (-) MANDELIC ACID	611-71-2	0943C 00100	PB
		Assay : Min. 99% C8H8O3 M.W.152.15			
100 gm	0943D	S (+) MANDELIC ACID	17199-29-0	0943D 00100	PB
		Assay : Min. 99% C8H8O3 M.W.152.15			
125 ml	02421	MANGANESE AAS STANDARD SOLUTION		02421 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.014		02421 00500	GB
125 ml	2421A	MANGANESE ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2421A 00125	GB
		Liquid, d. 1.014			
125 ml	2421B	MANGANESE ICP STANDARD SOLUTION 10000mg/L in Nitric Acid		2421B 00125	GB
		Liquid, d. 1.036			
500 gm	00944	MANGANESE (metal) FLAKES	7439-96-5	00944 00500	PB
		Assay : Min. 99% Mn M.W. 54.94			
500 gm	00945	MANGANESE (metal) POWDER	7439-96-5	00945 00500	PB
		Assay : Min. 99% Mn M.W. 54.94			
500 gm	00946	MANGANESE (II) ACETATE (tetrahydrate)	6156-78-1	00946 00500	PB
5 Kg		(manganous acetate) Assay : Min. 99% (CH3COO)2Mn.4H2O M.W. 245.09		00946 05000	PC
500 gm	00947	MANGANESE (II) ACETATE AR (tetrahydrate)	6156-78-1	00947 00500	PB
5 Kg		(manganous acetate)		00947 05000	PC
		Assay : Min. 99.5% (CH3COO)2Mn.4H2O M.W. 245.09			
500 gm	00949	MANGANESE (II) BORATE	12228-91-0	00949 00500	PB
		Assay (MnO) : Min. 49.5-51.5% B4O7.Mn M.W. 210.18			
500 gm	00950	MANGANESE (II) BROMIDE	13446-03-2	00950 00500	PB
		Assay : Min. 98% MnBr2 M.W. 214.75			
500 gm	00951	MANGANESE (II) CARBONATE (hydrate)	34156-69-9	00951 00500	PB
5 Kg		Assay (Mn) : Min. 43-46% MnCO3. xH2O M.W. 114.95		00951 05000	PC
500 gm	00952	MANGANESE (II) CHLORIDE (tetrahydrate)	13446-34-9	00952 00500	PB
5 Kg		(manganous chloride) Assay : Min. 97% MnCl2.4H2O M.W. 197.90		00952 05000	PC
500 gm	0952A	MANGANESE (II) CHLORIDE AR (tetrahydrate)		0952A 00500	PB
5 Kg		(manganous chloride) Assay : Min. 98% MnCl2.4H2O M.W. 197.90		0952A 05000	PC
500 gm	00953	MANGANESE (II) CHROMATE		00953 00500	PB
500 gm	00954	MANGANESE (II) CITRATE (10H2O)		00954 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	00955	MANGANESE DIOXIDE (practical)	1313-13-9	00955 00500	PB
5 Kg		[manganese (IV) oxide]		00955 05000	PC
50 Kg		Assay : Min. 70% MnO_2 M.W. 86.94		00955 50000	FD
500 gm	00956	MANGANESE DIOXIDE Extra Pure (precipitated)	1313-13-9	00956 00500	PB
5 Kg		[manganese (IV) oxide] Assay : Min. 80% MnO_2 M.W. 86.94		00956 05000	PC
500 gm	0956A	MANGANESE DIOXIDE AR	1313-13-9	0956A 00500	PB
5 Kg		[manganese (IV) oxide] Assay : Min. 80% MnO_2 M.W. 86.94		0956A 05000	PC
500 gm	00957	MANGANESE (II) FLUORIDE	7782-64-1	00957 00500	PB
		Assay : Min. 98% MnF_2 M.W. 92.93			
250 gm	00958	MANGANESE (II) IODIDE (tetrahydrate)	13446-37-2	00958 00250	PB
		Assay : Min. 98% $MnI_2.4H_2O$ M.W. 380.81 (anhyd. basis)			
500 gm	00959	MANGANESE (II) NITRATE solution (45-50%)	10377-66-9	00959 00500	GB
		(solution in dilute Nitric Acid) $Mn(NO_3)_2$ M.W. 178.95, Liquid, d. 1.536			
500 gm	00960	MANGANESE (II) OXALATE	6556-16-7	00960 00500	PB
		Assay : Min. 30% $MnC_2O_4.2H_2O$ M.W. 178.99			
500 gm	00961	MANGANESE (II) PHOSPHATE	104663-56-1	00961 00500	PB
		Assay : Min. 99% $MnPO_4.xH_2O$ M.W. 149.91 (anhy.)			
500 gm	00962	MANGANESE (II) SULPHATE (monohydrate)	10034-96-5	00962 00500	PB
5 Kg		(CAS No.10034-96-5) (manganous sulphate)		00962 05000	PC
50 Kg		Assay : Min. 98% $MnSO_4.H_2O$ M.W. 169.02		00962 50000	FD
500 gm	0962A	MANGANESE (II) SULPHATE AR (monohydrate)	10034-96-5	0962A 00500	PB
5 Kg		(manganous sulphate) Assay : Min. 99% $MnSO_4.H_2O$ M.W. 169.02		0962A 05000	PC
500 gm	0962B	MANGANESE (II) SULPHATE (monohydrate) (For Molecular Biology)	10034-96-5	0962B 00500	PB
		(CAS No.10034-96-5) Assay : Min. 99% $MnSO_4 \cdot H_2O$ M.W. 169.02			
500 gm	00963	MANGANESE (II) SULPHIDE	18820-29-6	00963 00500	PB
		Assay : Min. 99% MnS M.W. 87.00			
500 gm	00964	MANGANESE (II) SULPHITE		00964 00500	PB
500 gm	00965	MANGANESE (II) TARTRATE		00965 00500	PB
250 gm	00966	D (-) MANNITOL (CAS No.69-65-8)	69-65-8	00966 00250	PB
500 gm		(for biochemistry)		00966 00500	PB
5 Kg		Assay : Min. 99% $C_6H_{14}O_6$ M.W. 182.17		00966 05000	PC
500 gm	0966A	D (-) MANNITOL AR (For Molecular Biology)	69-65-8	0966A 00500	PB
5 Kg		Assay : Min. 99.5% $C_6H_{14}O_6$ M.W. 182.17		0966A 05000	PC
10 gm	0966B	D (+) MANNOSE AR (For Molecular Biology)	3458-28-4	0966B 00010	GB
25 gm		(for biochemistry)		0966B 00025	GB
100 gm		Assay : Min. 99% $C_6H_{12}O_6$ M.W. 180.16		0966B 00100	PB
		MANOXOL OT See Dioctyl Sodium Sulphosuccinate Cat No.644 Page 80			
500 gm	00967	MARBLE CHIPS (practical)	471-34-1	00967 00500	PB
		Assay : Min. 98% $CaCO_3$ M.W. 100.09			
25 gm	0967A	MARTIUS YELLOW (M.S.) (C.I. No.10315)	605-69-6	0967A 00025	GB
100 gm		Dye Content : Min. 85% $C_{10}H_6N_2O_5$ M.W. 234.17		0967A 00100	PB
125 ml	00968	MAYER'S REAGENT indicator solution		00968 00125	PB
500 ml				00968 00500	PB
25 gm	00969	MAY AND GRUNWALD'S STAIN		00969 00025	GB
100 gm		(for microscopy)		00969 00100	PB
500 gm				00969 00500	PB
125 ml	0969A	MAY AND GRUNWALD'S SOLUTION		0969A 00125	PB
500 ml		(microscopical solution), Liquid, d. 0.79		0969A 00500	PB
500 gm	00970	MEAT EXTRACT powder (for bacteriology)		00970 00500	PB
500 gm	0970A	MEAT EXTRACT paste (for bacteriology)		0970A 00500	PB
500 gm	02424	MEAT INFUSION POWDER (for vaccine production)		02424 00500	PB
5 gm	0970B	MEBENDAZOLE Extra Pure	31431-39-7	0970B 00005	GB
25 gm		(for lab use)		0970B 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		Assay : Min. 98% C16H13N3O3 M.W 295.29		0970B 00100	PB
25 gm	0970C	MEFENAMIC ACID (for lab use)	61-68-7	0970C 00025	GB
100 gm		Assay : Min. 98% C15H15NO2 M.W. 241.29		0970C 00100	PB
500 gm	00971	MELAMINE	108-78-1	00971 00500	PB
		Assay : Min. 99% C3H6N6 M.W. 126.12			
5 gm	0971A	D (+) MELIBIOSE (for bacteriology)	66009-10-7	0971A 00005	GB
25 gm		Assay : Min. 98% C12H22O11 M.W. 342.30		0971A 00025	GB
25 gm	02426	MENADIONE (vitamin K)	58-27-5	02426 00025	GB
100 gm		Assay : Min. 98.5-101% C11H8O2 M.W. 172.19		02426 00100	PB
25 gm	1572E	MENADIONE SODIUM BISULPHITE (trihydrate)	130-37-0	1572E 00025	GB
100 gm		Assay : Min. 95% C11H9NaO5S M.W. 276.24 (vitamin K3 sodium bisulphite)		1572E 00100	PB
500 ml	00973	MENTHA CITRATA OIL Extra Pure , Liquid, d. 0.916	68917-15-7	00973 00500	GB
500 ml	00974	MENTHA PEPPRITA OIL Extra Pure , Liquid, d. 0.898	8006-90-4	00974 00500	GB
100 gm	00975	MENTHOL (crystals)	2216-51-5	00975 00100	GB
500 gm		(natural white)		00975 00500	PB
2.5 Kg		Assay : Min. 99% C10H20O M.W. 156.27		00975 02500	PC
25 gm	2426B	MEPYRAMINE MALEATE (for lab use)	59-33-6	2426B 00025	GB
100 gm		Assay : Min. 99% C17H23N3O·C4H4O4 M.W. 401.46		2426B 00100	PB
250 gm	2426A	2-MERCAPTOBENZIMIDAZOLE (for synthesis)	583-39-1	2426A 00250	PB
1 Kg		(benzimidazole-2-thiol) Assay : Min. 98% C7H6N2S M.W. 150.20		2426A 01000	PB
100 gm	0975A	2-MERCAPTOBENZOIC ACID AR (thiosalicylic acid)	147-93-3	0975A 00100	PB
500 gm		Assay : Min. 99% C7H6O2S M.W. 154.19		0975A 00500	PB
100 gm	00976	2-MERCAPTOBENZOTHIAZOLE AR	149-30-4	00976 00100	PB
		Assay : Min. 99% C7H5NS2 M.W. 167.25			
100 ml	0976A	2-MERCAPTO ETHANOL (for synthesis)	60-24-2	0976A 00100	GB
500 ml		Assay : Min. 98% HS.CH2CH2OH M.W. 78.13, Liquid, d. 1.114		0976A 00500	GB
100 ml	0976B	2-MERCAPTO ETHANOL AR (For Molecular Biology)	60-24-2	0976B 00100	GB
250 ml		(CAS No.60-24-2) Liquid, d. 1.114		0976B 00250	GB
		Assay : Min. 99% HS.CH2CH2OH M.W. 78.13,			
125 ml	0976C	MERCURY AAS STANDARD SOLUTION		0976C 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.054		0976C 00500	GB
125 ml	0976D	MERCURY ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		0976D 00125	GB
		Liquid, d. 1.054			
100 gm	00977	MERCURY (metal) Extra Pure (CAS No.7439-97-6)	7439-97-6	00977 00100	PB
250 gm		Assay : Min. 99% Hg A.W. 200.59		00977 00250	PB
500 gm		Liquid, d. 13.55		00977 00500	PB
5 Kg				00977 05000	PB
100 gm	00978	MERCURY (metal) AR	7439-97-6	00978 00100	GB
250 gm		(triple distilled) (for polarography)		00978 00250	GB
500 gm		Assay : Min. 99.5% Hg A.W. 200.59, Liquid, d. 13.55		00978 00500	GB
25 gm	00979	MERCURIC ACETATE	1600-27-7	00979 00025	GB
100 gm		[mercury (II) acetate]		00979 00100	GB
500 gm		Assay : Min. 98.5% (CH3COO)2Hg M.W. 318.68		00979 00500	PB
25 gm	0979A	MERCURIC ACETATE AR	1600-27-7	0979A 00025	GB
100 gm		[mercury (II) acetate]		0979A 00100	GB
500 gm		Assay : Min. 99% (CH3COO)2Hg M.W. 318.68		0979A 00500	PB
25 gm	00980	MERCURIC AMMONIUM CHLORIDE	10124-48-8	00980 00025	GB
100 gm		(ammoniated mercury) (ammonium mercuric chloride)		00980 00100	GB
500 gm		(mercury (II) amido chloride)		00980 00500	PB
		Assay : Min. 98.3-100% HgNH2Cl M.W. 252.07			
25 gm	00981	MERCURIC AMMONIUM THIOCYANATE		00981 00025	GB
100 gm		[mercury (II) ammonium thiocyanate]		00981 00100	GB
500 gm		(ammonium mercuric thiocyanate)		00981 00500	PB
500 ml	0981A	MERCURIC AMMONIUM THIOCYANATE solution		0981A 00500	PB
		[mercury (II) ammonium thiocyanate]			
		(ammonium mercuric thiocyanate solution)			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	00982	MERCURIC BROMIDE AR	7789-47-1	00982 00025	GB
100 gm		[mercury (II) bromide]		00982 00100	GB
500 gm		Assay : Min. 99% HgBr2 M.W. 360.40		00982 00250	PB
25 gm	00983	MERCURIC BROMIDE Extra Pure	7789-47-1	00983 00025	GB
100 gm		[mercury (II) bromide]		00983 00100	GB
500 gm		Assay : Min. 98% HgBr2 M.W. 360.40		00983 00500	PB
25 gm	00984	MERCURIC CHLORIDE	7487-94-7	00984 00025	GB
100 gm		[mercury (II) chloride]		00984 00100	GB
250 gm		Assay : Min. 99% HgCl2 M.W. 271.50		00984 00250	GB
500 gm				00984 00500	PB
2.5 Kg				00984 02500	PC
25 gm	00985	MERCURIC CHLORIDE AR (CAS No.7487-94-7)	7487-94-7	00985 00025	GB
100 gm		(reagent for zinc) [mercury (II) chloride]		00985 00100	GB
250 gm		Assay : Min. 99.5% HgCl2 M.W. 271.50		00985 00250	GB
125 ml	00986	MERCURIC CHLORIDE 5% solution		00986 00125	PB
500 ml				00986 00500	PB
Pkt	0986A	MERCURIC CHLORIDE PAPERS		0986A 001PK	CB
24 Pkt		(one Pkt. contains 100 leaves)		0986A 024PK	CB
25 gm	00987	MERCURIC IODIDE RED	7774-29-0	00987 00025	GB
100 gm		[mercury (II) iodide red]		00987 00100	GB
500 gm		Assay : Min. 99-100.5% HgI2 M.W. 454.40		00987 00500	PB
25 gm	0987A	MERCURIC IODIDE RED AR	7774-29-0	0987A 00025	GB
100 gm		[mercury (II) iodide red]		0987A 00100	GB
500 gm		Assay : Min. 99% HgI2 M.W. 454.40		0987A 00500	PB
25 gm	00988	MERCURIC NITRATE (monohydrate)	7783-34-8	00988 00025	GB
100 gm		[mercury (II) nitrate]		00988 00100	GB
250 gm		Assay : Min. 98% Hg(NO3)2.H2O M.W. 342.62		00988 00250	GB
500 gm				00988 00500	PB
25 gm	0988A	MERCURIC NITRATE AR (monohydrate)	7783-34-8	0988A 00025	GB
100 gm		[mercury (II) nitrate]		0988A 00100	GB
500 gm		Assay : Min. 98.5% Hg(NO3)2.H2O M.W. 342.62		0988A 00500	PB
500 ml	0988B	MERCURIC NITRATE 0.01M (0.02N) Standardized Solution, traceable to NIST		0988B 00500	PB
500 ml	0988C	MERCURIC NITRATE 0.05M (0.1N) Standardized Solution, traceable to NIST		0988C 00500	PB
25 gm	00989	MERCURIC OXIDE RED	21908-53-2	00989 00025	GB
100 gm		[mercury (II) oxide red]		00989 00100	GB
500 gm		Assay : Min. 99% HgO M.W. 216.59		00989 00500	PB
25 gm	0989A	MERCURIC OXIDE RED AR	21908-53-2	0989A 00025	GB
100 gm		[mercury (II) oxide red]		0989A 00100	GB
500 gm		Assay : Min. 99-100.5% HgO M.W. 216.59		0989A 00500	PB
25 gm	00990	MERCURIC OXIDE YELLOW	21908-53-2	00990 00025	GB
100 gm		[mercury (II) oxide yellow]		00990 00100	GB
500 gm		Assay : Min. 99% HgO M.W. 216.59		00990 00500	PB
25 gm	0990A	MERCURIC OXIDE YELLOW AR	21908-53-2	0990A 00025	GB
100 gm		[mercury (II) oxide yellow]		0990A 00100	GB
500 gm		Assay : Min. 99.3-100.5% HgO M.W. 216.59		0990A 00500	PB
25 gm	00991	MERCURIC PHENYL ACETATE (for synthesis)	62-38-4	00991 00025	GB
100 gm		(phenyl mercuric acetate) Assay : Min. 98% C8H8HgO2 M.W. 336.74		00991 00100	GB
25 gm	02431	MERCURIC PHENYL CHLORIDE (CAS No.100-56-1) 02431 00025 GB 25 gm 28521000 18 2475	100-56-1	02431 00025	GB
100 gm		(phenyl mercuric chloride) Assay : Min. 96% C6H5HgCl M.W. 313.15		02431 00100	GB
		MERCURIC PHENYL NITRATE See Phenyl Mercuric Nitrate Cat No.1177 Page 151			
25 gm	00992	MERCURIC POTASSIUM IODIDE Extra Pure	7783-33-7	00992 00025	GB
100 gm		(potassium mercuric iodide) (potassium tetraiodo mercurate)		00992 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		HgI4K2 M.W. 786.40			
125 ml	0992A	MERCURIC POTASSIUM IODIDE solution		0992A 00125	PB
500 ml		(potassium mercuric iodide solution)		0992A 00500	PB
25 gm	00993	MERCURIC SULPHATE AR	7783-35-9	00993 00025	GB
100 gm		[mercury (II) sulphate]		00993 00100	GB
250 gm		Assay : Min. 99-100% HgSO4 M.W. 296.65		00993 00250	PB
25 gm	00994	MERCURIC SULPHATE Extra Pure	7783-35-9	00994 00025	GB
100 gm		[mercury (II) sulphate]		00994 00100	GB
250 gm		Assay : Min. 98% HgSO4 M.W. 296.65		00994 00250	PB
500 gm				00994 00500	PB
2.5 Kg				00994 02500	PC
25 gm	00995	MERCURIC SULPHIDE RED (CAS No.1344-48-5)	1344-48-5	00995 00025	GB
100 gm		[mercury (II) sulphide red]		00995 00100	GB
500 gm		Assay : Min. 99% HgS M.W 232.66		00995 00500	PB
25 gm	00996	MERCURIC THIOCYANATE	592-85-8	00996 00025	GB
100 gm		[mercury (II) thiocyanate]		00996 00100	GB
500 gm		Assay : Min. 97% Hg(SCN)2 M.W. 316.75		00996 00500	PB
25 gm	0996A	MERCURIC THIOCYANATE AR	592-85-8	0996A 00025	GB
100 gm		[mercury (II) thiocyanate]		0996A 00100	GB
500 gm		Assay : Min. 99% Hg(SCN)2 M.W. 316.75		0996A 00500	PB
25 gm	0996B	MERCUROCHROME (Granular)	129-16-8	0996B 00025	GB
100 gm		(mercury dibromofluorescein)		0996B 00100	GB
		Assay : Min. 97.5% C20H8Br2HgNa2O6.3H2O M.W. 804.75			
25 gm	00997	MERCUROUS CHLORIDE (anhydrous)	10112-91-1	00997 00025	GB
100 gm		[mercury (I) chloride] (calomel)		00997 00100	GB
500 gm		Assay : Min. 99% Hg2Cl2 M.W. 472.09		00997 00500	PB
25 gm	0997A	MERCUROUS CHLORIDE AR (anhydrous)	10112-91-1	0997A 00025	GB
100 gm		[mercury (I) chloride] (calomel)		0997A 00100	GB
500 gm		Assay : Min. 99.5% Hg2Cl2 M.W. 472.09		0997A 00500	PB
25 gm	00998	MERCUROUS NITRATE (dihydrate)	14836-60-3	00998 00025	GB
100 gm		[mercury (I) nitrate]		00998 00100	GB
500 gm		Assay : Min. 95% Hg2(NO3)2.2H2O M.W. 561.22		00998 00500	PB
25 gm	0998A	MERCUROUS NITRATE AR (dihydrate)	14836-60-3	0998A 00025	GB
100 gm		[mercury (I) nitrate]		0998A 00100	GB
500 gm		Assay : Min. 98% Hg2(NO3)2.2H2O M.W. 561.22		0998A 00500	PB
500 ml	0998C	MERCUROUS NITRATE 0.1M (0.1N) Standardized Solution, traceable to NIST		0998C 00500	PB
500 ml	02433	MESITYLENE (for synthesis) (1,3,5-trimethyl benzene)	108-67-8	02433 00500	GB
2.5 Lt		Assay : Min. 98% C9H12 M.W. 120.20, Liquid, d. 0.864		02433 02500	GB
100 ml	2433A	MESITYL OXIDE (4-methyl-3-penten-2-one)	141-79-7	2433A 00100	GB
250 ml		Assay : Min. 90% C6H10O M.W. 98.14, Liquid, d. 0.868		2433A 00250	GB
		MESO-INOSITOL See meso-Inositol Cat No.826A Page 109			
250 gm	0998B	METANILIC ACID	121-47-1	0998B 00250	PB
		Assay : Min. 97% C6H7NO3S M.W. 173.19			
25 gm	00999	METANIL YELLOW AR	587-98-4	00999 00025	GB
100 gm		(C.I. No.13065)		00999 00100	PB
500 gm		Dye Content : Min. 70% C18H14N3NaO3S M.W. 375.38		00999 00500	PB
125 ml	0999A	METANIL YELLOW solution		0999A 00125	PB
500 ml		indicator solution		0999A 00500	PB
		METAPHOSPHORIC ACID See meta-Phosphoric Acid Cat No.1184 & 1184A Page 153			
25 gm	0999B	METFORMIN HYDROCHLORIDE Extra Pure (for lab use)	1115-70-4	0999B 00025	GB
100 gm		Assay : Min. 97% C4H11N5.HCl M.W. 165.62		0999B 00100	PB
500 ml	01000	METHACRYLIC ACID (for synthesis)	79-41-4	01000 00500	GB
2.5 Lt		(2-methyl proponoic acid)		01000 02500	GB
		Assay : Min. 99% C4H6O2 M.W. 86.09, Liquid, d. 1.01			
500 ml	02436	METHANE SULPHONIC ACID	75-75-2	02436 00500	GBT

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 98% CH4O3S M.W. 96.11, Liquid, d. 1.481			
5 gm	02437	METHANE SULPHONIC ACID SODIUM SALT AR & HPLC	2386-57-4	02437 00005	GB
25 gm		(sodium methane sulphonate)		02437 00025	GB
100 gm		Assay : Min. 98% CH3SO3Na M.W 118.09		02437 00100	GB
500 ml	1000A	METHANE SULPHONYL CHLORIDE Liquid, d. 1.48	124-63-0	1000A 00500	GBT
		(mesyl chloride) Assay : Min. 98% CH3ClO2S M.W. 114.55,			
500 ml	01001	METHANOL Extra Pure	67-56-1	01001 00500	PB
2.5 Lt		(methyl alcohol)		01001 02500	PB
5 Lt		Assay : Min. 99% CH3OH M.W. 32.04, Liquid, d. 0.791		01001 05000	PC
25 Lt		**(against End Use Certificate)**		01001 25000	PD
500 ml	01002	METHANOL AR (methyl alcohol)	67-56-1	01002 00500	GB
2.5 Lt		Assay : Min. 99.9% CH3OH M.W. 32.04, Liquid, d. 0.791		01002 02500	GB
5 Lt		**(against End Use Certificate)**		01002 05000	PC
500 ml	02441	METHANOL HPLC & SPECTROSCOPY	67-56-1	02441 00500	GB
2.5 Lt		(methyl alcohol) Assay : Min. 99.8% CH3OH M.W. 32.04,		02441 02500	GBT
		Liquid, d. 0.791 **(against End Use Certificate)**			
100 ml	1002B	METHANOL (For Molecular Biology)	67-56-1	1002B 00100	GB
500 ml		(methyl alcohol) Assay : Min. 99.9% CH3OH M.W. 32.04,		1002B 00500	GB
		Liquid, d. 0.791 **(against End Use Certificate)**			
100 gm	1002A	DL-METHIONINE (for biochemistry)	59-51-8	1002A 00100	GB
500 gm		Assay : Min. 99% C5H11NO2S M.W. 149.21		1002A 00500	PB
25 gm	01003	L-METHIONINE (for biochemistry)	63-68-3	01003 00025	GB
100 gm				01003 00100	PB
500 gm		Assay : Min. 98% C5H11NO2S M.W. 149.21		01003 00500	PB
25 gm	1003E	2'-METHOXYACETOPHENONE	579-74-8	1003E 00025	GB
100 gm		(2-acetylanisole) (o-methoxyacetophenone)		1003E 00100	PB
		Assay : Min. 99% C9H10O2 M.W. 150.17			
25 gm	1003F	3'-METHOXYACETOPHENONE (3-acetylanisole)	586-37-8	1003F 00025	GB
		Assay : Min. 99% C9H10O2 M.W. 150.17, Liquid, d. 1.09			
100 gm	1003A	4-METHOXYACETOPHENONE	100-06-1	1003A 00100	PB
500 gm		Assay : Min. 99% C9H10O2 M.W. 150.17		1003A 00500	PB
		3-METHOXYANILINE 2-METHOXYANILINE See o-Anisidine Cat No.154 Page 20			
		4-METHOXYANILINE See p-Anisidine Cat No.155 Page 20			
		2-METHOXY BENZALDEHYDE See o-Anisaldehyde Cat No.151A Page 20			
		3-METHOXY BENZALDEHYDE See m-Anisaldehyde Cat No.151 Page 20			
		4-METHOXY BENZALDEHYDE See p-Anisaldehyde Cat No.152 Page 20			
		METHOXYBENZENE See Anisole Cat No.156 & 157 Page 20			
25 gm	1003B	4-METHOXYBENZENETHIOL (CAS No.696-63-9) (d.1.14)	696-63-9	1003B 00025	GB
		Assay : Min. 97% C7H8OS M.W. 140.2			
		3-METHOXY BENZOIC ACID See m-Anisic Acid Cat No.1811 Page 20			
		2-METHOXY BENZOIC ACID See o-Anisic Acid Cat No.1816 Page 20			
		4-METHOXY BEZOIC ACID See p-Anisic Acid Cat No.1821 Page 20			
25 gm	2441A	3-METHOXYBENZYLAMINE	5071-96-5	2441A 00025	GB
		Assay : Min. 98% C8H11NO M.W. 137.18, Liquid, d. 1.072			
500 ml	01004	2-METHOXYETHANOL	109-86-4	01004 00500	GB
2.5 Lt		(ethylene glycol monomethyl ether) (methyl cellosolve)		01004 02500	GB
		Assay : Min. 99% C3H8O2 M.W. 76.09, Liquid, d. 0.965			
500 ml	1004A	2-METHOXYETHANOL AR	109-86-4	1004A 00500	GB
2.5 Lt		(ethylene glycol monomethyl ether) (methyl cellosolve)		1004A 02500	GB
		Assay : Min. 99.9% C3H8O2 M.W. 76.09, Liquid, d. 0.965			
		o-METHOXY PHENOL See Guaiacol (liquid) Cat No.786 Page 100			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	01005	METHYL ACETATE (for synthesis)	79-20-9	01005 00500	GB
2.5 Lt		(acetic acid methyl ester)		01005 02500	GB
5 Lt		Assay : Min. 99% C3H6O2 M.W. 74.08, Liquid, d. 0.93		01005 05000	PC
500 ml	1005A	METHYL ACETATE AR (acetic acid methyl ester)	79-20-9	1005A 00500	GB
2.5 Lt		Assay : Min. 99.9% C3H6O2 M.W. 74.08, Liquid, d. 0.93		1005A 02500	GBT
500 ml	01006	METHYL ACETOACETATE (acetoacetic ester methyl)	105-45-3	01006 00500	GB
2.5 Lt		Assay : Min. 98% C5H8O3 M.W. 116.12, liquid, d. 1.076		01006 02500	GB
100 gm	01007	4-METHYL ACETOPHENONE	122-00-9	01007 00100	GB
500 gm		Assay : Min. 95% C9H10O M.W. 134.18, Liquid, d. 1.005		01007 00500	GB
500 ml	01008	METHYL ACRYLATE (for synthesis) (d. 0.95)	96-33-3	01008 00500	GB
		Assay : Min. 99% C4H6O2 M.W. 86.09, Liquid, d. 0.956			
		METHYL ALCOHOL See Methanol Cat No.1001, 1002 & 2441 Page 128			
500 ml	01009	METHYLAMINE solution (di) 40%	124-40-3	01009 00500	GB
2.5 Lt		(dimethylamine)		01009 02500	GB
5 Lt		Assay : Min. 40% C2H7N M.W. 45.08, Liquid, d. 0.89		01009 05000	PC
500 ml	01010	METHYLAMINE solution (mono) 40%	74-89-5	01010 00500	GB
2.5 Lt		(monomethylamine) Assay : Min. 40% CH5N M.W. 31.06, Liquid, d. 0.897		01010 02500	GB
500 ml	01011	METHYLAMINE solution (tri) 30% (trimethylamine)	75-50-3	01011 00500	GB
		(CAS No.75-50-3) Assay : Min. 30% C3H9N M.W. 59.11, Liquid, d. 0.932			
250 gm	1011A	METHYLAMINE HYDROCHLORIDE	593-51-1	1011A 00250	PB
500 gm		(methylammonium chloride) Assay : Min. 99% CH6ClN M.W. 67.52		1011A 00500	GB
25 gm	1011D	METHYL-4-AMINOBENZOATE	619-45-4	1011D 00025	GB
100 gm		Assay : Min. 95% C8H9NO2 M.W. 151.17		1011D 00100	GB
25 gm	1011C	METHYL 2-AMINO-5-BROMOBENZOATE	52727-57-8	1011C 00025	GB
		Assay : Min. 96% C8H8BrNO2 M.W. 230.06			
500 ml	1011B	2-(METHYLAMINO) ETHANOL (for synthesis)	109-83-1	1011B 00500	GB
2.5 Lt		(N-methylethanolamine)		1011B 02500	GB
		Assay : Min. 98% C3H9NO M.W. 75.11, Liquid, d. 0.935			
		4-(METHYLAMINO) PHENOL SULPHATE See Metol Cat No.1036 Page 133			
		METHYLAMMONIUM CHLORIDE See Methylamine Hydrochloride Cat No.1011A Page 129			
500 ml	01012	METHYL ANILINE (mono)(N-methyl aniline)	100-61-8	01012 00500	GB
2.5 Lt		Assay : Min. 98% C7H9N M.W. 107.16, Liquid, d. 0.989		01012 02500	GBT
500 gm	01013	METHYL ANTHRANILATE (for synthesis)	134-20-3	01013 00500	GB
		Assay : Min. 98% C8H9NO2 M.W. 151.16, Liquid, d. 1.168			
500 ml	01014	METHYL BENZOATE	93-58-3	01014 00500	GB
		Assay : Min. 98% C8H8O2 M.W. 136.15, Liquid, d. 1.088			
		3-METHYLBENZOIC ACID See m-Toluic Acid Cat No.1530A Page 201			
		2-METHYLBENZOIC ACID See o-Toluic Acid Cat No.1530B Page 201			
		4-METHYLBENZOIC ACID See p-Toluic Acid Cat No.1530C Page 231			
10 gm	1014A	3-METHYL-2-BENZOTHIAZOLINONE HYDRAZONE	38894-11-0	1014A 00010	GB
25 gm		HYDROCHLORIDE AR (MBTH)		1014A 00025	GB
		Assay : Min. 99% C8H10ClN3S.H2O M.W. 233.72			
5 gm	1014B	2-METHYL BENZYL AMINE	89-93-0	1014B 00005	GB
25 gm		Assay : Min. 96% C8H11N M.W 121.18, Liquid, d. 0.977		1014B 00025	PB
5 gm	1014C	3-METHYL BENZYL AMINE	100-81-2	1014C 00005	GB
25 gm		Assay : Min. 98% C8H11N M.W 121.18, Liquid, d. 0.966		1014C 00025	PB
5 gm	1014D	4-METHYL BENZYL AMINE 97%		1014D 00005	GB
25 gm		Assay : Min. 97% C8H11N M.W 121.18, Liquid, d. 0.952		1014D 00025	PB
25 gm	01015	METHYL BLUE	28983-56-4	01015 00025	GB
100 gm		(C.I. No.42780)		01015 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		C37H27N3O9S3Na2 M.W. 799.80		01015 00500	PB
125 ml	01016	METHYL BLUE stain solution		01016 00125	PB
500 ml				01016 00500	PB
25 gm	1016B	METHYL 4-BROMOBENZOATE	619-42-1	1016B 00025	PB
		Assay : Min. 98% C8H7BrO2 M.W. 215.04			
25 gm	1016C	3-METHYL-4-BROMO PHENOL	14472-14-1	1016C 00025	GB
		Assay : Min. 98% C7H7BrO M.W. 187.03			
		2-METHYL BUTANE See iso-Pentane Cat No.1149A Page 147			
		METHYL TERT-BUTYL ETHER See tert-Butyl Methyl Ether Cat No.2012B, 2012C & 2012D Page 42			
500 gm	1016A	METHYL BUTYRATE	623-42-7	1016A 00500	GB
		Assay : Min. 99% C5H10O2 M.W 102.13, Liquid, d. 0.898			
		METHYL CARBITOL See Diethylene Glycol Mono Methyl Ether Cat No.616D Page 74			
		METHYL CELLOSOLVE See 2-Methoxyethanol Cat No.1004 & 1004A Page 129			
250 gm	01017	METHYL CELLULOSE	9004-67-5	01017 00250	PB
500 gm		(methoxy contents 28.32%)		01017 00500	PB
500 ml	01018	METHYL CHLORO ACETATE (mono)	96-34-4	01018 00500	GBT
		Assay : Min. 99% C3H5ClO2 M.W. 108.52, liquid, d. 1.238			
500 ml	1018A	METHYL CHLORO FORMATE	79-22-1	1018A 00500	GBT
		Assay : Min. 99% C2H3ClO2 M.W. 94.50, Liquid, d. 1.223			
500 gm	01019	METHYL CINNAMATE	1754-62-7	01019 00500	PB
		Assay : Min. 99% C10H10O2 M.W. 162.19			
500 ml	02443	METHYL CYCLOHEXANE (for synthesis)	108-87-2	02443 00500	GB
2.5 Lt		Assay : Min. 99% C7H14 M.W. 98.19, Liquid, d. 0.77		02443 00500	GB
		METHYL DIGOL See Diethylene Glycol Mono Methyl Ether Cat No.616D Page 74			
1 gm	2443B	METHYL EICOSANOATE	1120-28-1	2443B 00001	GB
		Assay : Min. 99% C21H42O2 M.W 326.56			
25 gm	1019A	N, N-METHYLENE BISACRYLAMIDE AR	110-26-9	1019A 00025	GB
100 gm		(for electrophoresis) (For Molecular Biology)		1019A 00100	PB
250 gm		Assay : Min. 99% C7H10N2O2 M.W. 154.17		1019A 00250	PB
25 gm	1019B	4,4-METHYLENEBIS (PHENYL ISOCYANATE)	101-68-8	1019B 00025	GB
100 gm		(4,4-diphenylmethane diisocyanate)		1019B 00100	PB
500 gm		Assay : Min. 98% C15H10N2O2 M.W. 250.25		1019B 00500	PB
25 gm	01020	METHYLENE BLUE (M.S.) (CAS No.61-73-4) (C.I. No.52015)	61-73-4	01020 00025	GB
100 gm		Dye Content : Min. 82%		01020 00100	PB
500 gm		C16H18ClN3S·xH2O M.W 319.85 (anhydr. basis)		01020 00500	PB
25 gm	1020A	METHYLENE BLUE AR (M.S.) (CAS No.61-73-4)	61-73-4	1020A 00025	GB
100 gm		(C.I. No.52015)		1020A 00100	PB
500 gm		Assay : Min. 95-101% C16H18ClN3S·xH2O M.W 319.85 (anhydr. basis)		1020A 00500	PB
125 ml	01021	METHYLENE BLUE (alkaline), Liquid, d. 0.930		01021 00125	PB
500 ml		(loeffler's staining solution)		01021 00500	PB
125 ml	1021A	METHYLENE BLUE (aqueous), Liquid, d. 0.970		1021A 00125	PB
500 ml		(staining solution)		1021A 00500	PB
125 ml	1021D	METHYLENE BLUE Solution 0.5%		1021D 00125	PB
500 ml		(for microscopy)		1021D 00500	PB
25 gm	2443A	METHYLENE BLUE POLYCHROME (for microscopy)		2443A 00025	GB
50 tab	1021B	METHYLENE BLUE TABLETS (for milk testing)		1021B 050TB	PB
		METHYLENE CHLORIDE See Dichloro Methane Cat No.609, 609A & 2186 Page 73			
25 gm	1021C	3,4-(METHYLENEDIOXY) ANILINE	14268-66-7	1021C 00025	GB
		Assay : Min. 98% C7H9NO2 M.W. 137.14			
		METHYLENE IODIDE See Diiodomethane Cat No.621C Page 76			
		METHYL ETHYL KETONE See Ethyl Methyl Ketone Cat No.703, 703A & 2006 Page 90			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	1021E	METHYL EUGENOL (for synthesis)	93-15-2	1021E 00100	PB
500 gm		Assay : Min. 98% C11H14O2 M.W. 178.23		1021E 00500	PB
500 ml	01022	METHYL FORMATE	107-31-3	01022 00500	GB
		Assay : Min. 97% C2H4O2 M.W. 60.05, Liquid, d. 0.974			
10 gm	1022A	1-METHYL-3-FORMYLINDOLE	19012-03-4	1022A 00010	GB
25 gm		Assay : Min. 98% C10H9NO M.W 159.18		1022A 00025	GB
5 gm	01023	METHYL GREEN (M.S.)	7114-03-6	01023 00005	GB
25 gm		(C.I. No.42590)		01023 00025	GB
100 gm		Dye Content : Min. 65% C27H35BrClN3·ZnCl2 M.W. 653.24		01023 00100	PB
125 ml	1023A	METHYL GREEN stain solution		1023A 00125	PB
500 ml				1023A 00500	PB
25 gm	2443C	METHYL HYDRAZINE SULPHATE	302-15-8	2443C 00025	GB
		Assay : Min. 98% CH8N2O4S M.W. 144.15			
		METHYL-P-HYDROXY BENZOATE See Methyl Paraben Cat No.1026 Page 132			
		METHYL-P-HYDROXY BENZOATE SODIUM SALT See Methyl Paraben Sodium Salt Cat No.1026A Page 132			
100 gm	1023D	1-METHYLIMIDAZOLE	616-47-7	1023D 00100	PB
500 gm		Assay : Min. 99% C4H6N2 M.W. 82.10, Liquid, d. 1.03		1023D 00500	PB
100 gm	1023B	2-METHYLIMIDAZOLE	693-98-1	1023B 00100	PB
500 gm		Assay : Min. 98% C4H6N2 M.W. 82.10		1023B 00500	PB
5 gm	1023C	METHYL INDOLE-5-CARBOXYLATE	1011-65-0	1023C 00005	GB
10 gm		Assay : Min. 99% C10H9NO2 M.W. 175.18		1023C 00010	GB
100 ml	01024	METHYL IODIDE	74-88-4	01024 00100	GB
250 ml		(for synthesis) (iodomethane)		01024 00250	GB
2.5 Lt		Assay : Min. 99% CH3I M.W. 141.94, Liquid, d. 2.28		01024 02500	GB
		METHYL ISOBUTYL KETONE (MIBK) See iso-Butyl Methyl Ketone Cat No.344 & 344A Page 42 & 43			
10 gm	1024C	METHYL ISOTHIOCYANATE	556-61-6	1024C 00010	GB
25 gm		Assay : Min. 98% C2H3NS M.W. 73.12		1024C 00025	GB
500 ml	1024B	METHYL METHACRYLATE (monomer)	80-62-6	1024B 00500	GB
		Assay : Min. 99% C5H8O2 M.W. 100.12, Liquid, d. 0.944			
500 ml	1024E	N-METHYL MORPHOLINE Extra Pure	109-02-4	1024E 00500	GB
2.5 Lt		Assay : Min. 98% C5H11NO M.W. 101.15, Liquid, d. 0.92		1024E 02500	GB
250 gm	1024F	METHYL-2-NAPHTHYL ETHER (2-methoxynaphthalene, yara yara)	93-04-9	1024F 00250	PB
500 gm		(CAS No.93-04-9) Assay : Min. 98% C11H10O M.W. 158.2		1024F 00500	PB
100 gm	1024G	METHYL NICOTINATE	93-60-7	1024G 00100	PB
500 gm		Assay : Min. 98.5% C7H7NO2 M.W. 137.14		1024G 00500	PB
25 gm	1024D	METHYL-5-NITRO-2-FUROATE	1874-23-3	1024D 00025	GB
		Assay : Min. 98% C6H5NO5 M.W. 171.11			
25 gm	1024A	METHYL ORANGE pH indicator	547-58-0	1024A 00025	GB
100 gm		(C.I. No.13025)		1024A 00100	PB
500 gm		Dye Content : Min. 95% C14H14N3NaO3S M.W. 327.33		1024A 00500	PB
125 ml	01025	METHYL ORANGE indicator solution		01025 00125	PB
500 ml		Liquid, d. 1.000		01025 00500	PB
500 gm	01026	METHYL PARABEN (CAS No.99-76-3) (methyl-p-hydroxy benzoate)	99-76-3	01026 00500	PB
5 Kg		(nipagin M) Assay : Min. 99% C8H8O3 M.W. 152.15		01026 05000	PC
500 gm	1026A	METHYL PARABEN SODIUM SALT	5026-62-0	1026A 00500	PB
5 Kg		(methyl-p-hydroxy benzoate sodium salt)		1026A 05000	PC
		Assay : Min. 99.7% C8H7NaO3 M.W. 174.13			
		2-METHYLPENTAN-2, 4-DIOL See Hexylene Glycol Cat No.799 Page 103			
		4-METHYL PENTANE-2-ONE See iso-Butyl Methyl Ketone Cat No.344 & 344A Page 42 & 43			
1 gm	1026B	N-METHYLPHENAZONIUM METHOSULPHATE	299-11-6	1026B 00001	GB
5 gm		(For Molecular Biology) (PMS) (phenazine methosulphate)		1026B 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 90% C14H14N2O4S M.W. 306.34			
25 gm	1026C	3-METHYLPHENOXY ACETIC ACID	578-02-0	1026C 00025	GB
		Assay : Min. 98% C9H10O3 M.W. 166.18			
500 gm	01027	METHYL PHENYL ACETATE	101-41-7	01027 00500	PB
		Assay : Min. 99% C9H10O2 M.W. 150.17			
25 gm	1026D	N-METHYL-1,2-PHENYLENEDIAMINE	4760-34-3	1026D 00025	GB
100 gm		Assay : Min. 97% CH3NHC6H4NH2 M.W. 122.17, Liquid, d. 1.075		1026D 00100	GB
10 gm	02444	1-(2-METHYLPHENYL) PIPERAZINE	5271-27-2	02444 00010	GB
25 gm		Assay : Min. 97% C11H16N2 M.W. 176.26		02444 00025	GB
5 gm	2444A	1-(4-METHYLPHENYL) PIPERAZINE	39593-08-3	2444A 00005	GB
10 gm		Assay : Min. 98% C11H16N2 M.W. 176.26		2444A 00010	GB
1 gm	1027A	3-METHYL-1-PHENYL PYRAZOLE	1128-54-7	1027A 00001	GB
5 gm		Assay : Min. 98% C10H10N2 M.W. 158.20		1027A 00005	GB
100 gm	1027B	3-METHYL-1-PHENYL 5-PYRAZOLONE (for synthesis)	89-25-8	1027B 00100	PB
500 gm		(CAS No.89-25-8) Assay : Min. 99% C10H10N2O M.W 174.20		1027B 00500	PB
25 gm	1027D	METHYL PHENYL SULFONE	125562-53-0	1027D 00025	GB
		Isotopic purity : 99 atom% ^{13}C C6H5SO2CH3 M.W. 157.19			
25 gm	1027E	METHYL PHENYL SULFOXIDE	1193-82-4	1027E 00025	GB
		Assay : Min. 98% C7H8SO M.W 140.20			
100 ml	1027C	1-METHYL PIPERAZINE (for synthesis)	109-01-3	1027C 00100	GB
500 ml		Assay : Min. 99% C5H12N2 M.W. 100.16, Liquid, d. 0.903		1027C 00500	GB
1 gm	1027F	4-(4-METHYLPIPERAZINO) ANILINE	16153-81-4	1027F 00001	GB
5 gm		Assay : Min. 97% C11H17N3 M.W. 191.27		1027F 00005	GB
5 gm	01028	METHYL PURPLE pH indicator (purple green)	1340-02-9	01028 00005	GB
25 gm		C67H62N8Na4O14S3 M.W. 1391.41		01028 00025	GB
125 ml	1028A	METHYL PURPLE pH indicator solution		1028A 00125	PB
250 ml		(0.1% indicator solution), Liquid, d. 1.001		1028A 00250	PB
		2-METHYL PYRIDINE See 2-Picoline Cat No.1198 Page 154			
		3-METHYL PYRIDINE See 3-Picoline Cat No.1199 Page 154			
		4-METHYL PYRIDINE See 4-Picoline Cat No.1200 Page 154			
10 gm	1028C	1-METHYLPYRROL-2-CARBOXYLIC ACID	6973-60-0	1028C 00010	GB
25 gm		Assay : Min. 97% C6H7NO2 M.W. 125.13		1028C 00025	GB
500 ml	1028B	N-METHYL-2-PYRROLIDONE (N-methyl pyrrolidone)	872-50-4	1028B 00500	GB
2.5 Lt		Assay : Min. 99% C5H9NO M.W. 99.13, Liquid, d. 1.028		1028B 02500	PC
25 gm	01029	METHYL RED indicator AR (acid base indicator)	493-52-7	01029 00025	GB
100 gm		(C.I.No.13020)		01029 00100	PB
500 gm		C15H15N3O2 M.W. 269.31		01029 00500	PB
125 ml	01030	METHYL RED indicator solution		01030 00125	PB
500 ml				01030 00500	PB
25 gm	1030A	METHYL RED SODIUM SALT (Water Soluble)	845-10-3	1030A 00025	GB
1 Kg		Dye Content : Min. 95% C15H14N3NaO2 M.W. 291.29		1030A 01000	PB
500 ml	01031	METHYL SALICYLATE (for synthesis) (wintergreen oil)	119-36-8	01031 00500	GB
		Assay : Min. 99% C8H8O3 M.W. 152.15, Liquid, d. 1.174			
25 gm	1031B	N-METHYL SUCCINIMIDE	1121-07-9	1031B 00025	PB
		Assay : Min. 99% C5H7NO2 M.W. 113.11			
100 ml	1031A	2-METHYLTETRAHYDROFURAN (for synthesis)	96-47-9	1031A 00100	GB
500 ml		Assay : Min. 99% C5H10O M.W. 86.13, Liquid, d. 0.86		1031A 00500	PB
25 gm	1031C	4-(METHYLTHIO) BENZALDEHYDE	3446-89-7	1031C 00025	GB
100 gm		(4-thioanisaldehyde) Assay : Min. 97% C8H8OS M.W. 152.21		1031C 00100	PB
5 gm	01032	METHYL THYMOL BLUE AR	4310-80-9	01032 00005	GB
25 gm		(pH indicator) (methyl red thymol blue)		01032 00025	GB
100 gm				01032 00100	PB
1 gm	01033	METHYL THYMOL BLUE COMPLEXONE	1945-77-3	01033 00001	GB
5 gm		(methyl thymol blue sodium salt)(indicator for metal titration)		01033 00005	GB
		Dye Content : Min. 70% C37H40N2Na4O13S M.W. 844.76			
25 gm	01034	METHYL VIOLET (M.S.)	8004-87-3	01034 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		(C.I. No.42535)		01034 00100	PB
500 gm		Dye Content : Min. 75% C24H27N3.HCl M.W. 393.96		01034 00500	PB
125 ml	01035	METHYL VIOLET indicator solution		01035 00125	PB
500 ml				01035 00500	PB
100 gm	01036	METOL (photographic grade) (p-methylaminophenol sulphate)	55-55-0	01036 00100	PB
500 gm		Assay : Min. 99% C14H20N2O6S M.W. 344.39		01036 00500	PB
25 gm	2444B	METRONIDAZOLE (for lab use)	443-48-1	2444B 00025	GB
100 gm		C6H9N3O3 M.W. 171.15		2444B 00100	PB
500 gm	1036A	MICA powder (Tech) (practical)	12001-26-2	1036A 00500	PB
25 gm	1036B	MICONAZOLE (BASE) (for lab use)	22916-47-8	1036B 00025	GB
100 gm		1036B 00100		1036B 00100	PB
25 gm	1036C	MICONAZOLE NITRATE (for lab use)	22832-87-7	1036C 00025	GB
100 gm		Assay : Min. 98% C18H14Cl4N2O·HNO3 M.W 479.14		1036C 00100	PB
		MICROCOSMIC SALT See Ammonium Sodium Phosphate Cat No.130 Page 17			
		MICROCRYSTALINE CELLULOSE See Cellulose Microcrystaline Cat No.425 Page 51			
500 gm	1036E	MICROCRYSTALLINE WAX	63231-60-7	1036E 00500	PB
125 ml	1036D	MILLER'S REAGENT (for fluorine)		1036D 00125	PB
500 ml				1036D 00500	PB
125 ml	01037	MILLION'S REAGENT (reagent for protein test)		01037 00125	GB
500 ml		Liquid, d. 1.40		01037 00500	GB
		MINERAL OIL See Paraffin Liquid Cat No.1136, 1137 & 1137A Page 146			
25 gm	2444C	MINOXIDIL (for lab use)	38304-91-5	2444C 00025	GB
100 gm		Assay : Min. 99% C9H15N5O M.W. 209.25		2444C 00100	PB
250 gm	1037A	MOLECULAR SIEVES 3Ax1.5mm	1327-44-2	1037A 00250	PB
		(potassium alumino silicate)			
250 gm	1037B	MOLECULAR SIEVES 4Ax1.5mm	1344-00-9	1037B 00250	PB
		(sodium alumino silicate)			
250 gm	1037C	MOLECULAR SIEVES 5Ax1.5mm	1327-39-5	1037C 00250	PB
		(calcium alumino silicate)			
250 gm	1037D	MOLECULAR SIEVES 13X x 1.5 mm	63231-69-6	1037D 00250	PB
		(sodium alumino silicate)			
125 ml	01038	MOLISH REAGENT		01038 00125	GB
500 ml				01038 00500	GB
125 ml	02446	MOLYBDENUM AAS STANDARD SOLUTION		02446 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.000		02446 00500	GB
125 ml	2446A	MOLYBDENUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2446A 00125	GB
		Liquid, d. 1.000			
25 gm	01039	MOLYBDENUM (metal) POWDER Extra Pure	7439-98-7	28257020	GB
100 gm		Assay : Min. 99.9% Mo M.W. 95.94		01039 00025	PB
100 gm	01040	MOLYBDENUM DISULPHIDE Extra Pure (powder)	1317-33-5	01039 00100	GB
500 gm		Assay : Min. 98% MoS2 M.W. 160.06		01040 00100	PB
100 gm	01041	MOLYBDENUM TRIOXIDE (molybdic anhydride)	1313-27-5	01040 00500	PB
500 gm		Assay : Min. 99% MoO3 M.W. 143.94		01041 00100	PB
100 gm	1041A	MOLYBDENUM TRIOXIDE AR	1313-27-5	01041 00500	PB
500 gm		(molybdic anhydride) Assay : Min. 99.5% MoO3 M.W. 143.94		1041A 00100	PB
100 gm	01042	MOLYBDIC ACID Extra Pure	7782-91-4	1041A 00500	PB
500 gm		Assay : Min. 85%		01042 00100	PB
2.5 Kg				01042 00500	PC
100 gm	01043	MOLYBDIC ACID AR	7782-91-4	01042 02500	PB
500 gm		Assay : Min. 85%		01043 00500	PC
		MOLYBDIC ANHYDRIDE See Molybdenum Trioxide Cat No.1041 & 1041A Page 134			
		MONOCHLORO ACETIC ACID See Chloro Acetic Acid (mono) Cat No.443 & 443A Page 54			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		MONOCHLOROBENZENE See Chlorobenzene (mono) Cat No.449 & 449A Page 54 & 55			
		MONOETHANOLAMINE See Ethanolamine (mono) Cat No.672 & 672A Page 86			
		MONOETHYLAMINE See Ethylamine solution 70% Cat No.678 Page 87			
		MONOETHYLANILINE See Ethylaniline (mono) Cat No.678A Page 87			
		MONOMETHYLAMINE See Methylamine solution (mono) 40% Cat No.1010 Page 129			
100 ml	1043A	MONOTHIOGLYCEROL	96-27-5	1043A 00100	GB
250 ml		(1-thioglycerol) (3-mercapto-1,2-propanediol)		1043A 00250	GB
		Assay : Min. 98% C3H6O2S M.W. 108.16, Liquid, d. 1.25			
500 gm	02447	MONTAN WAX	8002-53-7	02447 00500	PB
25 gm	2447A	MOPSO BUFFER (For Molecular Biology)	68399-77-9	2447A 00025	GB
50 gm		(3-morpholino-2-hydroxypropane sulphonic acid)		2447A 00050	GB
		Assay : Min. 99% C7H15NO5S M.W. 225.26			
		MORDANT BLACK 11 See Eriochrome Black T Cat No.664C, 665 & 666 Page 85			
1 gm	2447B	MORIN (hydrate) AR	654055-01-3	2447B 00001	GB
5 gm		Assay : Min. 85% C15H10O7·xH2O M.W. 302.24 (anhydr. basis)		2447B 00005	GB
500 ml	1043B	MORNER'S REAGENT solution		1043B 00500	GB
500 ml	01044	MORPHOLINE (for synthesis)	110-91-8	01044 00500	GB
2.5 Lt		Assay : Min. 98.5% C4H9NO M.W. 87.12, Liquid, d. 0.996-1.01		01044 02500	GB
25 gm	2447C	MORPHOLINOETHANE SULPHONIC ACID (MES) (monohydrate)	145224-94-8	2447C 00025	GB
100 gm		(For Molecular Biology)		2447C 00100	GB
		Assay : Min. 99% C6H13NO4S.H2O M.W. 213.25			
25 gm	2447D	MORPHOLINOPROPANE SULPHONIC ACID (MOPS)	1132-61-2	2447D 00025	GB
100 gm		(For Molecular Biology)		2447D 00100	GB
500 gm		Assay : Min. 99% C7H15NO4S M.W. 209.26		2447D 00500	PB
100 mg	2447E	M.T.T. TETRAZOLIUM AR (For Molecular Biology)	298-93-1	2447E 0100M	GB
250 mg				2447E 0250M	GB
1 gm		Assay : Min. 99% C18H16BrN5S M.W. 414.32		2447E 00001	GB
100 gm	2447G	MUCIC ACID (Galactonic acid; Tetrahydroxyadipic acid)	526-99-8	2447G 00100	PB
		Assay : Min. 99% C6H10O8 M.W. 210.14			
125 ml	2447F	MUCICARMINE (Mayer) Staining Solution		2447F 00125	PB
500 ml				2447F 00500	PB
10 gm	2447H	MUCIN (from pig stomach mucosa)	84082-64-4	2447H 00010	GB
		MUREXIDE See Ammonium Purpurate Cat No.127B, 128 & 128A Page 17			
250 ml	02448	MUSTARD OIL	8007-40-7	02448 00250	GB
500 ml		Liquid, d. 1.013		02448 00500	GB
500 gm	1044A	MYRISTIC ACID (for synthesis) (tetra decanoic acid)	544-63-8	1044A 00500	PB
		Assay : Min. 98% C14H28O2 M.W. 228.37			
N					
		NAD, DPN See Nicotinamide Adenine Dinucleotide Cat No.1083B Page 139			
		NADH, DPNH See Nicotinamide Adenine Dinucleotide Disodium Salt Cat No.1083C Page 139			
		NADP, TPN See Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt Cat No.1083D Page 139			
500 ml	02449	NAGARMOTHA OIL , Liquid, d. 1.013	91771-62-9	02449 00500	GB
1 gm	1044B	NALIDIXIC ACID	389-08-2	1044B 00001	GB
5 gm		Assay : Min. 98% C12H12N2O3 M.W 232.24		1044B 00005	GB
100 ml	1044C	1-NAPHTHALDEHYDE (for synthesis)	66-77-3	1044C 00100	GB
500 ml		(1-naphthalene carboxaldehyde)		1044C 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 97% C11H8O M.W. 156.18, Liquid, d. 1.15			
500 gm	01045	NAPHTHALENE balls (for synthesis)	91-20-3	01045 00500	PB
5 Kg		Assay : Min. 99% C10H8 M.W. 128.17		01045 05000	PC
500 gm	01046	NAPHTHALENE flakes (for synthesis)	91-20-3	01046 00500	PB
5 Kg		Assay : Min. 99.7% C10H8 M.W. 128.17		01046 05000	PC
		NAPHTHALENE ACETIC ACID See a-Naphthyl Acetic Acid Cat No.1053 Page 136			
		NAPHTHALENE BLACK 12B See Amido Black 10B Cat No.077 Page 10			
5 gm	1046A	5,12-NAPHTHCENEQUINONE (Electronic grade)	1090-13-7	1046A 00005	GB
10 gm		Assay : Min. 97% C18H10O2 M.W. 258.27		1046A 00010	GB
100 gm	01047	a-NAPHTHOL (for synthesis) (1-naphthol)	90-15-3	01047 00100	PB
500 gm		Assay : Min. 98% C10H8O M.W. 144.17		01047 00500	PB
100 gm	1047A	a-NAPHTHOL AR (1-naphthol)	90-15-3	1047A 00100	PB
500 gm		Assay : Min. 99% C10H8O M.W. 144.17		1047A 00500	PB
500 gm	01048	b-NAPHTHOL (for synthesis) (2-naphthol)	135-19-3	01048 00500	PB
		Assay : Min. 98% C10H8O M.W. 144.17			
100 gm	1048A	b-NAPHTHOL AR (2-naphthol)	135-19-3	1048A 00100	PB
500 gm		Assay : Min. 99% C10H8O M.W. 144.17		1048A 00500	PB
5 gm	01049	a-NAPHTHOLBENZEIN (pH indicator)	145-50-6	01049 00005	GB
25 gm		C27H18O2 M.W. 374.43		01049 00025	GB
125 ml	1049A	a-NAPHTHOLBENZEIN indicator solution		1049A 00125	GB
500 ml				1049A 00500	GB
		NAPHTHOL BLUE BLACK See Amido Black 10B Cat No.077 Page 10			
25 gm	01050	NAPHTHOL GREEN B (M.S.)	19381-50-1	01050 00025	GB
100 gm		(C.I. No.10020) (water soluble)		01050 00100	PB
500 gm		C30H15FeN3Na3O15S3 M.W. 878.46		01050 00500	PB
1 gm	01051	a-NAPHTHOLPHTHALEIN	596-01-0	01051 00001	GB
5 gm		(1-naphtholphthalein) C28H18O4 M.W. 418.45		01051 00005	GB
125 ml	1051A	a-NAPHTHOLPHTHALEIN REAGENT solution		1051A 00125	PB
500 ml		(1-naphtholphthalein reagent solution)		1051A 00500	PB
25 gm	01052	b-NAPHTHOL VIOLET AR	7143-21-7	01052 00025	GB
		C16H9N3O9S2Na2 M.W. 497.37			
100 gm	2449A	1,4-NAPHTHOQUINONE (for synthesis)	130-15-4	2449A 00100	PB
500 gm		Assay : Min. 97% C10H6O2 M.W. 158.15		2449A 00500	PB
5 gm	1052A	1,2-NAPHTHOQUINONE-4- SULPHONIC ACID SODIUM SALT AR	521-24-4	1052A 00005	GB
25 gm		Assay : Min. 97% C10H5NaO3S M.W. 260.20		1052A 00025	GB
1 gm	1052B	NAPHTHORESORCINOL AR	132-86-5	1052B 00001	GB
5 gm		(1,3-dihydroxy naphthalene) Assay : Min. 98% C10H8O2 M.W. 160.17		1052B 00005	GB
25 gm	2449B	2-NAPHTHOXYACETIC ACID (for synthesis)	120-23-0	2449B 00025	GB
100 gm		(b-naphthoxyacetic acid) Assay : Min. 97% C12H10O3 M.W.202.21		2449B 00100	GB
10 gm	1052C	1-NAPHTHYLACETATE AR	830-81-9	1052C 00010	GB
25 gm		Assay : Min. 99.5% C12H10O2 M.W. 186.21		1052C 00025	GB
5 gm	1052D	2-NAPHTHYLACETATE (acetic acid-b-naphthylester)	1523-11-1	1052D 00005	GB
25 gm		Assay : Min. 99.5% C12H10O2 M.W. 186.21		1052D 00025	GB
25 gm	01053	a-NAPHTHYL ACETIC ACID	86-87-3	01053 00025	GB
100 gm		(naphthalene acetic acid)		01053 00100	PB
500 gm		Assay : Min. 95% C12H10O2 M.W 186.21		01053 00500	PB
500 gm	01054	a-NAPHTHYLAMINE (for synthesis)	134-32-7	01054 00500	PB
		(1-naphthylamine) Assay : Min. 98% C10H9N M.W. 143.19			
100 gm	1054B	a-NAPHTHYLAMINE AR (1-naphthylamine)	134-32-7	1054B 00100	PB
500 gm		Assay : Min. 99% C10H9N M.W. 143.19		1054B 00500	PB
1 gm	1054A	b-NAPHTHYLAMINE AR (2-naphthylamine)	91-59-8	1054A 00001	GB
		Assay : Min. 98% C10H7NH2 M.W. 143.19			
25 gm	01055	a-NAPHTHYLAMINE HYDROCHLORIDE	552-46-5	01055 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		(1-naphthylamine hydrochloride) Assay : Min. 98% C10H10ClN M.W. 179.65		01055 00100	PB
5 gm	1055A	N-1-NAPHTHYL ETHYLENE DIAMINE DIHYDROCHLORIDE AR	1465-25-4	1055A 00005	GB
10 gm		(reagent for nitrate)		1055A 00010	GB
25 gm		Assay : Min. 98% C12H14N·2HCl M.W. 259.17		1055A 00025	GB
5 gm	2449C	1-NAPHTHYL PHOSPHATE SODIUM SALT	81012-89-7	2449C 00005	GB
25 gm		(sodium-1-naphthyl phosphate) (monohydrate)		2449C 00025	GB
		Assay : Min. 98% C10H8NaO4P·H2O M.W 264.15			
5 gm	02450	NAPROXEN SODIUM SALT	26159-34-2	02450 00005	GB
25 gm		(for lab use)		02450 00025	PB
100 gm		Assay : Min. 98-102% C14H13NaO3 M.W 252.24		02450 00100	PB
500 ml	2450A	NEEM SEED OIL , Liquid, d. 0.922	8002-65-1	2450A 00500	GB
1 gm	1055B	NEOCUPROINE AR (2, 9-dimethyl-1, 10-phenanthroline)	484-11-7	1055B 00001	GB
5 gm		Assay : Min. 99% C14H12N2 M.W. 208.26		1055B 00005	GB
1 gm	1055C	NEOCUPROINE HYDROCHLORIDE AR	303136-82-5	1055C 00001	GB
5 gm		(2, 9-dimethyl-1, 10-phenanthroline hydrochloride)		1055C 00005	GB
		Assay : Min. 99% C14H12N2·HCl·H2O M.W. 262.73			
5 gm	2450B	NEODYMIUM CHLORIDE AR (anhydrous)	10024-93-8	2450B 00005	GB
10 gm		[neodymium (III) chloride] Assay : Min. 99.99% NdCl3 M.W 250.60		2450B 00010	GB
10 gm	2450C	NEODYMIUM CHLORIDE (hexahydrate)	13477-89-9	2450C 00010	GB
25 gm		[neodymium (III) chloride] Assay : Min. 99.9% NdCl3·6H2O M.W. 358.69		2450C 00025	GB
10 gm	2450H	NEODYMIUM NITRATE (hexahydrate)	16454-60-7	2450H 00010	GB
25 gm		[neodymium (III) nitrate] Assay : Min. 99.9% Nd(NO3)3·6H2O M.W. 438.35		2450H 00025	GB
10 gm	1055D	NEODYMIUM OXIDE AR	1313-97-9	1055D 00010	GB
25 gm		Assay : Min. 99.9% Nd2O3 M.W. 336.48		1055D 00025	GB
5 gm	1055E	NEOMYCIN SULPHATE (for bacteriology)	1405-10-3	1055E 00005	GB
25 gm		C23H46N6O13·3H2SO4·xH2O M.W. 908.88 (anhydr. basis)		1055E 00025	GB
500 gm	1055F	NEOPENTYL GLYCOL (for synthesis)	126-30-7	1055F 00500	PB
		Assay : Min. 98% C5H12O2 M.W. 104.15			
1 gm	1055G	NEOTETRAZOLIUM CHLORIDE AR	298-95-3	1055G 00001	GB
5 gm		[4,4'-biphenyl di (2,5-diphenyl tetrazolium chloride) GT]		1055G 00005	GB
		Assay : Min. 97% C38H28N8Cl2 M.W. 667.60			
		NEOTHORINE AR See Arsenazo I Cat No.185B Page 22			
100 ml	01056	NEROLI OIL Extra Pure	8016-38-4	01056 00100	GB
500 ml		Liquid, d. 0.868		01056 00500	GB
125 ml	01057	NESSLER'S REAGENT (for ammonia), Liquid, d. 1.097		01057 00125	GB
500 ml		(solution for testing ammonium salts)		01057 00500	GB
125 ml	01058	NESSLER'S REAGENT (King's), Liquid, d. 1.16		01058 00125	GB
500 ml		(for testing serum urea nitrogen)		01058 00500	GB
10 gm	01059	NEUTRAL RED indicator AR	553-24-2	01059 00010	GB
25 gm		(neutral red chloride)		01059 00025	GB
100 gm		(C.I. No.50040)		01059 00100	PB
500 gm		Dye Content : Min. 90% C15H17ClN4 M.W. 288.78		01059 00500	PB
125 ml	01060	NEUTRAL RED indicator solution		01060 00125	GB
500 ml				01060 00500	GB
25 gm	01061	NEW FUCHSIN (M.S.) (C.I. No.42520)	3248-91-7	01061 00025	GB
100 gm		C22H24ClN M.W. 365.91		01061 00100	PB
100 ml	1061A	NEWMAN'S STAIN solution, Liquid, d. 1.15		1061A 00100	PB
500 ml		(for bacteria and bovine cell in milk)		1061A 00500	PB
5 gm	1061B	NEW METHYLENE BLUE (certified)	6856-05-6	1061B 00005	GB
25 gm		(basic blue 24) (C.I. No.52030)		1061B 00025	GB
100 gm		Dye Content : Min. 90% C18H22ClN3S.1/2ZnCl2 M.W. 416.05		1061B 00100	PB
		NIACIN See Nicotinic Acid Cat No.1084 Page 139			
		NIACINAMIDE See Nicotinamide Cat No.1083A Page 139			
125 ml	02451	NICKEL AAS STANDARD SOLUTION		02451 00125	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.014		02451 00500	GB
125 ml	2451A	NICKEL ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2451A 00125	GB
		Liquid, d. 1.014			
100 gm	01062	NICKEL (metal) POWDER (150-200 mesh)	7440-02-0	01062 00100	PB
500 gm		Assay : Min. 99.8% Ni M.W. 58.69		01062 00500	PB
250 gm	1062A	NICKEL (metal) FOIL	7440-02-0	1062A 00250	PB
		Assay : Min. 99.9% Ni M.W. 58.71			
500 gm	01063	NICKEL ACETATE (tetrahydrate)	6018-89-9	01063 00500	PB
		Assay : Min. 98% $C_4H_6NiO_4 \cdot 4H_2O$ M.W. 248.84			
500 gm	01064	NICKEL ALUMINIUM ALLOY powder	12635-27-7	01064 00500	PB
		(raney nickel catalyst alloy) (aluminium nickel alloy powder)			
		Assay : 50% (Ex Ni), 50% (Ex Al)			
		NICKEL AMMONIUM SULPHATE See Ammonium Nickel Sulphate Cat No.122 & 122A Page 16			
250 gm	01067	NICKEL BORATE hydrate	51142-85-9	01067 00250	PB
500 gm		Assay : Min. 98% $Ni(BO_2)_2.xH_2O$ M.W 143.33 (anhy. basis)		01067 00500	PB
250 gm	01068	NICKEL BROMIDE	13462-88-9	01068 00250	PB
500 gm		Assay : Min. 98% Br_2Ni M.W. 218.50		01068 00500	PB
500 gm	01069	NICKEL CARBONATE (basic) (hydrate)	39430-27-8	01069 00500	PB
5 Kg		(nickel hydroxide carbonate)		01069 05000	PC
		Assay : Min. 41-49% $NiCO_3.2Ni(OH)_2.xH_2O$ M.W. 304.12			
250 gm	1069A	NICKEL CARBONATE AR (basic) (hydrate) (CAS No.39430-27-8)	39430-27-8	1069A 00250	PB
500 gm		(nickel hydroxide carbonate)		1069A 00500	PB
		Assay : Min. 99.9% $NiCO_3.2Ni(OH)_2.xH_2O$ M.W. 304.12			
500 gm	01070	NICKEL CHLORIDE (hexahydrate)	7791-20-0	01070 00500	PB
5 Kg		Assay : Min. 97% $NiCl_2.6H_2O$ M.W. 237.69		01070 05000	PC
500 gm	1070A	NICKEL CHLORIDE AR (hexahydrate)	7791-20-0	1070A 00500	PB
5 Kg		Assay : Min. 98% $NiCl_2.6H_2O$ M.W. 237.69		1070A 05000	PC
500 gm	01071	NICKEL CHROMATE	14721-18-7	01071 00500	PB
500 gm	1071A	NICKEL FLUOBORATE	14708-14-6	1071A 00500	PB
500 gm	01072	NICKEL FLUORIDE	10028-18-9	01072 00500	PB
		Assay : Min. 97% NiF_2 M.W 96.69			
500 gm	01073	NICKEL FORMATE	15694-70-9	01073 00500	PB
		Assay : Min. 97% $Ni(HCO_2)_2.2H_2O$ M.W. 184.77			
		NICKEL HYDROXIDE CARBONATE See Nickel Carbonate Cat No.1069 & 1069A Page 138			
100 gm	01074	NICKEL IODIDE	13462-90-3	01074 00100	GB
250 gm		Assay : Min. 99.5% NiI_2 M.W. 312.50		01074 00250	GB
500 gm	01075	NICKEL NITRATE (hexahydrate)	13478-00-7	01075 00500	PB
5 Kg		Assay : Min. 98% $Ni(NO_3)_2.6H_2O$ M.W. 290.80		01075 05000	PC
500 gm	1075A	NICKEL NITRATE AR (hexahydrate)	13478-00-7	1075A 00500	GB
5 Kg		Assay : Min. 99% $Ni(NO_3)_2.6H_2O$ M.W. 290.80		1075A 05000	PC
500 gm	01076	NICKEL OXALATE (dihydrate)	6018-94-6	01076 00500	PB
		Assay : Min. 99% $NiC_2O_4 \cdot 2H_2O$ M.W. 182.74			
250 gm	01077	NICKEL OXIDE black	1314-06-3	01077 00250	PB
500 gm		Assay : Min. 70% NiO M.W. 74.69		01077 00500	PB
250 gm	01078	NICKEL OXIDE green	1313-99-1	01078 00250	PB
500 gm		Assay : Min. 70% NiO M.W. 74.69		01078 00500	PB
500 gm	01079	NICKEL PHOSPHATE (heptahydrate)	14396-43-1	01079 00500	PB
500 ml	1079A	NICKEL SULPHAMATE solution	13770-89-3	1079A 00500	GB
		Assay : Min. 10-11.0% $Ni(SO_3NH_2)_2$ M.W. 250.87, Liquid, d. 1.55			
500 gm	01080	NICKEL SULPHATE (hexahydrate)	10101-97-0	01080 00500	PB
5 Kg		Assay : Min. 98% $NiSO_4.6H_2O$ M.W. 262.85		01080 05000	PC
500 gm	1080A	NICKEL SULPHATE AR (hexahydrate)	10101-97-0	1080A 00500	PB
5 Kg		Assay : Min. 99% $NiSO_4.6H_2O$ M.W. 262.85		1080A 05000	PC
500 gm	01081	NICKEL SULPHIDE	16812-54-7	01081 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99% NiS M.W. 90.75			
500 gm	01082	NICKEL SULPHITE	7757-95-1	01082 00500	PB
		Assay : Min. 98% NiO3S M.W. 138.76			
500 gm	01083	NICKEL TARTRATE	52022-10-3	01083 00500	PB
		Assay : Min. 98% C4H4O6Ni M.W. 206.79			
100 gm	1082A	NICKEL THIOCYANATE	13689-92-4	1082A 00100	PB
500 gm		Assay : Min. 98% C2N2NiS2 M.W. 174.85		1082A 00500	PB
100 gm	1083A	NICOTINAMIDE (for biochemistry) (niacinamide)	98-92-0	1083A 00100	PB
500 gm		Assay : Min. 99.5% C6H6N2O M.W. 122.12		1083A 00500	PB
100 mg	1083B	NICOTINAMIDE ADENINE DINUCLEOTIDE (trihydrate)	53-84-9	1083B 0100M	GB
1 gm		(for biochemistry) (NAD, DPN)		1083B 00001	GB
5 gm		Assay : Min. 95% C21H27N7O14P2 M.W. 663.43		1083B 00005	GB
100 mg	1083C	NICOTINAMIDE ADENINE DINUCLEOTIDE DISODIUM SALT	606-68-8	1083C 0100M	GB
1 gm		(NADH, DPNH) (reduced)		1083C 00001	GB
5 gm		Assay : Min. 97% C21H27N7O14P2Na2.xH2O M.W. 709.40		1083C 00005	GB
25 mg	1083D	NICOTINAMIDE ADENINE DINUCLEOTIDE PHOSPHATE SODIUM SALT	24292-60-2	1083D 0025M	GB
100 mg		(for biochemistry) (NADP, TPN)		1083D 0100M	GB
1 gm		Assay : Min. 95% C21H26N7Na2O17P3 M.W. 787.37		1083D 00001	GB
100 gm	01084	NICOTINIC ACID	59-67-6	01084 00100	PB
500 gm		(niacin)		01084 00500	PB
5 Kg		Assay : Min. 99.5% C6H5NO2 M.W. 123.11		01084 05000	PC
5 gm	02456	NIFEDIPINE (for lab use)	21829-25-4	02456 00005	GB
		Assay : Min. 98% C17H18N2O6 M.W 346.33			
25 gm	01085	NIGROSINE (C.I. No.50415)	11099-03-9	01085 00025	GB
100 gm		(spirit soluble) (solvent black 5)		01085 00100	PB
500 gm				01085 00500	PB
25 gm	01086	NIGROSINE (C.I. No.50420)(water soluble)	8005-03-6	01086 00025	GB
100 gm	01086	NIGROSINE (C.I. No.50420)(water soluble)	8005-03-6	01086 00100	PB
500 gm				01086 00500	PB
125 ml	01087	NIGROSINE stain 10% w/v		01087 00125	PB
500 ml		(solution for negative staining)		01087 00500	PB
25 gm	01088	NILE BLUE CHLORIDE (C.I. No.51180)	2381-85-3	01088 00025	GB
		Dye Content : Min. 90% C20H20ClN3O M.W. 353.85			
10 gm	01089	NILE BLUE SULPHATE (M.S.) (C.I. No.51180)	3625-57-8	01089 00010	GB
25 gm		(nile blue A) Dye Content : Min. 90% C40H40N6O6S M.W. 732.85		01089 00025	GB
25 gm	1089A	NIMESULIDE (for lab use)	51803-78-2	1089A 00025	GB
100 gm		(nisulid, nide)		1089A 00100	PB
500 gm		Assay : Min. 98% C13H12N2O5S M.W. 308.31		1089A 00500	PB
10 gm	01090	NINHYDRIN AR	485-47-2	01090 00010	GB
25 gm		(indanetrione hydrate)		01090 00025	GB
100 gm		Assay : Min. 99% C9H6O4 M.W. 178.14		01090 00100	PB
250 gm				01090 00250	PB
125 ml	01091	NINHYDRIN solution		01091 00125	GB
500 ml		Liquid, d. 0.79		01091 00500	GB
125 ml	2458F	NIOBIUM ICP STANDARD SOLUTION 1000mg/L in water,Liquid, d. 1.00		2458F 00125	GB
5 gm	02458	NIOBIUM (metal)	7440-03-1	02458 00005	GB
10 gm		Assay : Min. 99.5% Nb M.W 92.91		02458 00010	GB
10 gm	1091A	NIOBIUM PENTOXIDE AR	1313-96-8	1091A 00010	GB
25 gm		[niobium (V) oxide]		1091A 00025	GB
100 gm		Assay : Min. 99.9% Nb2O5 M.W. 265.81		1091A 00100	PB
5 gm	1091B	NITRAZINE YELLOW used as indicator (C.I. No.14890)	5423-07-4	1091B 00005	GB
25 gm		(CAS No.5423-07-4) C16H8N4Na2O11S2 M.W. 542.36		1091B 00025	GB
500 ml	01092	NITRIC ACID 69-72%	7697-37-2	01092 00500	GBT
2.5 Lt		(sp. gr. 1.41–1.42)		01092 02500	GBT

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
20 Lt		Assay : Min. 69-72% HNO3 M.W. 63.01, Liquid, d. 1.41		01092 20000	PB
500 ml	01093	NITRIC ACID 69-72% AR (sp. gr. 1.42)	7697-37-2	01093 00500	GBT
2.5 Lt		Assay : Min. 69-72% HNO3 M.W. 63.01, Liquid, d. 1.41		01093 02500	GBT
500 ml	01094	NITRIC ACID N/10 solution (0.1Mol/L) (0.1N) Liquid, d. 1.004		01094 00500	PB
500 ml	1093A	NITRIC ACID 0.01M (0.01N) Standardized Solution, traceable to NIST		1093A 00500	PB
500 ml	1093B	NITRIC ACID 1M (1N)		1093B 00500	PB
		Standardized Solution,traceable toNIST, Liquid,d. 1.38			
500 ml	1093C	NITRIC ACID 2M (2N)		1093C 00500	PB
		Standardized Solution,traceable to NIST,Liquid, d. 1.07			
500 ml	1093D	NITRIC ACID 4M (4N) Standardized Solution, traceable to NIST		1093D 00500	PB
500 ml	1093E	NITRIC ACID 8M (8N) Standardized Solution, traceable to NIST		1093E 00500	PB
100 gm	1094A	NITRILO TRIACETIC ACID (NTA)	139-13-9	1094A 00100	PB
500 gm		(complexometric indicator and reagent)		1094A 00500	PB
5 Kg		Assay : Min. 99% C6H9NO6 M.W. 191.14		1094A 05000	PC
25 mg	1094B	NITRIN AR (2-Aminobenzaldehyde phenylhydrazone)	553-74-2	1094B 0025M	GB
100 mg		Assay : Min. 99% C13H13N3 M.W. 211.26		1094B 0100M	GB
100 gm	01095	p-NITROACETANILIDE (4-nitroacetanilide)	104-04-1	01095 00100	PB
500 gm		Assay : Min. 98% C8H8N2O3 M.W.180.16		01095 00500	PB
100 gm	1095A	m-NITRO ACETOPHENONE (for synthesis)	121-89-1	1095A 00100	PB
500 gm		(3-nitro acetophenone) Assay : Min. 98% C8H7NO3 M.W.165.15		1095A 00500	PB
10 gm	1095B	o-NITRO ACETOPHENONE (for synthesis)	577-59-3	1095B 00010	GB
		(2-nitro acetophenone) Assay : Min. 95% C8H7NO3 M.W.165.15			
250 gm	01096	p-NITRO ACETOPHENONE (for synthesis)	100-19-6	01096 00250	PB
500 gm		(4-nitro acetophenone) Assay : Min. 98% C8H7NO3 M.W.165.15		01096 00500	PB
250 gm	01097	m-NITRO ANILINE (3-nitro aniline)	99-09-2	01097 00250	GB
500 gm		Assay : Min. 98% C6H6N2O2 M.W. 138.12		01097 00500	GB
250 gm	01098	o-NITRO ANILINE (2-nitro aniline)	88-74-4	01098 00250	GB
500 gm		Assay : Min. 98% C6H6N2O2 M.W. 138.12		01098 00500	GB
250 gm	01099	p-NITRO ANILINE (4-nitro aniline)	100-01-6	01099 00250	GB
500 gm		Assay : Min. 98.5% C6H6N2O2 M.W. 138.12		01099 00500	GB
25 gm	1099A	p-NITRO ANILINE AR (4-nitro aniline)	100-01-6	1099A 00025	GB
100 gm		Assay : Min. 99% C6H6N2O2 M.W. 138.12		1099A 00100	GB
500 gm				1099A 00500	PB
500 ml	2458A	2-NITROANISOLE (for synthesis) (2-methoxynitrobenzene)	91-23-6	2458A 00500	GB
2.5 Lt		Liquid, d. 1.254		2458A 02500	GBT
		Assay : Min. 98% C7H7NO3 M.W. 153.14			
100 gm	1099B	m-NITRO BENZALDEHYDE (3-nitro benzaldehyde)	99-61-6	1099B 00100	PB
500 gm		Assay : Min. 99% C7H5NO3 M.W. 151.12		1099B 00500	PB
10 gm	01100	o-NITRO BENZALDEHYDE (2-nitro benzaldehyde)	552-89-6	01100 00010	GB
25 gm		Assay : Min. 99% C7H5NO3 M.W. 151.12		01100 00025	GB
25 gm	1100A	p-NITRO BENZALDEHYDE (for synthesis)	555-16-8	1100A 00025	GB
100 gm		(4-nitro benzaldehyde) Assay : Min. 99% C7H5NO3 M.W. 151.12		1100A 00100	GB
500 ml	01102	NITROBENZENE	98-95-3	01102 00500	GB
2.5 Lt		(for synthesis)		01102 02500	GB
5 Lt		Assay : Min. 98% C6H5NO2 M.W. 123.11, Liquid, d. 1.196		01102 05000	PC
500 ml	01101	NITROBENZENE AR	98-95-3	01101 00500	GB
2.5 Lt		Assay : Min. 99% C6H5NO2 M.W. 123.11, Liquid, d. 1.196		01101 02500	GB
100 gm	1102A	m-NITROBENZENE SULPHONIC ACID SODIUM SALT (for synthesis)	127-68-4	1102A 00100	PB
500 gm		Assay : Min. 95% C6H4NNaO5S M.W. 225.16		1102A 00500	PB
100 gm	01103	m-NITRO BENZOIC ACID (for synthesis)	121-92-6	01103 00100	PB
250 gm		(3-nitrobenzoic acid) Assay : Min. 98% C7H5NO4 M.W. 167.12		01103 00250	PB
25 gm	1103A	o-NITRO BENZOIC ACID (for synthesis)	552-16-9	1103A 00025	GB
100 gm		(2-nitrobenzoic acid) Assay : Min. 96% C7H5NO4 M.W. 167.12		1103A 00100	PB
500 gm	01104	p-NITRO BENZOIC ACID (for synthesis)	62-23-7	01104 00500	PB
		(4-nitrobenzoic acid) Assay : Min. 99% C7H5NO4 M.W. 167.12			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	1104B	6-NITROBENZOTHIAZOLE	2942-06-5	1104B 00005	GB
10 gm		Assay : Min. 96% C7H4N2O2S M.W 180.18		1104B 00010	GB
100 gm	2458B	4-NITRO BENZYL BROMIDE (for synthesis)	100-11-8	2458B 00100	GB
		(alpha-bromo-4-nitrotoluene) Assay : Min. 99% C7H6BrNO2 M.W. 216.03			
5 gm	1104A	4-(4-NITROBENZYL) PYRIDINE AR	1083-48-3	1104A 00005	GB
25 gm		Assay : Min. 98% C12H10N2O2 M.W. 214.22		1104A 00025	GB
100 mg	01105	NITRO B. T. AR (M.S.) (For Molecular Biology)	298-83-9	01105 0100M	GB
250 mg		(nitro blue tetrazolium chloride)		01105 0250M	GB
1 gm		Assay : Min. 98% C40H30N10O6Cl2 M.W. 817.65		01105 00001	GB
5 gm	2458C	4-NITROCATECHOL AR	3316-09-4	2458C 00005	GB
		(3,4-dihydroxynitrobenzene) Assay : Min. 97% C6H5NO4 M.W. 155.11			
		NITRO CELLULOSE See Cellulose Nitrate Cat No.427A Page 51			
		o-NITRO CHLOROBENZENE See 1-Chloro-2-Nitrobenzene Cat No.457 Page 56			
		p-NITRO CHLOROBENZENE See 1-Chloro-4-Nitrobenzene Cat No.459 Page 56			
250 ml	2458D	NITROETHANE	79-24-3	2458D 00250	GB
500 ml		Assay : Min. 99% C2H5NO2 M.W. 75.07, Liquid, d. 1.046		2458D 00500	GB
5 gm	1105A	NITROFURAZONE Extra Pure	59-87-0	1105A 00005	GB
25 gm		(for lab use)		1105A 00025	GB
100 gm		Assay : Min. 97% C6H6N4O4 M.W 198.14		1105A 00100	GB
500 ml	01106	NITROMETHANE	75-52-5	01106 00500	GB
2.5 Lt		Assay : Min. 98% CH3NO2 M.W. 61.04, Liquid, d. 1.130		01106 02500	GBT
5 gm	2458E	4-NITRO-3-METHOXYBENZOIC ACID	5081-36-7	2458E 00005	GB
		Assay : Min. 98% C8H7NO5 M.W. 197.14			
5 gm	1106A	NITRON AR (reagent for nitrate)	2218-94-2	1106A 00005	GB
		Assay : Min. 97% C20H16N4 M.W. 312.37			
100 gm	1106B	1-NITRO NAPHTHALENE (a-nitro naphthalene)	86-57-7	1106B 00100	PB
500 gm		Assay : Min. 99% C10H7NO2 M.W.173.17		1106B 00500	PB
25 gm	01107	m-NITROPHENOL AR (pH indicator)	554-84-7	01107 00025	GB
100 gm		(3-nitrophenol) Assay : Min. 99% C6H5NO3 M.W. 139.11		01107 00100	GB
500 gm	01108	o-NITROPHENOL (2-nitrophenol)	88-75-5	01108 00500	GB
		Assay : Min. 99% C6H5NO3 M.W. 139.11			
500 gm	01109	p-NITROPHENOL (4-nitrophenol)	100-02-7	01109 00500	GB
		Assay : Min. 98% C6H5NO3 M.W. 139.11			
25 gm	1109A	p-NITROPHENOL AR (pH indicator)	100-02-7	1109A 00025	GB
100 gm		(4-nitrophenol) Assay : Min. 99.5% C6H5NO3 M.W. 139.11		1109A 00100	GB
25 gm	1109B	p-NITROPHENYL ACETIC ACID (for synthesis)	104-03-0	1109B 00025	GB
100 gm		(4-nitrophenyl acetic acid) Assay : Min. 98% C8H7NO4 M.W.181.15		1109B 00100	GB
		4-(4-NITROPHENYLAZO)1-NAPHTHOL See Magneson II Cat No.936 Page 122			
1 gm	02459	o-NITRO PHENYL b-D-GALACTOPYARANOSIDE Extra Pure (for biochemistry)	369-07-3	02459 00001	GB
5 gm		(CAS No.369-07-3) Assay : Min. 98% C12H15NO8 M.W. 301.25		02459 00005	GB
		1-(4-NITROPHENYL)-3-(PHENYLAZOPHENYL)-TRIAZINE See Cadion Cat No.347A Page 43			
		4-(4-NITROPHENYLAZO) RESORCINOL See Magneson I Cat No.935 Page 122			
25 gm	1109C	p-NITRO PHENYL HYDRAZINE	100-16-3	1109C 00025	GB
100 gm		(4-nitro phenyl hydrazine) Assay : Min. 96% C6H7N3O2 M.W. 153.14		1109C 00100	PB
10 gm	01110	p-NITRO PHENYL HYDRAZINE AR	100-16-3	01110 00010	GB
25 gm		(4-nitro phenyl hydrazine) Assay : Min. 98.5% C6H7N3O2 M.W. 153.14		01110 00025	GB
5 gm	1110A	p-NITRO PHENYL PHOSPHATE DISODIUM SALT AR	333338-18-4	1110A 00005	GB
25 gm		(For Molecular Biology)		1110A 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		(4-nitrophenyl phosphate disodium salt) (hexahydrate)		1110A 00100	GB
		Assay : Min. 99% C6H4NNa2O6P.6H2O M.W. 371.15 (Store at 2 - 8°C)			
10 gm	2459A	4-NITROPHENYL PIPERAZINE	6269-89-2	2459A 00010	GB
25 gm		Assay : Min. 97% C10H13N3O2 M.W. 207.23		2459A 00025	GB
100 gm	1110B	3-NITROPHTHALIC ACID (for synthesis)	603-11-2	1110B 00100	PB
500 gm		Assay : Min. 98% C8H5NO6 M.W. 211.13		1110B 00500	PB
100 gm	1110C	4-NITROPHTHALIC ACID (for synthesis)	610-27-5	1110C 00100	PB
500 gm		Assay : Min. 80% C8H5NO6 M.W. 211.13		1110C 00500	PB
100 gm	01111	1-NITROSO-2-NAPHTHOL (a-nitroso-b-naphthol)	131-91-9	01111 00100	GB
500 gm		Assay : Min. 97% C10H7NO2 M.W. 173.17		01111 00500	PB
25 gm	1111A	1-NITROSO-2-NAPHTHOL AR (a-nitroso-b-naphthol)	131-91-9	1111A 00025	GB
100 gm		Assay : Min. 98% C10H7NO2 M.W. 173.17		1111A 00100	PB
5 gm	01112	2-NITROSO-1-NAPHTHOL AR (b-nitroso-a-naphthol)	132-53-6	01112 00005	GB
25 gm		Assay : Min. 98% C10H7NO2 M.W. 173.17		01112 00025	PB
25 gm	01113	NITROSO-R-SALT AR	525-05-3	01113 00025	GB
100 gm		(2-hydroxy-1-nitroso-3,6-naphthalene disulphonic acid disodium salt)		01113 00100	GB
500 gm		Assay : Min. 90% C10H5O8NS2Na2 M.W. 377.26		01113 00500	PB
500 ml	01114	m-NITRO TOLUENE (for synthesis) Liquid, d. 1.157	99-08-1	01114 00500	GB
		(3-nitro toluene) Assay : Min. 99% C7H7NO2 M.W.137.14,			
500 ml	01115	o-NITRO TOLUENE (for synthesis) Liquid, d. 1.163	88-72-2	01115 00500	GB
		(2-nitro toluene) Assay : Min. 99% C7H7NO2 M.W.137.14,			
500 ml	01116	p-NITRO TOLUENE (for synthesis) Liquid, d. 1.286	99-99-0	01116 00500	GB
		(4-nitro toluene) Assay : Min. 98% C7H7NO2 M.W.137.14,			
25 gm	2459B	5-NITRO-m-XYLENE	99-12-7	2459B 00025	GB
		Assay : Min. 99% C8H9NO2 M.W 151.16			
250 ml	02460	n-NONANE (for synthesis)	111-84-2	02460 00250	GB
		Assay : Min. 99% C9H20 M.W.128.26, Liquid, d. 0.72			
5 gm	02461	1-NONANE SULPHONIC ACID SODIUM SALT AR & HPLC	35192-74-6	02461 00005	GB
25 gm		(sodium-1-nonane sulphonate)		02461 00025	GB
100 gm		Assay : Min. 98% C9H19NaO3S M.W. 230.30		02461 00100	PB
100 ml	1116B	NONIDET P40	9016-45-9	1116B 00100	GB
500 ml		(Nonyl Phenyl Polyethylene Glycol) Liquid, d. 1.06		1116B 00500	GB
100 ml	2460A	NONYL ALCOHOL (for synthesis)(1-nonanol)	143-08-8	2460A 00100	GB
500 ml		Assay : Min. 98% C9H20O M.W. 144.26, Liquid, d. 0.827		2460A 00500	GB
500 ml	2460D	NONYL PHENOL ETHOXYLATE (9.5 moles)	104-40-5	2460D 00500	GB
2.5 Lt				2460D 02500	GB
25 gm	1116A	NORFLOXACINE Extra Pure (for lab use)	70458-96-7	1116A 00025	PB
100 gm		Assay : Min. 98% C16H18FN3O3 M.W. 319.33		1116A 00100	PB
500 ml	01117	NUTMEG OIL Extra Pure Liquid, d. 0.89)	8008-45-5	01117 00500	GB
125 ml	1117A	NYLENDER'S REAGENT		1117A 00125	PB
500 ml		Liquid, d. 1.14		1117A 00500	PB
O					
5 gm	1117B	OCTADECANEDIOIC ACID	871-70-5	1117B 00005	GB
10 gm		Assay : Min. 98% C18H34O4 M.W. 314.47		1117B 00010	GB
500 ml	01118	iso-OCTANE (2,2,4-trimethylpentane)	540-84-1	01118 00500	GB
2.5 Lt		Assay : Min. 99.5% C8H18 M.W.114.23, Liquid, d. 0.692		01118 02500	GBT
100 ml	1118C	n-OCTANE (for synthesis)	111-65-9	1118C 00100	GB
500 ml		Assay : Min. 98% C8H18 M.W.114.23, Liquid, d. 0.703		1118C 00500	GB
100 ml	1118D	n-OCTANE AR	111-65-9	1118D 00100	GB
		Assay : Min. 98% C8H18 M.W.114.23, Liquid, d. 0.703			
5 gm	1118A	1-OCTANESULPHONIC ACID SODIUM SALT AR & HPLC (anhydrous)	5324-84-5	1118A 00005	GB
25 gm		(sodium-1-octanesulphonate)		1118A 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		Assay : Min. 99% C8H17NaO3S M.W. 216.28		1118A 00100	PB
5 gm	1118B	1-OCTANESULPHONIC ACID SODIUM SALT AR & HPLC	5324-84-5	1118B 00005	GB
25 gm		(monohydrate) (sodium-1-octanesulphate)		1118B 00025	GB
100 gm		Assay : Min. 99% C8H17NaO3S.H2O M.W. 234.29		1118B 00100	PB
500 ml	1119A	iso-OCTANOL (2-ethyl hexanol)	123-96-6	1119A 00500	GB
2.5 Lt		Assay : Min. 97% C8H18O M.W. 130.23, Liquid, d. 0.819		1119A 02500	GB
500 gm	01119	OCTYL ACETATE	112-14-1	01119 00500	GB
		Assay : Min. 99% C10H20O2 M.W 172.26, Liquid, d. 0.867			
500 ml	1119B	n-OCTYL ALCOHOL (CAS No.111-87-5) (octan-1-OL, capryl alcohol) GB 500 ml s 18 988	111-87-5	1119B 00500	GB
		(n-octanol) Assay : Min. 99% C8H18O M.W. 130.23, Liquid, d. 0.827			
250 ml	2460B	n-OCTYLAMINE (for synthesis) (1-aminooctane, caprylamine)	111-86-4	2460B 00250	GB
500 ml		Liquid, d. 0.782		2460B 00500	GB
		Assay : Min. 98% C8H19N M.W. 129.24			
100 ml	1119C	n-OCTYL BROMIDE (for synthesis) (1-bromo octane)	111-83-1	1119C 00100	GB
500 ml		Assay : Min. 99% C8H17Br M.W. 193.12, Liquid, d. 1.112		1119C 00500	GBT
1 gm	1119E	4-OCTYLPHENOL (4-n-octylphenol)	1806-26-4	1119E 00001	GB
5 gm		Assay : Min. 99% C14H22O M.W. 206.32		1119E 00005	GB
500 gm	1119F	4-tert-OCTYLPHENOL (for synthesis)	140-66-9	1119F 00500	PB
		Assay : Min. 97% C14H22O M.W. 206.33			
5 gm	1119D	n-OCTYL SULPHATE SODIUM SALT	142-31-4	1119D 00005	GB
25 gm		(for HPLC for ion-pair chromatography) (sodium n-octyl sulphate)		1119D 00025	GB
100 gm		Assay : Min. 99% C8H17NaO4S M.W. 232.27		1119D 00100	GB
10 gm	01120	OIL RED O (for electrophoresis) (C.I.No.26125)	1320-06-5	01120 00010	GB
25 gm		Dye Content : Min. 75% C26H24N4O M.W. 408.49, Liquid d. 2.07		01120 00025	GB
500 ml	01121	OLEIC ACID , Liquid, d. 0.897	112-80-1	01121 00500	GB
5 Lt		Assay : Min. 99% C17H33.COOH M.W. 282.46		01121 05000	PC
500 ml	01122	OLIVE OIL Extra Pure , Liquid, d. 0.91	8001-25-0	01122 00500	GB
5 gm	2460C	ONDANSETRON HYDROCHLORIDE (dihydrate)	103639-04-9	2460C 00005	GB
25 gm		(for lab use) Assay : Min. 98% C18H19N3O·HCl·2H2O M.W. 365.85		2460C 00025	GB
5 gm	1122A	ORACET BLUE B indicator	12769-16-3	1122A 00005	GB
25 gm		C21H16N2O2 M.W. 328.36		1122A 00025	GB
125 ml	1122B	ORACET BLUE		1122B 00125	PB
500 ml		indicator solution		1122B 00500	PB
5 gm	1122C	ORACET BLUE 2R (C.I. 61110)	4395-65-7	1122C 00005	GB
		C20H14N2O2 M.W. 314.34 (Indicator for titration in Non-Aqueous Solvent)			
25 gm	01123	ORANGE G (M.S.)	1936-15-8	01123 00025	GB
100 gm		(C.I.No.16230), Liquid, d. 0.83		01123 00100	GB
500 gm		Dye Content : Min. 80% C16H10N2Na2O7S2 M.W 452.37		01123 00500	PB
10 gm	1123B	ORANGE G (For Molecular Biology)	1936-15-8	1123B 00010	GB
50 gm		(C.I.No.16230) Dye Content : Min. 80% C16H10N2Na2O7S2 M.W. 452.37		1123B 00050	GB
125 ml	1123A	ORANGE G (OG 6 solution) aqueous solution		1123A 00125	PB
500 ml		Liquid, d. 0.83		1123A 00500	PB
500 ml	01124	ORANGE OIL Extra Pure Liquid, d. 0.843	8008-57-9	01124 00500	GB
5 gm	1124A	ORCEIN (for microscopy)	1400-62-0	1124A 00005	GB
10 gm				1124A 00010	GB
10 gm	01125	ORCINOL (monohydrate)	6153-39-5	01125 00010	GB
25 gm		(3,5-dihydroxytoluene)		01125 00025	GB
100 gm		Assay : Min. 99% C7H8O2.H2O M.W. 142.16		01125 00100	PB
100 ml	1125G	ORCINOL REAGENT solution **NEW**		1125G 00100	PB
5 gm	1125B	L-ORNITHINE MONOHYDROCHLORIDE	3184-13-2	1125B 00005	GB
25 gm		(for biochemistry)		1125B 00025	GB
100 gm		Assay : Min. 99% C5H13ClN2O2 M.W. 168.62		1125B 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		ORTHOPHOSPHORIC ACID See Phosphoric Acid (ortho) Cat No.1182, 1183, 1183A, 1183B & 2467 Page 152 & 153			
1 gm	1125A	OSMIC ACID AR (osmium tetroxide)	20816-12-0	1125A 00001	GB
10 gm		Assay : Min. 99.9% OsO_4 M.W. 254.23		1125A 00010	GB
5 ml	1125C	OSMIC ACID solution 2% w/v (for microscopy)		1125C 00005	GB
10 ml		Liquid, d. 1.01		1125C 00010	GB
5 gm	1125D	OXACILLIN SODIUM SALT monohydrate	7240-38-2	1125D 00005	GB
		Potency : 815-950 µg/mg $C_{19}H_{18}N_3O_5SNa \cdot H_2O$ M.W. 441.43			
1 gm	1125E	OXALACETIC ACID (Oxobutanedoic acid)	328-42-7	1125E 00001	GB
5 gm		Assay : Min. 98% $C_4O_5H_4$ M.W. 132.07		1125E 00005	GB
500 gm	01126	OXALIC ACID	6153-56-6	01126 00500	PB
5 Kg		(ethanedioic acid)		01126 05000	PC
50 Kg		Assay : Min. 99% $C_2H_2O_4.2H_2O$ M.W. 126.07		01126 50000	FD
500 gm	1126A	OXALIC ACID AR (ethanedioic acid)	6153-56-6	1126A 00500	PB
5 Kg		Assay : Min. 99.5% $C_2H_2O_4.2H_2O$ M.W. 126.07		1126A 05000	PC
1 Kg	1126B	OXALIC ACID dihydrate (For Molecular Biology)	6153-56-6	1126B 01000	PB
		Assay : Min. 99% $C_2H_2O_4.2H_2O$ M.W. 126.07			
500 ml	2461D	OXALIC ACID 0.1 N (N/10) SOLUTION, Liquid, d. 0.99		2461D 00500	PB
500 ml	2461E	OXALIC ACID 0.025M (0.05N) Standardized Solution, traceable to NIST		2461E 00500	PB
		Liquid, d. 1.00			
500 ml	2461F	OXALIC ACID 0.5M (1N) Standardized Solution, traceable to NIST		2461F 00500	PB
		Liquid, d. 1.00			
25 gm	2461A	OXALIC ACID DIHYDRAZIDE (oxalyl dihydrazide)	996-98-5	2461A 00025	GB
		Assay : Min. 98% $C_2H_6N_4O_2$ M.W. 118.09			
100 gm	2461B	OX-BILE DRIED POWDER (for microbiology)		2461B 00100	GB
500 gm		Assay : Min. 45%		2461B 00500	PB
100 gm	1126B	OX GALL powder (bacteriological grade)	8008-63-7	1126B 00100	PB
500 gm				1126B 00500	PB
5 gm	2461C	OXICONAZOLE NITRATE	64211-46-7	2461C 00005	GB
25 gm		(for lab use)		2461C 00025	GB
		OXINE See 8-Hydroxyquinoline Cat No.819 & 820 Page 108			
250 gm	2461D	OXONE Extra Pure (Potassium Peroxy Monosulphate)	70693-62-8	2461D 00250	PB
1 Kg		$HKO_5S \cdot 0.5HKO_4S \cdot 0.5K_2O_4S$ M.W. 307.38		2461D 01000	PB
25 gm	1126D	OXYTETRACYCLINE HYDROCHLORIDE Extra Pure (for lab use)	2058-46-0	1126D 00025	GB
100 gm				1126D 00100	PB
500 gm		Assay : Min. 95% $C_{22}H_{24}N_2O_9.HCl$ M.W 496.89		1126D 00500	PB
100 gm	1126E	OZOKERITE WAX	8021-55-4	1126E 00100	PB
500 gm				1126E 00500	PB
P					
125 ml	1126F	PALLADIUM AAS STANDARD SOLUTION, Liquid, d. 1.025		1126F 00125	GB
500 ml		1000mg/L in Hydrochloric Acid		1126F 00500	GB
125 ml	1126G	PALLADIUM ICP STANDARD SOLUTION, Liquid, d. 1.032		1126G 00125	GB
		1000mg/L in Hydrochloric Acid			
1 gm	01127	PALLADIUM (metal) POWDER AR	7740-05-3	01127 00001	GB
		Assay : Min. 99% Pd M.W 106.42			
10 gm	01128	PALLADIUM 5% On Charcoal Assay (as Pd) : 5%		01128 00010	GB
10 gm	1128A	PALLADIUM 10% On Charcoal Assay (as Pd) : 10%		1128A 00010	GB
10 gm	1128B	PALLADIUM 5% On Asbestos Palladium Content : ~5%		1128B 00010	GB
10 gm	01129	PALLADIUM 10% On Asbestos Palladium Content : ~10%		01129 00010	GB
1 gm	1129A	PALLADIUM ACETATE	3375-31-3	1129A 00001	GB
		Assay : Min. 98% $C_4H_6O_4Pd$ M.W.224.51			
1 gm	1129B	PALLADIUM BROMIDE	13444-94-5	1129B 00001	GB
		Assay : Min. 98% $PdBr_2$ M.W 266.23			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
1 gm	01130	PALLADIUM CHLORIDE (purified) (Pd 59-60%)	7647-10-1	01130 00001	GB
5 gm		Pd content : 59-60% $PdCl_2$ M.W. 177.33		01130 00005	GB
1 gm	1130A	PALLADIUM NITRATE (hydrate)	207596-32-5	1130A 00001	GB
		% Pd With Dimethylglyoxime : 37.0 - 42.0 % $Pd(NO_3)_2 \cdot xH_2O$ M.W 230.43			
1 gm	01131	PALLADIUM OXIDE	1314-08-5	01131 00001	GB
		Assay : Min. 98% OPd M.W. 122.42			
1 gm	1131A	PALLADIUM SULPHATE	13566-03-5	1131A 00001	GB
		Assay : Min. 98% $PdSO_4$ M.W 202.48			
500 ml	01132	PALMAROSA OIL Extra Pure Liquid, d. 0.887	8014-19-5	01132 00500	GB
500 gm	01133	PALMITIC ACID (for synthesis) (hexa-decanoic acid)	57-10-3	01133 00500	PB
		Assay : Min. 98% $C_{16}H_{32}O_2$ M.W. 256.42			
25 gm	1133A	PALMITIC ACID (purified) (for biochemistry)	57-10-3	1133A 00025	GB
100 gm		(hexa-decanoic acid) Assay : Min. 99% $C_{16}H_{32}O_2$ M.W. 256.42		1133A 00100	PB
500 ml	02462	PALM OIL , Liquid, d. 0.8875	8002-75-3	02462 00500	GB
100 gm	1133B	PANCREATIN (from Pig pancreas)	8049-47-6	1133B 00100	PB
500 gm		activity equivalent to N.F.		1133B 00500	PB
125 ml	1133C	PANDAY'S REAGENT solution (saturated phenol solution)		1133C 00125	PB
500 ml		Liquid, d. 1.071		1133C 00500	PB
1 gm	01134	PAN indicator AR	85-85-8	01134 00001	GB
5 gm		[1-(2-pyridylazo)-2-naphthol]		01134 00005	GB
25 gm		Assay : Min. 99% $C_{15}H_{11}N_3O$ M.W. 249.27		01134 00025	GB
100 gm	1134A	D-PANTHENOL Extra Pure (for lab use)(provitamin B)	81-13-0	1134A 00100	PB
500 gm		Assay : Min. 99% $C_9H_{19}NO_4$ M.W. 205.25, Liquid, d. 1.20		1134A 00500	PB
		D(+) PANTOTHENIC ACID CALCIUM SALT See Calcium-D-Pantothenate Cat No.390A Page 47			
100 gm	01135	PAPAIN (purified powder) (CAS No.9001-73-4)	9001-73-4	01135 00100	PB
500 gm		(from Papaya Latex)		01135 00500	PB
5 Kg				01135 05000	PC
		PAPANICOLAOUS SOLUTION 1a See Hematoxylin (Harris) solution Cat No.795A Page 101			
125 ml	1135A	PAPANICOLAOUS SOLUTION 2b Liquid, d. 0.83		1135A 00125	PB
500 ml		(Orange II solution for cytological cancer and cycle diagnosis)		1135A 00500	PB
125 ml	1135B	PAPANICOLAOUS SOLUTION 3b Liquid, d. 0.82		1135B 00125	PB
500 ml		(Polychromatic solution EA 50 for cytological cancer and cycle diagnosis)		1135B 00500	PB
10 gm	02463	PAPAVERINE HYDROCHLORIDE (for lab use)	61-25-6	02463 00010	GB
		Assay : Min. 98% $C_{20}H_{21}NO_4 \cdot HCl$ M.W 375.85			
1 gm	1135C	PAR indicator AR	16593-81-0	1135C 00001	GB
5 gm		[4-(2-pyridylazo)-resorcinol monosodium salt]		1135C 00005	GB
25 gm		Assay : Min. 99% $C_{11}H_8N_3NaO_2.H_2O$ M.W. 237.19		1135C 00025	GB
100 gm	1135D	PARACETAMOL Extra Pure	103-90-2	1135D 00100	PB
500 gm		(N-Acetyl-p-Aminophenol) (4-acetamidophenol, acetaminophen)		1135D 00500	PB
		Assay : Min. 98% $C_8H_9NO_2$ M.W. 151.16			
500 ml	01136	PARAFFIN LIQUID (heavy)	8012-95-1	01136 00500	PB
2.5 Lt		(mineral oil white heavy) (colourless)		01136 02500	PB
5 Lt		(liquid paraffin heavy) (mineral oil white heavy)		01136 05000	PC
25 Lt		Liquid, d. 0.860-0.890		01136 25000	PC
500 ml	01137	PARAFFIN LIQUID (light)	8012-95-1	01137 00500	PB
2.5 Lt		(colourless)		01137 02500	PB
5 Lt		(liquid paraffin light) (mineral oil white light)		01137 05000	PC
25 Lt		Liquid, d. 0.830-0.860		01137 25000	PC
100 ml	1137A	PARAFFIN OIL (for IR Spectroscopy)	8012-95-1	1137A 00100	GB
500 ml		Liquid, d. 0.88		1137A 00500	GB
		PARAFFIN SOFT See Vaseline Cat No.1570 & 1571 Page 208			
500 gm	1137B	PARAFFIN WAX with Ceresin	8002-74-2	1137B 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		(congealing point about 60ºC)			
500 gm	01138	PARAFFIN WAX HARD	8002-74-2	01138 00500	PB
5 Kg		(hard paraffin) (caking type small pieces)		01138 05000	PB
25 Kg				01138 25000	FD
500 gm	01139	PARAFFIN WAX 56-58oC (For Histology)	8002-74-2	01139 00500	PB
1 Kg				01139 01000	PB
500 gm	01140	PARAFFIN WAX 58°-60°C (non caking)	8002-74-2	01140 00500	PB
500 gm	01141	PARAFFIN WAX 60°-62°C (non caking)	8002-74-2	01141 00500	PB
500 gm	01144	PARAFORMALDEHYDE	30525-89-4	01144 00500	PB
5 Kg		Assay : Min. 95% HO(CH2O)nH M.W. 30.03 (as monomer)		01144 05000	PB
500 ml	01145	PARALDEHYDE (for synthesis)	123-63-7	01145 00500	GB
		Assay : Min. 95% C6H12O3 M.W. 132.16, Liquid, d. 0.994			
		PARAROSANILINE (base) See p-Rosaniline(base) Cat No.1291 Page 170			
5 gm	1145B	PARAROSANILINE ACETATE	6035-94-5	1145B 00005	GB
25 gm		Dye Content : Min. 90% C19H17N3 M.W 347.41		1145B 00025	GB
		PARAROSANILINE HYDROCHLORIDE See p-Rosaniline Hydrochloride Cat No.1292 Page 170			
500 ml	1145A	PATCHOULI OIL , Liquid, d. 0.963	8014-09-3	1145A 00500	GB
25 gm	01146	PATENT BLUE V (VF) (C.I. No.42045) (acid blue V)	129-17-9	01146 00025	GB
100 gm		Dye Content : Min. 50% C27H31N2NaO6S2 M.W. 566.66		01146 00100	PB
5 gm	01147	PATTON & REEDER'S REAGENT AR	3737-95-9	01147 00005	GB
25 gm		[2-hydroxy-1-(2-hydroxy-4-sulpho-1- naphthylazo)-3-naphthoic acid]		01147 00025	GB
100 gm		(calcon carboxylic acid) C21H14N2O7S M.W. 438.41		01147 00100	PB
100 gm	01148	PECTIN Extra Pure	9000-69-5	01148 0010	PB
500 gm				01148 00500	PB
5 Kg				01148 05000	PC
10 gm	2463A	PECTINASE	9032-75-1	2463A 00010	GB
25 gm				2463A 00025	GB
100 ml	2463B	PECTINASE SOLUTION **NEW**		2463B 00100	PB
5 gm	1148A	PENICILLIN G POTASSIUM SALT	113-98-4	1148A 00005	GB
25 gm		C16H17KN2O4S M.W. 372.48		1148A 00025	GB
1 Vial	1148B	PENICILLIN G SODIUM SALT (for lab use)	69-57-8	1148B 01VIA	GB
		(vial of 1 million unit) C16H17N2NaO4S M.W 356.37			
500 gm	01149	PENTAERYTHRITOL (for synthesis)	115-77-5	01149 00500	PB
		[2,2-bis(hydroxymethyl)-1,3-propane diol]			
		Assay : Min. 98% C5H12O4 M.W. 136.15			
5 gm	02464	PENTAFLUOROPHENOL	771-61-9	02464 00005	GB
25 gm		Assay : Min. 98% C6HF5O M.W. 184.06		02464 00025	GB
500 ml	1149A	iso-PENTANE(2-methyl butane)	78-78-4	1149A 00500	GB
2.5 Lt		Assay : Min. 99% C5H12 M.W. 72.15, Liquid, d. 0.62		1149A 02500	GBT
500 ml	01150	n-PENTANE (for synthesis)	109-66-0	01150 00500	GB
2.5 Lt		Assay : Min. 99% C5H12 M.W. 72.15, Lqiuid, d. 0.626		01150 02500	GBT
500 ml	1150A	n-PENTANE AR	109-66-0	1150A 00500	GB
		Assay : Min. 99% C5H12 M.W. 72.15, Lqiuid, d. 0.626			
5 gm	2464A	n-PENTANE SULPHONIC ACID SODIUM SALT AR & HPLC	22767-49-3	2464A 00005	GB
25 gm		(anhydrous) (sodium-1-pentane sulphonate)		2464A 00025	GB
100 gm		Assay : Min. 99% C5H11O3SNa M.W 179.19		2464A 00100	PB
5 gm	1150B	n-PENTANE SULPHONIC ACID SODIUM SALT AR & HPLC	207605-40-1	1150B 00005	GB
25 gm		(monohydrate) (sodium-1-pentane sulphonate)		1150B 00025	GB
100 gm		Assay : Min. 99% CH3(CH2)4SO3Na·H2O M.W. 192.21		1150B 00100	PB
		n-PENTANOL See n-Amyl Alcohol Cat No.1781 & 1786 Page 19			
100 ml	2464C	2-PENTANONE (methyl propyl ketone)	107-87-9	2464C 00250	GB
500 ml		Assay : Min. 99% C5H10O M.W. 86.13, Liquid, d. 0.811		2464C 00500	PB
100 ml	2464B	3-PENTANONE (diethyl ketone)	96-22-0	2464B 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml		Assay : Min. 99% C5H10O M.W. 86.13, Liquid, d. 0.817		2464B 00500	GB
		n-PENTYL BROMIDE See 1-Bromo Pentane Cat No.319B Page 38			
5 gm	1150C	PENTYLENETETRAZOLE (pentetrazole, penta methylene tetrazole)	54-95-5	1150C 00005	GB
25 gm		(for lab use) Assay : Min. 99% C6H10N4 M.W. 138.17		1150C 00025	GB
500 ml	01151	PEPPERMINT OIL Extra Pure , Liquid, d. 0.898	8006-90-4	01151 00500	GB
100 gm	01152	PEPSIN 1:3000 (from hog stomach)	9001-75-6	01152 00100	PB
500 gm				01152 00500	PB
25 gm	1152A	PEPSIN 1:10000 (for vaccine production)	9001-75-6	1152A 00025	GB
100 gm				1152A 00100	PB
500 gm	01153	PEPTONE (bacteriological)		01153 00500	PB
5 Kg		(obtained from enzymatic digestion of meat)		01153 05000	PC
500 gm	1153A	PEPTONE For Microbiology (Granular)	73049-73-7	1153A 00500	PB
5 Kg				1153A 05000	PC
500 ml	1155D	PERCHLORIC ACID 20% AR	7601-90-3	1155D 00500	GBT
2.5 Lt		Assay : Min. 20% HClO4 M.W. 100.46 , Liquid, d 1.664		1155D 02500	GBT
500 ml	01154	PERCHLORIC ACID 60% AR	7601-90-3	01154 00500	GBT
2.5 Lt		Assay : Min. 60-62% HClO4 M.W. 100.46 , Liquid, d 1.664		01154 02500	GBT
500 ml	1155E	PERCHLORIC ACID 60% (For Molecular Biology) Liquid, d 1.664	7601-90-3	1155E 00500	GBT
		Assay : Min. 60% HClO4 M.W. 100.46			
500 ml	01155	PERCHLORIC ACID 70% AR	7601-90-3	01155 00500	GBT
2.5 Lt		Assay : Min. 69-70% HClO4 M.W. 100.46 , Liquid, d 1.664		01155 02500	GBT
100 ml	1155A	PERCHLORIC ACID 0.1N solution (in acetic acid glacial)		1155A 00100	GBC
500 ml				1155A 00500	GBT
500 ml	1155B	PERCHLORIC ACID 0.1M (0.1N) Liquid, d. 0.950		1155B 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1155C	PERCHLORIC ACID 1M (1N) Standardized Solution, traceable to NIST		1155C 00500	PB
500 ml	01156	PERCHLOROETHYLENE (tetrachloroethylene)	127-18-4	01156 00500	GB
2.5 Lt		Assay : Min. 99% CCl2:CCl2 M.W. 165.83, Liquid, d. 1.623		01156 02500	GB
500 ml	1156A	PERCHLOROETHYLENE AR (tetrachloroethylene)	127-18-4	1156A 00500	GB
2.5 Lt		Assay : Min. 99.8% CCl2:CCl2 M.W. 165.83, Liquid, d. 1.623		1156A 02500	GB
25 gm	01157	PERIODIC ACID	10450-60-9	01157 00025	GB
100 gm		(for synthesis)		01157 00100	GB
500 gm		Assay : Min. 99% H5IO6 M.W. 227.94		01157 00500	GB
25 gm	01158	PERIODIC ACID AR	10450-60-9	01158 00025	GB
100 gm		Assay : Min. 99.5% H5IO6 M.W. 227.94		01158 00100	GB
100 ml	1158A	PERIODIC ACID 1% Solution Liquid, d. 0.88		1158A 00100	PB
500 ml		(for staining of cell polysaccharides schiff's (Pas) method)		1158A 00500	PB
1 vial	02465	PEROXIDASE (from horse raddish)	9003-99-0	02465 01VIA	GB
		(activity Z 225 units/mg.) (vial of 1000 units)			
		PERU BALSAM See Balsam Peru Cat No.196B Page 24			
		PETROLATUM (white) See Vaseline White Cat 1570 Page 208			
		PETROLEUM ETHER See Ether Petroleum Cat No.673, 673A, 2261,674, 674A, 2266, 675 & 675A Page 86			
		PETROLEUM JELLY See Vaseline Cat No.1570 & 1571 Page 208			
25 gm	1158B	PHENACYL ACETATE	2243-35-8	1158B 00025	GB
		Assay : Min. 97.5% C10H10O3 M.W. 178.19			
100 gm	2465B	PHENACYL BROMIDE	70-11-1	2465B 00100	GB
250 gm		Assay : Min. 98% C8H7BrO M.W 199.04		2465B 00250	GB
250 ml	2465C	PHENACYL CHLORIDE (for synthesis) (d. 1.324)	532-27-4	2465C 00250	GB
		Assay : Min. 98% C8H7ClO M.W 154.59, Liquid, d. 1.324			
100 gm	2465D	PHENANTHRENE	85-01-8	2465D 00100	PB
500 gm		Assay : Min. 97% C14H10 M.W. 178.24		2465D 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	01159	1,10-PHENANTHROLINE (monohydrate) AR (For Molecular Biology)	5144-89-8	01159 00005	GB
25 gm		(redox indicator) (o-phenanthroline)		01159 00025	GB
100 gm		Assay : Min. 99.5% C12H8N2.H2O M.W. 198.23		01159 00100	PB
5 gm	1159A	1,10-PHENANTHROLINE HYDROCHLORIDE AR	18851-33-7	1159A 00005	GB
25 gm		Assay : Min. 97% C12H9ClN2.H2O M.W. 234.69		1159A 00025	GB
		PHENAZINE METHOSULPHATE See N-Methylphenazonium Methosulphate Cat No.1026B Page 132			
		PHENAZONE See Antipyrin Cat No.181 Page 21			
500 gm	01160	PHENOL (crystals) (Hydroxybenzene) (carbolic acid)	108-95-2	01160 00500	GB
5 Kg		Assay : Min. 99% C6H6O M.W. 94.11		01160 05000	PC
500 gm	1160A	PHENOL (crystals) AR (Hydroxybenzene) (carbolic acid)	108-95-2	1160A 00500	GB
		Assay : Min. 99.5% C6H6O M.W. 94.11			
100 gm	1160B	PHENOL (crystals) (For Molecular Biology)	108-95-2	1160B 00100	GB
500 gm		(Hydroxybenzene) Assay : Min. 99% C6H6O M.W. 94.11 Store at 2 - 8°C		1160B 00500	GB
500 ml	01161	PHENOL (liquid) (carbolic acid liquid)	108-95-2	01161 00500	GB
		Assay : Min. 89% C6H6O M.W. 94.11, Liquid, d. 1.07			
500 ml	1161A	PHENOL DISULPHONIC ACID	96-77-5	1161A 00500	GBT
		(25% solution w/v in sulphuric acid), Liquid. d.1.4			
50 gm	01162	PHENOLPHTHALEINE (indicator) POWDER	77-09-8	01162 00050	GB
100 gm				01162 00100	PB
500 gm		C20H14O4 M.W. 318.32		01162 00500	PB
125 ml	01163	PHENOLPHTHALEINE (indicator) SOLUTION		01163 00125	PB
500 ml		Liquid, d. 0.900		01163 00500	PB
Pkt	1163A	PHENOLPHTHALEINE (indicator) PAPERS		1163A 001PK	CB
		PHENOL REAGENT See Folin & Ciocalеu's Phenol Reagent Cat No.751 Page 95			
25 gm	01164	PHENOL RED (indicator) AR	143-74-8	01164 00025	GB
100 gm		(phenolsulphonaphthalein)		01164 00100	PB
500 gm		C19H14O5S M.W. 354.38		01164 00500	PB
125 ml	01165	PHENOL RED indicator solution		01165 00125	PB
500 ml		Liquid, d. 1.0		01165 00500	PB
5 gm	2465E	PHENOL RED SODIUM SALT	34487-61-1	2465E 00005	GB
25 gm		pH 6.4-8.2 yellow to red (phenol red water soluble)		2465E 00025	GB
		Dye Content : Min. 90% C19H13NaO5S M.W. 376.36			
5 gm	1165A	PHENOSAFRANINE AR (C.I.No.50200)	81-93-6	1165A 00005	GB
10 gm		Dye Content : Min. 80% C18H15ClN4 M.W 322.79		1165A 00010	GB
100 gm	1165B	PHENOTHIAZINE Extra Pure (for lab use)	92-84-2	1165B 00100	PB
500 gm		Assay : Min. 97% C12H9NS M.W. 199.27		1165B 00500	PB
5 gm	1165C	PHENOXANTHINE	262-20-4	1165C 00005	GB
25 gm		Assay : Min. 98% C12H8OS M.W. 200.26		1165C 00025	PB
5 gm	1165D	PHENOXAZINE (Electronic grade)	135-67-1	1165D 00005	GB
		Assay : Min. 97% C12H9NO M.W. 183.21			
500 gm	01166	PHENOXY ACETIC ACID (for synthesis)	122-59-8	01166 00500	PB
		Assay : Min. 98% C8H8O3 M.W. 152.15			
500 ml	1166A	2-PHENOXY ETHANOL (phenyl cellosolve)	122-99-6	1166A 00500	PB
		Assay : Min. 98% C8H10O2 M.W. 138.16, Liquid, d. 1.107			
25 gm	1166B	PHENOXY 2-PROPANONE (for synthesis)	621-87-4	1166B 00025	GB
		Assay : Min. 97% C9H10O2 M.W. 150.17, Liquid, d. 1.097			
25 gm	1166C	3-PHENOXY PROPIONIC ACID	7170-38-9	1166C 00025	GB
		Assay : Min. 99% C9H10O3 M.W. 166.17			
500 ml	01167	PHENYL ACETATE	122-79-2	01167 00500	GB
		Assay : Min. 98% C8H8O2 M.W. 136.15, Liquid, d. 1.073			
500 gm	01168	PHENYL ACETIC ACID	103-82-2	01168 00500	PB
		Assay : Min. 99% C8H8O2 M.W. 136.14			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		PHENYLACETONITRILE See Benzyl Cyanide Cat No.1897 Page 29			
25 gm	1168A	L-PHENYLALANINE	63-91-2	1168A 00025	GB
100 gm		(for biochemistry)		1168A 00100	PB
500 gm		Assay : Min. 98% C9H11NO2 M.W. 165.19		1168A 00500	PB
25 gm	1168B	DL-PHENYLALANINE	150-30-1	1168B 00025	GB
100 gm		(for biochemistry)		1168B 00100	PB
500 gm		Assay : Min. 98.5% C9H11NO2 M.W. 165.19		1168B 00500	PB
25 gm	1168C	D-PHENYLALANINE	673-06-3	1168C 00025	GB
100 gm		Assay : Min. 99% C9H11NO2 M.W. 165.19		1168C 00100	PB
25 gm	01169	N-PHENYL ANTHRANILIC ACID AR	91-40-7	01169 00025	GB
100 gm		(redox indicator)		01169 00100	PB
500 gm		Assay : Min. 98% C13H11NO2 M.W. 213.24		01169 00500	PB
25 gm	1169A	PHENYLARSONIC ACID AR	98-05-5	1169A 00025	GB
100 gm		Assay : Min. 98.5% C6H5AsO(OH)2 M.W. 202.04		1169A 00100	PB
100 gm	2465F	PHENYL BENZOATE (for synthesis)	93-99-2	2465F 00100	PB
500 gm		(benzoic acid phenyl ester) Assay : Min. 98% C13H10O2 M.W. 198.22		2465F 00500	PB
5 gm	2465G	PHENYL BORONIC ACID (for synthesis)	98-80-6	2465G 00005	GB
25 gm		(benzene boronic acid) Assay : Min. 97% C6H5B(OH)2 M.W. 121.93		2465G 00025	GB
5 gm	1169B	PHENYL BUTAZONE (for lab use)	50-33-9	1169B 00005	GB
25 gm		Assay : Min. 98% C19H20N2O2 M.W. 308.37		1169B 00025	PB
100 ml	2465H	PHENYL CHLOROFORMATE (for synthesis)	1885-14-9	2465H 00100	GB
500 ml		(chloroformic acid phenyl ester), Liquid, d. 1.248		2465H 00500	GB
2.5 Lt		Assay : Min. 98% C7H5ClO3 M.W. 156.57		2465H 02500	GBT
		PHENYL CYANIDE See Benzonitrile Cat No.1893 Page 28			
250 gm	01170	m-PHENYLENEDIAMINE (for synthesis)	108-45-2	01170 00250	GB
500 gm		Assay : Min. 98% C6H4(NH2)2 M.W. 108.14		01170 00500	GB
25 gm	1170A	m-PHENYLENEDIAMINE DIHYDROCHLORIDE (purified)	541-69-5	1170A 00025	GB
100 gm		Assay : Min. 99% C6H8N2.2HCl M.W. 181.07		1170A 00100	GB
100 gm	01171	o-PHENYLENEDIAMINE	95-54-5	01171 00100	GB
250 gm		(for synthesis)		01171 00250	GB
500 gm		Assay : Min. 98% C6H4(NH2)2 M.W. 108.14		01171 00500	GB
25 gm	1171A	o-PHENYLENEDIAMINE DIHYDROCHLORIDE	615-28-1	1171A 00025	GB
100 gm		Assay : Min. 98% C6H4(NH2)2·2HCl M.W. 181.06		1171A 00100	GB
250 gm	01172	p-PHENYLENEDIAMINE (for synthesis)	106-50-3	01172 00250	GB
500 gm		Assay : Min. 97% C6H4(NH2)2 M.W. 108.14		01172 00500	PB
100 gm	1172A	p-PHENYLENEDIAMINE DIHYDROCHLORIDE	624-18-0	1172A 00100	PB
250 gm		Assay : Min. 99% C6H8N2.2HCl M.W. 181.07		1172A 00250	PB
500 ml	1172B	2-PHENYL ETHANOL (for synthesis)	60-12-8	1172B 00500	GB
2.5 Lt		(ethyl phenyl alcohol) (phenyl ethyl alcohol)		1172B 02500	GB
		Assay : Min. 99% C8H10O M.W. 122.17, Liquid, d. 1.020			
500 gm	01173	PHENYL ETHYL ACETATE (ethyl phenyl acetate)	101-97-3	01173 00500	GB
		Assay : Min. 98% C10H12O2 M.W 164.02, Liquid, d. 1.03			
500 ml	1173C	beta-PHENYLETHYLAMINE Extra Pure Liquid, d. 0.962	64-04-0	1173C 00500	GB
2.5 Lt		(2-Phenylethylamine) Assay : Min. 99% C6H5CH2CH2NH2 M.W. 121.18		1173C 02500	GB
1 gm	2465I	PHENYL FLUORONE AR (reagent for germanium)	975-17-7	2465I 00001	GB
5 gm		Assay : Min. 98.5% C19H12O5 M.W. 320.30		2465I 00005	GB
		PHENYL ETHYL ALCOHOL See 2-Phenyl Ethanol Cat No.1172B Page 151			
500 gm	1173A	PHENYL ETHYL SALICYLATE	87-22-9	1173A 00500	PB
		(ethyl phenyl salicylate) Assay : Min. 97% C15H14O3 M.W 242.27			
25 gm	1173B	D-(-)-2-PHENYLGLYCINE [D-(-)-a-aminophenylacetic acid]	875-74-1	1173B 00025	GB
100 gm		Assay : Min. 99% C8H9NO2 M.W 151.16		1173B 00100	PB
250 ml	01174	PHENYL HYDRAZINE (for synthesis)	100-63-0	01174 00250	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml		Assay : Min. 97% C6H8N2 M.W. 108.14, Liquid, d. 1.098		01174 00500	GB
100 ml	1174A	PHENYL HYDRAZINE AR	100-63-0	1174A 00100	GB
500 ml		Assay : Min. 98% C6H8N2 M.W. 108.14, Liquid, d. 1.098		1174A 00500	GB
100 gm	01175	PHENYL HYDRAZINE HYDROCHLORIDE	59-88-1	01175 00100	PB
500 gm		Assay : Min. 99% C6H8N2·HCl M.W. 144.61		01175 00500	PB
100 gm	01176	PHENYL HYDRAZINE HYDROCHLORIDE AR	59-88-1	01176 00100	GB
250 gm		Assay : Min. 99% C6H8N2·HCl M.W. 144.61		01176 00250	PB
25 gm	1176A	2-PHENYL IMIDAZOLE	670-96-2	1176A 00025	GB
100 gm		Assay : Min. 98% C9H8N2 M.W.144.18		1176A 00100	PB
5 gm	2465J	PHENYL MALEIC ANHYDRIDE	36122-35-7	2465J 00005	GB
25 gm		Assay : Min. 99% C10H6O3 M.W. 174.15		2465J 00025	GB
25 gm	1176B	1-PHENYL-5-MERCAPTO TETRAZOLE (purified)	86-93-1	1176B 00025	GB
100 gm		Assay : Min. 99% C7H6N4S M.W. 178.21		1176B 00100	PB
		PHENYL MERCURIC ACETATE See Mercuric Phenyl Acetate Cat No.991 Page 126			
		PHENYL MERCURIC CHLORIDE See Mercuric Phenyl Chloride Cat No.2431 Page 126			
25 gm	01177	PHENYL MERCURIC NITRATE (basic) (for synthesis)	8003-05-2	01177 00025	GB
100 gm		(mercuric phenyl nitrate)		01177 00100	GB
		Assay : Min. 99% C12H11Hg2NO4 M.W. 634.41			
1 gm	1176E	PHENYLMETHANESULFONYL FLUORIDE (PMSF)	329-98-6	1176E 00001	GB
5 gm				1176E 00005	GB
10 gm		Assay : Min. 99% C7H7FO2S M.W. 174.19		1176E 00010	GB
25 gm	1176C	N-PHENYL-1,2-PHENYLENEDIAMINE	534-85-0	1176C 00025	GB
100 gm		Assay : Min. 98% C12H12N2 M.W 184.24		1176C 00100	GB
		N-PHENYL-p-PHENYLENEDIAMINE See p-Amino Diphenylamine Cat No.085A Page 11			
25 gm	1177A	PHENYL PHOSPHATE DISODIUM SALT AR (dihydrate)	66778-08-3	1177A 00025	GB
100 gm		(disodium phenyl phosphate) (storage temp. 2-8°C)		1177A 00100	GB
		Assay : Min. 95% C6H5Na2O4P.2H2O M.W. 254.09			
10 gm	1176D	1-PHENYL PIPERAZINE	92-54-6	1176D 00010	GB
25 gm		Assay : Min. 99% C10H14N2 M.W.162.24, Liquid, d. 1.062		1176D 00025	GB
100 gm				1176D 00100	PB
25 gm	2465K	PHENYLPROPANOLAMINE HYDROCHLORIDE	154-41-6	2465K 00025	GB
100 gm		Assay : Min. 99% C9H13NO.HCl M.W 187.67		2465K 00100	PB
25 gm	1177B	PHENYL SALICYLATE AR (for lab use) (salol)	118-55-8	1177B 00025	GB
100 gm		Assay : Min. 99% C13H10O3 M.W. 214.22		1177B 00100	PB
1 gm	2465J	n-PHENYL SEMICARBAZIDE AR (1-carbamoyl-2-phenylhydrazine)	103-03-7	2465J 00001	GB
5 gm		Assay : Min. 99% C7H9N3O M.W. 151.17		2465J 00005	GB
100 gm	1177C	N-PHENYL THIOUREA (for synthesis)	103-85-5	1177C 00100	PB
250 gm		Assay : Min. 98% C7H8N2S M.W 152.22		1177C 00250	PB
100 gm	1177F	PHENYL TRIMETHYL AMMONIUM CHLORIDE (for synthesis)	138-24-9	1177F 00100	PB
500 gm		Assay : Min. 99% C9H14ClN M.W. 171.67		1177F 00500	PB
100 gm	1177D	n-PHENYL UREA	64-10-8	1177D 00100	PB
		Assay : Min. 97% C7H8N2O M.W. 136.15			
5 gm	1177E	PHENYTOIN SODIUM SALT (for lab use)	630-93-3	1177E 00005	GB
25 gm		(phenytoin soluble) Assay : Min. 99% C15H11N2O2Na M.W. 274.25		1177E 00025	GB
		pH INDICATOR papers See Universal Indicator paper Cat No.1556 Page 206			
10 gm	01178	PHLOROGLUCINOL AR	108-73-6	01178 00010	GB
25 gm		(1,3,5-trihydroxybenzene)		01178 00025	GB
100 gm		Assay : Min. 99% C6H6O3 M.W. 126.11		01178 00100	PB
500 gm				01178 00500	PB
125 ml	02466	PHLOROGLUCINOL solution		02466 00125	PB
500 ml		Liquid, d. 0.801		02466 00500	PB
25 gm	01179	PHLOXIN-B (M.S.) (C.I.No.45410)	18472-87-2	01179 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		Dye Content : Min. 80% C20H2Br4Cl4Na2O5 M.W. 829.63		01179 00100	PB
500 ml	1179A	PHLOXIN-B solution, Liquid, d. 0.845		1179A 00500	PB
500 ml	1179B	PHOSPHATE BORATE BUFFER solution		1179B 00500	PB
		PHOSPHATE MOLYBDATE solution See Folin & Wu's Phosphate Molybdate solution Cat No.751A Page 95			
25 gm	01180	PHOSPHOMOLYBDIC ACID AR	51429-74-4	01180 00025	GB
100 gm		(dodeca-molybdo phosphoric acid)		01180 00100	GB
500 gm		Assay : Min. 99% H3[P(Mo3O10)4].xH2O M.W. 1825.25 (anhydr. basis)		01180 00500	PB
125 ml	01181	PHOSPHOMOLYBDIC ACID solution		01181 00125	PB
500 ml		(Folin & Wu's), Liquid, d. 0.94		01181 00500	PB
250 ml	01182	PHOSPHORIC ACID (ortho) 85-88%	7664-38-2	01182 00250	PB
500 ml		(ortho-phosphoric acid)		01182 00500	PB
2.5 Lt		Assay : Min. 85-88% H3PO4 M.W. 98.00, Liquid, d. 1.685		01182 02500	PB
5 Lt				01182 05000	PC
30 Lt				01182 30000	PC
500 ml	01183	PHOSPHORIC ACID (ortho) AR 88% (ortho-phosphoric acid)	7664-38-2	01183 00500	GBT
2.5 Lt		Assay : Min. 88% H3PO4 M.W. 98.00, Liquid, d. 1.685		01183 02500	GBT
500 ml	1183A	PHOSPHORIC ACID (ortho) AR 85% (FOR STEEL INDUSTRY)	7664-38-2	1183A 00500	PBT
2.5 Lt		Assay : Min. 85% H3PO4 M.W. 98.00, Liquid, d. 1.685		1183A 02500	PBT
500 ml	02467	PHOSPHORIC ACID HPLC & SPECTROSCOPY (ortho), Liquid, d. 1.685	7664-38-2	02467 00500	GBT
2.5 Lt		Assay : Min. 85% H3PO4 M.W. 98.00		02467 02500	GBT
250 ml	1183B	PHOSPHORIC ACID (ortho) (For Molecular Biology) Liquid, d. 1.685	7664-38-2	1183B 00250	GBT
		(CAS No.7664-38-2) Assay : Min. 85% H3PO4 M.W. 98.00			
100 gm	01184	PHOSPHORIC ACID (meta)(glacial sticks)	37267-86-0	01184 00100	PB
500 gm		Assay (HPO3) : Min. 60% HO3P M.W. 79.98		01184 00500	PB
100 gm	1184A	PHOSPHORIC ACID (meta) AR (glacial sticks)	37267-86-0	1184A 00100	PB
500 gm		Assay (HPO3) : Min. 60% HO3P M.W. 79.98		1184A 00500	PB
125 ml	1184B	PHOSPHOROUS AAS STANDARD SOLUTION		1184B 00125	GB
500 ml		1000mg/L in Nitric Acid		1184B 00500	GB
125 ml	1184C	PHOSPHOROUS ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		1184C 00125	GB
25 gm	01185	PHOSPHOROUS (red) POWDER	7723-14-0	01185 00025	GB
100 gm		(for synthesis)		01185 00100	PB
500 gm		Assay : Min. 97% P M.W 30.97		01185 00500	PB
25 gm	1186A	PHOSPHOROUS OXYBROMIDE (for synthesis)	7789-59-5	1186A 00025	GB
100 gm		Assay : Min. 98% POBr3 M.W. 286.69 (Store at 2 - 8°C)		1186A 00100	GB
500 ml	01187	PHOSPHOROUS OXYCHLORIDE (CAS No.10025-87-3) Liquid, d. 1.645	10025-87-3	01187 00500	GBT
		(phosphoryl chloride) Assay : Min. 99% POCl3 M.W. 153.33,			
500 gm	01188	PHOSPHOROUS PENTACHLORIDE	10026-13-8	01188 00500	GB
		[phosphorous (V) chloride] Assay : Min. 99% PCl5 M.W. 208.24			
500 gm	01189	PHOSPHOROUS PENTASULPHIDE	1314-80-3	01189 00500	GB
		Assay : Min. 99% P2S5 M.W. 222.27			
500 gm	01190	PHOSPHOROUS PENTOXIDE	1314-56-3	01190 00500	PB
		(di-phosphorous pentoxide) Assay : Min. 97% P2O5 M.W. 141.94			
500 gm	1190A	PHOSPHOROUS PENTOXIDE AR	1314-56-3	1190A 00500	PB
		(di-phosphorous pentoxide) Assay : Min. 98% P2O5 M.W. 141.94			
100 ml	1190B	PHOSPHOROUS TRIBROMIDE	7789-60-8	1190B 00100	GB
500 ml		Assay : Min. 98% Pbr3 M.W. 270.69, Liquid, d. 2.88		1190B 00500	GB
500 ml	01191	PHOSPHOROUS TRICHLORIDE Liquid, d. 1.574	7719-12-2	01191 00500	GB
		[phosphorous (III) chloride] Assay : Min. 99% PCl3 M.W. 137.33			
25 gm	01192	PHOSPHOTUNGSTIC ACID (hydrate)	12501-23-4	01192 00025	GB
100 gm		(dodeca-tungsto phosphoric acid)		01192 00100	GB
500 gm		H3[P(W3O10)4].xH2O M.W. 2880.05 (anhydr. basis)		01192 00500	GB
25 gm	01193	PHOSPHOTUNGSTIC ACID AR (hydrate)	12501-23-4	01193 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		(dodeca-tungsto phosphoric acid)		01193 00100	GB
		H3[P(W3O10)4].xH2O M.W. 2880.05 (anhydr. basis)			
125 ml	1193A	PHOSPHOTUNGSTIC ACID REAGENT solution		1193A 00125	PB
500 ml				1193A 00500	PB
5 gm	02468	o-PHTHALALDEHYDE AR (for fluorometry)	643-79-8	02468 00005	GB
25 gm		Assay : Min. 99% C8H6O2 M.W. 134.14		02468 00025	GB
500 gm	1193B	PHTHALAMIDE (for synthesis)	88-96-0	1193B 00500	PB
		Assay : Min. 98.5% C8H8N2O2 M.W. 164.16			
500 gm	02471	PHTHALIC ACID (for synthesis)	88-99-3	02471 00500	PB
5 Kg		Assay : Min. 99% C8H6O4 M.W. 166.13		02471 05000	PC
500 gm	01194	PHTHALIC ACID AR	88-99-3	01194 00500	PB
5 Kg		Assay : Min. 99.5% C8H6O4 M.W. 166.13		01194 05000	PC
500 gm	01195	tere-PHTHALIC ACID (for synthesis)	100-21-0	01195 00500	PB
		Assay : Min. 98% C8H6O4 M.W 166.13			
500 gm	01196	PHTHALIC ANHYDRIDE (for synthesis)	85-44-9	01196 00500	PB
5 Kg		Assay : Min. 98% C8H4O3 M.W. 148.12		01196 05000	PC
100 gm	1196A	PHTHALIDE (for synthesis) [1(3H)-isobenzfuranone]	87-41-2	1196A 00100	PB
500 gm		Assay : Min. 98% C8H6O2 M.W. 134.13		1196A 00500	PB
500 gm	01197	PHTHALIMIDE (for synthesis)	85-41-6	01197 00500	PB
		Assay : Min. 98% C8H5NO2 M.W. 147.13			
500 ml	01198	2-PICOLINE (a-picoline) (2-methyl pyridine)	109-06-8	01198 00500	GB
		Assay : Min. 98% C6H7N M.W. 93.13, Liquid, d. 0.943			
500 ml	01199	3-PICOLINE(b-picoline) (3-methyl pyridine)	108-99-6	01199 00500	GB
		Assay : Min. 99% C6H7N M.W. 93.13, Liquid, d. 0.957			
500 ml	01200	4-PICOLINE(y-picoline) (4-methyl pyridine)	108-89-4	01200 00500	GB
		Assay : Min. 97% C6H7N M.W. 93.13, Liquid, d. 0.957			
25 gm	1200A	a-PICOLINE OXIDE	931-19-1	1200A 00025	GB
100 gm		(2-methylpyridine 1-oxide) Assay : Min. 97% C6H7NO M.W. 109.13		1200A 00100	PB
25 gm	1200B	b-PICOLINE OXIDE	1003-73-2	1200B 00025	GB
100 gm		(3-methylpyridine 1-oxide) Assay : Min. 98% C6H7NO M.W. 109.13		1200B 00100	GB
25 gm	1200C	gama-PICOLINE OXIDE	1003-67-4	1200C 00025	GB
100 gm		(4-methylpyridine 1-oxide) Assay : Min. 98% C6H7NO M.W. 109.13		1200C 00100	PB
500 gm	01201	PICRIC ACID (moistened with water)	88-89-1	01201 00500	PB
		(2,4,6-trinitrophenol) Assay : Min. 99% C6H3N3O7 M.W. 229.10			
100 gm	01202	PICRIC ACID AR (moistened with water)	88-89-1	01202 00100	PB
500 gm		(2,4,6-trinitrophenol) Assay : Min. 99.8% C6H3N3O7 M.W. 229.10		01202 00500	PB
100 ml	1202A	PICRIC ACID saturated solution (2,4,6-trinitrophenol)		1202A 00100	PB
500 ml		Liquid, d. 1.0		1202A 00500	PB
125 ml	1202C	PICRIC ACID Solution 1.2% AR		1202C 00125	PB
500 ml		(for determination of creatinine)		1202C 00500	PB
1 gm	2471A	PICROLONIC ACID (for synthesis)	550-74-3	2471A 00001	GB
5 gm		Assay : Min. 97% C10H8N4O5 M.W. 264.19		2471A 00005	GB
5 gm	1202B	PILOCARPINE NITRATE (for lab use)	148-72-1	1202B 00005	GB
		Assay : Min. 98% C11H17N3O5 M.W. 271.27			
500 ml	01203	PINE OIL Extra Pure	8002-09-3	01203 00500	GB
5 Lt		Liquid, d. 0.86		01203 05000	PC
5 gm	2471B	PIOGLITAZONE HYDROCHLORIDE	112529-15-4	2471B 00005	GB
25 gm		(for lab use) Assay : Min. 98% C19H20N2O3S·HCl M.W. 392.90		2471B 00025	GB
250 gm	02472	PIPERAZINE (anhydrous) (for synthesis)	110-85-0	02472 00250	PB
500 gm		Assay : Min. 98% C4H10N2 M.W. 86.14		02472 00500	PB
100 gm	1203A	PIPERAZINE (hexahydrate)	142-63-2	1203A 00100	PB
500 gm		Assay : Min. 98-101% C4H10N2.6H2O M.W.194.23		1203A 00500	PB
100 gm	1203B	PIPERAZINE CITRATE Extra Pure	144-29-6	1203B 00100	PB
500 gm		(C4H10N2)3·2C6H8O7 M.W 321.33		1203B 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	2472B	1,4 - PIPERAZINEDICARBOXALDEHYDE	4164-39-0	2472B 00025	GB
100 gm		(1,4-diformylpiperazine) Assay : Min. 98% C6H10N2O2 M.W. 142.16		2472B 00100	GB
10 gm	2472A	2-(1-PIPERAZINO) PYRIDINE	34803-66-2	2472A 00010	GB
25 gm		Assay : Min. 98% C9H13N3 M.W 163.22, Liquid, d. 1.072		2472A 00025	GB
5 gm	02473	4-(1-PIPERAZINO) PYRIDINE	1008-91-9	02473 00005	GB
10 gm		Assay : Min. 97% C9H13N3 M.W 163.22		02473 00010	GB
100 ml	1203C	PIPERIDINE (for synthesis)	110-89-4	1203C 00100	GB
500 ml		Assay : Min. 98% C5H11N M.W. 85.15 , Liquid, d. 0.862		1203C 00500	GB
		(end use certificate required with each purchase)			
100 ml	1203D	PIPERIDINE AR	110-89-4	1203D 00100	GB
500 ml		Assay : Min. 99% C5H11N M.W. 85.15 , Liquid, d. 0.862		1203D 00500	GBT
		(end use certificate required with each purchase)			
5 gm	1203E	PIPES (For Molecular Biology)	5625-37-6	1203E 00005	GB
25 gm		(piperazine-N,N-BIS-2-ethene sulphonic acid)		1203E 00025	GB
100 gm		Assay : Min. 99.5% C8H18N2O6S2 M.W. 302.37		1203E 00100	PB
250 ml	1203F	PIVALOYL CHLORIDE	3282-30-2	1203F 00250	GB
		Assay : Min. 98.5% C5H9ClO M.W. 120.58, Liquid, d. 0.98			
500 gm	01204	PLASTER OF PARIS		01204 00500	PB
5 Kg		(practical)		01204 05000	PC
25 Kg		Assay : Min. 98.5% CaSO4.2H2O M.W. 172.17		01204 25000	FD
500 gm	1204A	PLASTICINE (modelling clay)		1204A 00500	PB
125 ml	1204B	PLATELET DILUTING FLUID (platelet counting fluid)		1204B 00125	PB
1 gm	1207A	PLATINOUS CHLORIDE (73% Pt)	10025-65-7	1207A 00001	GB
		[platinum (II) chloride] Assay (Pt) : Min. 73% Cl2Pt M.W.265.98			
125 ml	1207B	PLATINUM AAS STANDARD SOLUTION		1207B 00125	GB
500 ml		1000mg/L in Hydrochloric Acid, Liquid, d. 1.034		1207B 00500	GB
125 ml	1207C	PLATINUM ICP STANDARD SOLUTION Liquid, d. 1.034		1207C 00125	GB
		1000mg/L in Hydrochloric Acid			
1 gm	01205	PLATINUM (metal) Wire (dia 0.3 mm)	7440-06-4	01205 00001	GB
		Assay : Min. 99.9% Pt M.W. 195.08			
1 gm	1205A	PLATINUM (metal) POWDER	7440-06-4	1205A 00001	GB
5 gm		Assay : Min. 99.9% Pt M.W. 195.08		1205A 00005	GB
10 gm	01206	PLATINUM 5% ON CHARCOAL (Pt 5%)		01206 00010	GB
		Assay (Pt Content) : Min. 4.0-5.2% Pt M.W. 195.08			
10 gm	1206A	PLATINUM 10% ON CHARCOAL (Pt 10%)		1206A 00010	GB
		Assay (of Pt) : Min. 10% Pt M.W. 195.08			
1 gm	01207	PLATINUM CHLORIDE (about 40% Pt)		01207 00001	GB
5 gm		(hexachloroplatinic acid) (chloroplatinic acid)		01207 00005	GB
		Assay (of Pt) : Min. 40% H2PtCl6·6H2O M.W. 517.90			
		PLATINUM (II) CHLORIDE See Platinous Chloride Cat No.1207A Page 155			
1 gm	01208	PLATINUM OXIDE hydrate (Pt 80%)	52785-06-5	01208 00001	GB
5 gm		(adam's catalyst) (platinum dioxide)		01208 00005	GB
		Assay (of Pt) : Min. 80% PtO2.xH2O M.W. 227.09			
100 gm	02474	PLURONIC-F-68 (synperonic PE/F 68)	9003-11-6	02474 00100	PB
250 gm		(C3H6O.C2H4O)x		02474 00250	PB
100 gm	2474A	PLURONIC-F-188 (synperonic PE/F 188)	9003-11-6	2474A 00100	PB
250 gm		(C3H6O.C2H4O)x		2474A 00250	PB
100 gm	2474B	PLURONIC-F-407 (synperonic PE/F 407)	9003-11-6	2474B 00100	PB
250 gm		(C3H6O.C2H4O)x		2474B 00250	PB
250 gm	02475	POLYACRYLAMIDE	9003-05-8	02475 00250	PB
100 ml	2475A	POLYACRYLIC ACID (for synthesis) , Liquid d. 1.2	9003-01-4	2475A 00100	GB
100 gm	2475B	POLYACRYLIC ACID SODIUM SALT	9003-04-7	2475B 00100	PB
500 gm	2475C	POLYALUMINIUM CHLORIDE **NEW**	1327-41-9	2475C 00500	PB
		{Aln(OH)mCl3n-m}x			
500 gm	1208C	POLYETHYLENE (for synthesis) H(CH2CH2)nH	9002-88-4	1208C 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	1208A	POLYETHYLENE GLYCOL 200 (for synthesis)	25322-68-3	1208A 00500	PB
		H(OCH2CH2)nOH M.W. 190-200, Liquid, d. 1.128			
500 ml	1208B	POLYETHYLENE GLYCOL 300 (for synthesis)	25322-68-3	1208B 00500	GB
		H(OCH2CH2)nOH Liquid, d. 1.128			
500 ml	01209	POLYETHYLENE GLYCOL 400 (for synthesis)	25322-68-3	01209 00500	GB
		H(OCH2CH2)nOH M.W. 380-420, Liquid, d. 1.128			
500 ml	01210	POLYETHYLENE GLYCOL 600 (for synthesis)	25322-68-3	01210 00500	GB
		H(OCH2CH2)nOH M.W. 570-630, Liquid, d. 1.128			
500 gm	1210A	POLYETHYLENE GLYCOL 1500 (for synthesis) (carbowax 1500)	25322-68-3	1210A 00500	PB
5 Kg		H(OCH2CH2)nOH M.W.1400-1600		1210A 05000	PC
250 gm	02476	POLYETHYLENE GLYCOL 2000 (for synthesis) (carbowax 2000)	25322-68-3	02476 00250	PB
500 gm		H(OCH2CH2)nOH M.W.1800-2000		02476 00500	PB
250 gm	1210B	POLYETHYLENE GLYCOL 3000 (for synthesis) (carbowax 3000)	25322-68-3	1210B 00250	PB
500 gm		H(OCH2CH2)nOH		1210B 00500	PB
500 gm	01211	POLYETHYLENE GLYCOL 4000 (For Molecular Biology)	25322-68-3	01211 00500	PB
5 Kg		(carbowax 4000) H(OCH2CH2)nOH M.W. 3500-4000		01211 05000	PB
500 gm	01212	POLYETHYLENE GLYCOL 6000 (For Molecular Biology)	25322-68-3	01212 00500	PB
5 Kg		(carbowax 6000) H(OCH2CH2)nOH M.W. 5000-7000		01212 05000	PB
100 gm	2476A	POLYETHYLENE GLYCOL 8000 (For Molecular Biology)	25322-68-3	2476A 00100	PB
500 gm		(carbowax 8000) H(OCH2CH2)nOH M.W. 7000-9000		2476A 00500	PB
100 gm	02477	POLYETHYLENE GLYCOL 9000 (for synthesis) (carbowax 9000)	25322-68-3	02477 00100	PB
500 gm		H(OCH2CH2)nOH		02477 00500	PB
500 gm	2477A	POLYETHYLENE GLYCOL 10000	25322-68-3	2477A 00500	PB
		H(OCH2CH2)nOH			
500 gm	02478	POLYETHYLENE GLYCOL 15000 (for synthesis) (carbowax 15000)	25322-68-3	02478 00500	PB
5 Kg		H(OCH2CH2)nOH		02478 05000	PC
100 gm	02479	POLYETHYLENE GLYCOL 20000 (For Molecular Biology)	25322-68-3	02479 00100	PB
500 gm		H(OCH2CH2)nOH M.W. 16000-25000		02479 00500	PC
100 gm	02480	POLYETHYLENE GLYCOL 35000 (for synthesis) (carbowax 35000)	25322-68-3	02480 00100	PB
500 gm		H(OCH2CH2)nOH		02480 00500	PB
100 gm	2479A	POLYETHYLENE OXIDE	25322-68-3	2479A 00100	PB
250 gm		(-CH2CH2O-)n		2479A 00250	PB
250 gm	2480A	POLYISOBUTYLENE [CH2C(CH3)2]n		2480A 00250	PB
500 gm	2479B	POLYMETHYL METHACRYLATE (for synthesis)		2479B 00500	GB
		[CH2C(CH3)(CO2CH3)]n			
		POLYOXYETHYLENE LAURYL ETHER See Brij-35'3 Cat No.303B & 303C Page 35			
500 gm	2480B	POLYPHOSPHORIC ACID (for synthesis)	8017-16-1	2480B 00500	PB
2.5 Kg		(teraphosphoric acid) Assay (by acidimetry, as P2O5) : ~85.0% Hn+2PnO3n+1		2480B 02500	PB
500 gm	2480D	POLYPROPYLENE (for synthesis) (CAS No. 9003-07-0) [CH2CH(CH3)]n	9003-07-0	2480D 00500	PB
		POLYSORBATE See Tween Cat No.1551, 1552, 1553 & 1554 Page 206			
500 gm	1212A	POLYSTYRENE (for synthesis)	9003-53-6	1212A 00500	PB
50 gm	1212B	POLYTETRAFLUORO ETHYLENE	9002-84-0	1212B 00050	GB
100 gm		(CF2CF2)n		1212B 00100	PB
500 gm	01213	POLYVINYL ACETATE (granulars)	9003-20-7	01213 00500	PB
500 gm	01214	POLYVINYL ALCOHOL (cold)	9002-89-5	01214 00500	PB
5 Kg		(M.W. 1,25,000)		01214 05000	PC
500 gm	01215	POLYVINYL ALCOHOL (hot)	9002-89-5	01215 00500	PB
5 Kg		(M.W. 14,000)		01215 05000	PC
500 gm	01216	POLYVINYL CHLORIDE	9002-86-2	01216 00500	PB
100 gm	1216A	POLYVINYL PYRROLIDIONE (PVP) (For Molecular Biology)	9003-39-8	1216A 00100	PB
500 gm		(M.W. 40,000)		1216A 00500	PB
100 gm	1216B	POLYVINYL PYRROLIDIONE K–25	9003-39-8	1216B 00100	PB
500 gm		(PVPK–25)		1216B 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	01217	POLYVINYL PYRROLIDIONE K–30	9003-39-8	01217 00100	PB
500 gm		(PVPK–30)		01217 00500	PB
100 gm	1217A	POLYVINYL PYRROLIDIONE K–90	9003-39-8	1217A 00100	PB
500 gm		(PVPK–90)		1217A 00500	PB
25 gm	01218	PONCEAU S sodium salt, Certified (C.I. No.27195)	6226-79-5	01218 00025	GB
100 gm		Electrophoretic stain (For Molecular Biology)		01218 00100	PB
		Dye Content : Min. 80% C22H12N4Na4O13S4 M.W. 760.56			
5 gm	1218A	POPOP (scintillation grade)	1806-34-4	1218A 00005	GB
25 gm		(1,4-di-2 (5–phenyloxazolyl) benzene)		1218A 00025	GB
		Assay : Min. 99% C24H16N2O2 M.W. 364.41			
50 gm	1218B	POPSO BUFFER (for biochemistry)	68189-43-5	1218B 00050	GB
100 gm		[piperazine-1,4 BIS(2-hydroxypropanae sulphonic acid)]		1218B 00100	PB
		Assay : Min. 97% C10H22N2O8S2.2H2O M.W. 398.50			
125 ml	02481	POTASSIUM AAS STANDARD SOLUTION		02481 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.013		02481 00500	GB
125 ml	2181A	POTASSIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2181A 00125	GB
		Liquid, d. 1.013			
125 ml	2481B	POTASSIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid		2481B 00125	GB
		Liquid, d. 1.031			
25 gm	01219	POTASSIUM (metal) LUMPS (in liquid paraffin)	7440-09-7	01219 00025	PB
100 gm		Assay : Min. 98% K M.W. 39.10		01219 00100	PB
500 gm	01220	POTASSIUM ACETATE	127-08-2	01220 00500	PB
5 Kg		Assay : Min. 99% C2H3KO2 M.W. 98.14		01220 05000	PC
500 gm	1220A	POTASSIUM ACETATE AR	127-08-2	1220A 00500	PB
		Assay : Min. 99% C2H3KO2 M.W. 98.14			
100 gm	1220C	POTASSIUM ACETATE (For Molecular Biology)	127-08-2	1220C 00100	PB
500 gm		Assay : Min. 99% C2H3KO2 M.W. 98.14		1220C 00500	PB
		POTASSIUM ALUMINIUM SULPHATE See Aluminium Potassium Sulphate Cat No.067 & 067A Page 9			
		POTASSIUM ANTIMONATE See Potassium Pyroantimonate Cat No.1261 & 1261A Page 163			
		POTASSIUM ANTIMONY TARTRATE See Antimony Potassium Tartrate Cat No.177 & 177A Page 21			
250 gm	1220B	POTASSIUM BENZOATE (for synthesis)	582-25-2	1220B 00250	PB
500 gm		(benzoic acid potassium salt) Assay : Min. 99% C6H5COOK M.W. 160.21		1220B 00500	PB
500 gm	01222	POTASSIUM BICARBONATE AR (potassium hydrogen carbonate)	298-14-6	01222 00500	PB
5 Kg		Assay : Min. 99.7% KHCO3 M.W. 100.12		01222 05000	PC
500 gm	01223	POTASSIUM BICARBONATE (potassium hydrogen carbonate)	298-14-6	01223 00500	PB
5 Kg		Assay : Min. 99.5% KHCO3 M.W. 100.12		01223 05000	PC
		POTASSIUM BICHROMATE See Potassium Dichromate Cat No.1236, 1237, 1237A & 1237B Page 159			
500 gm	01224	POTASSIUM BIFLUORIDE (potassium hydrogen fluoride)	7789-29-9	01224 00500	PB
5 Kg		Assay : Min. 99% KHF2 M.W. 178.10		01224 05000	PC
25 gm	1224A	POTASSIUM BIIODATE Extra Pure (potassium hydrogen diiodate)	13455-24-8	1224A 00025	GB
100 gm		Assay : Min. 99% KH(IO3)2 M.W. 389.91		1224A 00100	GB
500 gm	01225	POTASSIUM BISULPHATE (potassium hydrogen sulphate)	7646-93-7	01225 00500	PB
		Assay : Min. 98.5% KHSO4 M.W. 136.19			
500 gm	1225A	POTASSIUM BISULPHATE AR	7646-93-7	1225A 00500	PB
		(potassium hydrogen sulphate) Assay : Min. 99% KHSO4 M.W. 136.19			
500 gm	01226	POTASSIUM BITARTRATE (cream of tartar)	868-14-4	01226 00500	PB
5 kg		(potassium hydrogen (+) tartrate)		01226 05000	PC
		Assay : Min. 99.5-100.2% C4H5KO6 M.W. 188.18			
500 gm	01227	POTASSIUM BORATE (octahydrate)	12229-13-9	01227 00500	PB
		Assay : Min. 97% B10K2O16·8H2O M.W. 586.42			
500 gm	01228	POTASSIUM BROMATE	7758-01-2	01228 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		Assay : Min. 99.6% KBrO3 M.W. 167.00		01228 05000	PC
500 gm	1228A	POTASSIUM BROMATE AR	7758-01-2	1228A 00500	PB
		Assay : Min. 99.8% KBrO3 M.W. 167.00			
500 ml	1228B	POTASSIUM BROMATE 0.01667M (0.1N), Liquid, d. 1.049		1228B 00500	PB
		Standardized Solution, traceable to NIST			
500 gm	01229	POTASSIUM BROMIDE	7758-02-3	01229 00500	PB
5 Kg		Assay : Min. 99% KBr M.W. 119.01		01229 05000	PC
500 gm	01230	POTASSIUM BROMIDE AR	7758-02-3	01230 00500	PB
		Assay : Min. 99.5% KBr M.W. 119.01			
100 gm	1230A	POTASSIUM BROMIDE (for IR Spectroscopy)	7758-02-3	1230A 00100	GB
		Assay : Min. 99.8% KBr M.W. 119.01			
500 ml	1230C	POTASSIUM BROMIDE 0.5M (0.5N)		1230C 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1230D	POTASSIUM BROMIDE 1M (1N) Standardized Solution, traceable to NIST		1230D 00500	PB
		POTASSIUM tert-BUTOXIDE See Potassium Tert-Butoxide Cat No.2483 Page 164			
500 gm	1230B	POTASSIUM CARBONATE (anhydrous) AR	584-08-7	1230B 00500	PB
		Assay : Min. 99.9% K2CO3 M.W. 138.21			
500 gm	01231	POTASSIUM CARBONATE (anhydrous)	584-08-7	01231 00500	PB
5 kg		Assay : Min. 99% K2CO3 M.W. 138.21		01231 05000	PC
1 gm	1231A	POTASSIUM CHLOROPLATINATE AR	16921-30-5	1231A 00001	GB
5 gm		[potassium hexachloroplatinate (IV)] Assay : Min. 98% K2PtCl6 M.W. 486.00		1231A 00005	GB
500 gm	01232	POTASSIUM CHLORIDE	7447-40-7	01232 00500	PB
5 Kg		Assay : Min. 99% KCl M.W. 74.56		01232 05000	PC
50 Kg				01232 50000	FD
500 gm	01233	POTASSIUM CHLORIDE AR	7447-40-7	01233 00500	PB
5 kg		Assay : Min. 99.5% KCl M.W. 74.56		01233 05000	PC
500 gm	1232A	POTASSIUM CHLORIDE (For Molecular Biology)	7447-40-7	1232A 00500	PB
		(CAS No.7447-40-7) Assay : Min. 99% KCl M.W. 74.55			
100 ml	1233A	POTASSIUM CHLORIDE 3M SOLUTION (for potentiometer electrode)		1233A 00100	PB
		Liquid, d. 1.13			
500 ml	1233B	POTASSIUM CHLORIDE 0.5M (0.5N), Liquid, d. 1.040		1233B 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1233C	POTASSIUM CHLORIDE 1M (1N), Liquid, d. 1.040		1233C 00500	PB
		Standardized Solution, traceable to NIST			
500 gm	01234	POTASSIUM CHROMATE	7789-00-6	01234 00500	PB
5 Kg		Assay : Min. 99% K2CrO4 M.W. 194.19		01234 05000	PC
500 gm	1234A	POTASSIUM CHROMATE AR	7789-00-6	1234A 00500	PB
		Assay : Min. 99.5% K2CrO4 M.W. 194.19			
500 ml	1234B	POTASSIUM CHROMATE 0.0333M (0.1N), Liquid, d. 1.01		1234B 00500	PB
		Standardized Solution, traceable to NIST			
500 gm	01235	tri-POTASSIUM CITRATE (monohydrate)	6100-05-6	01235 00500	PB
5 kg		Assay : Min. 98% K3C6H5O7.H2O M.W. 324.41		01235 05000	PC
500 gm	1235A	tri-POTASSIUM CITRATE AR (monohydrate)	6100-05-6	1235A 00500	PB
5 kg		Assay : Min. 99% K3C6H5O7.H2O M.W. 324.41		1235A 05000	PC
		POTASSIUM CUPRIC TARTARATE See Cupric Potassium Tartarate Cat No.2155A Page 67			
500 gm	01236	POTASSIUM DICHROMATE (practical)	7778-50-9	01236 00500	PB
5 Kg		(potassium bichromate) Assay : Min. 98% K2Cr2O7 M.W. 294.18		01236 05000	PC
500 gm	01237	POTASSIUM DICHROMATE Extra Pure (purified small crystals)	7778-50-9	01237 00500	PB
5 Kg		(potassium bichromate)		01237 05000	PC
		Assay : Min. 99.5% K2Cr2O7 M.W. 294.18			
500 gm	1237A	POTASSIUM DICHROMATE AR	7778-50-9	1237A 00500	PB
		(potassium bichromate) Assay : Min. 99.9% K2Cr2O7 M.W. 294.18			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
Pkt	1237B	POTASSIUM DICHROMATE PAPERS		1237B 001PK	CB
24 Pkt		(one Pkt. contains 100 leaves)		1237B 024PK	CB
500 ml	1237D	POTASSIUM DICHROMATE 0.02M/L SOLUTION		1237D 00500	PB
		(for determination of COD)			
500 ml	1237E	POTASSIUM DICHROMATE (0.25 N), Liquid, d. 1.01		1237E 00500	PB
500 ml	1237F	POTASSIUM DICHROMATE 0.0167M (0.1N), Liquid, d. 1.06	7778-50-9	1237F 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1237G	POTASSIUM DICHROMATE 0.0417M (0.25N)		1237G 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1237H	POTASSIUM DICHROMATE 0.167M (1N)		1237H 00500	PB
		Standardized Solution, traceable to NIST			
		POTASSIUM DIHYDROGEN ORTHOPHOSPHATE See Potassium Phosphate monobasic Cat No.1260 & 1260A Page 163			
100 gm	1237C	POTASSIUM ETHYL XANTHATE (ethyl potassium xanthate)	140-89-6	1237C 00100	PB
500 gm		Assay : Min. 98% C3H5KOS2 M.W. 160.30		1237C 00500	PB
100 gm	01238	POTASSIUM FERRICYANIDE [potassium hexacyanoferrate (III)]	13746-66-2	01238 00100	GB
500 gm		Assay : Min. 98% K3Fe(CN)6 M.W. 329.24		01238 00500	PB
100 gm	1238A	POTASSIUM FERRICYANIDE AR [potassium hexacyanoferrate (III)]	13746-66-2	1238A 00100	GB
500 gm		Assay : Min. 99% K3Fe(CN)6 M.W. 329.24		1238A 00500	PB
500 gm	01239	POTASSIUM FERROCYANIDE (trihydrate)	14459-95-1	01239 00500	PB
5 Kg		[potassium hexacyanoferrate (II)]		01239 05000	PC
		Assay : Min. 98% K4[Fe(CN)6].3H2O M.W. 422.39			
500 gm	1239A	POTASSIUM FERROCYANIDE AR (trihydrate)	14459-95-1	1239A 00500	PB
5 Kg		[potassium hexacyanoferrate (II)]		1239A 05000	PC
		Assay : Min. 98% K4[Fe(CN)6].3H2O M.W. 422.39			
500 gm	01240	POTASSIUM FLUORIDE (anhydrous)	7789-23-3	01240 00500	PB
5 Kg		Assay : Min. 97% KF M.W. 58.10		01240 05000	PC
500 gm	1240A	POTASSIUM FLUORIDE (anhydrous) AR	7789-23-3	1240A 00500	PB
		Assay : Min. 99% KF M.W. 58.10			
100 gm	1240B	POTASSIUM FORMATE Extra Pure	590-29-4	1240B 00100	PB
500 gm		(formic acid potassium salt) Assay : Min. 99% HCOOK M.W. 84.12		1240B 00500	PB
500 gm	1240C	POTASSIUM FORMATE AR	590-29-4	1240C 00500	PB
		Assay : Min. 99% HCOOK M.W. 84.12 (formic acid potassium salt)			
		POTASSIUM GOLD CYANIDE See Gold Potassium Cyanide Cat No.2312 Page 100			
		POTASSIUM HEXACHLOROPLATINATE (IV) See Potassium Chloroplatinate Cat No.1231A Page 158			
25 gm	1240D	POTASSIUM HEXAFLUOROPHOSPHATE	17084-13-8	1240D 00025	GB
		Assay : Min. 98% KPF6 M.W. 184.06			
		POTASSIUM HYDROGEN CARBONATE See Potassium Bicarbonate Cat No.1222 & 1223 Page 157			
		POTASSIUM HYDROGEN FLUORIDE See Potassium Bifluoride Cat No.1224 Page 157			
500 gm	01241	POTASSIUM HYDROGEN PHTHALATE	877-24-7	01241 00500	PB
5 Kg		(potassium biphthalate) Assay : Min. 99.5% C8H5KO4 M.W. 204.22		01241 05000	PB
500 gm	1241A	POTASSIUM HYDROGEN PHTHALATE AR	877-24-7	1241A 00500	PB
5 Kg		(potassium biphthalate) Assay : Min. 99.5% C8H5KO4 M.W. 204.22		1241A 05000	PC
		di-POTASSIUM HYDROGEN ORTHOPHOSPHATE See Potassium Phosphate dibasic Cat No.1259 & 1259A Page 162			
		POTASSIUM HYDROGEN SULPHATE See Potassium Bisulphate Cat No.1225 & 1225A Page 158			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		POTASSIUM HYDROGEN (+) TARTRATE See Potassium Bitartrate Cat No.1226 Page 158			
500 gm	01242	POTASSIUM HYDROXIDE Flakes	1310-58-3	01242 00500	PB
5 Kg		(caustic potash)		01242 05000	PC
50 Kg		Assay : Min. 85% KOH M.W. 56.11		01242 50000	FD
500 gm	01243	POTASSIUM HYDROXIDE Pellets	1310-58-3	01243 00500	PB
5 Kg		(caustic potash)		01243 05000	PC
50 Kg		Assay : Min. 85% KOH M.W. 56.11		01243 50000	FD
500 gm	01244	POTASSIUM HYDROXIDE Pellets AR	1310-58-3	01244 00500	PB
5 Kg		(caustic potash) Assay : Min. 85.0-100.5% KOH M.W. 56.11		01244 05000	PC
500 ml	01245	POTASSIUM HYDROXIDE N/10 solution (0.1N) (solution in water)		01245 00500	PB
		Liquid, d. 1.00			
500 ml	1245A	POTASSIUM HYDROXIDE 0.1M (0.1N) In Ethanol	1310-58-3	1245A 00500	PB
		Standardized Solution, traceable to NIST, Liquid, d. 0.836			
500 ml	1245B	POTASSIUM HYDROXIDE 40% Solution (for analysis), Liquid, d. 1.51		1245B 00500	PB
500 ml	1245C	POTASSIUM HYDROXIDE 45% (aqueous solution) AR, Liquid, d. 1.51		1245C 00500	PB
500 ml	1245D	POTASSIUM HYDROXIDE 0.5N (solution in water), Liquid, d. 1.02		1245D 00500	PB
500 ml	1245E	POTASSIUM HYDROXIDE 0.05M (0.05N), Liquid, d. 1.00		1245E 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1245F	POTASSIUM HYDROXIDE 0.1M (0.1N), Liquid, d. 1.00		1245F 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1245G	POTASSIUM HYDROXIDE 0.5M (0.5N), Liquid, d. 1.023		1245G 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1245H	POTASSIUM HYDROXIDE 1M (1N), Liquid, d. 1.05		1245H 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1245I	POTASSIUM HYDROXIDE 0.5M (0.5N), Liquid, d. 0.85		1245I 00500	PB
		In Ethanol Standardized Solution, traceable to NIST			
500 ml	1245J	POTASSIUM HYDROXIDE 1M (1N) In Methanol		1245J 00500	PB
		Standardized Solution, traceable to NIST			
100 gm	01246	POTASSIUM IODATE	7758-05-6	01246 00100	GB
500 gm		Assay : Min. 99% KIO3 M.W. 214.00		01246 00500	PB
5 Kg				01246 05000	PC
100 gm	01247	POTASSIUM IODATE AR	7758-05-6	01247 00100	GB
250 gm		Assay : Min. 99.5% KIO3 M.W. 214.00		01247 00250	PB
500 gm				01247 00500	PB
500 ml	1247A	POTASSIUM IODATE 0.01667M (0.1N), Liquid, d. 1.03		1247A 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1247B	POTASSIUM IODATE 0.0147M (0.08833N), Liquid, d. 1.00		1247B 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1247C	POTASSIUM IODATE 0.05M (0.3N), Liquid, d. 1.005		1247C 00500	PB
		Standardized Solution, traceable to NIST			
25 gm	01248	POTASSIUM IODIDE	7681-11-0	01248 00025	GB
100 gm		(for chromatography)		01248 00100	GB
250 gm		Assay : Min. 99.5% KI M.W. 166.00		01248 00250	PB
500 gm				01248 00500	PB
5 Kg				01248 05000	PC
25 gm	01249	POTASSIUM IODIDE AR	7681-11-0	01249 00025	GB
100 gm		Assay : Min. 99.8% KI M.W. 166.00		01249 00100	GB
250 gm				01249 00250	PB
500 gm				01249 00500	PB
Pkt	1249A	POTASSIUM IODIDE PAPER		1249A 001PK	CB
24 Pkt		(one Pkt. contains 100 leaves)		1249A 024PK	CB
500 ml	01250	POTASSIUM IODIDE 0.1M (0.1N), Liquid, d. 1.00		01250 00500	PB
		Standardized Solution, traceable to NIST			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
125 ml	1250C	POTASSIUM IODIDE 1M Standardized Solution, traceable to NIST		1250C 00125	PB
125 ml	1250D	POTASSIUM IODIDE 3M Standardized Solution, traceable to NIST		1250D 00125	PB
		Liquid, d. 1.380			
25 gm	1250A	POTASSIUM IODO BISMUTHATE (bismuth potassium iodide)	41994-01-8	1250A 00025	GB
100 gm		Assay : Min. 98% BiI7K4 M.W. 1253.70		1250A 00100	GB
1 gm	1250B	POTASSIUM IODO PLATINATE AR (potassium hexaiodo platinate)	16905-14-9	1250B 00001	GB
5 gm		Assay : Min. 99.9% K2PtI6 M.W. 1034.70		1250B 00005	GB
		POTASSIUM MERCURIC IODIDE See Mercuric Potassium Iodide Cat No.992 & 992A Page 126 & 127			
500 gm	01251	POTASSIUM METABISULPHITE	16731-55-8	01251 00500	PB
5 Kg		Assay : Min. 95% K2S2O5 M.W. 222.32		01251 05000	PC
500 gm	1251A	POTASSIUM METABISULPHITE AR	16731-55-8	1251A 00500	PB
5 Kg		Assay : Min. 96% K2S2O5 M.W. 222.32		1251A 005000	PC
100 gm	1251B	POTASSIUM METAPERIODATE	7790-21-8	1251B 00100	GB
500 gm		[potassium periodate (meta)] Assay : Min. 99% KIO4 M.W. 230.00		1251B 00500	PB
100 gm	01252	POTASSIUM METAPERIODATE AR	7790-21-8	01252 00100	GB
500 gm		[potassium periodate (meta)] Assay : Min. 99.8% KIO4 M.W. 230.00		01252 00500	PB
100 gm	1252A	POTASSIUM METAVANADATE Extra Pure	13769-43-2	1252A 00100	GB
500 gm		[potassium vanadate (meta)] Assay : Min. 98% KVO3 M.W. 138.04		1252A 00500	PB
500 gm	01253	POTASSIUM NITRATE	7757-79-1	01253 00500	PB
5 Kg		(practical)		01253 05000	PC
50 Kg		Assay : Min. 98% KNO3 M.W. 101.10		01253 50000	FD
500 gm	01254	POTASSIUM NITRATE Extra Pure	7757-79-1	01254 00500	PB
5 Kg		Assay : Min. 99% KNO3 M.W. 101.10		01254 05000	PC
50 Kg				01254 50000	FD
500 gm	1254A	POTASSIUM NITRATE AR	7757-79-1	1254A 00500	PB
		Assay : Min. 99.5% KNO3 M.W. 101.10			
500 gm	1254B	POTASSIUM NITRATE (For Molecular Biology)	7757-79-1	1254B 00500	PB
		Assay : Min. 99% KNO3 M.W. 101.1			
500 gm	01255	POTASSIUM NITRITE Extra Pure	7758-09-0	01255 00500	PB
		Assay : Min. 96% KNO2 M.W. 85.10			
250 gm	1255A	POTASSIUM NITRITE AR	7758-09-0	1255A 00250	PB
500 gm		Assay : Min. 97% KNO2 M.W. 85.10		1255A 00500	PB
500 ml	1255B	POTASSIUM OLEATE (for synthesis)	143-18-0	1255B 00500	GB
5 Lt		Assay : Min. 87% C18H33KO2 M.W. 320.55		1255B 05000	PC
500 gm	01256	POTASSIUM OXALATE (monohydrate)	6487-48-5	01256 00500	PB
5 Kg		(di-potassium oxalate) Assay : Min. 99% (COOK)2.H2O M.W. 184.23		01256 05000	PC
500 gm	1256A	POTASSIUM OXALATE AR (monohydrate)	6487-48-5	1256A 00500	PB
5 Kg		(di-potassium oxalate) Assay : Min. 99.5% (COOK)2.H2O M.W. 184.23		1256A 05000	PC
100 gm	1256B	POTASSIUM PERCHLORATE AR	7778-74-7	1256B 00100	PB
500 gm		Assay : Min. 99.5% KClO4 M.W. 138.55		1256B 00500	PB
		POTASSIUM PERIODATE (meta) See Potassium Metaperiodate Cat No.1251B & 1252 Page 161			
500 gm	01257	POTASSIUM PERMANGANATE	7722-64-7	01257 00500	PB
5 Kg		(purified crystals)		01257 05000	PC
50 Kg		Assay : Min. 99% KMnO4 M.W. 158.03		01257 50000	PD
500 gm	1257A	POTASSIUM PERMANGANATE AR	7722-64-7	1257A 00500	PB
5 Kg		Assay : Min. 99.5% KMnO4 M.W. 158.03		1257A 05000	PC
500 ml	1257C	POTASSIUM PERMANGANATE 0.01M (0.05N)		1257C 00500	PB
		Standardized Solution, traceable to NIST, Liquid, d. 1.00			
500 ml	1257D	POTASSIUM PERMANGANATE 0.02M (0.1N)		1257D 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Standardized Solution, traceable to NIST, Liquid, d. 1.00			
500 ml	1257E	POTASSIUM PERMANGANATE 0.05M (0.25N)		1257E 00500	PB
		Standardized Solution, traceable to NIST, Liquid, d. 1.0035			
500 ml	1257F	POTASSIUM PERMANGANATE 0.2 (1N)		1257F 00500	PB
		Standardized Solution, traceable to NIST, Liquid, d. 1.00			
500 ml	1257G	POTASSIUM PERMANGANATE 0.002 Mol/L (0.01N)		1257G 00500	PB
		Standardized Solution, traceable to NIST, Liquid, d. 1.00			
4 Amp	1257B	POTASSIUM PERMANGANATE 0.02mol/L (0.1N) SOLUTION		1257B AMP04	AMP
		when diluted to 500 ml with water			
		(Concn. Of solution in each ampoule is 1N) (2x2 amps. Of set in a box)			
500 gm	01258	POTASSIUM PERSULPHATE	7727-21-1	01258 00500	PB
5 Kg		(potassium peroxydisulphate) Assay : Min. 98% $K_2S_2O_8$ M.W. 270.32		01258 05000	PC
500 gm	1258A	POTASSIUM PERSULPHATE AR	7727-21-1	1258A 00500	PB
5 Kg		(potassium peroxydisulphate) Assay : Min. 99% $K_2S_2O_8$ M.W. 270.32		1258A 05000	PC
500 gm	01259	POTASSIUM PHOSPHATE dibasic (anhydrous)	7758-11-4	01259 00500	PB
5 Kg		(di-potassium hydrogen orthophosphate)		01259 05000	PC
		Assay : Min. 98% K_2HPO_4 M.W. 174.18			
500 gm	1259A	POTASSIUM PHOSPHATE dibasic AR (anhydrous)	7758-11-4	1259A 00500	PB
5 Kg		(di-potassium hydrogen orthophosphate)		1259A 05000	PC
		Assay : Min. 99% K_2HPO_4 M.W. 174.18			
100 gm	1259B	POTASSIUM PHOSPHATE dibasic anhydrous	7758-11-4	1259B 00100	PB
500 gm		(For Molecular Biology) Assay : Min. 99% K_2HPO_4 M.W. 174.18		1259B 00500	PB
500 gm	01260	POTASSIUM PHOSPHATE monobasic (anhydrous)	7778-77-0	01260 00500	PB
5 Kg		(potassium dihydrogen orthophosphate)		01260 05000	PC
		Assay : Min. 98% KH_2PO_4 M.W. 136.09			
500 gm	1260A	POTASSIUM PHOSPHATE monobasic AR (anhydrous)	7778-77-0	1260A 00500	PB
5 Kg		(potassium dihydrogen orthophosphate)		1260A 05000	PC
		Assay : Min. 99% KH_2PO_4 M.W. 136.09			
100 gm	1260C	POTASSIUM PHOSPHATE monobasic anhydrous	7778-77-0	1260C 00100	PB
500 gm		(For Molecular Biology) Assay : Min. 99% KH_2PO_4 M.W. 136.09		1260C 00500	PB
500 gm	1260B	POTASSIUM PHTHALIMIDE	1074-82-4	1260B 00500	PB
		(phthalimide potassium salt) Assay : Min. 98% $C_8H_4KNO_2$ M.W. 185.22			
100 gm	01261	POTASSIUM PYROANTIMONATE	12208-13-8	01261 00100	PB
500 gm		(potassium antimonate) Assay : Min. 98% $KSb(OH)_6$ M.W. 262.90		01261 00500	PB
100 gm	1261A	POTASSIUM PYROANTIMONATE AR	12208-13-8	1261A 00100	PB
500 gm		(potassium antimonate) Assay : Min. 99% $KSb(OH)_6$ M.W. 262.90		1261A 00500	PB
100 ml	1261B	POTASSIUM PYROANTIMONATE reagent solution		1261B 00100	PB
500 ml				1261B 00500	PB
500 gm	01262	tetra-POTASSIUM PYROPHOSPHATE	7320-34-5	01262 00500	PB
		Assay : Min. 97% $K_4P_2O_7$ M.W. 330.34			
500 gm	1262A	tetra-POTASSIUM PYROPHOSPHATE AR	7320-34-5	1262A 00500	PB
		Assay : Min. 97.5% $K_4P_2O_7$ M.W. 330.34			
250 gm	1262B	POTASSIUM PYROSULPHATE	7790-62-7	1262B 00250	PB
500 gm		(potassium disulphate) Assay : Min. 97% $K_2S_2O_7$ M.W. 254.33		1262B 00500	PB
500 ml	02482	POTASSIUM SILICATE SOLUTION		02482 00500	PB
5 Lt		Liquid, d. 1.26		02482 05000	PC
500 gm	1262C	POTASSIUM SILICO FLUORIDE	16871-90-2	1262C 00500	PB
		Assay : Min. 98% K_2SiF_6 M.W. 220.27			
500 gm	01263	POTASSIUM SODIUM TARTRATE (tetrahydrate)	6381-59-5	01263 00500	PB
5 Kg		(rochelle salt) (sodium potassium tartrate)		01263 05000	PC
		Assay : Min. 98% $C_4H_4KNaO_6.4H_2O$ M.W. 282.22			
500 gm	1263A	POTASSIUM SODIUM TARTRATE AR (tetrahydrate)	6381-59-5	1263A 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		(rochelle salt) (sodium potassium tartrate)		1263A 05000	PC
		Assay : Min. 99% C4H4KNaO6.4H2O M.W. 282.22			
500 gm	1263B	POTASSIUM SORBATE	24634-61-5	1263B 00500	PB
		Assay : Min. 99.5% C6H7KO2 M.W. 150.22			
500 gm	01264	POTASSIUM SULPHATE	7778-80-5	01264 00500	PB
5 Kg		Assay : Min. 99% K2SO4 M.W. 174.26		01264 05000	PC
50 Kg				01264 50000	FD
500 gm	1264A	POTASSIUM SULPHATE AR	7778-80-5	1264A 00500	PB
5 Kg		Assay : Min. 99.5% K2SO4 M.W. 174.26		1264A 05000	PC
500 gm	01265	POTASSIUM SULPHIDE	1312-73-8	01265 00500	PB
		Assay : Min. 98% K2S M.W. 110.62			
500 gm	01266	POTASSIUM SULPHITE	10117-38-1	01266 00500	PB
		Assay : Min. 88% K2SO3 M.W 158.26			
		POTASSIUM SULPHOCYANIDE See Potassium Thiocyanate Cat No.1268 & 1268A Page 164			
500 gm	01267	POTASSIUM TARTRATE (dibasic hemihydrate)	6100-19-2	01267 00500	PB
		Assay : Min. 99-102% C4H4K2O6·0.5H2O M.W 235.28			
25 gm	1267A	POTASSIUM TELLURITE (for microbiology)	123333-66-4	1267A 00025	GB
100 gm		Assay (ex Te) : Min. 90% K2TeO3·xH2O M.W. 253.80 (anhydr. basis)		1267A 00100	GB
250 gm	02483	POTASSIUM TERT-BUTOXIDE (hydrate)	865-47-4	02483 00250	PB
500 gm		(potassium tert-butylate) Assay : Min. 98% C4H9KO M.W. 112.22		02483 00500	PB
1 gm	1267B	POTASSIUM TETRA CHLOROPLATINATE (II) (about 47% Pt)	10025-99-7	1267B 00001	GB
5 gm		Assay : Min. 98% K2PtCl4 M.W. 415.09		1267B 00005	GB
500 gm	1267C	POTASSIUM TETRAOXALATE (dihydrate)	6100-20-5	1267C 00500	PB
		Assay : Min. 99.5% C4H3KO8.2H2O M.W. 254.20			
5 gm	1267E	POTASSIUM TETRATHIONATE	13932-13-3	1267E 00005	PB
25 gm		Assay : Min. 98% KOSO2SSSO3K M.W. 302.45		1267E 00025	PB
500 gm	01268	POTASSIUM THIOCYANATE	333-20-0	01268 00500	PB
		(potassium sulphocyanide) Assay : Min. 98% KSCN M.W. 97.18			
500 gm	1268A	POTASSIUM THIOCYANATE AR	333-20-0	1268A 00500	PB
		(potassium sulphocyanide) Assay : Min. 99% KSCN M.W. 97.18			
500 ml	1267D	POTASSIUM THIOCYANATE 0.1M (0.1N)		1267D 00500	PB
		Standardized Solution, traceable to NIST, Liquid, d. 1.00			
100 gm	1268C	POTASSIUM THIOSULPHATE Crystals (practical grade)	10294-66-3	1268C 00100	PB
500 gm		Assay : Min. 95% K2S2O3 M.W. 190.32		1268C 00500	PB
250 ml	1268B	POTASSIUM THIOSULPHATE 50% solution, Liquid, d. 1.46		1268B 00250	PB
100 gm	01269	POTASSIUM TITANIUM OXALATE	14402-67-6	01269 00100	PB
500 gm		Assay : Min. 98% C4K2O9Ti·2H2O M.W 354.13		01269 00500	PB
100 gm	1269A	POTASSIUM TITANIUM OXALATE AR		1269A 00100	PB
250 gm		Assay : Min. 98.5% C4K2O9Ti·2H2O M.W 354.13		1269A 00250	PB
		POTASSIUM VANADATE (meta) See Potassium Metavanadate Cat No.1252A Page 161			
		POTATO STARCH See Starch Soluble Cat No.1452 & 1452A Page 190			
		POVIDONE See Crospovidone Cat No.2154 Page 66			
25 gm	2483A	PPO (SCINTILLATION GRADE)	92-71-7	2483A 00025	GB
100 gm		(2,5-diphenyloxazole) Assay : Min. 99% C15H11NO M.W. 221.25		2483A 00100	PB
25 gm	2483B	PRASEODYMIUM (III) CHLORIDE hydrate	19423-77-9	2483B 00025	GB
100 gm		Assay : Min. 99.9% PrCl3·xH2O 247.27 (anhydrous basis)		2483B 00100	PB
5 gm	1269B	PRASEODYMIUM NITRATE AR (hexahydrate)	15878-77-0	1269B 00005	GB
25 gm		Assay : Min. 99.9% N3O9Pr·6H2O M.W 435.01		1269B 00025	GB
10 gm	1269C	PRASEODYMIUM OXIDE AR	12037-29-5	1269C 00010	GB
100 gm		(praseodymium (III, IV) oxide) Assay : Min. 99.9% Pr6O11 M.W. 1021.44		1269C 00100	PB
5 gm	02484	PROCAINE HYDROCHLORIDE Extra Pure	51-05-8	02484 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		(neocaine)		02484 00025	GB
100 gm		Assay : Min. 97% C13H20N2O2·HCl M.W. 272.77		02484 00100	PB
25 gm	02485	PROCHLORPERAZINE DIMALEATE Extra Pure (for lab use)	84-02-6	02485 00025	GB
100 gm		(CAS No.84-02-6) C20H24ClN3S·2C4H4O4 M.W 606.09		02485 00100	PB
10 gm	2485C	PROFLAVIN HEMISULPHATE (dihydrate)	1811-28-5	2485C 00010	GB
25 gm		(3,6-diaminoacridine hemisulphate)		2485C 00025	GB
		Assay : Min. 99% C13H11N·0.5H2SO4·xH2O M.W 258.29			
5 gm	2485D	PROGESTERONE (for Biochemistry)	57-83-0	2485D 00005	GB
		Assay : Min. 97% C21H30O2 M.W. 314.46			
1 gm	2485A	D-PROLINE	344-25-2	2485A 00001	GB
5 gm		(for biochemistry)		2485A 00005	GB
25 gm		Assay : Min. 99% C5H9NO2 M.W 115.13		2485A 00025	GB
5 gm	1269D	L-PROLINE	147-85-3	1269D 00005	GB
25 gm		(for biochemistry)		1269D 00025	GB
500 gm		Assay : Min. 99% C5H9NO2 M.W 115.13		1269D 00500	PB
25 gm	2485B	PROMETHAZINE HYDROCHLORIDE Extra Pure	58-33-3	2485B 00025	GB
100 gm		(for lab use)		2485B 00100	PB
500 gm		Assay : Min. 98% C17H20N2S·HCl M.W 320.88		2485B 00500	PB
		PROPANE-1, 2-DIOL See Propylene Glycol Cat No.1275 & 1275A Page 166			
5 gm	1269E	1-PROPANE SULPHONIC ACID SODIUM SALT AR & HPLC	14533-63-2	1269E 00005	GB
25 gm				1269E 00025	GB
100 gm		Assay : Min. 99% C3H7NaO3S M.W. 146.14		1269E 00100	PB
500 ml	1269G	PROPARGYL ALCOHOL (for synthesis)	107-19-7	1269G 00500	GB
2.5 Lt		(2-propan-1-ol) Assay : Min. 99% C3H4 M.W. 56.06, Liquid, d. 0.963		1269G 02500	GBT
500 ml	02486	PROPIONALDEHYDE (for synthesis)	123-38-6	02486 00500	GB
		Assay : Min. 98% C3H6O M.W. 58.08, Liquid, d. 0.805			
500 ml	01270	PROPIONIC ACID (for synthesis)	79-09-4	01270 00500	GB
2.5 Lt		Assay : Min. 99% C3H6O2 M.W. 74.08, Liquid, d. 0.99		01270 02500	GB
500 ml	1270A	PROPIONIC ANHYDRIDE (for synthesis)	123-62-6	1270A 00500	GB
2.5 Lt		Assay : Min. 99% C6H10O3 M.W. 130.14, Liquid, d. 1.015		1270A 02500	GBT
250 ml	2486A	PROPIONITRILE (for synthesis) (ethyl cyanide)	107-12-0	2486A 00250	GB
1 Lt		Assay : Min. 99% C3H5N M.W. 55.08 , Liquid, d. 0.772		2486A 01000	GBT
500 ml	2486B	PROPIOPHENONE (for synthesis)	93-55-0	2486B 00500	GB
2.5 Lt		Assay : Min. 99% C9H10O M.W. 134.18, Liquid, d. 1.009		2486B 02500	GB
5 gm	2486C	PROPRANOLOL HYDROCHLORIDE Extra Pure	318-98-9	2486C 00005	GB
25 gm		(for lab use)		2486C 00025	GB
100 gm		Assay : Min. 99% C16H21NO2·HCl M.W. 295.80		2486C 00100	GB
500 ml	1270B	iso-PROPYL ACETATE	108-21-4	1270B 00500	GB
2.5 Lt		Assay : Min. 98% C5H10O2 M.W. 102.13, Liquid, d. 0.872		1270B 02500	GB
500 ml	1270C	n-PROPYL ACETATE	109-60-4	1270C 00500	GB
2.5 Lt		Assay : Min. 98% C5H10O2 M.W.102.13, Liquid, d. 0.888		1270C 02500	GB
500 ml	01271	iso-PROPYL ALCOHOL	67-63-0	01271 00500	GB
2.5 Lt		(propan-2-ol) (2-propanol)		01271 02500	GB
5 Lt		Assay : Min. 99% C3H8O M.W. 60.10, Liquid, d. 0.786		01271 05000	PC
25 Lt				01271 25000	PC
500 ml	1271A	iso-PROPYL ALCOHOL AR (propan-2-ol) (2-propanol)	67-63-0	1271A 00500	GB
2.5 Lt		Assay : Min. 99.5% C3H8O M.W. 60.10, Liquid, d. 0.786		1271A 02500	GBT
500 ml	02361	iso-PROPYL ALCOHOL HPLC & SPECTROSCOPY	67-63-0	02361 00500	GB
2.5 Lt		(propan-2-ol) (2-propanol)		02361 02500	GBT
		Assay : Min. 99.8% C3H8O M.W. 60.10, Liquid, d. 0.786			
1 Lt	2361A	iso-PROPYL ALCOHOL (For Molecular Biology)	67-63-0	2361A 01000	GB
		(2-propanol) Assay : Min. 99.8% C3H8O M.W. 60.10, Liquid, d. 0.786			
500 ml	01272	n-PROPYL ALCOHOL	71-23-8	01272 00500	PB
2.5 Lt		(propan-1-ol)		01272 02500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Lt		Assay : Min. 99% CH3.CH2.CH2OH M.W. 60.10, Liquid, d. 0.804		01272 05000	PC
500 ml	1272A	n-PROPYL ALCOHOL AR (propan-1-ol)	71-23-8	1272A 00500	GB
2.5 Lt		Assay : Min. 99.5% CH3.CH2.CH2OH M.W. 60.10, Liquid, d. 0.804		1272A 02500	GBT
500 ml	1272B	n-PROPYL ALCOHOL HPLC & SPECTROSCOPY	71-23-8	1272B 00500	GB
2.5 Lt		(propan-1-ol)		1272B 02500	GBT
		Assay : Min. 99.9% CH3.CH2.CH2OH M.W. 60.10, Liquid, d. 0.804			
500 ml	01273	iso-PROPYLAMINE (mono-iso-propylamine) (isopropylamine)	75-31-0	01273 00500	GB
2.5 Lt		Assay : Min. 99% C3H9N M.W. 59.11, Liquid, d. 0.688		01273 02500	GBT
500 ml	01274	n-PROPYLAMINE (1-aminopropane)	107-10-8	01274 00500	GBT
2.5 Lt		Assay : Min. 99% C3H9N M.W. 59.11, Liquid, d. 0.719		01274 02500	GBT
10 gm	2488B	2-n-PROPYL ANILINE	1821-39-2	2488B 00010	GBT
		Assay : Min. 96% C9H13N M.W 135.21, Liquid, d. 0.96			
10 gm	2488C	4-n-PROPYL ANILINE	2696-84-6	2488C 00010	GB
		Assay : Min. 96% C9H13N M.W 135.21, Liquid, d. 0.92			
100 ml	1273A	n-PROPYL BENZENE	103-65-1	1273A 00100	GB
		Assay : Min. 98% C9H12 M.W. 120.19, Liquid, d. 0.862			
500 ml	1274A	iso-PROPYL BROMIDE (for synthesis)	75-26-3	1274A 00500	GB
		(2-bromopropane) Assay : Min. 99% C3H7Br M.W. 122.99, Liquid, d. 1.31			
500 ml	1274B	n-PROPYL BROMIDE (for synthesis)	106-94-5	1274B 00500	GB
		(1-bromopropane) Assay : Min. 99% C3H7Br M.W. 122.99, Liquid, d. 1.354			
500 ml	1274C	PROPYLENE CARBONATE (for synthesis)	108-32-7	1274C 00500	PB
2.5 Lt		Assay : Min. 99% C4H6O3 M.W. 102.09, Liquid, d. 1.204		1274C 02500	PB
500 ml	01275	PROPYLENE GLYCOL (propane-1, 2-diol)	57-55-6	01275 00500	PB
2.5 Lt		Assay : Min. 99% C3H8O2 M.W. 76.09, Liquid, d. 1.036		01275 02500	PB
500 ml	1275A	PROPYLENE GLYCOL AR (propane-1, 2-diol)	57-55-6	1275A 00500	GB
2.5 Lt		Assay : Min. 99.5% C3H8O2 M.W. 76.09, Liquid, d. 1.036		1275A 02500	GBT
1 Lt	1275B	PROPYLENE GLYCOL MONOMETHYL ETHER (for synthesis)	107-98-2	1275B 01000	GBT
2.5 Lt		(1-methoxy-2-propanol)		1275B 02500	GBT
		Assay : Min. 98% C4H10O2 M.W. 90.12, Liquid, d. 0.922			
100 gm	01276	n-PROPYL GALLATE (n-propyl-3,4,5-trihydroxy benzoate) (antioxidant)	121-79-9	01276 00100	PB
500 gm		Assay : Min. 98% C10H12O5 M.W. 212.20		01276 00500	PB
500 gm	1276A	PROPYL-P-HYDROXY BENZOATE (nipasol plain)	94-13-3	1276A 00500	PB
5 Kg		(propyl paraben) Assay : Min. 99% C10H12O3 M.W. 180.20		1276A 05000	PC
500 gm	1276B	PROPYL-P-HYDROXY BENZOATE SODIUM SALT (nipasol sodium)	35285-69-9	1276B 00500	PB
5 Kg		) (propyl paraben sodium salt)		1276B 05000	PC
		Assay : Min. 99% C10H11NaO3 M.W. 202.18			
		PROPYL HYDROXY CELLULOSE See Hydroxy Propyl Cellulose Cat No.2333 Page 107			
500 ml	1276C	iso-PROPYL MYRISTATE	110-27-0	1276C 00500	GB
		Assay : Min. 98% C17H34O2 M.W. 270.45, Liquid, d. 0.85			
500 ml	02487	iso-PROPYL PALMITATE (isopropyl hexadecanoate)	142-91-6	02487 00500	GB
		Assay : Min. 90% C19H38O2 M.W. 298.50, Liquid, d. 0.852			
		PROPYL PARABEN See Propyl-p-Hydroxy Benzoate Cat No.1276A Page 166			
		PROPYL PARABEN SODIUM SALT See Propyl-p-Hydroxy Benzoate Sodium Salt Cat No.1276B Page 166			
1 gm	02489	PROTAMINE SULPHATE (purified) (from herring)	9007-31-2	02489 00001	GB
5 gm				02489 00005	GB
10 mg	2489A	PROTEINASE K	39450-01-6	2489A 0010M	GB
100 mg		M.W. 28.93 kDa (Store at 2-8oC)		2489A 0100M	GB
100 gm	1276D	PROTEOSE PEPTONE (culture media ingradient)	100209-45-8	1276D 00100	PB
500 gm				1276D 00500	PB
5 gm	1276E	PROTHIONAMIDE Extra Pure (for lab use)	14222-60-7	1276E 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		(protionamide)		1276E 00025	GB
		PROVITAMIN A See Beta Carotene Cat No.1912, 1913 & 1913A Page 31			
100 ml	02490	PUDINA OIL		02490 00100	GB
250 ml		Liquid, d, 0.898		02490 00250	PB
500 gm	01277	PUMICE STONE powder (practical)	1332-09-8	01277 00500	PB
500 gm	01278	PUMICE STONE granular (for elementary analysis)	1332-09-8	01278 00500	PB
5 gm	1278A	PYRAZINAMIDE Extra Pure	98-96-4	1278A 00005	GB
25 gm		(for lab use)		1278A 00025	GB
100 gm		Assay : Min. 98% C5H5N3O M.W 123.11		1278A 00100	PB
250 ml	01279	PYRIDINE	110-86-1	01279 00250	GBT
500 ml		Assay : Min. 99% C5H5N M.W. 79.10, Liquid, d. 0.982		01279 00500	GBT
2.5 Lt				01279 02500	GBT
250 ml	1279A	PYRIDINE AR	110-86-1	1279A 00250	GBT
500 ml		Assay : Min. 99.5% C5H5N M.W. 79.10, Liquid, d. 0.982		1279A 00500	GBT
2.5 Lt				1279A 02500	GBT
500 ml	02491	PYRIDINE HPLC & SPECTROSCOPY	110-86-1	02491 00500	GBT
2.5 Lt		Assay : Min. 99.5% C5H5N M.W. 79.10, Liquid, d. 0.982		02491 02500	GBT
25 gm	1279E	PYRIDINE OXIDE	694-59-7	1279E 00025	GB
100 gm		Assay : Min. 98% C5H5NO M.W. 95.10		1279E 00100	GB
100 gm	1279F	PYRIDINIUM CHLOROCHROMATE Extra Pure	26299-14-9	1279F 00100	PB
500 gm		Assay : Min. 98% C5H5NClCrO3H M.W. 215.56		1279F 00500	PB
1 gm	1279G	PYRIDOXAL-5'-PHOSPHATE	54-47-7	1279G 00001	GB
5 gm		Assay : Min. 98% C8H10NO6P M.W. 247.16		1279G 00005	GB
25 gm		(Store at 2-8oC)		1279G 00025	GB
25 gm	1279B	PYRIDOXINE HYDROCHLORIDE (for biochemistry)	58-56-0	1279B 00025	GB
100 gm		(Vitamin B6)		1279B 00100	PB
500 gm		Assay : Min. 99% C8H12ClNO3 M.W. 205.64		1279B 00500	PB
		1-(2-PYRIDYLAZO)-2-NAPHTHOL See Pan indicator Cat No.1134 Page 146			
		4-(2-PYRIDYLAZO) RESORCINOL MONOSODIUM SALT INDICATOR AR See Par indicator Cat No.1135C Page 146			
1 gm	1279C	3-(2-PYRIDYL)-5,6-DIPHENYL 1,2,4-TRIAZINE AR (PDT)	1046-56-6	1279C 00001	GB
5 gm		[5,6-diphenyl-3-(2-pyridyl)-1,2,4-triazine]		1279C 00005	GB
		Assay : Min. 99% C20H14N4 M.W. 310.36			
1 gm	1279D	3-(2-PYRIDYL)-5,6-DIPHENYL 1,2,4-TRIAZINE-4,4-DISULPHONIC	28048-33-1	1279D 00001	GB
5 gm		ACID DISODIUM SALT AR (hydrate) (PDT sulphonate disodium salt)		1279D 00005	GB
		Assay : Min. 99% C20H12N4Na2O6S2 M.W. 514.44			
100 gm	01280	PYROCATECHOL (catechol) (o-dihydroxybenzene)	120-80-9	01280 00100	GB
500 gm		Assay : Min. 98% C6H4(OH)2 M.W. 110.11		01280 00500	GB
100 gm	1280A	PYROCATECHOL AR (catechol) (o-dihydroxybenzene)	120-80-9	1280A 00100	GB
500 gm		Assay : Min. 99% C6H4(OH)2 M.W. 110.11		1280A 00500	GB
		3,5-PYROCATECHOL DISULPHONIC ACID DISODIUM SALT AR See Tiron Cat No.1518 Page 200			
		PYROCATECHOL VIOLET See Catechol Violet Cat No.419 Page 50			
25 gm	1280B	PYROGALLOL (for synthesis)	87-66-1	1280B 00025	GB
100 gm		(pyrogallic acid)		1280B 00100	GB
500 gm		Assay : Min. 98% C6H6O3 M.W. 126.11		1280B 00500	PB
25 gm	01281	PYROGALLOL AR	87-66-1	01281 00025	GB
100 gm		(pyrogallic acid) 01281 00100 GB 100 gm 29072990 18 1778		01281 00100	GB
500 gm		Assay : Min. 98.5% C6H6O3 M.W. 126.11		01281 00500	PB
500 ml	1281A	PYROGALLOL REAGENT solution, Liquid, d. 1.082		1281A 00500	GB
1 gm	01282	PYROGALLOL RED AR	32638-88-3	01282 00001	GB
		C19H12O8S M.W. 400.36			
5 gm	1282A	PYRONIN B (C.I. No.45010)	2150-48-3	1282A 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Dye Content : Min. 30% C42H54Cl8Fe2N4O2 M.W. 1042.22			
5 gm	01283	PYRONIN G (Y) (M.S.) (C.I.No.45005)	92-32-0	01283 00005	GB
25 gm		Dye Content : Min. 75% C17H19ClN2O M.W. 302.80		01283 00025	GB
10 gm	1282C	PYRROL-2-CARBOXYLIC ACID	634-97-9	1282C 00010	GB
25 gm		Assay : Min. 99% C5H5NO2 M.W 111.10		1282C 00025	GB
250 ml	2491A	PYRROLIDINE (for synthesis)	123-75-1	2491A 00250	GBT
1 Lt		Assay : Min. 99% C4H9N M.W. 71.12, Liquid, d. 0.86		2491A 01000	GBT
		PYRROLIDINE-1-DITHIOCARBOXYLIC ACID AMMONIUM SALT AR See Ammonium Tetramethylene Dithiocarbamate Cat No.136 Page 18			
500 ml	2491B	2-PYRROLIDONE (for synthesis) (2-pyrrolidione)	616-45-5	2491B 00500	GBT
2.5 Lt		Assay : Min. 98% C4H7NO M.W 85.10, Liquid, d. 1.12		2491B 02500	GBT
		PYRUVIC ACID SODIUM SALT See Sodium Pyruvate Cat No.1412A & 1413 Page 186			
Q					
500 gm	1283A	QUARTZ POWDER (practical)	14808-60-7	1283A 00500	PB
		SiO2 M.W 60.08			
500 gm	1283B	QUARTZ POWDER (purified)	14808-60-7	1283B 00500	PB
		SiO2 M.W 60.08			
5 gm	2491C	QUERCITIN	117-39-5	2491C 00005	GB
25 gm		(for synthesis)		2491C 00025	GB
100 gm		Assay : Min. 95% C15H10O7 M.W. 302.24		2491C 00100	PB
100 ml	2491D	QUINALDINE (for synthesis)	91-63-4	2491D 00100	GB
500 ml		Assay : Min. 98% C10H9N M.W. 143.19, Liquid, d. 1.061		2491D 00500	GB
1 gm	1283C	QUINALDINE RED indicator	117-92-0	1283C 00001	GB
5 gm		Dye Content : Min. 95% C21H23IN2 M.W. 430.32		1283C 00005	GB
1 gm	1283D	QUINALIZARIN AR (1,2,5,8-tetrahydroxyanthraquinone)	81-61-8	1283D 00001	GB
5 gm		Assay : Min. 95% C14H8O6 M.W. 272.21		1283D 00005	GB
100 ml	1283E	QUINALIZARIN indicator solution		1283E 00100	GB
100 gm	01284	QUINHYDRONE Extra Pure	106-34-3	01284 00100	GB
500 gm		Assay : Min. 97% C12H10O4 M.W 218.21		01284 00500	GB
100 gm	01285	QUINHYDRONE AR	106-34-3	01285 00100	GB
500 gm		C12H10O4 M.W 218.21		01285 00500	GB
5 gm	1284A	QUININE HYDROCHLORIDE Extra Pure (dihydrate)	6119-47-7	1284A 00005	GB
25 gm		(for lab use)		1284A 00025	GB
100 gm		Assay : Min. 97% C20H24N2O2·HCl·2H2O M.W 396.91		1284A 00100	GB
25 gm	1285A	QUININE SULPHATE Extra Pure (dihydrate)	6119-20-6	1285A 00025	GB
100 gm		Assay : Min. 99% (C20H24N2O2)2.H2SO4.2H2O M.W. 782.96		1285A 00100	PB
500 gm				1285A 00500	PB
25 gm	01286	QUININE SULPHATE AR (dihydrate)	6119-20-6	01286 00025	GB
100 gm		Assay : Min. 99.5% (C20H24N2O2)2.H2SO4.2H2O M.W. 782.96		01286 00100	PB
25 gm	1286A	QUINIZARIN (for synthesis) (C.I. No.58050)	81-64-1	1286A 00025	GB
100 gm		(1,4-dihydroxy anthraquinone) Assay : Min. 96% C14H8O4 M.W 240.21		1286A 00100	PB
		QUINOL See Hydroquinone Cat No.813 & 813A Page 106			
500 ml	01287	QUINOLINE	91-22-5	01287 00500	GBT
		Assay : Min. 98% C9H7N M.W.129.16, Liquid, d. 1.094			
25 gm	2491E	QUINOLINE YELLOW (for microscopy) (C.I. No.47000)	8004-92-0	2491E 00025	GB
		C19H9NNa2O8S2 M.W. 477.38			
R					
10 gm	1287A	D-RAFFINOSE (pentahydrate) AR (melitose)	17629-30-0	1287A 00010	GB
25 gm		Assay : Min. 99% C18H32O16.5H2O M.W. 594.51		1287A 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		RANEY NICKEL CATALYST ALLOY See Nickel Aluminium Alloy powder Cat No.1064 Page 138			
25 gm	02492	RANITIDINE HYDROCHLORIDE	66357-59-3	02492 00025	GB
100 gm		(for lab use)		02492 00100	PB
500 gm		Assay : Min. 98% $C_{13}H_{22}N_4O_3S \cdot HCl$ M.W 350.86		02492 00500	PB
		R.B.C. DILUTING FLUID See Gower's Solution Cat No.783 Page 100			
5 gm	2492A	RENNIN M.W : ~ 31000 g/mol	9001-98-3	2492A 00005	GB
		(from the fourth call stomach preserved with benzoic acid)			
1 gm	1287B	RESAZURIN AR (resazurin sodium salt)		1287B 00001	GB
5 gm		Dye Content : Min. 80% $C_{12}H_6NNaO_4$ M.W. 251.17		1287B 00005	GB
		RESAZURIN SODIUM SALT See Resazurin Cat No.1287B Page 169			
500 ml	1287C	RESAZURIN REAGENT solution		1287C 00500	GB
1 gm	1287D	RESERPINE	50-55-5	1287D 00001	GB
5 gm		Assay : Min. 99% $C_{33}H_{40}N_2O_9$ M.W. 608.68		1287D 00005	GB
100 gm	01288	RESORCINOL (flakes)	108-46-3	01288 00100	PB
250 gm		(for synthesis)		01288 00250	PB
500 gm		Assay : Min. 99% $C_6H_6O_2$ M.W. 110.11		01288 00500	PB
5 Kg				01288 05000	PC
100 gm	1288B	RESORCINOL AR (flakes)	108-46-3	1288B 00100	PB
500 gm		Assay : Min. 99% $C_6H_6O_2$ M.W. 110.11		1288B 00500	PB
5 gm	1288A	L (+) RHAMNOSE AR (monohydrate) (for biochemistry) (iso-dulcite)	10030-85-0	1288A 00005	GB
25 gm		Assay : Min. 99% $C_6H_{12}O_5 \cdot H_2O$ M.W 182.17		1288A 00025	GB
25 gm	01289	RHODAMINE B AR (M.S.)	81-88-9	01289 00025	GB
100 gm		(C.I. No.45170)		01289 00100	GB
500 gm		Dye Content : Min. 85% $C_{28}H_{31}ClN_2O_3$ M.W. 479.01		01289 00500	PB
25 gm	01290	RHODAMINE–6 G (C.I.No.45160)	989-38-8	01290 00025	GB
100 gm		Dye Content : Min. 99% $C_{28}H_{30}N_2O_3HCl$ M.W. 479.02		01290 00100	PB
25 gm	2492B	RHODANINE (rhodanic acid)	141-84-4	2492B 00025	GB
100 gm		Assay : Min. 97% $C_3H_3S_2NO$ M.W. 133.19		2492B 00100	PB
1 gm	1290A	RHODIUM TRICHLORIDE (Rh 40%) (trihydrate)(for synthesis)	13569-65-8	1290A 00001	GB
		Assay (ex Rh) : Min. 40% $RhCl_3.3H_2O$ M.W. 263.31			
		RHODIZONIC ACID SODIUM SALT See Sodium Rhodizonate Cat No.1414 & 1414A Page 186			
		RIBITOL See Adonitol Cat No.024A Page 5			
10 gm	1290B	RIBOFLAVIN	83-88-5	1290B 00010	GB
25 gm		(for biochemistry) (vitamin B2)		1290B 00025	GB
100 gm		Assay : Min. 99% $C_{17}H_{20}N_4O_6$ M.W. 376.36		1290B 00100	PB
10 gm	02494	RIBOFLAVIN 5'-MONOPHOSPHATE SODIUM SALT	130-40-5	02494 00010	GB
25 gm		(Riboflavin Sodium phosphate) Storage : 2-8°C		02494 00025	GB
100 gm		(Riboflavini natrii phosphas) $C_{17}H_{20}N_4NaO_9P$ M.W. 478.33		02494 00100	PB
5 gm	1290C	D (+) RIBOSE (for biochemistry)	50-69-1	1290C 00005	GB
25 gm		Assay : Min. 99% $C_5H_{10}O_5$ M.W. 150.13		1290C 00025	GB
100 mg	2494B	RIBONUCLEASE - A (Rnase-A)	9001-99-4	2494B 0100M	GB
500 mg		(from bovin pancreas) M.W. 13700		2494B 0500M	GB
25 gm	1290E	RIBONUCLEIC ACID (RNA)	63231-63-0	1290E 00025	GB
100 gm				1290E 00100	PB
10 gm	2494A	RIBONUCLEIC ACID SODIUM SALT	73049-77-1	2494A 00010	GB
25 gm		(for biochemistry)		2494A 00025	GB
500 ml	02495	RICE BRAN OIL Liquid, d. 0.919	68553-81-1	02495 00500	GB
500 ml	2495A	RICE STARCH (starch rice)	9005-25-8	2495A 00500	PB
		$(C_6H_{10}O_5)n$			
1 gm	2495B	RIFAMPICIN (for biochemistry)	13292-46-1	2495B 00001	GB
5 gm		Assay : Min. 97% $C_{43}H_{58}N_4O_{12}$ M.W. 822.94		2495B 00005	GB
125 ml	1290D	RINGER'S solution		1290D 00125	PB
500 ml		Liquid, d. 1.00		1290D 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		RNA See Ribonucleic Acid Cat No.1290E & 2494A Page 170			
125 ml	1290F	ROBERT'S REAGENT solution		1290F 00125	PB
500 ml				1290F 00500	PB
		ROCHELLE SALT See Potassium Sodium Tartrate Cat No.1263 & 1263A Page 163			
25 gm	01291	p-ROSANILINE (base) (M.S.) (C.I. No.42500)	467-62-9	01291 00025	GB
100 gm		(pararosaniline) Dye Content : Min. 95% C19H19N3O M.W. 305.37		01291 00100	PB
25 gm	01292	p-ROSANILINE HYDROCHLORIDE (M.S.)(C.I. No.42500)	569-61-9	01292 00025	GB
100 gm		(pararosaniline hydrochloride)		01292 00100	GB
		Dye Content : Min. 88% C19H18ClN3 M.W. 323.82			
		ROSANILINE HYDROCHLORIDE See Basic Fuchsin Cat No.224 Page 26			
25 gm	01293	ROSE BENGAL AR (C.I. No.45440)	632-69-9	01293 00025	GB
100 gm		Dye Content : Min. 95% C20H2.Cl4I4Na2O5 M.W. 1017.64		01293 00100	GB
500 ml	01294	ROSEMARY OIL Extra Pure Liquid, d. 0.908	8000-25-7	01294 00500	GB
250 gm	01295	ROSE OIL Extra Pure	8007-01-0	01295 00250	GB
500 ml		Liquid, d. 0.964		01295 00500	GB
		p-ROSOLIC ACID See Aurin Cat No.193 Page 23			
5 gm	01296	RUBEANIC ACID AR (dithioxamide)	79-40-3	01296 00005	GB
10 gm		Assay : Min. 98% C2H4N2S2 M.W. 120.20		01296 00010	GB
100 ml	1296A	RUBEANIC ACID solution (dithioxamide solution), Liquid, d. 0.79-0.86		1296A 00100	GB
5 gm	1296D	RUBIDIUM CHLORIDE AR	7791-11-9	1296D 00005	GB
25 gm		Assay : Min. 99.5% RbCl M.W. 120.92		1296D 00025	GB
1 gm	1296E	RUTHENIUM OXIDE (hydrate) (Ru content 44%, hygroscopic)	32470-79-7	1296E 00001	GB
		Assay : Min. 99.5% RuO2.xH2O M.W. 133.07 (anhydr. basis)			
1 gm	1296B	RUTHENIUM RED (Ru 34%)	11103-72-3	1296B 00001	GB
10 gm		Assay : Min. 99% Cl6H42N14O2Ru3 M.W. 786.35		1296B 00010	GB
125 ml	02496	RUTHENIUM RED SOLUTION		02496 00125	GB
1 gm	1296C	RUTHENIUM TRICHLORIDE (Ru content about 40%) (anhydr. basis)	14898-67-0	1296C 00001	GB
10 gm				1296C 00010	GB
		Assay : 38.0-42% (Ru basis) RuCl3·xH2O M.W 207.43			
1 gm	2496A	RUTHENIUM TRICHLORIDE (Ru content about 48%) (anhydr. basis)	14898-67-0	2496A 00001	GB
10 gm		Assay : 40-49% (Ru basis) RuCl3·xH2O M.W 207.43		2496A 00010	GB
25 gm	02497	RUTIN (trihydrate)	250249-75-3	02497 00025	GB
100 gm		Assay : Min. 90% C27H30O16.3H2O M.W. 664.56		02497 00100	PB
S					
500 gm	2497A	SACCHARIN INSOLUBLE	81-07-2	2497A 00500	PB
		Assay : Min. 99% C7H5NO3S M.W. 183.18			
100 gm	01297	SACCHARIN SODIUM Extra Pure	82385-42-0	01297 00100	PB
500 gm		Assay : Min. 98% C7H4NNaO3S·xH2O M.W. 205.17(anhy basis)		01297 00500	PB
25 gm	01298	SAFRANINE	477-73-6	01298 00025	GB
100 gm		(M.S.) (C.I. No.50240)		01298 00100	GB
500 gm		Dye Content : Min. 85% C20H19ClN4 M.W. 350.84		01298 00500	PB
125 ml	1298A	SAFRANINE alcoholic staining solution		1298A 00125	PB
250 ml				1298A 00250	PB
125 ml	01299	SAFRANINE STAIN (Gram's) staining solution		01299 00125	PB
500 ml				01299 00500	PB
5 gm	02498	SALBUTAMOL HEMISULPHATE SALT	51022-70-9	02498 00005	GB
25 gm		(for lab use) Assay : Min. 98% C13H21NO3·1/2H2SO4 M.W 288.35		02498 00025	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 gm	1299A	SALICIN (for microbiology)	138-52-3	1299A 00005	GB
25 gm		Assay : Min. 99% C13H18O7 M.W. 286.28		1299A 00025	GB
100 ml	01300	SALICYLALDEHYDE (for synthesis), Liquid, d. 1.146	90-02-8	01300 00100	GB
250 ml		(2-hydroxybenzaldehyde) Assay : Min. 99% C7H6O2 M.W. 122.12		01300 00250	GB
5 gm	1300A	SALICYLALDOXIME AR (salicylaldehyde oxime)	94-67-7	1300A 00005	GB
25 gm		Assay : Min. 98% C7H7NO2 M.W. 137.14		1300A 00025	GB
500 gm	1300B	SALICYLAMIDE Extra Pure	65-45-2	1300B 00500	PB
		Assay : Min. 99% C7H7NO2 M.W. 137.14			
500 gm	01301	SALICYLIC ACID Extra Pure	69-72-7	01301 00500	PB
5 Kg		Assay : Min. 99% C7H6O3 M.W. 138.12		01301 05000	PB
500 gm	1301A	SALICYLIC ACID AR	69-72-7	1301A 00500	PB
		Assay : Min. 99.5% C7H6O3 M.W. 138.12			
		SALOL See Phenyl Salicylate Cat No.1177B Page 152			
25 gm	1301C	SAMARIUM (III) CARBONATE hydrate	38245-37-3	1301C 00025	GB
		Assay : Min. 99% Sm2(CO3)3.xH2O M.W. 480.73 (anhydrous basis)			
10 gm	1301B	SAMARIUM OXIDE AR	12060-58-1	1301B 00010	GB
25 gm		Assay : Min. 99.9% Sm2O3 M.W. 348.72		1301B 00025	GB
5 ml	01302	SANDAL WOOD OIL Extra Pure	8006-87-9	01302 00005	GB
25 ml		Liquid, d. 0.974		01302 00025	GB
100 ml				01302 00100	GB
25 gm	1302A	SAPONIN	8047-15-2	1302A 00025	GB
100 gm		(purified)		1302A 00100	PB
500 gm				1302A 00500	PB
100 gm	1302B	SAPONIN (from Plant) (For Molecular Biology)	8047-15-2	1302B 00100	PB
500 gm				1302B 00500	PB
500 ml	01303	SASSAFRAS OIL Extra Pure Liquid, d. 1.09	8006-80-2	01303 00500	GB
1 gm	02499	SCANDIUM OXIDE AR (scandium (III) oxide)	12060-08-1	02499 00001	GB
5 gm		Assay : Min. 99.9% Sc2O3 M.W. 137.91		02499 00005	GB
		SCARLET RED See Sudan IV Cat No.1481 Page 192			
125 ml	01304	SCHIFF'S REAGENT solution, Liquid, d. 1.00		01304 00125	GB
500 ml		(feulgen solution)		01304 00500	GB
125 ml	1304A	SCHULTEZE'S REAGENT solution		1304A 00125	GB
500 ml		(chlor-zinc-iodine solution)		1304A 00500	GB
1 Kg	1304B	SEASAND (purified) (40-150 mesh)	7631-86-9	1304B 01000	PB
500 gm	1304C	SEBACIC ACID (for synthesis)	111-20-6	1304C 00500	PB
		Assay : Min. 98% C10H18O4 M.W. 202.25			
125 ml	1304E	SELENIUM AAS STANDARD SOLUTION		1304E 00125	GB
500 ml		1000mg/L in Nitric Acid, Liquid, d. 1.0060		1304E 00500	GB
125 ml	1304F	SELENIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		1304F 00125	GB
		Liquid, d. 1.010			
25 gm	1304D	SELENIUM (metal) PELLETS (electronic grade)	7782-49-2	1304D 00025	GB
100 gm		Assay : Min. 99.99% Se M.W. 78.96		1304D 00100	PB
25 gm	01305	SELENIUM (metal) POWDER	7782-49-2	01305 00025	GB
100 gm		Assay : Min. 99% Se M.W. 78.96		01305 00100	PB
500 gm				01305 00500	PB
25 gm	1305A	SELENIUM POWDER BLACK AR	7782-49-2	1305A 00025	GB
100 gm		Assay : Min. 99.5% Se M.W. 78.96		1305A 00100	PB
100 gm	01306	SELENIUM DIOXIDE (sublimed)	7446-08-4	01306 00100	PB
500 gm		Assay : Min. 99% SeO2 M.W. 110.96		01306 00500	PB
100 gm	01307	SELENIUM DISULPHIDE (selenium sulphide)	7488-56-4	01307 00100	PB
500 gm		Assay : Min. 94% SeS2 M.W. 143.09		01307 00500	PB
100 gm	1307A	SELENOUS ACID (selenious acid)	7783-00-8	1307A 00100	PB
		Assay : Min. 98% H2SeO3 M.W. 128.97			
125 ml	01308	SELIWANOFF'S REAGENT solution		01308 00125	GB
500 ml				01308 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
125 ml	01309	SEMENS DILUTING FLUID solution		01309 00125	PB
500 ml		Liquid, d. 1.03		01309 00500	PB
100 gm	1309A	SEMICARBAZIDE HYDROCHLORIDE (for synthesis)	563-41-7	1309A 00100	PB
500 gm		Assay : Min. 98% CH5N3O.HCl M.W. 111.53		1309A 00500	PB
100 gm	01310	SEMICARBAZIDE HYDROCHLORIDE AR	563-41-7	01310 00100	PB
500 gm		Assay : Min. 99.5% CH5N3O.HCl M.W. 111.53		01310 00500	PB
5 gm	1310A	L-SERINE	56-45-1	1310A 00005	GB
25 gm		(for biochemistry)		1310A 00025	GB
100 gm		Assay : Min. 99% C3H7NO3 M.W. 105.09		1310A 00100	GB
25 gm	1310B	DL-SERINE (purified)	302-84-1	1310B 00025	GB
100 gm		Assay : Min. 99% C3H7NO3 M.W. 105.09		1310B 00100	PB
5 gm	1310C	D-SERINE [(R)-2-amino-3-hydroxypropionic acid]	312-84-5	1310C 00005	GB
25 gm		Assay : Min. 98% C3H7NO3 M.W. 105.09		1310C 00025	GB
500 ml	1310D	SESAME OIL Extra Pure Liquid, d. 0.920	8008-74-0	1310D 00500	GB
50 gm	02500	SESAMOL (for synthesis) [3,4-(methylenedioxy)phenol]	533-31-3	02500 00050	GB
250 gm		Assay : Min. 98% C7H6O3 M.W 138.12		02500 00250	PB
250 ml	1310E	SHARK LIVER OIL		1310E 00250	GB
500 ml		Liquid, d. 0.910-0.930		1310E 00500	GB
500 ml	01311	SHELLAC Flakes Extra Pure	9000-59-3	01311 00500	PB
5 Kg				01311 05000	PC
125 ml	1311A	SHORR'S Staining Solution, Liquid, d. 0.935		1311A 00125	PB
500 gm	01312	SILICA GEL BLUE (6-20 mesh)	112926-00-8	01312 00500	PB
10 Kg		(course, self indicating)		01312 10000	FD
500 gm	01313	SILICA GEL WHITE (6-20 mesh)	112926-00-8	01313 00500	PB
10 Kg		(course, self indicating)		01313 10000	FD
500 gm	01314	SILICA GEL (60-120 mesh)	112926-00-8	01314 00500	PB
5 Kg		(for column chromatography)		01314 05000	PC
500 gm	01315	SILICA GEL (100-200 mesh)	112926-00-8	01315 00500	PB
5 Kg		(for column chromatography)		01315 05000	PC
500 gm	1316A	SILICA GEL (200-400 mesh) (Special for column chromatography)	112926-00-8	1316A 00500	PB
5 Kg		Particle size (200 - 400 mesh) : min.75%		1316A 05000	PC
500 gm	01316	SILICA GEL (230-240 mesh)	112926-00-8	01316 00500	PB
5 Kg		(for column chromatography)		01316 05000	PC
500 gm	01317	SILICA GEL G for TLC	112926-00-8	01317 00500	PB
5 Kg		(with binder)		01317 05000	PC
500 gm	01318	SILICA GEL GF 254 for TLC (with binder)	112926-00-8	01318 00500	PB
500 gm	01319	SILICA GEL 'H' for TLC (without binder)	112926-00-8	01319 00500	PB
500 gm	01320	SILICA GEL HF 254 for TLC (without binder)	112926-00-8	01320 00500	PB
250 gm	1320A	SILICA precipitated		1320A 00250	PB
500 gm	1320B	SILICIC ACID (dried precipitated)	1343-98-2	1320B 00500	PB
		Assay : Min. 99% SiO2.xH2O M.W. 60.08			
125 ml	02501	SILICON AAS STANDARD SOLUTION 1000mg/L in water		02501 00125	GB
500 ml		Liquid, d. 1.00		02501 00500	GB
125 ml	2501D	SILICON ICP STANDARD SOLUTION, Liquid, d. 1.00		2501D 00125	GB
500 gm	01321	SILICON (metal) POWDER Extra Pure	7440-21-3	01321 00500	PB
		Assay : Min. 98.5% Si M.W. 28.09			
500 gm	01322	SILICON DIOXIDE	14808-60-7	01322 00500	PB
		Assay : Min. 99% SiO2 M.W. 60.08			
50 gm	01323	SILICONE GREASE (high vaccum silicone grease)		01323 00050	PB
1 Kg				01323 01000	PB
100 ml	01324	SILICONE OIL	63148-62-9	01324 00100	GB
250 ml		(for oil baths upto 250°C)		01324 00250	GB
500 ml		[-Si(CH3)2O-]n Liquid, d. 0.967		01324 00500	GB
25 gm	01325	SILICOTUNGSTIC ACID AR	12027-43-9	01325 00025	GB
100 gm		Assay : Min. 99% (dodeca-tungstosilicic acid) [H4(Si W3O10)4].xH2O M.W. 2878.29		01325 00100	GB
125 ml	1325A	SILVER AAS STANDARD SOLUTION, Liquid, d. 1.01		1325A 00125	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml		1000mg/L in Nitric Acid		1325A 00500	GB
125 ml	1325B	SILVER ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		1325B 00125	GB
		Liquid, d. 1.013			
5 gm	01326	SILVER (metal) POWDER	7440-22-4	01326 00005	GBC
25 gm		Assay : Min. 99.9% Ag M.W. 107.87		01326 00025	GBC
100 gm				01326 00100	GBC
5 gm	1326A	SILVER (metal) WIRE	7440-22-4	1326A 00005	GBC
25 gm		Assay : Min. 99.9% Ag M.W. 107.8		1326A 00025	GBC
100 gm				1326A 00100	GB
10 gm	01327	SILVER ACETATE	563-63-3	01327 00010	GBC
25 gm		(for synthesis)		01327 00025	GBC
100 gm		Assay : Min. 98% CH3COOAg M.W. 166.91		01327 00100	PB
10 gm	01328	SILVER BROMIDE	7785-23-1	01328 00010	GBC
25 gm		(for synthesis)		01328 00025	GBC
100 gm		Assay : Min. 99% AgBr M.W. 187.77		01328 00100	GB
10 gm	01329	SILVER CARBONATE Extra Pure	534-16-7	01329 00010	GBC
25 gm		Assay : Min. 99% Ag2CO3 M.W. 275.75		01329 00025	GBC
100 gm				01329 00100	PB
10 gm	01330	SILVER CHLORIDE Extra Pure	7783-90-6	01330 00010	GBC
25 gm		Assay : Min. 99% AgCl M.W. 143.32		01330 00025	GBC
100 gm				01330 00100	GB
10 gm	1330A	SILVER CHROMATE Extra Pure	7784-01-2	1330A 00010	GBC
25 gm		Assay : Min. 98% Ag2CrO4 M.W 331.73		1330A 00025	GBC
100 gm				1330A 00100	GB
5 gm	1330B	SILVER CITRATE	206986-90-5	1330B 00005	GBC
10 gm		Assay : 55-65% (of Ag By KSCN)		1330B 00010	GBC
25 gm		AgO2CCH2C(OH)(CO2Ag)CH2CO2Ag·xH2O M.W. 512.70		1330B 00025	GBC
5 gm	1330C	SILVER CYANATE	206986-90-5	1330C 00005	GBC
10 gm		Assay : Min. 98% AgOCN M.W. 149.89		1330C 00010	GBC
25 gm				1330C 00025	GBC
5 gm	1330D	SILVER DICHROMATE	7784-02-3	1330D 00005	GBC
10 gm		Assay : Min. 98% Ag2Cr2O7 M.W. 431.76		1330D 00010	GBC
25 gm				1330D 00025	GBC
5 gm	01331	SILVER DIETHYL DITHIOCARBAMATE AR	1470-61-7	01331 00005	GB
25 gm		Assay : Min. 99% C5H10NS2Ag M.W. 256.14		01331 00025	GB
1 Pkt	1331B	SILVER ESTIMATION PAPER		1331B 001Pk	CB
		(one Pkt. contains 100 leaves)			
5 gm	1331D	SILVER FLUORIDE	7775-41-9	1331D 00005	GBC
10 gm		Assay : Min. 98% AgF M.W. 126.87		1331D 00010	GBC
25 gm				1331D 00025	GBC
10 gm	1331A	SILVER IODATE Extra Pure	7783-97-3	1331A 00010	GBC
25 gm		Assay : Min. 95% AgIO3 M.W. 282.77		1331A 00025	GBC
100 gm				1331A 00100	GBC
10 gm	01332	SILVER IODIDE Extra Pure	7783-96-2	01332 00010	GBC
25 gm		Assay : Min. 99% AgI M.W. 234.77		01332 00025	GBC
100 gm				01332 00100	GBC
5 gm	1332A	SILVER LACTATE	128-00-7	1332A 00005	GBC
10 gm		Assay : Min. 97% C3H5O3Ag M.W. 196.94		1332A 00010	GBC
25 gm				1332A 00025	GBC
10 gm	01333	SILVER NITRATE Extra Pure	7761-88-8	01333 00010	GBC
25 gm		(double crystalised)		01333 00025	GBC
100 gm		Assay : Min. 99% AgNO3 M.W. 169.87		01333 00100	GB
500 gm				01333 00500	PB
10 gm	01334	SILVER NITRATE AR	7761-88-8	01334 00010	GBC
25 gm		(reagent for arsenic)		01334 00025	GBC
100 gm		Assay : Min. 99.9% AgNO3 M.W. 169.87		01334 00100	GB
500 gm				01334 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
10 gm	1334A	SILVER NITRATE (For Molecular Biology)	7761-88-8	1334A 00010	GBC
25 gm		Assay : Min. 99% $AgNO_3$ M.W. 169.87		1334A 00025	GBC
100 gm				1334A 00100	GB
100 ml	01335	SILVER NITRATE N/10 solution		01335 00100	GB
500 ml		Liquid, d. 1.015		01335 00500	GB
100 ml	1335B	SILVER NITRATE 0.05N, Liquid, d. 1.01		1335B 00100	GB
500 ml		Standardized Volumetric Solution		1335B 00500	GB
100 ml	1335C	SILVER NITRATE 1N (1M), Liquid, d. 1.014		1335C 00100	GB
500 ml		Standardized Volumetric Solution		1335C 00500	GB
100 ml	1335D	SILVER NITRATE 0.01M (0.01N) Standardized Solution		1335D 00100	GB
500 ml		Liquid, d. 1.00		1335D 00500	GB
100 ml	1335E	SILVER NITRATE 0.5M (0.5N), Liquid, d. 1.00		1335E 00100	GB
500 ml		Standardized Solution		1335E 00500	GB
100 ml	01336	SILVER NITRATE N/50 solution, Liquid, d. 1.015		01336 00100	GB
500 ml		(silver nitrate 0.02N solution)		01336 00500	GB
4 Amp	1335A	SILVER NITRATE 0.1 mol/L (0.1N) SOLUTION For 500 ml solution		1335A AMP04	AMP
		(2x2 amps. Of set in a box)			
10 gm	1336A	SILVER NITRITE Extra Pure	7783-99-5	1336A 00010	GBC
25 gm		Assay : Min. 99% $AgNO_2$ M.W. 153.87		1336A 00025	GBC
100 gm				1336A 00100	GB
5 gm	1336B	SILVER OXALATE	533-51-7	1336B 00005	GBC
10 gm		Assay : Min. 98% $Ag_2C_2O_4$ M.W. 303.75		1336B 00010	GBC
25 gm				1336B 00025	GBC
10 gm	01337	SILVER OXIDE Extra Pure	20667-12-3	01337 00010	GBC
25 gm		Assay : Min. 97% Ag_2O M.W. 231.74		01337 00025	GBC
100 gm				01337 00100	PB
500 gm				01337 00500	PB
25 gm	1337A	SILVER PASTE	7440-22-4	1337A 00025	GB
		Silver Content : NMT 60% Ag M.W. 107.87			
10 gm	01338	SILVER PERCHLORATE Extra Pure (monohydrate)	14242-05-8	01338 00010	GBC
25 gm		(CAS No.14242-05-8) Assay : Min. 99.9% $AgClO_4 \cdot H_2O$ 225.33		01338 00025	GBC
5 gm	2501B	SILVER PERMANGANATE	7783-98-4	2501B 00005	GBC
10 gm		Assay : Min. 98% $AgMnO_4$ M.W. 226.80		2501B 00010	GBC
25 gm				2501B 00025	GBC
10 gm	1338A	SILVER PHOSPHATE (ortho) Extra Pure	7784-09-0	1338A 00010	GBC
25 gm		Assay : Min. 98% Ag_3PO_4 M.W 418.58		1338A 00025	GBC
5 gm	2501C	SILVER PICRATE	146-84-9	2501C 00005	GBC
10 gm		Assay : Min. 98% $C_6H_2AgN_3O_7$ M.W. 335.96		2501C 00010	GBC
25 gm				2501C 00025	GBC
10 gm	1338B	SILVER PROTEINATE (mild)	9015-51-4	1338B 00010	GBC
25 gm		(for histology) (albumose silver, protarol)		1338B 00025	GBC
100 gm		Assay (Ag content) : Min. 19-23%		1338B 00100	PBC
10 gm	01339	SILVER SULPHATE Extra Pure (purified)	10294-26-5	01339 00010	GBC
25 gm		Assay : Min. 98.5% Ag_2SO_4 M.W. 311.80		01339 00025	GBC
100 gm				01339 00100	GB
500 gm				01339 00500	PB
10 gm	1339A	SILVER SULPHATE AR	10294-26-5	1339A 00010	GBC
25 gm		Assay : Min. 99% Ag_2SO_4 M.W. 311.80		1339A 00025	GBC
100 gm				1339A 00100	PB
10 gm	01340	SILVER SULPHIDE Extra Pure	21548-73-2	01340 00010	GBC
25 gm		Assay : Min. 99.9% Ag_2S M.W 247.80		01340 00025	GBC
100 gm				01340 00100	PB
5 gm	1340A	SILVER THIOCYANATE	1701-93-5	1340A 00005	GBC
10 gm		Assay : Min. 98% AgSCN M.W. 165.95		1340A 00010	GBC
25 gm				1340A 00025	GBC
100 ml	1340B	SILVER THIOSULPHATE SOLUTION		1340B 00100	PB
		(plant culture tested) (store at 2-8oC)			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
10 gm	01341	SILVER VANADATE Extra Pure	13497-94-4	01341 00010	GB
25 gm		Assay : Min. 98% AgVO3 M.W 206.81		01341 00025	GB
100 gm				01341 00100	PB
25 gm	2502A	SILYMARIN	65666-07-1	2502A 00025	GB
100 gm				2502A 00100	PB
500 gm	02502	SKIM MILK POWDER (for microbiology)		02502 00500	PB
250 ml	2502B	SMITH'S REAGENT		2502B 00250	PB
500 gm	01342	SODA LIME (granulars)	8006-28-8	01342 00500	PB
5 Kg		(for absorbing carbon dioxide)		01342 05000	PC
500 gm	1342A	SODA LIME AR (with indicator)	8006-28-8	1342A 00500	PB
100 gm	1342B	SODAMIDE	7782-92-5	1342B 00100	PB
500 gm		Assay : Min. 98.5% NaNH2 M.W. 39.01		1342B 00500	PB
125 ml	02506	SODIUM AAS STANDARD SOLUTION, Liquid, d. 0.11		02506 00125	GB
500 ml		1000mg/L in Nitric Acid		02506 00500	GB
125 ml	2506A	SODIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2506A 00125	GB
		Liquid, d. 1.011			
125 ml	2506B	SODIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid		2506B 00125	GB
25 gm	01343	SODIUM (metal) LUMPS	7440-23-5	01343 00025	PB
100 gm		(coated with liquid paraffin)		01343 00100	PB
500 gm		Assay : Min. 98% Na M. W. 22.99		01343 00500	PB
100 gm	1343A	SODIUM (metal) LUMPS AR (coated with liquid paraffin)	7440-23-5	1343A 00100	PB
500 gm		Assay : Min. 98% Na M. W. 22.99		1343A 00500	PB
500 gm	01344	SODIUM ACETATE (anhydrous)	127-09-3	01344 00500	PB
5 Kg		Assay : Min. 98% CH3COONa M.W. 82.03		01344 05000	PC
500 gm	1344A	SODIUM ACETATE AR (anhydrous)	127-09-3	1344A 00500	PB
		Assay : Min. 99% CH3COONa M.W. 82.03			
100 gm	1344B	SODIUM ACETATE (anhydrous) (For Molecular Biology)	127-09-3	1344B 00100	PB
500 gm		Assay : Min. 99% C2H3O2Na M.W. 82.03		1344B 00500	PB
500 gm	01345	SODIUM ACETATE (trihydrate)	6131-90-4	01345 00500	PB
5 Kg		(purified crystals)		01345 05000	PC
50 kg		Assay : Min. 99% CH3COONa.3H2O M.W. 136.08		01345 50000	FD
500 gm	1345A	SODIUM ACETATE AR (For Molecular Biology) (trihydrate)	6131-90-4	1345A 00500	PB
		Assay : Min. 99.5% CH3COONa.3H2O M.W. 136.08			
		SODIUM ACID PHOSPHATE See Sodium Phosphate monobasic Cat No.1410 & 1410A Page 185			
500 gm	01346	SODIUM ALGINATE Extra Pure	9005-38-3	01346 00500	PB
5 Kg		(sodium polymannuronate) Assay : Min. 91-106% (C6H7O6Na)		01346 05000	PC
100 gm	1346A	SODIUM ALGINATE (For Molecular Biology)	9005-38-3	1346A 00100	PB
500 gm		(C6H7O6Na)		1346A 00500	PB
		SODIUM AMMONIUM PHOSPHATE See Ammonium Sodium Phosphate Cat No.130 Page 17			
100 gm	01348	SODIUM ARSENATE AR (heptahydrate)	10048-95-0	01348 00100	GB
250 gm		(di-sodium hydrogen arsenate)		01348 00250	PB
500 gm		Assay : Min. 98.5% Na2HAsO4·7H2O M.W 312.01		01348 00500	PB
100 gm	01349	SODIUM ARSENITE AR (anhydrous)	7784-46-5	01349 00100	GB
250 gm		Assay : Min. 99% NaAsO2 M.W. 129.91		01349 00250	PB
500 gm				01349 00500	PB
500 ml	1348A	SODIUM ARSENITE 0.1N (N/10) AR Volumetric Solution, Liquid, d. 1.00		1348A 00500	PB
500 ml	1348B	SODIUM ARSENITE 0.05M (0.1N), Liquid, d. 1.005		1348B 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1348C	SODIUM ARSENITE 0.005M (0.01N) Standardized Solution, traceable to NIST		1348C 00500	PB
500 ml	1348D	SODIUM ARSENITE 0.15M (0.3N) Standardized Solution, traceable to NIST		1348D 00500	PB
100 gm	1349A	SODIUM L (+) ASCORBATE (ascorbic acid sodium salt)		1349A 00100	GB
500 gm		Assay : Min. 99% C6H7NaO6 M.W. 198.11		1349A 00500	PB
100 gm	01350	SODIUM AZIDE		01350 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 99% NaN3 M.W. 65.01		01350 00500	PB
100 gm	1350A	SODIUM AZIDE AR		1350A 00100	GB
500 gm		Assay : Min. 99.5% NaN3 M.W. 65.01		1350A 00500	PB
100 gm	1350B	SODIUM AZIDE (For Molecular Biology)		1350B 00100	GB
500 gm		Assay : Min. 99.5% NaN3 M.W. 65.01		1350B 00500	PB
500 gm	1351A	SODIUM BENZOATE Extra Pure		1351A 00500	PB
5 Kg		Assay : Min. 99% C6H5COONa M.W. 144.10		1351A 05000	PC
25 Kg				1351A 25000	FD
500 gm	01351	SODIUM BENZOATE AR	532-32-1	01351 00500	PB
		Assay : Min. 99.5% C6H5COONa M.W. 144.10			
500 gm	01352	SODIUM BICARBONATE	144-55-8	01352 00500	PB
5 Kg		(sodium hydrogen carbonate)		01352 05000	PC
50 Kg		Assay : Min. 99.5-101% NaHCO3 M.W. 84.01		01352 50000	FD
500 gm	1352A	SODIUM BICARBONATE AR	144-55-8	1352A 00500	PB
5 Kg		(sodium hydrogen carbonate) Assay : Min. 99.5% NaHCO3 M.W. 84.01		1352A 05000	PC
100 gm	1352C	SODIUM BICARBONATE (For Molecular Biology)	144-55-8	1352C 00100	PB
500 gm		Assay : Min. 99.7% NaHCO3 M.W. 84.01		1352C 00500	PB
		SODIUM BICHROMATE See Sodium Dichromate Cat No.1371 & 1371A Page 179			
500 gm	01353	SODIUM BIFLUORIDE (sodium hydrogen fluoride)	1333-83-1	01353 00500	PB
		Assay : Min. 98% NaHF2 M.W 61.99			
100 gm	01354	SODIUM BISELENITE (sodium hydrogen selenite)	7782-82-3	01354 00100	GB
		Assay : Min. 98% NaHSeO3 M.W. 150.96			
100 gm	01355	SODIUM BISMUTHATE	12232-99-4	01355 00100	GB
500 gm		Assay : Min. 85% NaBiO3 M.W. 279.97		01355 00500	PB
100 gm	1355A	SODIUM BISMUTHATE AR	12232-99-4	1355A 00100	GB
500 gm		Assay : Min. 85% NaBiO3 M.W. 279.97		1355A 00500	PB
500 gm	01356	SODIUM BISULPHATE (monohydrate) (sodium hydrogen sulphate)	10034-88-5	01356 00500	PB
5 Kg		Assay : Min. 98% NaHSO4.H2O M.W. 138.07		01356 05000	PB
500 gm	1356A	SODIUM BISULPHATE AR (monohydrate)	10034-88-5	1356A 00500	PB
		(sodium hydrogen sulphate) Assay : Min. 99% NaHSO4.H2O M.W. 138.07			
500 gm	01357	SODIUM BISULPHITE (sodium acid sulphite)	7631-90-5	01357 00500	PB
5 Kg		Assay (as SO2) : Min. 58% NaHSO3 M.W. 104.06		01357 05000	PC
500 gm	1357A	SODIUM BISULPHITE AR (sodium acid sulphite)	7631-90-5	1357A 00500	PB
		Assay (as SO2) : Min. 58.5% NaHSO3 M.W. 104.06			
500 gm	01358	SODIUM BITARTRATE Extra Pure	526-94-3	01358 00500	PB
		Assay : Min. 98% C4H5NaO6·H2O M.W. 190.08			
		di-SODIUM BORATE (tetra)See Borax Cat No.297 & 297A Page 34			
100 gm	01359	SODIUM BOROHYDRIDE	16940-66-2	01359 00100	PB
500 gm		Assay : Min. 98% NaBH4 M.W. 37.83		01359 00500	PB
500 gm	01360	SODIUM BROMATE Extra Pure	7789-38-0	01360 00500	PB
		Assay : Min. 99% NaBrO3 M.W. 150.89			
500 gm	01361	SODIUM BROMIDE Extra Pure	7647-15-6	01361 00500	PB
5 Kg		Assay : Min. 99% NaBr M.W. 102.90		01361 05000	PC
25 Kg				01361 25000	FD
500 gm	01362	SODIUM BROMIDE AR	7647-15-6	01362 00500	PB
		Assay : Min. 99.5% NaBr M.W. 102.90			
		SODIUM 1-BUTANESULPHONATE AR & HPLC See 1-Butane Sulphonic Acid Sodium Salt (anhydrous & monohydrate) Cat No.332A & 332B Page 40			
100 gm	1362A	SODIUM tert-BUTOXIDE (sodium tert-butylate)	865-48-5	1362A 00100	GB
500 gm		Assay : Min. 98% C4H9NaO M.W. 96.11		1362A 00500	PB
25 gm	1362B	SODIUM CACODYLATE (For Molecular Biology)	6131-99-3	1362B 00025	GB
100 gm		Assay : Min. 98% (CH3)2AsO2Na.3H2O M.W. 214.03		1362B 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	01363	SODIUM CARBONATE (anhydrous) (powder) (practical)	497-19-8	01363 00500	PB
5 Kg		(powder) (practical)		01363 05000	PC
50 Kg		Assay : Min. 98% Na2CO3 M.W 105.99		01363 50000	FD
500 gm	01364	SODIUM CARBONATE (anhydrous) Extra Pure	497-19-8	01364 00500	PB
5 Kg		(purified granulars)		01364 05000	PC
50 Kg		Assay : Min. 99.5% Na2CO3 M.W 105.99		01364 50000	FD
500 gm	01365	SODIUM CARBONATE (anhydrous) AR (granulars)	497-19-8	01365 00500	PB
5 Kg		Assay : Min. 99.9% Na2CO3 M.W 105.99		01365 05000	PC
500 gm	1365A	SODIUM CARBONATE (monohydrate) AR	5968-11-6	1365A 00500	PB
5 Kg		Assay : Min. 99.9% Na2CO3.H2O M.W. 124.00		1365A 05000	PC
500 gm	1364A	SODIUM CARBONATE (decahydrate) **NEW**	6132-02-1	1364A 00500	PB
		Assay : Min. 99% Na2CO3·10H2O M.W. 286.14			
500 ml	1365C	SODIUM CARBONATE 0.05 Mol/L (0.1N) Volumetric Solution, Liquid, d. 1.1		1365C 00500	PB
500 ml	1365D	SODIUM CARBONATE 0.05M (0.1N), Liquid, d. 1.1		1365D 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1365E	SODIUM CARBONATE 0.5M (1N), Liquid, d. 1.03		1365E 00500	PB
		Standardized Solution, traceable to NIST			
4 Amp	1365B	SODIUM CARBONATE 0.05 mol/L (0.1N) SOLUTION For 500 ml		1365B AMP04	AMP
		(2x2 amps. Of set in a box)			
500 gm	01366	SODIUM CHLORIDE Extra Pure	7647-14-5	01366 00500	PB
5 Kg		Assay : Min. 99.5% NaCl M.W. 58.44		01366 05000	PC
50 Kg				01366 50000	FD
500 gm	01367	SODIUM CHLORIDE AR	7647-14-5	01367 00500	PB
5 Kg		Assay : Min. 99.9% NaCl M.W. 58.44		01367 05000	PC
25 Kg				01367 25000	FD
500 gm	1366A	SODIUM CHLORIDE (For Molecular Biology)	7647-14-5	1366A 00500	PB
1 Kg		Assay : Min. 99.5% NaCl M.W. 58.44		1366A 01000	PB
1 Lt	1366B	SODIUM CHLORIDE 0.85% (Physiological Saline), Liquid, d. 1.08		1366B 01000	PB
500 ml	1367B	SODIUM CHLORIDE 0.05M (0.05N) Standardized Solution, traceable to NIST		1367B 00500	PB
500 ml	1367C	SODIUM CHLORIDE 0.1M (0.1N), Liquid, d. 1.08		1367C 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1367D	SODIUM CHLORIDE 1M (1N) Standardized Solution, traceable to NIST		1367D 00500	PB
250 gm	02512	SODIUM CHLORITE	7758-19-2	02512 00250	PB
1 Kg		Assay : Min. 80% NaClO2 M.W. 90.44		02512 01000	PB
25 gm	1367A	SODIUM CHOLATE (for biochemistry)	361-09-1	1367A 00025	GB
100 gm		Assay : Min. 98-101% C24H39NaO5 M.W. 430.56		1367A 00100	GB
500 gm	01368	SODIUM CHROMATE (tetrahydrate)	10034-82-9	01368 00500	PB
		Assay : Min. 99% Na2CrO4.4H2O M.W. 234.07			
500 gm	1368A	SODIUM CHROMATE AR (tetrahydrate)	10034-82-9	1368A 00500	PB
		Assay : Min. 99% Na2CrO4.4H2O M.W. 234.07			
500 gm	01369	tri-SODIUM CITRATE Extra Pure (dihydrate)	6132-04-3	01369 00500	PB
5 Kg		(tri-sodium citrate-2-hydrate)		01369 05000	PC
25 Kg		Assay : Min. 98% C6H5Na3O7.2H2O M.W. 294.10		01369 25000	FD
500 gm	1369A	tri-SODIUM CITRATE AR (dihydrate)	6132-04-3	1369A 00500	PB
5 Kg		(tri-sodium citrate-2-hydrate)		1369A 05000	PC
25 Kg		Assay : Min. 99% C6H5Na3O7.2H2O M.W. 294.10		1369A 25000	FD
500 gm	2512A	tri-SODIUM CITRATE (For Molecular Biology) (dihydrate)	6132-04-3	2512A 00500	PB
		Assay : Min. 99% C6H5Na3O7·2H2O M.W. 294.10			
500 ml	1369B	SODIUM CITRATE 3.8% solution		1369B 00500	PB
100 gm	01370	SODIUM COBALTINITRITE	13600-98-1	01370 00100	GB
500 gm		Na3Co(NO2)6 M.W. 403.94		01370 00500	PB
100 gm	1370A	SODIUM COBALTINITRITE AR	13600-98-1	1370A 00100	GB
500 gm		Assay : Min. 95% Na3Co(NO2)6 M.W. 403.94		1370A 00500	PB
500 ml	02513	SODIUM COBALTINITRITE solution		02513 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	2513A	SODIUM CYANATE pure	917-61-3	2513A 00500	GB
		Assay : Min. 97% NaOCN M.W. 65.01			
25 gm	2513B	SODIUM CYANOBOROHYDRIDE (for synthesis)	25895-60-7	2513B 00025	ST
100 gm		(CAS No.25895-60-7) (sodium cyanotryhydridoborate)		2513B 00100	ST
		Assay : Min. 96% NaBH3CN M.W.62.84			
		SODIUM 1-DECANESULPHONATE AR & HPLC See 1-Decanesulphonic Acid Sodium (anhydrous & monohydrate) Salt Cat No.2161 & 2166 Page 69			
25 gm	1370B	SODIUM DEOXYCHOLATE (culture media additive)	302-95-4	1370B 00025	GB
100 gm		Assay : Min. 98% C24H39O4Na M.W. 414.55		1370B 00100	GB
100 gm	1370C	SODIUM DICHLOROISOCYANURATE	2893-78-9	1370C 00100	PB
500 gm		Assay : Min. 96% C3Cl2N3NaO3 M.W. 219.95		1370C 00500	PB
		(dichloroisocyanuric acid sodium salt)			
500 gm	01371	SODIUM DICHROMATE (dihydrate)	7789-12-0	01371 00500	PB
5 Kg		(sodium bichromate) Assay : Min. 98% Na2Cr2O7.2H2O M.W. 298.00		01371 05000	PC
500 gm	1371A	SODIUM DICHROMATE AR (dihydrate)	7789-12-0	1371A 00500	PB
5 Kg		(sodium bichromate) Assay : Min. 98.5% Na2Cr2O7.2H2O M.W. 298.00		1371A 05000	PC
100 gm	01372	SODIUM DIETHYL DITHIOCARBAMATE (trihydrate)	20624-25-3	01372 00100	PB
500 gm		Assay : Min. 97% C5H10NNaS2.3H2O M.W. 225.30		01372 00500	PB
100 gm	1372A	SODIUM DIETHYL DITHIOCARBAMATE AR (trihydrate)	20624-25-3	1372A 00100	PB
500 gm		Assay : Min. 99% C5H10NNaS2.3H2O M.W. 225.30		1372A 00500	PB
		SODIUM DIHYDROGEN ORTHOPHOSPHATE See Sodium Phosphate monobasic Cat No.1410 & 1410A Page 185			
25 gm	01373	SODIUM DIPHENYLAMINE SULPHONATE AR	6152-67-6	01373 00025	GB
100 gm		(diphenylamine-4-sulphonic acid sodium salt)		01373 00100	GB
		C12H10NNaO3S M.W 271.26			
		SODIUM DISULPHATE See Sodium Pyrosulphate Cat No.2528 Page 186			
		SODIUM DISULPHITE See Sodium Metabisulphite Cat No.1393 & 1393A Page 183			
500 gm	01374	SODIUM DITHIONITE (sodium hydrosulphite)	7775-14-6	01374 00500	PB
		(sodium hypodisulphite) (hydro) Assay : Min. 87% Na2S2O4 M.W. 174.11			
500 gm	1374A	SODIUM DITHIONITE (For Molecular Biology)	7775-14-6	1374A 00500	PB
		Assay : Min. 85% Na2S2O4 M.W. 174.11			
		SODIUM 1-DODECANESULHONATE AR & HPLC See 1-Dodecanesulphonic Acid Sodium Salt (anhydrous & monohydrate) Cat No.654B Page 82			
		SODIUM DODECYL SULPHATE See Sodium Lauryl Sulphate Cat No.1392 & 1392B Page 182			
		SODIUM ETHANE SULPHONATE See Ethane Sulphonic Acid Sodium Salt Cat No.2259 Page 86			
500 gm	1374B	SODIUM FERROCYANIDE (dodecahydrate)	14434-22-1	1374B 00500	PB
5 Kg		Assay : Min. 99% Na4Fe(CN)6·10H2O M.W. 484.06		1374B 05000	PC
500 gm	01375	SODIUM FLUORIDE (practical)	7681-49-4	01375 00500	PB
		Assay : Min. 98% NaF M.W. 41.99			
500 gm	01376	SODIUM FLUORIDE Extra Pure (purified)	7681-49-4	01376 00500	PB
		Assay : Min. 98.5% NaF M.W. 41.99			
500 gm	1376A	SODIUM FLUORIDE AR	7681-49-4	1376A 00500	PB
		Assay : Min. 99% NaF M.W. 41.99			
500 gm	1376B	SODIUM FLUOROBORATE	13755-29-8	1376B 00500	PB
		Assay : Min. 97% NaBF4 M.W. 109.79			
500 gm	1376C	SODIUM FORMALDEHYDE SULFOXYLATE	6035-47-8	1376C 00500	PB
		(dihydrate) Assay (as Na) : Min. 16.0-20.0% CH3NaO3S.2H2O M.W. 154.12			
500 gm	01377	SODIUM FORMATE (practical)	141-53-7	01377 00500	PB
		Assay : Min. 98% HCOONa M.W. 68.01			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	1377A	SODIUM FORMATE Extra Pure (purified)	141-53-7	1377A 00500	PB
		Assay : Min. 99% HCOONa M.W. 68.01			
500 gm	1377B	SODIUM FORMATE AR	141-53-7	1377B 00500	PB
		Assay : Min. 99.5% HCOONa M.W. 68.01			
500 gm	1377C	SODIUM FUMARATE	17013-01-3	1377C 00500	PB
		Assay : Min. 99% C4H2Na2O4 M.W.160.04			
500 gm	01378	SODIUM GLUCONATE (for synthesis)	527-07-1	01378 00500	PB
		Assay : Min. 98% C6H11NaO7 M.W. 218.14			
100 gm	01379	SODIUM-L-GLUTAMATE (monohydrate)	6106-04-3	01379 00100	PB
500 gm		(L-glutamic acid mono sodium salt)		01379 00500	PB
		Assay : Min. 98% C5H8NNaO4.H2O M.W. 187.14			
25 gm	1379A	SODIUM-B-GLYCEROPHOSPHATE AR	13408-09-8	1379A 00025	GB
100 gm		Assay : Min. 98.5% C3H7Na2O2P. 5H2O M.W. 306.11		1379A 00100	PB
		SODIUM 1-HEPTANE SULPHONATE AR & HPLC See 1-Heptanesulphonic Acid Sodium AR & HPLC Salt Cat No.796B & 796C Page 102			
		SODIUM 1-HEXADECANE SULPHONATE AR & HPLC See 1-Hexadecane Sulphonic Acid Sodium Salt AR & HPLC Cat No.2326 Page 102			
		SODIUM HEXAFLUOROALUMINATE See Cryolite Cat No.573 Page 66			
500 gm	01380	SODIUM HEXAMETAPHOSPHATE (practical)	10124-56-8	01380 00500	PB
5 Kg		(sodium polyphosphate) (graham's salt)		01380 05000	PC
		Assay : Min. 66.5-68.5% (NaPO3)6 M.W. 611.77			
500 gm	02516	SODIUM HEXAMETAPHOSPHATE Extra Pure	10124-56-8	02516 00500	PB
5 Kg		(sodium polyphosphate) (graham's salt)		02516 05000	PC
		Assay : Min. 66.5-68.5% (NaPO3)6 M.W. 611.77			
		SODIUM 1-HEXANESULPHONATE See 1-Hexanesulphonic Acid Sodium Salt Cat No.798E & 798F Page 103			
		SODIUM HIPPURATE See Hippuric Acid Sodium Salt Cat No.2331A Page 103			
100 gm	02517	SODIUM HYDRIDE SUSPENSION	7646-69-7	02517 00100	ST
500 gm		(moistened with 60% in paraffin oil) NaH M.W. 24.00		02517 00500	ST
		SODIUM HYDROGEN CARBONATE See Sodium Bicarbonate Cat No.1352, 1352A & 1352C Page 177			
500 gm	01381	di-SODIUM HYDROGEN CITRATE Extra Pure	144-33-2	01381 00500	PB
		Assay : Min. 99-101% Na2H6C6O7 M.W. 263.11			
		SODIUM HYDROGEN FLUORIDE See Sodium Bifluoride Cat No.1353 Page 177			
		di-SODIUM HYDROGEN ORTHOPHOSPHATE See Sodium Phosphate dibasic Cat No.1408A, 1408B, 1408C, 1408D,1409,1409A, 1409B & 1409C ,1410B & 1410C Page 185			
		SODIUM HYDROGEN SELENITE See Sodium Biselenite Cat No.1354 Page 177			
		SODIUM HYDROGEN SULPHATE See Sodium Bisulphate Cat No.1356 & 1356A Page 177			
		SODIUM HYDROSULPHITE See Sodium Dithionite Cat No.1374 & 1374A Page 179			
500 gm	01382	SODIUM HYDROXIDE flakes	1310-73-2	01382 00500	PB
5 Kg		(caustic soda flakes)		01382 05000	PC
50 Kg		Assay : Min. 98-100.5% NaOH M.W. 40.00		01382 50000	FD
500 gm	01383	SODIUM HYDROXIDE pellets Extra Pure	1310-73-2	01383 00500	PB
5 Kg		(purified)		01383 05000	PC
50 Kg		Assay : Min. 98% NaOH M.W. 40.00		01383 50000	FD
500 gm	01384	SODIUM HYDROXIDE pellets AR	1310-73-2	01384 00500	PB
5 Kg		Assay : Min. 98-100.5% NaOH M.W. 40.00		01384 05000	PC
100 gm	1383A	SODIUM HYDROXIDE pellets (For Molecular Biology)	1310-73-2	1383A 00100	PB
500 gm		Assay : Min. 98% NaOH M.W. 40.00		1383A 00500	PB
500 ml	01385	SODIUM HYDROXIDE N/10 (0.10N) SOLUTION, Liquid, d. 1.0		01385 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		(for volumetric analysis)			
500 ml	1385C	SODIUM HYDROXIDE 50% SOLUTION AR (In water for analysis)		1385C 00500	PB
		Liquid, d. 1.53			
500 ml	1385D	SODIUM HYDROXIDE 0.33 Mol/L (0.33N), Liquid, d. 1.01		1385D 00500	PB
500 ml	1385E	SODIUM HYDROXIDE 0.02M (0.02N), Liquid, d. 1.0		1385E 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1385F	SODIUM HYDROXIDE 0.25M (0.25N), Liquid, d. 1.01		1385F 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1385G	SODIUM HYDROXIDE 0.2M (0.2N), Liquid, d. 1.01		1385G 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1385H	SODIUM HYDROXIDE 0.5M (0.5N), Liquid, d. 1.02		1385H 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1385I	SODIUM HYDROXIDE 1M (1N), Liquid, d. 1.04		1385I 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1385J	SODIUM HYDROXIDE 2M (2N), Liquid, d. 1.09		1385J 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1385K	SODIUM HYDROXIDE 4M (4N), Liquid, d. 1.15		1385K 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1385L	SODIUM HYDROXIDE 0.01Mol/L (0.01N), Liquid, d. 1.01		1385L 00500	PB
		Standardized Solution, traceable to NIST			
4 Amp	1385A	SODIUM HYDROXIDE 0.1mol/L (0.1N) SOLUTION, Liquid, d. 1.09		1385A AMP04	AMP
		For 500 ml solution (2x2 amps. Of set in a box)			
4 Amp	1385B	SODIUM HYDROXIDE 1mol/L (1N) SOLUTION, Liquid, d. 1.030		1385B AMP04	AMP
		For 500 ml solution (2x2 amps. Of set in a box)			
500 ml	01386	SODIUM HYPOBROMATE solution (hypobromate solution)		01386 00500	GB
		SODIUM HYPOBROMIDE solution See Hypobromide solution Cat No.821A Page 108			
		SODIUM HYPOBROMITE solution See Hypobromite solution Cat No.2336 Page 108			
500 ml	01387	SODIUM HYPOCHLORITE solution		01387 00500	PB
5 Lt		(5 to 6% concentrated solution) (available chlorine 4 to 5% w/v approx.)		01387 05000	PC
25 Lt		Liquid, d. 1.12		01387 25000	FD
		SODIUM HYPOIODIDE solution See Hypoiodide solution Cat No.821B Page 108			
500 gm	01388	SODIUM HYPOPHOSPHITE (hydrated)	10039-56-2	01388 00500	PB
5 Kg		(sodium phosphinate) Assay : Min. 99% $NaH_2PO_2.H_2O$ M.W. 105.99		01388 05000	PC
500 gm	1388A	SODIUM HYPOPHOSPHITE AR (hydrated)	10039-56-2	1388A 00500	PB
5 Kg		(sodium phosphinate) Assay : Min. 99% $NaH_2PO_2.H_2O$ M.W. 105.99		1388A 05000	PC
100 gm	01389	SODIUM IODATE Extra Pure	7681-55-2	01389 00100	GB
500 gm		Assay : Min. 99-101% $NaIO_3$ M.W. 197.89		01389 00500	PB
100 gm	1389A	SODIUM IODATE AR	7681-55-2	1389A 00100	GB
500 gm		Assay : Min. 99.5% $NaIO_3$ M.W. 197.89		1389A 00500	PB
25 gm	01390	SODIUM IODIDE Extra Pure	7681-82-5	01390 00025	GB
100 gm		Assay : Min. 99% NaI M.W. 149.89		01390 00100	GB
250 gm				01390 00250	PB
500 gm				01390 00500	PB
25 gm	1390A	SODIUM IODIDE AR	7681-82-5	1390A 00025	GB
100 gm		Assay : Min. 99.5% NaI M.W. 149.89		1390A 00100	GB
250 gm				1390A 00250	PB
500 gm	01391	SODIUM LACTATE 60% (d. 1.33)	72-17-3	01391 00500	GB
		$C_3H_5NaO_3$ M.W. 112.06			
500 ml	1391A	SODIUM LAURYL ETHER SULPHATE (SLES)	9004-82-4	1391A 00500	PB
5 Lt				1391A 05000	PC
500 gm	01392	SODIUM LAURYL SULPHATE (powder)	151-21-3	01392 00500	PB
2.5 Kg		(SDS) (SLS) (sodium dodecyl sulphate)		01392 02500	PC

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		Assay : Min. 98% C12H25O4SNa M.W. 288.38		01392 05000	PC
25 gm	1391B	SODIUM LAURYL SULPHATE (For Molecular Biology)	151-21-3	1391B 00025	PB
100 gm		(SDS, Lauryl Sulphate Sodium Salt, Dodecylsulphate Sodium Salt)		1391B 00100	PB
500 gm		Assay : Min. 99% C12H25O4SNa M.W. 288.38		1391B 00500	PB
25 gm	1392A	SODIUM MALONATE	141-95-7	1392A 00025	GB
100 gm		(for microbiology)		1392A 00100	GB
500 gm		Assay : Min. 99% C3H2Na2O4 M.W. 148.03		1392A 00500	PB
25 gm	02521	SODIUM MALONATE AR	141-95-7	02521 00025	GB
100 gm		Assay : Min. 99% C3H2Na2O4 M.W. 148.03		02521 00100	PB
500 gm	01393	SODIUM METABISULPHITE	7681-57-4	01393 00500	PB
5 Kg		(sodium disulphite) Assay : Min. 97% Na2S2O5 M.W. 190.10		01393 05000	PC
500 gm	1393A	SODIUM METABISULPHITE AR	7681-57-4	1393A 00500	PB
		(sodium disulphite) Assay : Min. 98% Na2S2O5 M.W. 190.10			
500 gm	02526	SODIUM METABORATE (tetrahydrate)	10555-76-7	02526 00500	PB
		Assay : Min. 98% NaBO2.4H2O M.W. 137.86			
100 gm	01394	SODIUM METAPERIODATE (sodium periodate meta)	7790-28-5	01394 00100	GB
500 gm		Assay : Min. 99% INaO4 M.W. 213.89		01394 00500	GB
100 gm	1394A	SODIUM METAPERIODATE AR	7790-28-5	1394A 00100	GB
500 gm		(sodium periodate meta) Assay : Min. 99.8% INaO4 M.W. 213.89		1394A 00500	PB
500 gm	01395	SODIUM METASILICATE powder (practical)	13517-24-3	01395 00500	PB
5 Kg		(nonahydrate) (sodium silicate meta)		01395 05000	PC
50 Kg		Assay : Min. 98% Na2O3Si.9H2O M.W. 284.20		01395 50000	FD
500 gm	1395A	SODIUM METASILICATE powder Extra Pure	13517-24-3	1395A 00500	PB
5 Kg		(nonahydrate) (sodium silicate meta)		1395A 05000	PC
		Assay : Min. 98% Na2O3Si.9H2O M.W. 284.20			
100 gm	01396	SODIUM METAVANADATE	13718-26-8	01396 00100	GB
500 gm		(sodium monovanadate) [sodium vanadate(meta)]		01396 00500	PB
		Assay : Min. 98% NaVo3 M.W. 121.93			
		SODIUM METHANE SULPHONATE AR & HPLC See Methane Sulphonic Acid Sodium Salt Cat No.2437 Page 128			
500 gm	01397	SODIUM METHOXIDE (sodium methylate)	124-41-4	01397 00500	PB
		Assay : Min. 98% CH3NaO M.W. 54.02			
500 ml	1397A	SODIUM METHOXIDE 30% Solution (In Methanol), Liquid, d. 0.97		1397A 00500	GB
100 gm	01398	SODIUM MOLYBDATE Extra Pure (dihydrate)	10102-40-6	01398 00100	GB
250 gm				01398 00250	PB
500 gm		Assay : Min. 98% Na2MoO4.2H2O M.W. 241.95		01398 00500	PB
100 gm	01399	SODIUM MOLYBDATE AR (dihydrate)	10102-40-6	01399 00100	GB
500 gm		Assay : Min. 99% Na2MoO4.2H2O M.W. 241.95		01399 00500	PB
500 gm	2526A	SODIUM MONOCHLOROACETATE	3926-62-3	2526A 00500	PB
		(for synthesis) Assay : Min. 97.5% C2H2ClNaO2 M.W.116.48			
25 gm	1399A	SODIUM NAPHTHALENE-2-SULPHONATE	532-02-5	1399A 00025	GB
100 gm		Assay : Min. 99% C10H7NaO3S M.W 230.22		1399A 00100	PB
1 Kg	1399B	SODIUM NAPHTHIONATE	130-13-2	1399B 01000	PB
		Assay : Min. 75% C10H8NNaO3S M.W. 245.23			
5 gm	1399C	SODIUM 1-NAPHTHYL PHOSPHATE AR	81012-89-7	1399C 00005	GB
		Assay : Min. 99% C10H8NaO4P.H2O M.W. 264 (Store at 2-8°C)			
500 gm	01400	SODIUM NITRATE	7631-99-4	01400 00500	PB
5 Kg		(practical)		01400 05000	PC
50 kg		Assay : Min. 98% NaNO3 M.W. 84.99		01400 50000	FD
500 gm	01401	SODIUM NITRATE Extra Pure	7631-99-4	01401 00500	PB
5 kg		(purified crystals)		01401 05000	PC
50 Kg		Assay : Min. 99% NaNO3 M.W. 84.99		01401 50000	FD
500 gm	140AA	SODIUM NITRATE AR	7631-99-4	1401A 00500	PB
5 Kg		Assay : Min. 99.5% NaNO3 M.W. 84.99		1401A 05000	FD
500 gm	01402	SODIUM NITRITE Extra Pure	7632-00-0	01402 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		Assay : Min. 97% $NaNO_2$ M.W. 69.00		01402 05000	PC
50 Kg				01402 50000	FD
500 gm	1402A	SODIUM NITRITE AR		1402A 00500	PB
		Assay : Min. 98% $NaNO_2$ M.W. 69.00			
500 ml	1402B	SODIUM NITRITE 0.1M (0.2N), Liquid, d. 1.00		1402B 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1402C	SODIUM NITRITE 0.2M (0.4N), Liquid, d. 1.010		1402C 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1402D	SODIUM NITRITE 0.5M (1N) Standardized Solution, traceable to NIST		1402D 00500	PB
500 ml	1402E	SODIUM NITRITE 1M (2N) Standardized Solution, traceable to NIST		1402E 00500	PB
500 ml	1402F	SODIUM NITRITE 4M (8N), Liquid, d. 1.170		1402F 00500	PB
		Standardized Solution, traceable to NIST			
100 gm	01403	SODIUM NITROPRUSSIDE	13755-38-9	01403 00100	PB
500 gm		[sodium nitroso pentacyno ferrate (III)]		01403 00500	PB
		Assay : Min. 98% $Na_2[Fe(CN)_5NO].2H_2O$ M.W. 297.95			
100 gm	1403A	SODIUM NITROPRUSSIDE AR	13755-38-9	1403A 00100	PB
500 gm		[sodium nitroso pentacyno ferrate (III)]		1403A 00500	PB
		Assay : Min. 99% $Na_2[Fe(CN)_5NO].2H_2O$ M.W. 297.95			
500 ml	1403B	SODIUM NITROPRUSSIDE solution		1403B 00500	PB
		SODIUM 1-NONANE SULPHONATE See 1-nonanesulphonic Acid Sodium Salt Cat No.2461 Page 143			
		SODIUM 1-OCTANE SULPHONATE AR & HPLC See 1-Octanesulphonic Acid Sodium Salt (anhydrous & monohydrate) Cat No.1118A & 1118B Page 143			
500 gm	1403C	SODIUM OLEATE	143-19-1	1403C 00500	PB
		Assay : Min. 99% $C_{18}H_{33}NaO_2$ M.W. 304.44			
		tri-SODIUM ORTHOPHOSPHATE See Sodium Phosphate tribasic Cat No.1411 & 1411A Page 185			
500 gm	01404	SODIUM OXALATE Extra Pure (di-sodium oxalate)	62-76-0	01404 00500	PB
5 Kg		Assay : Min. 99.5% $C_2Na_2O_4$ M.W. 134.00		01404 05000	PC
500 gm	1404A	SODIUM OXALATE AR (di-sodium oxalate)	62-76-0	1404A 00500	PB
5 Kg		Assay : Min. 99.9% $C_2Na_2O_4$ M.W. 134.00		1404A 05000	PC
500 ml	1404B	SODIUM OXALATE 0.05M (0.1N), Liquid, d. 1.1		1404B 00500	PB
		Standardized Solution,traceable to NIST			
500 gm	01405	SODIUM PENTACHLOROPHENATE (sentobrite)	131-52-2	01405 00500	PB
		Assay : Min. 99% C_6Cl_5NaO M.W. 288.32			
		SODIUM 1-PENTANESULPHONATE AR & HPLC See n-Pentane Sulphonic Acid Sodium Salt (anhydrous & monohydrate) Cat No.2464A & 1150B Page 147 & 148			
500 gm	01406	SODIUM PERBORATE (tetrahydrate)	10486-00-7	01406 00500	PB
5 Kg		Assay : Min. 97% $NaBO_3.4H_2O$ M.W. 153.86		01406 05000	PC
100 gm	1406A	SODIUM PERCHLORATE AR (monohydrate) (For Molecular Biology)	7791-07-3	1406A 00100	PB
500 gm		Assay : Min. 98% $NaClO_4.H_2O$ M.W. 140.46		1406A 00500	PB
		(against End use Certificate)			
		SODIUM PERIODATE (meta) See Sodium Metaperiodate Cat No.1394 & 1394A Page 183			
100 gm	01407	SODIUM PEROXIDE (granular) AR	1313-60-6	01407 00100	ST
500 gm		Assay : Min. 93% Na_2O_2 M.W. 77.98		01407 00500	ST
500 gm	1407A	SODIUM PERSULPHATE AR	7775-27-1	1407A 00500	PB
		Assay : Min. 99% $Na_2S_2O_8$ M.W. 238.10			
500 gm	01408	SODIUM PERSULPHATE Extra Pure	7775-27-1	01408 00500	PB
		Assay : Min. 95% $Na_2S_2O_8$ M.W. 238.10			
500 gm	1408A	SODIUM PHOSPHATE dibasic (anhydrous)	7558-79-4	1408A 00500	PB
5 Kg		(di-sodium hydrogen orthophosphate anhydrous)		1408A 05000	PC
		Assay : Min. 98-100.5% Na_2HPO_4 M.W. 141.96			
500 gm	1408B	SODIUM PHOSPHATE dibasic AR (anhydrous)	7558-79-4	1408B 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		(di-sodium hydrogen orthophosphate anhydrous)		1408B 05000	PC
		Assay : Min. 99% Na2HPO4 M.W. 141.96			
250 gm	1408C	SODIUM PHOSPHATE dibasic (anhydrous) (For Molecular Biology)	7558-79-4	1408C 00250	PB
		(di-sodium hydrogen orthophosphate anhydrous)			
		Assay : Min. 99% Na2HPO4 M.W. 141.96			
500 gm	01409	SODIUM PHOSPHATE dibasic (dihydrate)	10028-24-7	01409 00500	PB
5 Kg		(di-sodium hydrogen orthophosphate dihydrate)		01409 05000	PC
		Assay : Min. 99% Na2HPO4·2H2O M.W. 177.99			
500 gm	1409A	SODIUM PHOSPHATE dibasic AR (dihydrate)	10028-24-7	1409A 00500	PB
5 Kg		(di-sodium hydrogen orthophosphate dihydrate)		1409A 05000	PC
		Assay : Min. 99.5% Na2HPO4·2H2O M.W. 177.99			
500 gm	1408D	SODIUM PHOSPHATE dibasic (dihydrate) (For Molecular Biology)	10028-24-7	1408D 00500	PB
		(di-sodium hydrogen orthophosphate dihydrate)			
		Assay : Min. 99% Na2HPO4·2H2O M.W. 177.99			
500 gm	1409B	SODIUM PHOSPHATE dibasic Extra Pure (dodecahydrate)	10039-32-4	1409B 00500	PB
		(di-sodium hydrogen orthophosphate dodecahydrate)			
		Assay : Min. 98.5-101% Na2HPO4.12H2O M.W. 358.14			
500 gm	1409C	SODIUM PHOSPHATE dibasic AR (dodecahydrate)	10039-32-4	1409C 00500	PB
		(di-sodium hydrogen orthophosphate dodecahydrate)			
		Assay : Min. 99% Na2HPO4.12H2O M.W. 358.14			
500 gm	1410B	SODIUM PHOSPHATE monobasic (anhydrous)	7558-80-7	1410B 00500	PB
5 Kg		(sodium dihydrogen orthophosphate)		1410B 05000	PC
		Assay : Min. 98% NaH2PO4 M.W. 119.98			
500 gm	1410C	SODIUM PHOSPHATE monobasic AR (anhydrous)	7558-80-7	1410C 00500	PB
5 Kg		(sodium dihydrogen orthophosphate)		1410C 05000	PC
		Assay : Min. 99% NaH2PO4 M.W. 119.98			
500 gm	01410	SODIUM PHOSPHATE monobasic (dihydrate)	13472-35-0	01410 00500	PB
5 Kg		(sodium acid phosphate) (sodium dihydrogen orthophosphate)		01410 05000	PC
		Assay : Min. 98% NaH2PO4.2H2O M.W. 156.01			
500 gm	1410A	SODIUM PHOSPHATE monobasic AR (dihydrate)	13472-35-0	1410A 00500	PB
5 Kg		(sodium acid phosphate) (sodium dihydrogen orthophosphate)		1410A 05000	PC
		Assay : Min. 99% NaH2PO4.2H2O M.W. 156.01			
500 gm	01411	SODIUM PHOSPHATE tribasic Extra Pure (12H2O) (dodecahydrate)	10101-89-0	01411 00500	PB
5 Kg		(tri-sodium orthophosphate)		01411 05000	PC
		Assay : Min. 98% Na3PO4.12H2O M.W. 380.12			
500 gm	1411A	SODIUM PHOSPHATE tribasic AR (12H20)	10101-89-0	1411A 00500	PB
5 Kg		(dodecahydrate) (tri-sodium orthophosphate)		1411A 05000	PC
		Assay : Min. 98-102.0% Na3PO4.12H2O M.W. 380.12			
25 gm	1411C	SODIUM PICRATE (monohydrate)	73771-13-8	1411C 00025	GB
100 gm		(picric acid sodium salt)		1411C 00100	PB
500 gm				1411C 00500	PB
100 gm	1411E	SODIUM PLUMBATE	52623-79-7	1411E 00100	PB
500 gm				1411E 00500	PB
1 gm	1411D	SODIUM POLYANETHOL SULPHONATE AR	55963-78-5	1411D 00001	GB
5 gm		(10,000 anticoagulant U/g)		1411D 00005	GB
		SODIUM POTASSIUM CARBONATE See Fusion Mixture Cat No.763 Page 96			
		SODIUM POTASSIUM TARTRATE See Potassium Sodium Tartrate Cat No.1263 & 1263A Page 163			
500 gm	1411B	SODIUM PROPIONATE	137-40-6	1411B 00500	PB
		Assay : Min. 98% CH3.CH2.COONa M.W. 96.06			
500 gm	01412	tetra-SODIUM PYROPHOSPHATE (anhydrous)	7722-88-5	01412 00500	PB
		Assay : Min. 97.5% Na4P2O7 M.W. 265.90			
500 gm	1412B	tetra-SODIUM PYROPHOSPHATE (decahydrate)	13472-36-1	1412B 00500	PB
		Assay : Min. 99% Na4P2O7.10H2O M.W. 446.06			
250 gm	02528	SODIUM PYROSULPHATE AR	13870-29-6	02528 00250	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		(disulphuric acid disodium salt) Assay : Min. 98% $Na_2S_2O_7$ M.W. 222.12			
25 gm	1412A	SODIUM PYRUVATE	113-24-6	1412A 00025	GB
100 gm		(for biochemistry) (pyruvic acid sodium salt)		1412A 00100	PB
500 gm		Assay : Min. 99% $C_3H_3NaO_3$ M.W. 110.04		1412A 00500	PB
500 ml	01413	SODIUM PYRUVATE N/10 solution		01413 00500	PB
1 gm	01414	SODIUM RHODIZONATE AR	523-21-7	01414 00001	GB
5 gm		(rhodizonic acid sodium salt) Assay : Min. 97% $C_6Na_2O_6$ M.W. 214.04		01414 00005	GB
100 ml	1414A	SODIUM RHODIZONATE solution		1414A 00100	PB
500 ml				1414A 00500	PB
500 gm	01415	SODIUM SALICYLATE Extra Pure	54-21-7	01415 00500	PB
		Assay : Min. 99% $C_7H_5NaO_3$ M.W. 160.10			
250 gm	1415A	SODIUM SALICYLATE AR	54-21-7	1415A 00250	PB
		Assay : Min. 99.5% $C_7H_5NaO_3$ M.W. 160.10			
25 gm	02531	SODIUM SELENATE Extra Pure	13410-01-0	02531 00025	GB
100 gm		Assay : Min. 98% Na_2SeO_4 M.W. 189.94		02531 00100	PB
500 gm				02531 00500	PB
25 gm	01416	SODIUM SELENATE AR	13410-01-0	01416 00025	GB
100 gm		Assay : Min. 99% Na_2SeO_4 M.W. 189.94		01416 00100	PB
500 gm				01416 00500	PB
100 gm	02536	SODIUM SELENITE Extra Pure (pentahydrate)	26970-82-1	02536 00100	PB
500 gm		Assay : Min. 98% $Na_2SeO_3.5H_2O$ M.W 263.01		02536 00500	PB
25 gm	01417	SODIUM SELENITE AR (pentahydrate)	26970-82-1	01417 00025	GB
100 gm		Assay : Min. 99% $Na_2SeO_3.5H_2O$ M.W 263.01		01417 00100	PB
500 gm				01417 00500	PB
500 gm	01418	SODIUM SILICATE (paste) (practical)	1344-09-8	01418 00500	PB
5 Kg		(sodium orthosilicate)		01418 05000	PC
50 Kg		Assay (as SiO_2) : Min. 26.5% $Na_2O{\cdot}3SiO_2$ M.W 242.23		01418 50000	PD
		SODIUM SILICATE (meta) powder See Sodium Metasilicate powder Cat No.1395 & 1395A Page 183			
500 gm	01419	SODIUM SILICOFLUORIDE	16893-85-9	01419 00500	PB
		Assay : Min. 99% Na_2SiF_6 M.W. 188.06			
500 gm	01420	SODIUM STANNATE (trihydrate)	12209-98-2	01420 00500	PB
		Assay : Min. 43-44% $Na_2SnO_3.3H_2O$ M.W. 266.73			
500 gm	1420A	SODIUM STARCH GLYCOLATE Extra Pure	9063-38-1	1420A 00500	PB
500 gm	01421	SODIUM STEARATE	822-16-2	01421 00500	PB
		Assay : Min. 99% $C_{18}H_{35}NaO_2$ M.W 306.46			
500 gm	01422	SODIUM SUCCINATE (hexahydrate)	6106-21-4	01422 00500	PB
		Assay : Min. 99% $C_4H_4Na_2O_4.6H_2O$ M.W. 270.14			
100 gm	1422A	SODIUM SUCCINATE AR (hexahydrate)	6106-21-4	1422A 00100	PB
		Assay : Min. 99% $C_4H_4Na_2O_4.6H_2O$ M.W. 270.14			
500 gm	01423	SODIUM SULPHATE (anhydrous)	7757-82-6	01423 00500	PB
5 Kg		Assay : Min. 99% Na_2SO_4 M.W. 142.04		01423 05000	PC
50 Kg				01423 50000	FD
500 gm	1423A	SODIUM SULPHATE AR (anhydrous)	7757-82-6	1423A 00500	PB
5 Kg		Assay : Min. 99.5% Na_2SO_4 M.W. 142.04		1423A 05000	PC
1 Kg	1423B	SODIUM SULPHATE (anhydrous) (For Molecular Biology)	7757-82-6	1423B 01000	PB
		Assay : Min. 99% Na_2SO_4 M.W. 142.04			
500 gm	01424	SODIUM SULPHIDE flakes	27610-45-3	01424 00500	GB
5 Kg		(Iron free)		01424 05000	PB
25 Kg		Assay (ex Na_2S) : Min. 31% $Na_2S.xH_2O$ M.W. 78.04		01424 25000	PD
500 gm	1424A	SODIUM SULPHIDE AR	27610-45-3	1424A 00500	GB
		Assay (ex Na_2S) : Min. 31% $Na_2S.xH_2O$ M.W. 78.04			
500 gm	01425	SODIUM SULPHITE	7757-83-7	01425 00500	PB
5 Kg		(anhydrous) (purified)		01425 05000	PC
50 Kg		Assay : Min. 95% Na_2SO_3 M.W. 126.04		01425 50000	FD

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	1425A	SODIUM SULPHITE AR (anhydrous)	7757-83-7	1425A 00500	PB
		Assay : Min. 98% Na_2SO_3 M.W. 126.04			
500 gm	1425B	SODIUM SULPHITE (For Molecular Biology)	7757-83-7	1425B 00500	PB
		Assay : Min. 98% Na_2SO_3 M.W. 126.04			
		SODIUM SULPHOCYANIDE See Sodium Thiocyanate Cat No.1428 & 1428A Page 187			
500 gm	01426	SODIUM (+) TARTRATE Extra Pure (dihydrate)		01426 00500	PB
		(di-sodium tartrate) Assay : Min. 99% $C_4H_4Na_2O_6.2H_2O$ M.W. 230.08			
500 gm	1426A	SODIUM (+) TARTRATE AR (dihydrate)		1426A 00500	PB
		(di-sodium tartrate) Assay : Min. 99.5% $C_4H_4Na_2O_6.2H_2O$ M.W. 230.08			
500 gm	02551	SODIUM DL-TARTRATE Extra Pure		02551 00500	PB
5 Kg		Assay : Min. 99% $C_4H_4Na_2O_6$ M.W. 194.05		02551 05000	PC
500 gm	02556	SODIUM DL-TARTRATE AR	868-18-8	02556 00500	PB
5 Kg		Assay : Min. 99.5% $C_4H_4Na_2O_6$ M.W. 194.05		02556 05000	PC
100 gm	01427	SODIUM TAUROCHOLATE (for bacteriology)	145-42-6	01427 00100	PB
500 gm		Assay (Bile acid content) : Min. 65% $C_{26}H_{44}NNaO_7S$ M.W 537.68		01427 00500	PB
		SODIUM TAUROGLYCOCHOLATE See Bile Salt Cat No.267 & 1922 Page 31			
100 gm	1427A	SODIUM TELLURITE AR	10102-20-2	1427A 00100	GB
		Assay : Min. 98% Na_2TeO_3 M.W 221.58			
		di-SODIUM TETRABORATE See Borax Cat No.297 & 297A Page 34			
		SODIUM TETRAPHENYL BORATE AR See Kalignost Cat No.841 Page 113			
500 gm	01428	SODIUM THIOCYANATE Extra Pure	540-72-7	01428 00500	PB
		(sodium sulphocyanide) Assay : Min. 98-102% NaSCN M.W. 81.07			
500 gm	1428A	SODIUM THIOCYANATE AR (sodium sulphocyanide)	540-72-7	1428A 00500	PB
		Assay : Min. 98% NaSCN M.W. 81.07			
500 ml	1428D	SODIUM THIOCYANATE 0.1M (0.1N)		1428D 00500	PB
		Standardized Solution, traceable to NIST			
100 gm	1428D	SODIUM THIOGLYCOLLATE	367-51-1	1428B 00100	PB
500 gm		(for bacteriology) (thioglycollic acid sodium salt)		1428B 00500	PB
		Assay : Min. 80% $C_2H_3NaO_2S$ M.W. 114.10			
500 gm	01429	SODIUM THIOSULPHATE Extra Pure	10102-17-7	01429 00500	PB
5 Kg		(crystals) (pentahydrate) (hypo)		01429 05000	PC
50 Kg		Assay : Min. 99% $Na_2S_2O_3.5H_2O$ M.W. 248.17		01429 50000	FD
500 gm	1429A	SODIUM THIOSULPHATE AR (For Molecular Biology)	10102-17-7	1429A 00500	PB
5 Kg		(crystals) (pentahydrate) (hypo)		1429A 05000	PC
		Assay : Min. 99.5% $Na_2S_2O_3.5H_2O$ M.W. 248.17			
1 Kg	1429C	SODIUM THIOSULPHATE AR (anhydrous) (For Molecular Biology)	7772-98-7	1429C 01000	PB
		(CAS No.7772-98-7) Assay : Min. 97% $Na_2S_2O_3$ M.W. 158.18			
500 ml	1429B	SODIUM THIOSULPHATE N/10 solution, Liquid, d. 1.22		1429B 00500	PB
500 ml	1429E	SODIUM THIOSULPHATE 0.01M (0.01N), Liquid, d. 1.02		1429E 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1429F	SODIUM THIOSULPHATE 0.05M (0.05N), Liquid, d. 1.00		1429F 00500	PB
		Standardized Solution, traceable to NIST			
500 ml	1429G	SODIUM THIOSULPHATE 1M (1N), Liquid, d. 1.120		1429G 00500	PB
		Standardized Solution, traceable to NIST			
4 Amp	1429D	SODIUM THIOSULPHATE 0.1mol/L (0.1N) SOLUTION		1429D AMP04	AMP
		For 500 ml Solution (2x2 amps. Of set in a box)			
25 gm	1429H	SODIUM TRIACETOXY BOROHYDRIDE (for synthesis)	56553-60-7	1429H 00025	GB
100 gm				1429H 00100	PB
500 gm		Assay : Min. 95% $C_6H_{10}BNaO_6$ M.W. 211.94		1429H 00500	PB
500 gm	01430	SODIUM TRIPOLYPHOSPHATE (anhydrous) (STPP)	7758-29-4	01430 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg		Assay : Min. 85% Na5P3O10 M.W. 367.86		01430 05000	PC
100 gm	01431	SODIUM TUNGSTATE (dihydrate)	10213-10-2	01431 00100	GB
250 gm		Assay : Min. 98% Na2WO4.2H2O M.W. 329.85		01431 00250	PB
500 gm				01431 00500	PB
100 gm	1431A	SODIUM TUNGSTATE AR (dihydrate)		1431A 00100	GB
250 gm		Assay : Min. 99% Na2WO4.2H2O M.W. 329.85		1431A 00250	PB
500 gm				1431A 00500	PB
100 ml	01432	SODIUM TUNGSTATE solution 10% w/v (folin & wu)		01432 00100	PB
500 ml		Liquid, d. 1.07		01432 00500	PB
		SODIUM VANADATE (meta) See Sodium Metavanadate Cat No.1396 Page 183			
500 gm	1432A	SOFT SOAP (in paste form)		1432A 00500	PB
5 Kg				1432A 05000	PC
		SOLOCHROME BLACK T See Eriochrome Black T Cat No.664C, 665 & 666 Page 85			
		SOLOCHROME CYANINE R See Eriochrome Cyanine R Cat No.667 Page 85			
		SOLOCHROME DARK BLUE See Calcon Cat No.400 Page 47			
500 gm	01433	SORBIC ACID (purified) (trans-2, 4-hexadienoic acid)	110-44-1	01433 00500	PB
5 Kg		Assay : Min. 99.8% C6H8O2 M.W. 112.13		01433 05000	PC
500 gm	01434	SORBITOL (liquid) Extra Pure	50-70-4	01434 00500	PB
		Assay : 68 -72% (w/w) C6H14O6 M.W. 182.17			
250 gm	01435	SORBITOL (powder) Extra Pure (for microbiology) (D-sorbitol)	50-70-4	01435 00250	PB
1 Kg		Assay : Min. 99% C6H14O6 M.W. 182.17		01435 01000	PB
500 gm	1435D	D (-)-SORBITOL (For Molecular Biology) (D-Glucitol)	50-70-4	1435D 00500	PB
		Assay : Min. 98% C6H14O6 M.W. 182.17			
25 gm	1435C	L (-) SORBOSE (for biochemistry)	87-79-6	1435C 00025	GB
100 gm		Assay : Min. 99% C6H12O6 M.W 80.16		1435C 00100	PB
500 gm	1435A	SOYABEAN MEAL	68513-95-1	1435A 00500	PB
		SOYA LECITHIN See Lecithin Soya Cat No.2383 & 2384 Page 117			
500 gm	1435B	SOYA PEPTONE	68513-95-1	1435B 00500	PB
		(soyatone) (papaic digest of soyabean meal)			
1 gm	01436	SPADNS AR	23647-14-5	01436 00001	GB
5 gm		[1,8-dihydroxy-2-(4-sulphophenylazo)naphthalene-3-6-disulphonic acid trisodium salt]		01436 00005	GB
25 gm		Assay : Min. 80% C16H9N2O11S3Na3 M.W. 570.41		01436 00025	GB
500 gm	01437	SPAN 20 (sorbitan monolaurate)	1338-39-2	01437 00500	GB
		C18H34O6 M.W. 346.47, Liquid, d. 1.032			
500 gm	01438	SPAN 40 (sorbitan monopalmitate)	26266-57-9	01438 00500	GB
		C22H42O6 M.W.402.57, Liquid, d. 1.075			
500 gm	01439	SPAN 60 (sorbitan monostearate)	1338-41-6	01439 00500	PB
		C24H46O6 M.W. 430.63, Liquid, d. 1.00			
500 gm	1439A	SPAN 65 (sorbitan tristearate)	26658-19-5	1439A 00500	PB
		C60H114O8 M.W. 963.55, Liquid, d. 1.096			
500 gm	01440	SPAN 80 (sorbitan monooleate)	1338-43-8	01440 00500	PB
		C24H44O6 M.W. 428.60, Liquid, d. 0.986			
500 gm	1440A	SPAN 85(sorbitan trioleate)	26266-58-0	1440A 00500	GB
		C60H108O8 M.W. 957.51, Liquid, d. 0.956			
500 ml	01441	SPEARMINT OIL Extra Pure Liquid, d. 0.941	8008-79-5	01441 00500	GB
500 gm	1441A	SPERMACETI WAX	8002-23-1	1441A 00500	PB
5 gm	1441B	SPIRIT BLUE (C.I. No. 42760) **NEW**	2152-64-9	1441B 00005	PB
25 gm				1441B 00025	PB
100 gm		C37H30ClN3 M.W. 552.11		1441B 00100	PB
500 gm	01442	STANNIC CHLORIDE (pentahydrate)	10026-06-9	01442 00500	GB
		[tin (IV) chloride] Assay : Min. 98% SnCl4.5H2O M.W. 350.58			
500 gm	01443	STANNIC OXIDE Extra Pure [tin (IV) oxide]	18282-10-5	01443 00500	PB
		Assay : Min. 99% SnO2 M.W. 150.71			
250 gm	1443A	STANNIC OXIDE AR [tin (IV) oxide]	18282-10-5	1443A 00250	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99.9% SnO2 M.W. 150.71			
100 gm	01444	STANNOUS CHLORIDE (dihydrate)	10025-69-1	01444 00100	GB
250 gm		[tin (II) chloride]		01444 00250	GB
500 gm		Assay : Min. 97% SnCl2.2H2O M.W. 225.65		01444 00500	GB
2.5 kg				01444 02500	PC
100 gm	01445	STANNOUS CHLORIDE AR (dihydrate)	10025-69-1	01445 00100	GB
500 gm		[tin (II) chloride] Assay : Min. 98% SnCl2.2H2O M.W. 225.65		01445 00500	GB
500 gm	1445A	STANNOUS OXALATE [tin (II) oxalate]	814-94-8	1445A 00500	PB
		Assay : Min. 98% SnC2O4 M.W 206.73			
500 gm	1445B	STANNOUS OXIDE [tin (II) oxide]	21651-19-4	1445B 00500	PB
		Assay : Min. 97% SnO M.W. 134.71			
500 gm	1445C	STANNOUS PHOSPHATE [tin (II) phosphate]	15578-26-4	1445C 00500	PB
		Assay : Min. 98% Sn2P2O7 M.W. 411.36			
500 gm	01446	STANNOUS SULPHATE [tin (II) sulphate]	7488-55-3	01446 00500	PB
		Assay (Sn) : Min. 50% SnSO4 M.W. 214.75			
250 gm	1446A	STANNOUS SULPHATE AR [tin (II) sulphate]	7488-55-3	1446A 00250	PB
		Assay (Sn) : Min. 50% SnSO4 M.W. 214.75			
Pkt.	01447	STARCH IODIDE papers		01447 001PK	CB
24 Pkt.		(Pkt. contains 100 leaves)		01447 024PK	CB
Pkt.	01448	STARCH Papers		01448 001PK	CB
24 Pkt.		(Pkt. contains 100 leaves)		01448 024PK	CB
		STARCH POTATO See Starch Soluble Cat No.1452 & 1452A Page 190			
500 gm	01451	STARCH MAIZE powder (corn starch)	9005-25-8	01451 00500	PB
2.5 Kg		(C6H10O5)n		01451 02500	PC
		STARCH RICE See Rice Starch Cat No.2495A Page 170			
500 gm	01452	STARCH SOLUBLE Extra Pure	9005-84-9	01452 00500	PB
5 Kg		C12H22O11 M.W 342.30 (starch potato)(xpotato)		01452 05000	PC
500 gm	1452A	STARCH SOLUBLE AR (starch potato) (xpotato)	9005-84-9	1452A 00500	PB
5 Kg		C12H22O11 M.W 342.30		1452A 05000	PC
500 ml	01453	STARCH REAGENT solution, Liquid, d. 1.005		01453 00500	PB
500 gm	1453A	STARCH WHEAT Extra Pure (wheat starch)		1453A 00500	PB
2.5 Kg		(C6H10O5)n		1453A 02500	PC
500 gm	01454	STEARIC ACID (for synthesis) (n-octadecanoic acid)	57-11-4	01454 00500	PB
5 Kg		Assay : Min. 98% C18H36O2 M.W. 284.48		01454 05000	PC
5 gm	1454A	STEARIC ACID AR (for biochemistry)	57-11-4	1454A 00005	GB
25 gm		(n-octadecanoic acid) Assay : Min. 99% C18H36O2 M.W. 284.48		1454A 00025	GB
5 gm	1454B	STEARIC ANHYDRIDE (for synthesis)	638-08-4	1454B 00005	GB
		Assay : Min. 97% C36H70O3 M.W 550.94			
500 gm	01455	STEARYL ALCOHOL (1-octadecanol)	112-92-5	01455 00500	PB
		Assay : Min. 99% C18H38O M.W. 270.50			
25 gm	02558	trans-STILBENE **NEW**	103-30-0	02558 00025	GB
100 gm		Assay : Min. 98% C14H12 M.W. 180.25		02558 00100	GB
5 gm	01456	STREPTOMYCIN SULPHATE (for lab use)	3810-74-0	01456 00005	GB
25 gm		C21H39N7O12·1.5H2SO4 M.W 728.69		01456 00025	GB
125 ml	1456B	STRONTIUM AAS STANDARD SOLUTION, Liquid, d. 1.02		1456B 00125	GB
500 ml		1000mg/L in Nitric Acid		1456B 00500	GB
125 ml	1456C	STRONTIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		1456C 00125	GB
		Liquid, d. 1.013			
5 gm	1456A	STRONTIUM (metal) POWDER	7440-24-6	1456A 00005	GB
25 gm		Assay : Min. 99.9% Sr M.W. 87.62		1456A 00025	GB
500 gm	01457	STRONTIUM ACETATE	543-94-2	01457 00500	PB
		Assay : Min. 99.5% C4H6O4Sr M.W 205.71			
500 gm	01459	STRONTIUM BORATE B2O4Sr M.W. 173.24	137803-86-1	01459 00500	PB
500 gm	01460	STRONTIUM BROMIDE (hexahydrate)	7789-53-9	01460 00500	PB
		Assay : Min. 99% SrBr2·6H2O M.W. 355.52			
500 gm	01461	STRONTIUM CARBONATE	1633-05-2	01461 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99% $SrCO_3$ M.W. 147.63			
500 gm	01462	STRONTIUM CHLORIDE (hexahydrate)	10025-70-4	01462 00500	PB
5 Kg		Assay : Min. 98% $SrCl_2.6H_2O$ M.W. 266.62		01462 05000	PC
500 gm	1462A	STRONTIUM CHLORIDE AR (hexahydrate)	10025-70-4	1462A 00500	PB
		Assay : Min. 99% $SrCl_2.6H_2O$ M.W. 266.62			
500 gm	01463	STRONTIUM CHROMATE	7789-06-2	01463 00500	PB
		Assay : Min. 98% $SrCrO_4$ M.W. 203.61			
500 gm	01464	STRONTIUM FLUORIDE	7783-48-4	01464 00500	PB
		Assay : Min. 99.99% SrF_2 M.W. 125.62			
500 gm	01465	STRONTIUM HYDROXIDE (octahydrate)	1311-10-0	01465 00500	PB
		Assay : Min. 97% $H_2O_2Sr.8H_2O$ M.W. 265.76			
100 gm	01466	STRONTIUM IODIDE	10476-86-5	01466 00100	PB
250 gm		Assay : Min. 99.99% SrI_2 M.W. 341.43		01466 00250	PB
500 gm	01467	STRONTIUM NITRATE (anhydrous)	10042-76-9	01467 00500	PB
5 Kg		Assay : Min. 99% $Sr(NO_3)_2$ M.W. 211.63		01467 05000	GB
500 gm	1467A	STRONTIUM NITRATE AR (anhydrous)	10042-76-9	1467A 00500	PB
		Assay : Min. 99% $Sr(NO_3)_2$ M.W. 211.63			
500 gm	01468	STRONTIUM OXALATE	814-95-9	01468 00500	PB
		Assay : Min. 97% SrC_2O_4 M.W. 175.64			
500 gm	01469	STRONTIUM PHOSPHATE	7446-28-8	01469 00500	PB
		Assay : Min. 99.9% $Sr_3(PO_4)_2$ M.W. 452.80			
500 gm	01470	STRONTIUM SULPHATE	7759-02-6	01470 00500	PB
		Assay : Min. 99% $SrSO_4$ M.W. 183.68			
500 gm	01471	STRONTIUM SULPHIDE	1314-96-1	01471 00500	PB
		Assay : Min. 99.9% SrS M.W 119.69			
500 gm	01472	STRONTIUM SULPHITE	7757-83-7	01472 00500	PB
		Assay : Min. 98% Na_2SO_3 M.W. 126.04			
500 gm	1472A	STRONTIUM TARTRATE (dihydrate)	6106-24-7	1472A 00500	PB
		Assay : Min. 99% $C_4H_4Na_2O_6 \cdot 2H_2O$ M.W. 230.08			
500 ml	01473	STYRENE (monomer)	100-42-5	01473 00500	GB
		Assay : Min. 99% C_8H_8 M.W 104.15, Liquid, d. 0.906			
100 gm	1473A	SUCCINAMIDE (for synthesis)	110-14-5	1473A 00100	PB
500 gm		Assay : Min. 99% $C_4H_8N_2O_2$ M.W. 116.12		1473A 00500	PB
500 gm	01474	SUCCINIC ACID (for synthesis)	110-15-6	01474 00500	PB
		Assay : Min. 99% $C_4H_6O_4$ M.W. 118.09			
100 gm	1474A	SUCCINIC ACID AR	110-15-6	1474A 00100	PB
500 gm		Assay : Min. 99.5% $C_4H_6O_4$ M.W. 118.09		1474A 00500	PB
500 gm	01475	SUCCINIC ANHYDRIDE (for synthesis)	108-30-5	01475 00500	PB
		Assay : Min. 99% $C_4H_4O_3$ M.W. 100.07			
100 gm	01476	SUCCINIMIDE (for synthesis)	123-56-8	01476 00100	PB
500 gm		Assay : Min. 99.9% $C_4H_5NO_2$ M.W. 99.09		01476 00500	PB
500 gm	01477	SUCROSE Extra Pure	57-50-1	01477 00500	PB
5 Kg		(saccharose)		01477 05000	PC
50 Kg		Assay : Min. 99.5% $C_{12}H_{22}O_{11}$ M.W. 342.30		01477 50000	FD
500 gm	01478	SUCROSE AR (saccharose)	57-50-1	01478 00500	PB
		Assay : Min. 99% $C_{12}H_{22}O_{11}$ M.W. 342.30			
500 gm	1478A	SUCROSE (For Molecular Biology)	57-50-1	1478A 00500	PB
		Assay : Min. 99.5% $C_{12}H_{22}O_{11}$ M.W. 342.30			
10 gm	1479A	SUDAN I (C.I.No. 20557) (for microbiology) **NEW**	842-07-9	1479A 00010	PB
25 gm				1479A 00025	PB
100 gm		Dye Content : Min. 95% $C_{16}H_{12}N_2O$ M.W. 248.28		1479A 00100	PB
25 gm	01479	SUDAN III	85-86-9	01479 00025	GB
100 gm		(M.S.) (C.I. No.26100)		01479 00100	PB
500 gm		Dye Content : Min. 85% $C_{22}H_{16}N_4O$ M.W. 352.39		01479 00500	PB
125 ml	01480	SUDAN III stain solution		01480 00125	PB
500 ml		Liquid, d. 0.917		01480 00500	PB
25 gm	01481	SUDAN IV (M.S.) (C.I. No.26105)	85-83-6	01481 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm		(alcohol soluble) (biebrich scarlet R) (scarlet red)		01481 00100	PB
500 gm		Dye Content : Min. 80% C24H20N4O M.W. 380.44		01481 00500	PB
125 ml	01482	SUDAN IV		01482 00125	PB
500 ml		stain solution (scarlet red solution)		01482 00500	PB
25 gm	01483	SUDAN BLACK B (M.S.) (For Molecular Biology) (C.I. No.26150)	4197-25-5	01483 00025	GB
100 gm		Dye Content : Min. 60% C29H24N6 M.W. 456.54		01483 00100	PB
125 ml	02559	SUDAN BLACK B staining solution		02559 00125	PB
500 ml				02559 00500	PB
100 gm	1483A	SULPHACETAMIDE SODIUM Extra Pure	6209-17-2	1483A 00100	PB
500 gm		Assay : Min. 99% C8H9N2O3SNa M.W 236.22		1483A 00500	PB
5 gm	1483B	SULPHADIAZINE Extra Pure	68-35-9	1483B 00005	GB
25 gm		(for lab use)		1483B 00025	GB
100 gm		Assay : Min. 99% C10H10N4O2S M.W 250.28		1483B 00100	PB
25 gm	1483C	SULPHADIMIDINE Extra Pure	57-68-1	1483C 00025	GB
100 gm		(for lab use) (sulphamethazine)		1483C 00100	PB
500 gm		Assay : Min. 99% C12H14N4O2S M.W 278.33		1483C 00500	PB
5 gm	1483D	SULPHADOXINE Extra Pure	2447-57-6	1483D 00005	GB
25 gm		(for lab use)		1483D 00025	GB
100 gm		Assay : Min. 95% C12H14N4O4S M.W 310.33		1483D 00100	PB
5 gm	1484B	SULPHAMERAZINE	127-79-7	1484B 00005	GB
		Assay : Min. 99% C11H12N4O2S M.W. 264.30			
25 gm	1483E	SULPHAMETHOXAZOLE Extra Pure	723-46-6	1483E 00025	GB
100 gm		(for lab use)		1483E 00100	PB
500 gm		Assay : Min. 98% C10H11N3O3S M.W 253.28		1483E 00500	PB
500 gm	01484	SULPHAMIC ACID (practical)	5329-14-6	01484 00500	PB
5 Kg		(amido sulphonic acid)		01484 05000	PC
50 Kg		Assay : Min. 99.5% NH2.SO3H M.W. 97.09		01484 50000	FD
100 gm	1484A	SULPHAMIC ACID AR (amido sulphonic acid)	5329-14-6	1484A 00100	PB
500 gm		Assay : Min. 99% NH2.SO3H M.W. 97.09		1484A 00500	PB
100 gm	01485	SULPHANILAMIDE Extra Pure (p-amino benzene sulphonamide)	63-74-1	01485 00100	PB
500 gm		Assay : Min. 98% C6H8N2O2S M.W. 172.20		01485 00500	PB
100 gm	1485A	SULPHANILAMIDE AR (p-amino benzene sulphonamide)	63-74-1	1485A 00100	PB
500 gm		Assay : Min. 99% C6H8N2O2S M.W. 172.20		1485A 00500	PB
100 gm	01486	SULPHANILIC ACID	121-57-3	01486 00100	PB
500 gm		(purified white)		01486 00500	PB
5 Kg		Assay : Min. 98% NH2C6H4SO3H M.W. 173.19		01486 05000	PC
100 gm	1486A	SULPHANILIC ACID AR	121-57-3	1486A 00100	PB
500 gm		Assay : Min. 99% NH2C6H4SO3H M.W. 173.19		1486A 00500	PB
100 gm	01487	SULPHOSALICYLIC ACID Extra Pure	5965-83-3	01487 00100	PB
500 gm		(5-sulphosalicylic acid)		01487 00500	PB
5 Kg		Assay : Min. 99% C7H6O6S.2H2O M.W. 254.21		01487 05000	PC
250 gm	1487A	SULPHOSALICYLIC ACID AR (5-sulphosalicylic acid)	5965-83-3	1487A 00250	PB
500 gm		Assay : Min. 99.5% C7H6O6S.2H2O M.W. 254.21		1487A 00500	PB
125 ml	01488	SULPHOSALICYLIC ACID 3% solution (for synthesis)		01488 00125	PB
500 ml		Liquid, d. 1.00		01488 00500	PB
125 ml	1488A	SULPHOSALICYLIC ACID 20% solution (for synthesis)		1488A 00125	PB
500 ml		Liquid, d. 1.00		1488A 00500	PB
500 gm	01489	SULPHUR powder Extra Pure	7704-34-9	01489 00500	PB
5 Kg		(sulphur flower)		01489 05000	PC
50 Kg		Assay : Min. 98% S M.W. 32.06		01489 50000	FD
500 gm	1489A	SULPHUR powder AR (sulphur flower)	7704-34-9	1489A 00500	PB
		Assay : Min. 99.5-100.5% S M.W. 32.06			
		SULPHUR DIOXIDE See Sulphurous Acid Cat No.1493A Page 194			
500 ml	01491	SULPHURIC ACID	7664-93-9	01491 00500	GBT
2.5 Lt		(sp. gr. 1.835)		01491 02500	GBT
5 Lt		Assay : Min. 98% H2SO4 M.W. 98.08, Liquid, d. 1.84		01491 05000	PC
20 Lt				01491 20000	PD

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	01492	SULPHURIC ACID AR	7664-93-9	01492 00500	GBT
2.5 Lt		(sp. gr. 1.84)		01492 02500	GBT
5 Lt		Assay : Min. 98% H_2SO_4 M.W. 98.08, Liquid, d. 1.84		01492 05000	PC
500 ml	1491A	SULPHURIC ACID 90-91% AR **NEW**	7664-93-9	1491A 00500	GB
1 Lt		For Gerber fat and nitrates determination in milk		1491A 01000	GB
2.5 Lt		Assay : Min. 90-91% H_2SO_4 M.W. 98.08, Liquid, d. 1.84		1491A 02500	GB
500 ml	1491B	SULPHURIC ACID 96% ACIPUR **NEW**	7664-93-9	1491B 00500	GB
1 Lt		For Trace Metal Analysis		1491B 01000	GB
		Assay : Min. 90-91% H_2SO_4 M.W. 98.08, Liquid, d. 1.84			
500 ml	1492J	SULPHURIC ACID 20%	7664-93-9	1492J 00500	GBT
		Assay : Min. 20% H_2SO_4 M.W. 98.08, Liquid, d. 1.925			
500 ml	1492I	SULPHURIC ACID 25% AR (for analysis)	7664-93-9	1492I 00500	GBT
		Assay : Min. 25% H_2SO_4 M.W. 98.08, Liquid, d. 1.26			
500 ml	1492H	SULPHURIC ACID 40%	7664-93-9	1492H 00500	GBT
		(for determination of gas metabolism) (according to knipping)			
		Assay : Min. 40% H_2SO_4 M.W. 98.08, Liquid, d. 1.30			
500 ml	01493	SULPHURIC ACID N/10 solution		01493 00500	GB
500 ml	1492A	SULPHURIC ACID N/50 (0.02N), Liquid, d. 1.83		1492A 00500	GB
500 ml	1492B	SULPHURIC ACID Solution 2N/3, Liquid, d. 1.83		1492B 00500	GB
500 ml	1492C	SULPHURIC ACID 0.1M (0.2N), Liquid, d. 1.01		1492C 00500	GB
		Standardized Solution, traceable to NIST			
500 ml	1492D	SULPHURIC ACID 0.25M (0.5N), Liquid, d. 1.02		1492D 00500	GB
		Standardized Solution, traceable to NIST			
500 ml	1492E	SULPHURIC ACID 1M (2N), Liquid, d. 1.06		1492E 00500	GB
		Standardized Solution, traceable to NIST			
500 ml	1492F	SULPHURIC ACID 2.5M (5N), Liquid, d. 1.15		1492F 00500	GB
		Standardized Solution, traceable to NIST			
500 ml	1492G	SULPHURIC ACID 5M (10N), Liquid, d. 1.1-1.3		1492G 00500	GB
		Standardized Solution, traceable to NIST			
500 ml	1492K	SULPHURIC ACID 0.5Mol/L (1N), Liquid, d. 1.03		1492K 00500	GB
		Standardized Solution, traceable to NIST			
4 Amp	02560	SULPHURIC ACID 0.05mol/L (0.1N) for 500 ml Solution		02560 AMP04	AMP
		(2x2 amps. Of set in a box)			
4 Amp	2560A	SULPHURIC ACID 0.5mol/L (1N) SOLUTION		2560A AMP04	AMP
		when diluted to 500 ml with water (Concn. Of solution in ampoule is 10N)			
		(2x2 amps. Of set in a box)			
500 ml	1492L	SULPHUR MONOCHLORIDE (for synthesis)	10025-67-9	1492L 00500	GB
		Assay : Min. 99% S_2Cl_2 M.W.135.0, Liquid, d. 1.668			
500 ml	1493A	SULPHUROUS ACID (aqueous solution) (sulphur dioxide), Liquid, d. 1.03	7782-99-2	1493A 00500	GB
		Assay (as SO_2) : Min. 5-6%% H_2SO_3 M.W. 82.08			
500 ml	1492M	SULPHURYL CHLORIDE (for synthesis)	7791-25-5	1492M 00500	GB
		Assay : Min. 98% SO_2Cl_2 M.W. 134.97, Liquid, d. 1.67			
25 gm	1493B	SUNSET YELLOW (C.I. No.15985)	2783-94-0	1493B 00025	GB
100 gm		Dye Content : Min. 90% $C_{16}H_{10}N_2Na_2O_7S_2$ M.W. 452.37		1493B 00100	PB
5 gm	1493C	SYRINGIC ALDEHYDE (for synthesis) (syringaldehyde)	134-96-3	1493C 00005	GB
25 gm		Assay : Min. 99% $C_9H_{10}O_4$ M.W. 182.17		1493C 00025	GB
1 gm	1493D	SYRINGALDAZINE	14414-32-5	1493D 00001	GB
		Assay : Min. 99% $C_{18}H_{20}N_2O_6$ M.W 360.36			
T					
		TALCUM POWDER See French Chalk Powder Cat No.756 Page 96			
100 gm	01494	TANNIC ACID Extra Pure (light powder) (gallotannic acid)	1401-55-4	01494 00100	PB
250 gm				01494 00250	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		C76H52O46 M.W. 1701.22		01494 00500	PB
100 gm	1494A	TANNIC ACID AR (gallotannic acid)	1401-55-4	1494A 00100	PB
250 gm				1494A 00250	PB
500 gm		C76H52O46 M.W. 1701.22		1494A 00500	PB
500 ml	1494B	TANNIC ACID solution		1494B 00500	PB
100 gm	1494C	TANTALUM (metal) WIRE	7440-25-7	1494C 00100	PB
		Assay : Min. 99% Ta M.W. 180.95			
10 gm	1494E	TANTALUM PENTOXIDE AR (tantalum (V) oxide)	1314-61-0	1494E 00010	GB
25 gm		Assay : Min. 99% Ta2O5 M.W. 441.89		1494E 00025	GB
25 gm	1494D	TAPS BUFFER For Biochemistry	29915-38-6	1494D 00025	GB
100 gm		[N-Tris (Hydroxy Methyl) Methyl-3-Amino Propane Sulfonic Acid]		1494D 00100	GB
		Assay : Min. 99% C7H17NO6S M.W. 243.28			
250 gm	01495	L (+) TARTARIC ACID Extra Pure [dextro-rotatory (+) tartaric acid]	87-69-4	01495 00250	PB
500 gm				01495 00500	PB
5 Kg		Assay : Min. 99.5% C4H6O6 M.W. 150.09		01495 05000	PC
250 gm	1495C	L (+) TARTARIC ACID AR [dextro-rotatory (+) tartaric acid]	87-69-4	1495C 00250	PB
500 gm		Assay : Min. 99.7% C4H6O6 M.W. 150.09		1495C 00500	PB
500 gm	1495A	DL-TARTARIC ACID (synthetic)	133-37-9	1495A 00500	PB
5 Kg				1495A 05000	PC
25 Kg		Assay : Min. 99% C4H6O6 M.W. 150.09		1495A 25000	FD
25 gm	01496	TARTRAZINE (M.S.) (C.I. No.19140)	1934-21-0	01496 00025	GB
100 gm				01496 00100	PB
500 gm		Dye Content : Min. 85% C16H9N4O9S2Na3 M.W. 534.4		01496 00500	PB
500 ml	02561	TARTRAZINE solution		02561 00500	PB
25 gm	2561A	TAURINE (for synthesis) (2-aminoethanesulphonic acid)	107-35-7	2561A 00025	GB
100 gm				2561A 00100	PB
1 Kg		Assay : Min. 99% C2H7NO3S M.W. 125.15		2561A 01000	PB
125 ml	1496B	TELLURIUM AAS STANDARD SOLUTION 1000mg/L in Hydrochloric Acid		1496B 00125	GB
500 ml				1496B 00500	PB
125 ml	1496C	TELLURIUM ICP STANDARD SOLUTION 1000mg/L in Hydrochloric Acid		1496C 00125	PB
100 gm	1496A	TELLURIUM (metal) POWDER	13494-80-9	1496A 00100	GB
500 gm		Assay : Min. 99.9% Te M.W. 127.60		1496A 00500	PB
		TEMED See N,N,N,N-Tetramethyl Ethylenediamine Cat No.1500 Page 197			
1 gm	2561B	TERBIUM OXIDE AR [terbium (III, IV) oxide]	12037-01-3	2561B 00001	GB
5 gm		Assay : Min. 99.9% Tb4O7 M.W. 747.70		2561B 00005	GB
100 gm	2561C	TEREPHTHALALDEHYDE (for synthesis) (benzene-1,4-dicarboxaldehyde)	623-27-8	2561C 00100	PB
500 gm		Assay : Min. 98% C8H6O2 M.W. 134.13		2561C 00500	PB
		TEREPHTHALIC ACID			
		See tere-Phthalic Acid Cat No.1195 Page 153			
500 ml	01497	TERPENTINE OIL Extra Pure Liquid, d. 0.86	8006-64-2	01497 00500	GB
5 Lt				01497 05000	PC
500 ml	02562	TERPINEOL (mixure of isomers) Liquid, d. 0.934	8000-41-7	02562 00500	GB
		DI-TERT-BUTYL PYROCARBONATE			
		See BOC Anhydride Cat No.1928 Page 34			
5 gm	2562A	TES (For Molecular Biology) (for biochemistry)	7365-44-8	2562A 00005	GB
25 gm		[N-tris(hydroxymethyl) methyl-2-aminoethane sulphonic acid]		2562A 00025	GB
		Assay : Min. 99% C6H15NO6S M.W. 229.25			
5 gm	2562B	TESTOSTERONE Extra Pure (17b-Hydroxy-4-androsten-3-one)	58-22-0	2562B 00005	GB
25 gm		Assay : Min. 99% C19H28O2 M.W. 288.42		2562B 00025	GB
5 gm	2562C	TESTOSTERONE PROPIONATE	57-85-2	2562C 00005	GB
25 gm		C22H32O3 M.W. 344.50		2562C 00025	GB
		1,1,2,2-TETRABROMO ETHANE			
		See Acetylene Tetrabromide Cat No.1683 Page 3			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
250 gm	1497A	TETRA BUTYL AMMONIUM BROMIDE (for synthesis)	1643-19-2	1497A 00250	GB
500 gm		Assay : Min. 98% C16H36BrN M.W. 322.37		1497A 00500	PB
25 gm	1497B	TETRA BUTYL AMMONIUM BROMIDE AR (phase transfer catalyst)	1643-19-2	1497B 00025	GB
100 gm		Assay : Min. 99% C16H36BrN M.W. 322.37		1497B 00100	GB
5 gm	02563	TETRA BUTYL AMMONIUM HYDROGEN PHOSPHATE (for HPLC)	5574-97-0	02563 00005	GB
25 gm		Assay : Min. 98% C16H38NO4P M.W. 339.45		02563 00025	GB
100 gm	1497C	TETRA BUTYL AMMONIUM HYDROGEN SULPHATE (for synthesis)	32503-27-8	1497C 00100	PB
500 gm		Assay : Min. 99% C16H37NO4S M.W. 339.53		1497C 00500	PB
100 ml	1497D	TETRA BUTYL AMMONIUM HYDROXIDE 10% aqueous solution	2052-49-5	1497D 00100	PB
500 ml		Assay : Min. 10% C16H37NO M.W. 259.47, Liquid, d. 0.995		1497D 00500	PB
100 ml	1497E	TETRA BUTYL AMMONIUM HYDROXIDE 20% aqueous solution	2052-49-5	1497E 00100	PB
500 ml		Assay : Min. 19.5-21% C16H37NO M.W. 259.47, Liquid, d. 0.995		1497E 00500	PB
100 ml	1497F	TETRA BUTYL AMMONIUM HYDROXIDE 40% aqueous solution	2052-49-5	1497F 00100	PB
500 ml		Assay : Min. 40% C16H37NO M.W. 259.47, Liquid, d. 0.995		1497F 00500	PB
100 ml	1497G	TETRA BUTYL AMMONIUM HYDROXIDE 10% solution in Methanol	2052-49-5	1497G 00100	PB
500 ml		Assay : Min. 10% C16H37NO M.W. 259.47, Liquid, d. 0.830		1497G 00500	PB
100 ml	1497H	TETRA BUTYL AMMONIUM HYDROXIDE 25% solution in Methanol	2052-49-5	1497H 00100	PB
500 ml		Assay : Min. 25% C16H37NO M.W. 259.47, Liquid, d. 0.830		1497H 00500	PB
100 ml	1497I	TETRA BUTYL AMMONIUM HYDROXIDE 40% solution in Methanol	2052-49-5	1497I 00100	PB
500 ml		Assay : Min. 40% C16H37NO M.W. 259.47, Liquid, d. 0.830		1497I 00500	PB
100 ml	1497J	TETRA BUTYL AMMONIUM HYDROXIDE 0.1 N in isopropanol	2052-49-5	1497J 00100	PB
500 ml		C16H37NO M.W. 259.47, Liquid, d. 0.762		1497J 00500	PB
100 ml	1497K	TETRA BUTYL AMMONIUM HYDROXIDE 0.1 N in methanol/toluene	2052-49-5	1497K 00100	PB
500 ml		C16H37NO M.W. 259.47, Liquid, d. 0.853		1497K 00500	PB
25 gm	1497L	TETRA BUTYL AMMONIUM IODIDE AR (phase transfer catalyst)	311-28-4	1497L 00025	GB
100 gm		Assay : Min. 98% C16H36IN M.W. 367.37		1497L 00100	GB
25 gm	2563A	TETRA BUTYL AMMONIUM PERCHLORATE	1923-70-2	2563A 00025	GB
		Assay : Min. 99% C16H36ClNO4 M.W. 341.91			
		TETRA CHLORO-P-BENZOQUINONE See Chloranil Cat No.438 Page 53			
500 ml	01498	1,1,2,2-TETRA CHLOROETHANE (for synthesis)	79-34-5	01498 00500	GB
		Assay : Min. 98% C2H2Cl4 M.W. 167.85, Liquid d. 1.586			
500 ml	1498A	1,1,2,2-TETRA CHLOROETHANE AR	79-34-5	1498A 00500	GB
		Assay : Min. 98.5% C2H2Cl4 M.W. 167.85, Liquid d. 1.586			
25 ml	2563D	n-TETRADECANE	629-59-4	2563D 00025	GB
100 ml		Assay : Min. 99% C14H30 M.W. 198.4		2563D 00100	GB
		TETRACHLOROETHYLENE			
		See Perchloroethylene Cat No.1156 & 1156A Page 148			
1 Kg	2563B	TETRACHLORO PHTHALIC ANHYDRIDE	117-08-8	2563B 01000	PB
		Assay : Min. 98% C8Cl4O3 M.W. 285.90			
1 gm	2563C	7,7,8,8-TETRACYANOQUINODIMETHANE	1518-16-7	2563C 00001	GB
		Assay : Min. 98% C12H4N4 M.W. 204.19			
5 gm	1498B	TETRACYCLINE (base) (for lab use)	60-54-8	1498B 00005	GB
25 gm				1498B 00025	GB
100 gm		Assay : Min. 98% C22H24N2O8·xH2O M.W. 444.43		1498B 00100	PB
5 gm	1498C	TETRACYCLINE HYDROCHLORIDE (For Molecular Biology)	64-75-5	1498C 00005	GB
25 gm		(for lab use) (Store at 2 - 8°C)		1498C 00025	GB
100 gm		Assay : Min. 95% C22H24N2O8·HCl M.W. 480.90		1498C 00100	PB
100 gm	1498D	TETRAETHYL AMMONIUM BROMIDE (for synthesis) (phase transfer catalyst)	71-91-0	1498D 00100	GB
250 gm		Assay : Min. 98% C8H20BrN M.W. 210.17		1498D 00250	GB
100 ml	02564	TETRAETHYL AMMONIUM HYDROXIDE 25% (aqueous solution) Liquid, d. 0.865	77-98-5	02564 00100	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml				02564 00500	GB
		Assay : Min. 25% (C2H5)4N(OH) M.W. 147.26			
25 gm	2564A	TETRAETHYL AMMONIUM HYDROGEN SULPHATE (HPLC)	16873-13-5	2564A 00025	GB
100 gm		Assay : Min. 99% C8H21NO4S M.W. 227.32		2564A 00100	PB
100 gm	2564B	TETRAETHYL AMMONIUM IODIDE (for synthesis)	68-05-3	2564B 00100	GB
500 gm		Assay : Min. 98% C8H20IN M.W. 257.16		2564B 00500	PB
500 ml	2564C	TETRAETHYL ORTHOSILICATE	78-10-4	2564C 00500	GB
		Assay : Min. 99% Si(OC2H5)4 M.W. 208.33, Liquid, d. 0.934			
25 gm	2564D	TETRAHEPTYL AMMONIUM BROMIDE AR	4368-51-8	2564D 00025	GB
100 gm		Assay : Min. 99% C28H60BrN M.W. 490.69		2564D 00100	PB
500 ml	1498E	TETRAETHYLENE GLYCOL (tetraglycol)	112-60-7	1498E 00500	GB
2.5 Lt		Assay : Min. 99% C8H18O5 M.W. 194.23, Liquid, d. 1.125		1498E 02500	GB
500 ml	01499	TETRAHYDROFURAN (stabilized with 0.1% quinol)	109-99-9	01499 00500	GB
2.5 Lt		Assay : Min. 99% C4H8O M.W. 72.11, Liquid, d. 0.889		01499 02500	GB
500 ml	1499A	TETRAHYDROFURAN AR (stabilized with 0.1% quinol)	109-99-9	1499A 00500	GBT
2.5 Lt		Assay : Min. 99.5% C4H8O M.W. 72.11, Liquid, d. 0.889		1499A 02500	GBT
500 ml	02566	TETRAHYDROFURAN HPLC & SPECTROSCOPY	109-99-9	02566 00500	GB
2.5 Lt		Assay : Min. 99.8% C4H8O M.W. 72.11, Liquid, d. 0.889		02566 02500	GBT
1 gm	2566B	2,3,5,6-TETRAHYDROXY-1,4-BENZOQUINONE AR, dihydrate	5676-48-2	2566B 00001	GB
5 gm		(indicator for sulphate titration)		2566B 00005	GB
		Assay : Min. 99% C6H4O6 M.W. 172.10			
5 gm	2556F	TETRAKIS (DECYL) AMMONIUM BROMIDE	14937-42-9	2556F 00005	GB
25 gm		Assay : Min. 99% C40H84N.Br M.W. 659.01		2556F 00025	GB
500 mg	2566C	TETRAKIS (TRIPHENYLPHOSPHINE) PALLADIUM (o)(metal basis)	14221-01-3	2566C 0500M	GB
1 gm		[palladium (o) tetrakis (triphenylphosphine)		2566C 00001	GB
10 gm		Assay : Min. 99% C72H60P4Pd M.W. 1155.56		2566C 00010	GB
500 ml	2566E	TETRALIN (for synthesis)	119-64-2	2566E 00500	GB
2.5 Lt		Assay : Min. 98% C10H12 M.W. 132.21, Liquid, d. 0.97		2566E 02500	GB
25 gm	2566D	b-TETRALONE	530-93-8	2566D 00025	GB
		Assay : Min. 98% C10H10O M.W. 146.19, Liquid, d. 1.106			
100 gm	02567	TETRA METHYL AMMONIUM BROMIDE (for synthesis)	64-20-0	02567 00100	GB
500 gm		Assay : Min. 98% (CH3)4N(Br) M.W.154.05		02567 00500	GB
100 gm	2567A	TETRA METHYL AMMONIUM CHLORIDE (for synthesis)	75-57-0	2567A 00100	PB
500 gm		Assay : Min. 98% C4H12ClN M.W. 109.60		2567A 00500	PB
100 gm	2567B	TETRA METHYL AMMONIUM HYDROGEN SULPHATE (for synthesis)	80526-82-5	2567B 00100	GB
		Assay : Min. 98% C4H13NO4S M.W. 171.21			
5 gm	2567C	TETRA METHYL AMMONIUM HYDROGEN SULPHATE (HPLC)	80526-82-5	2567C 00005	GB
25 gm		(for ion pair chromatography)		2567C 00025	GB
		Assay : Min. 99% C4H13NO4S M.W. 171.21			
25 gm	2572A	TETRAMEHTYL AMMONIUM HYDROXIDE pentahydrate Extra Pure	10424-65-4	2572A 00025	GB
100 gm		Store at 2-8°C NEW		2572A 00100	GB
		Assay : Min. 97% (CH3)4N(OH).5H2O M.W. 181.23			
100 ml	2572B	TETRAMEHTYL AMMONIUM HYDROXIDE 1M SOLUTION IN METHANOL NEW		2572B 00100	GB
250 ml				2572B 00250	GB
100 ml	2572C	TETRAMEHTYL AMMONIUM HYDROXIDE 0.1N SOLUTION IN 2-PROPANOL NEW		2572C 00100	GB
250 ml				2572C 00250	GB
100 ml	2572D	TETRAMEHTYL AMMONIUM HYDROXIDE 0.1N SOLUTION IN METHANOL NEW		2572D 00100	GB
250 ml				2572D 00250	GB
100 ml	2572E	TETRAMEHTYL AMMONIUM HYDROXIDE 1M SOLUTION IN WATER NEW		2572E 00100	GB
250 ml				2572E 00250	GB
50 ml	2572F	TETRAMEHTYL AMMONIUM HYDROXIDE SOLUTION 10% IN WATER NEW		2572F 00050	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
250 ml				2572F 00250	GB
100 ml	2572G	TETRAMEHTYL AMMONIUM HYDROXIDE SOLUTION 25% IN WATER NEW		2572G 00100	GB
250 ml				2572G 00250	GB
100 ml	2572H	TETRAMEHTYL AMMONIUM HYDROXIDE SOLUTION 25% IN METHANOL NEW		2572H 00100	GB
250 ml				2572H 00250	GB
100 gm	2567D	TETRAMETHYL AMMONIUM IODIDE AR	75-58-1	2567D 00100	GB
500 gm		Assay : Min. 99% C4H12IN M.W. 201.05		2567D 00500	PB
1 gm	2567E	3,3',3,5'-TETRAMETHYL BENZIDINE (For Molecular Biology)	54827-17-7	2567E 00001	GB
5 gm		Assay : Min. 99% C16H20N2 M.W. 240.34		2567E 00005	GB
1 gm	2567F	N,N,N,N-TETRA METHYL BENZIDINE	366-29-0	2567F 00001	GB
5 gm		Assay : Min. 95% C16H20N2 M.W. 240.34		2567F 00005	GB
100 gm	2567G	N,N,N,N-TETRAMETHYL DIAMINO DIPHENYL METHANE (for synthesis)	101-61-1	2567G 00100	GB
		Assay : Min. 98% C17H22N2 M.W. 254.37			
		TETRAMETHYLENE GLYCOL See 1,4-Butanediol Cat No.1997 Page 40			
100 ml	01500	N,N,N,N-TETRAMETHYL ETHYLENEDIAMINE AR (TEMED) (For Molecular Biology)	110-18-9	01500 00100	GB
250 ml				01500 00250	GB
		Assay : Min. 99% C6H16N2 M.W. 116.21, Liquid, d. 0.777			
5 gm	1500C	N,N,N,N-TETRAMETHYL-P-PHENYLENE DIAMINE DIHYDROCHLORIDE	637-01-4	1500C 00005	GB
25 gm				1500C 00025	GB
		Assay : Min. 98% C10H18Cl2N2 M.W. 237.17			
100 mg	2567H	TETRANITRO B.T. AR	1184-43-6	2567H 0100M	GB
250 mg		Assay : Min. 98% C40H28Cl2N12O10 M.W. 907.63		2567H 0250M	PB
25 gm	1500E	TETRAPHENYL PHOSPHONIUM BROMIDE	2751-90-8	1500E 00025	GB
100 gm		Assay : Min. 98% C24H20BrP M.W. 419.31		1500E 00100	PB
100 gm	2567I	TETRA PROPYL AMMONIUM BROMIDE	1941-30-6	2567I 00100	GB
500 gm		Assay : Min. 99% C12H28BrN M.W. 266.26		2567I 00500	PB
100 ml	2567M	TETRA PROPYL AMMONIUM HYDROXIDE (10% Aqueous Solution)	4499-86-9	2567M 00100	PB
500 ml		C12H29NO M.W. 203.36, Liquid. d 1.012		2567M 00500	PB
100 ml	2567K	TETRA PROPYL AMMONIUM HYDROXIDE (20% Solution In Water)	4499-86-9	2567K 00100	PB
500 ml		C12H29NO M.W. 203.36, Liquid. d 1.012		2567K 00500	PB
100 ml	2567L	TETRAPROPYL AMMONIUM HYDROXIDE (40% Solution In Water)	4499-86-9	2567L 00100	PB
500 ml		C12H29NO M.W. 203.36, Liquid. d 1.012		2567L 00500	PB
5 gm	02568	1H-TETRAZOLE (for DNA synthesis) (For Molecular Biology)	288-94-8	02568 00005	GB
25 gm		Assay : Min. 99% CH2N4 M.W. 70.05		02568 00025	GB
		TETRAZOLIUM BLUE See Blue Tetrazolium Cat No.296A Page 33			
10 gm	1500A	TETRAZOLIUM SALT AR (For Molecular Biology) (TTC)	298-96-4	1500A 00010	GB
25 gm		(2,3,5-triphenyl tetrazolium chloride)		1500A 00025	GB
		Assay : Min. 99% C19H15ClN4 M.W. 334.80			
1 gm	1500B	TETRAZOLIUM VIOLET AR (For Molecular Biology)	1719-71-7	1500B 00001	GB
		[2,5-diphenyl-3-(1-naphthyl) tetrazolium chloride]			
		Assay : Min. 94% C23H17N4Cl M.W. 384.87			
10 gm	2568A	1-(2-THEONYL) 3,3,3-TRIFLUOROACETONE	326-91-0	2568A 00010	GB
100 gm		Assay : Min. 99% C8H5F3O2S M.W. 222.19		2568A 00100	GB
25 gm	2567J	THEOPHYLLINE Extra Pure (for lab use)	58-55-9	2567J 00025	GB
100 gm				2567J 00100	PB
500 gm		Assay : Min. 99% C7H8N4O2 M.W. 180.16		2567J 00500	PB
		THIAMINE HYDROCHLORIDE See Vitamin B1 Cat No.1572H Page 208			
100 gm	1500D	THIOACETAMIDE	62-55-5	1500D 00100	GB
500 gm		Assay : Min. 97% CH3CS.NH2 M.W. 75.13		1500D 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	01501	THIOACETAMIDE AR	62-55-5	01501 00025	GB
100 gm		Assay : Min. 99% CH3CS.NH2 M.W. 75.13		01501 00100	GB
100 gm	2568B	THIOACETIC ACID (for synthesis) (thiolacetic acid)	507-09-5	2568B 00100	GB
500 gm		Assay : Min. 98% C2H4OS M.W. 76.12		2568B 00500	PB
25 gm	1501A	THIOBARBITURIC ACID AR	504-17-6	1501A 00025	GB
100 gm		Assay : Min. 99% C4H4N2O2S M.W. 144.15		1501A 00100	PB
100 gm	1501B	THIOBENZAMIDE	2227-79-4	1501B 00100	GB
		Assay : Min. 98% C7H7NS M.W. 137.20			
5 gm	1501C	THIOFLAVINE T (C.I. 49005)	2390-54-7	1501C 00005	GB
25 gm		Dye Content : Min. 75% C17H19ClN2S M.W. 318-87		1501C 00025	GB
		1-THIOGLYCEROL See Monothioglycerol Cat No.1043A Page 135			
500 ml	01502	THIOGLYCOLLIC ACID Extra Pure	68-11-1	01502 00500	GB
		Assay : Min. 80% HSCH2COOH M.W. 92.12, Liquid, d. 1.325			
100 ml	1502A	THIOGLYCOLLIC ACID 99% AR	68-11-1	1502A 00100	GB
250 ml		Assay : Min. 99% HSCH2COOH M.W. 92.12, Liquid, d. 1.325		1502A 00250	GB
		THIOGLYCOLLIC ACID SODIUM SALT			
		See Sodium Thioglycollate Cat No.1428B Page 188			
100 gm	1502C	THIOMALIC ACID (for synthesis)	70-49-5	1502C 00100	PB
1 Kg		Used In Cosmetic,Mettallurgy, Printing ink and for Electroplating		1502C 01000	PB
		Assay : Min. 99% C4H6O4S M.W. 150.2			
10 gm	1502B	THIOMERSAL [2(ethylmercurio)thio)-benzoic acid sodium salt]	54-64-8	1502B 00010	GB
25 gm		Assay : Min. 97% C9H9HgNaO2S M.W. 404.81		1502B 00025	GB
5 gm	01503	THIONIN ACETATE SALT (M.S.) (C.I. No.52000)	78338-22-4	01503 00005	GB
25 gm		Dye Content : Min. 85% C14H13N3O2S M.W. 287.34		01503 00025	GB
500 ml	01504	THIONYL CHLORIDE (for synthesis)	07/09/7719	01504 00500	GBT
		Assay : Min. 99% SOCl2 M.W. 118.97, Liquid, d. 1.64			
100 ml	2568C	THIOPHENE (for synthesis)	110-02-1	2568C 00100	GB
500 ml		Assay : Min. 99% C4H4S M.W. 84.14, Liquid, d. 1.051		2568C 00500	GB
250 ml	02569	THIOPHENOL (for synthesis)	108-98-5	02569 00250	GB
500 ml		Assay : Min. 99% C6H6S M.W. 110.18, Liquid, d. 1.073		02569 00500	GB
		THIOSALICYLIC ACID See 2-Mercaptobenzoic Acid Cat No.975A Page 125			
25 gm	1504A	THIOSEMICARBAZIDE (for synthesis)	79-19-6	1504A 00025	GB
100 gm				1504A 00100	PB
500 gm		Assay : Min. 98% CH5N3S M.W. 91.14		1504A 00500	PB
25 gm	01505	THIOSEMICARBAZIDE AR	79-19-6	01505 00025	GB
100 gm		Assay : Min. 99% CH5N3S M.W. 91.14		01505 00100	PB
500 gm				01505 00500	PB
25 gm	2569A	2-THIOURACIL (for synthesis)	141-90-2	2569A 00025	GB
100 gm		(used in bioside & electroplanting) (4-hydroxy-2-mercaptopyrimidine)		2569A 00100	PB
		Assay : Min. 98% C4H4N2OS M.W. 128.15			
500 gm	1505A	THIOUREA AR	62-56-6	1505A 00500	PB
5 Kg		Assay : Min. 99% NH2.CS.NH2 M.W. 76.12		1505A 05000	PC
500 gm	01506	THIOUREA Extra Pure	62-56-6	01506 00500	PB
5 Kg		Assay : Min. 98% NH2.CS.NH2 M.W. 76.12		01506 05000	PC
5 gm	1506A	THORIN indicator AR (reagent for thorium, beryllium & other metals)	3688-92-4	1506A 00005	GB
10 gm		C16H11AsN2Na2O10S2 M.W. 576.30		1506A 00010	GB
25 gm	01507	THORIUM NITRATE AR (pentahydrate)	14767-04-5	01507 00025	GB
100 gm		Assay : Min. 99% Th(NO3)4.5H2O M.W. 570.13		01507 00100	GB
5 gm	01508	THORIUM OXIDE AR	1314-20-1	01508 00005	GB
		Assay : Min. 99% ThO2 M.W. 264.04			
5 gm	1508A	THORIUM SULPHATE AR	10381-37-0	1508A 00005	GB
25 gm	1508B	DL-THREONINE (for biochemistry)	80-68-2	1508B 00025	GB
100 gm		Assay : Min. 99% C4H9NO3 M.W. 119.12		1508B 00100	PB
5 gm	1508C	L-THREONINE (for biochemistry)	72-19-5	1508C 00005	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		Assay : Min. 99% C4H9NO3 M.W. 119.12		1508C 00025	GB
500 ml	1508D	THYME OIL Extra Pure Liquid, d. 0.917	8007-46-3	1508D 00500	GB
1 gm	02570	THYMIDINE (for biochemistry)	50-89-5	02570 00001	GB
5 gm		Assay : Min. 99% C10H14N2O5 M.W 242.23		02570 00005	GB
10 gm	1508E	THYMINE (for biochemistry)	65-71-4	1508E 00010	GB
25 gm		Assay : Min. 99% C5H6N2O2 M.W. 126.12		1508E 00025	GB
25 gm	01509	THYMOL BLUE indicator AR	76-61-9	01509 00025	GB
100 gm		C27H30O5S M.W. 466.60		01509 00100	PB
500 gm				01509 00500	PB
125 ml	01510	THYMOL BLUE solution (indicator solution) Liquid, d. 0.979		01510 00125	PB
500 ml				01510 00500	PB
5 gm	1510A	THYMOL BLUE SODIUM SALT (water soluble)	62625-21-2	1510A 00005	GB
		Dye Content : Min. 95% C27H29NaO5S M.W. 488.58			
100 gm	01511	THYMOL crystals Extra Pure	89-83-8	01511 00100	GB
500 gm		Assay : Min. 99% C10H14O M.W. 150.22		01511 00500	PB
100 gm	1511A	THYMOL crystals AR	89-83-8	1511A 00100	GB
500 gm		Assay : Min. 99.5% C10H14O M.W. 150.22		1511A 00500	PB
1 gm	01512	THYMOLPHTHALEIN COMPLEXONE AR	1913-93-5	01512 00001	GB
5 gm		(thymolphthalexone) (methylthymolphthalein)		01512 00005	GB
		Assay : Min. 97% C38H44N2O12 M.W. 720.78			
5 gm	01513	THYMOLPHTHALEIN indicator AR	125-20-2	01513 00005	GB
25 gm		(pH 9.3-10.5 colourless to blue)		01513 00025	GB
100 gm		Dye Content : Min. 95% C28H30O4 M.W. 430.54		01513 00100	PB
125 ml	01514	THYMOLPHTHALEIN solution (indicator solution) Liquid, d. 0.79		01514 00125	GB
500 ml				01514 00500	GB
125 ml	02571	TIN AAS STANDARD SOLUTION 1000mg/L in water Liquid, d. 1.00		02571 00125	GB
500 ml				02571 00500	GB
125 ml	2571A	TIN ICP STANDARD SOLUTION 1000mg/L in water, Liquid, d. 1.00		2571A 00125	PB
250 gm	1514A	TIN (metal) FOIL 99.9%	7440-31-5	1514A 00250	PB
500 gm		Assay : Min. 99.9% Sn M.W. 118.71		1514A 00500	PB
100 gm	01515	TIN (metal) GRANULAR	7440-31-5	01515 00100	GB
500 gm		Assay : Min. 99% Sn M.W. 118.71		01515 00500	PB
100 gm	01516	TIN (metal) GRANULAR AR	7440-31-5	01516 00100	GB
500 gm		Assay : Min. 99% Sn M.W. 118.71		01516 00500	PB
100 gm	1516A	TIN (metal) POWDER Extra Pure	7440-31-5	1516A 00100	GB
250 gm		Assay : Min. 99% Sn M.W. 118.71		1516A 00250	GB
500 gm				1516A 00500	PB
100 gm	01517	TIN (metal) POWDER AR	7440-31-5	01517 00100	GB
250 gm		Assay : Min. 99.9% Sn M.W. 118.71		01517 00250	GB
500 gm				01517 00500	PB
		TIN CHLORIDE (IC) See Stannic Chloride Cat No.1442 Page 189			
		TIN CHLORIDE (OUS) See Stannous Chloride Cat No.1444 & 1445 Page 189			
500 ml	1517A	TIN FLUOBORATE 50% solution	13814-97-6	1517A 00500	GB
		Sn(BF4)2 M.W. 292.3, Liquid, d. 1.67			
100 gm	1517B	TINIDAZOLE Extra Pure (for lab use)	19387-91-8	1517B 00100	PB
500 gm		C8H13N3O4S M.W 247.27		1517B 00500	PB
		TIN (II) OXALATE See Stannous Oxalate Cat No.1445A Page 189			
		TIN (II) OXIDE See Stannous Oxide Cat No.1445B Page 189			
		TIN (IV) OXIDE See Stannic Oxide Cat No.1443 & 1443A Page 189			
		TIN (II) PHOSPHATE See Stannous Phosphate Cat No.1445C Page 189			
		TIN (II) SULPHATE See Stannous Sulphate Cat no. 1446 & 1446A Page 189			
10 gm	01518	TIRON AR (monohydrate)	270573-71-2	01518 00010	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm		(3,5-pyrocatechol disulphonic acid disodium salt)		01518 00025	GB
		Assay : Min. 95% C6H4O8Na2S2.H2O M.W. 332.20			
125 ml	1518B	TITANIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid Liquid, d. 1.00		1518B 00125	GB
25 gm	1518A	TITANIUM (metal) POWDER pure	7440-32-6	1518A 00025	GB
100 gm		Assay : Min. 98% Ti M.W. 47.90		1518A 00100	GB
500 gm	01519	TITANIUM DIOXIDE Extra Pure [titanium (IV) oxide]	13463-67-7	01519 00500	PB
25 Kg		Assay : Min. 99% TiO2 M.W. 79.87		01519 25000	PC
500 gm	1519A	TITANIUM DIOXIDE AR [titanium (IV) oxide]	13463-67-7	1519A 00500	PB
		Assay : Min. 99.5% TiO2 M.W. 79.87			
100 gm	1519B	TITANIUM OXY-SULPHATE (titanyl sulphate)	13825-74-6	1519B 00100	PB
250 gm				1519B 00250	PB
500 gm		Assay : Min. 29% (as TiO2) basis TiOSO4·aq M.W 159.93		1519B 00500	PB
		TITANIUM POTASSIUM OXALATE			
		See Potassium Titanium Oxalate Cat No.1269 & 1269A Page 165			
500 ml	1519C	TITANIUM TETRACHLORIDE (anhydrous) Fuming Liquid	7550-45-0	1519C 00500	GB
		Assay : Min. 99.5% TiCl4 M.W. 189.71, Liquid,d.1.73			
250 ml	01520	TITANIUM TRICHLORIDE 15% solution	09/07/7705	01520 00250	GB
500 ml		(titanous chloride solution) (titanium chloride solution)		01520 00500	GB
		TiCl3 M.W 154.23 , Liquid, d. 1.192			
10 gm	01521	TITAN YELLOW AR (C.I. No.19540)	1829-00-1	01521 00010	GB
25 gm		(clayton yellow)		01521 00025	GB
50 gm		C28H19N5Na2O6S4 M.W. 695.73		01521 00050	GB
125 ml	01522	TITAN YELLOW (indicator solution), Liquid, d. 1.0		01522 00125	PB
500 ml		(clayton yellow indicator solution)		01522 00500	PB
5 gm	1522A	TIZANIDINE HYDROCHLORIDE (for lab use)	64461-82-1	1522A 00005	GB
25 gm		Assay : Min. 98% C9H9Cl2N5S M.W 290.17		1522A 00025	GB
25 gm	01523	o-TOLIDINE AR (powder)	119-93-7	01523 00025	GB
100 gm		(reagent for the halogens and gold)		01523 00100	GB
500 gm		Assay : Min. 97% C14H16N2 M.W 212.29		01523 00500	PB
25 gm	1523A	o-TOLIDINE HYDROCHLORIDE AR	612-82-8	1523A 00025	GB
100 gm		Assay : Min. 99% C14H16N2.2HCl.xH2O M.W. 285.21		1523A 00100	GB
500 gm				1523A 00500	PB
500 ml	01524	o-TOLIDINE solution, Liquid, d. 1.008		01524 00500	GB
5 Lt		(reagent for chlorine estimation)		01524 05000	PC
125 ml	01525	TOLLEN'S REAGENT solution Liquid, d. 1.01		01525 00125	GB
500 ml				01525 00500	GB
25 gm	1525A	o-TOLUALDEHYDE (2-methylbenzaldehyde)	529-20-4	1525A 00025	GB
100 gm		Assay : Min. 96.5% C8H8O M.W. 120.15, Liquid, d. 1.039		1525A 00100	PB
25 gm	1525B	p-TOLUALDEHYDE (4-Methylbenzaldehyde)	104-87-0	1525B 00025	GB
100 gm		Assay : Min. 97% C8H8O M.W. 120.15, Liquid, d. 1.019		1525B 00100	PB
500 ml	01526	TOLUENE (rectified) (sulphur free)	108-88-3	01526 00500	GB
2.5 Lt				01526 02500	GB
5 Lt		Assay : Min. 99% C7H8 M.W. 92.14, Liquid, d. 0.865		01526 05000	PB
500 ml	01527	TOLUENE AR	108-88-3	01527 00500	GB
2.5 Lt		Assay : Min. 99.5% C7H8 M.W. 92.14, Liquid, d. 0.865		01527 02500	GB
500 ml	02576	TOLUENE HPLC & SPECTROSCOPY	108-88-3	02576 00500	GB
2.5 Lt		Assay : Min. 99.8% C7H8 M.W. 92.14, Liquid, d. 0.865		02576 02500	GB
500 gm	02577	o-TOLUENE SULPHONAMIDE (for synthesis)	88-19-7	02577 00500	PB
		Assay : Min. 99% C7H9NO2S M.W 171.22			
500 gm	01528	p-TOLUENE SULPHONAMIDE	70-55-3	01528 00500	PB
		Assay : Min. 99% C7H9NO2S M.W 171.22			
500 gm	01529	p-TOLUENE SULPHONIC ACID (monohydrate) (toluene-4-sulphonic acid)	6192-52-5	01529 00500	PB
5 Kg		Assay : Min. 98% C7H8O3S.H2O M.W 190.22		01529 05000	PC

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm	1529A	p-TOLUENE SULPHONIC ACID AR (monohydrate) (toluene-4-sulphonic acid)	6192-52-5	1529A 00100	PB
500 gm		Assay : Min. 98.5% C7H8O3S.H2O M.W 190.22		1529A 00500	PB
500 gm	01530	p-TOLUENE SULPHONYL CHLORIDE (4-toluene sulphonyl chloride)	98-59-9	01530 00500	PB
		Assay : Min. 98% C7H7ClO2S M.W 190.65			
5 gm	1530D	p-TOLUENESULFONYL FLUORIDE (tosyl fluoride)	455-16-3	1530D 00005	GB
25 gm		Assay : Min. 98% CH3C6H4SO2F M.W. 174.19		1530D 00025	GB
500 gm	1530A	m-TOLUIC ACID (for synthesis) (3-methylbenzoic acid)	99-04-7	1530A 00500	PB
		Assay : Min. 98% C8H8O2 M.W. 136.15			
500 gm	1530B	o-TOLUIC ACID (for synthesis) (2-methylbenzoic acid)	118-90-1	1530B 00500	PB
		Assay : Min. 98% C8H8O2 M.W. 136.15			
500 gm	1530C	p-TOLUIC ACID (for synthesis) (4-methylbenzoic acid)	99-94-5	1530C 00500	PB
		Assay : Min. 99% C8H8O2 M.W. 136.15			
25 gm	01531	TOLUIDINE BLUE (M.S.) (C.I. No.52040)	92-31-9	01531 00025	GB
100 gm				01531 00100	PB
500 gm		Dye Content : Min. 80% C15H16ClN3S M.W. 305.83		01531 00500	PB
125 ml	01532	TOLUIDINE BLUE solution indicator solution		01532 00125	PB
500 ml				01532 00500	PB
500 ml	01533	m-TOLUIDINE (3-methylaniline)	108-44-1	01533 00500	GB
		Assay : Min. 99% C7H9N M.W. 107.16, Liquid, d. 0.999			
500 ml	01534	o-TOLUIDINE	95-53-4	01534 00500	GB
		Assay : Min. 99% C7H9N M.W. 107.16, Liquid, d. 1.008			
250 ml	1534A	o-TOLUIDINE AR (for determination of blood glucose)	95-53-4	1534A 00250	GB
500 ml		Assay : Min. 99% C7H9N M.W. 107.16, Liquid, d. 1.008		1534A 00500	GB
500 gm	01535	p-TOLUIDINE (for synthesis) (p-aminotoluene)	106-49-0	01535 00500	PB
		Assay : Min. 99% C7H9N M.W. 107.16			
100 gm	1535A	p-TOLUIDINE AR (p-aminotoluene)	106-49-0	1535A 00100	GB
500 gm		Assay : Min. 99.7% C7H9N M.W. 107.16		1535A 00500	GB
100 gm	02578	p-TOLUIDINE HYDROCHLORIDE (for synthesis)	540-23-8	02578 00100	GB
250 gm		Assay : Min. 99% C7H9N.HCl M.W. 143.62		02578 00250	GB
100 gm	1535C	p-TOLUOYLCHLORIDE	874-60-2	1535C 00100	GB
		Assay : Min. 98% C8H7OCl M.W. 154.59, Liquid, d. 1.17			
125 ml	1535B	TOMMER'S REAGENT solution		1535B 00125	PB
500 ml				1535B 00500	PB
125 ml	01536	TOPFER'S REAGENT solution		01536 00125	PB
500 ml				01536 00500	PB
100 tab	2578A	TOTAL HARDNESS INDICATOR TABLETS (reagent D)		2578A 100TB	PB
		TRAGACANTH GUM powder See Gum Tragacanth Cat No.792 Page 101			
5 gm	2578B	TREHALOSE (for biochemistry)	6138-23-4	2578B 00005	GB
10 gm				2578B 00010	GB
25 gm		Assay : Min. 99% C12H22O11.2H2O M.W. 378.34		2578B 00025	GB
		TRIACETIN See Glycerol Triacetate Cat No.781A Page 99			
1 gm	2578D	1H-1,2,3-TRIAZOLE	288-36-8	2578D 00001	GB
5 gm		Assay : Min. 97% C2H3N3 M.W 69.07, Liquid, d. 1.192		2578D 00005	GB
500 ml	2578C	TRIBUTYLAMINE (for synthesis)	102-82-9	2578C 00500	GB
2.5 Lt		Assay : Min. 97% C12H27N M.W. 185.36, Liquid, d. 0.778		2578C 02500	GB
500 ml	1536A	TRI-N-BUTYL PHOSPHATE (n-butyl phosphate)	126-73-8	1536A 00500	GB
		Assay : Min. 99% C12H27O4P M.W. 266.31, Liquid, d. 0.979			
250 ml	2578E	TRIBUTYLTIN CHLORIDE (for synthesis)	1461-22-9	2578E 00250	GB
1 Lt		Assay : Min. 96% C12H27ClSn M.W. 325.51, Liquid.d 1.2		2578E 01000	GB
100 ml	1536C	TRIBUTYLTIN OXIDE (for synthesis) [Bis (tributyltin) oxide] Liquid, d. 1.17	56-35-9	1536C 00100	GB
500 ml		Assay : Min. 98% C24H54OSn2 M.W. 596.08,		1536C 00500	GB
100 ml	1536B	TRIBUTYRIN (for biochemistry)	60-01-5	1536B 00100	GB
500 ml		(glycerol tributyrate) (suitable for milk bacteriology)		1536B 00500	GBT
		Assay : Min. 99% C15H26O6 M.W. 302.36, Liquid, d. 1.032			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		TRIBROMOMETHANE See Bromoform Cat No.319 Page 38			
		TRICHLOROACETIC ACID			
		See Chloroacetic Acid (tri) Cat No.444, 444A & 444D Page 54			
1 Lt	1536E	1,2,4-TRICHLOROBENZENE 98% (for synthesis)	120-82-1	1536E 01000	GB
2.5 Lt		Assay : Min. 98% C6H3Cl3 M.W. 181.45, Liquid, d. 1.45		1536E 02500	GB
500 ml	01537	TRICHLOROETHYLENE (purified)	79-01-6	01537 00500	GB
2.5 Lt		Assay : Min. 99% CHCl:CCl2 M.W. 131.39, Liquid, d. 1.463		01537 02500	GB
5 Lt				01537 05000	PC
2.5 Lt	1537A	TRICHLOROETHYLENE EL Grade	79-01-6	1537A 02500	GB
		Assay : Min. 99.5% CHCl:CCl2 M.W. 131.39, Liquid, d. 1.463			
		TRICHLOROMETHANE			
		See Chloroform Cat No.454, 455, 455A & 2106 Page 56			
100 gm	1537B	2,4,6-TRI CHLOROPHENOL (for synthesis)	88-06-2	1537B 00100	GB
500 gm		Assay : Min. 98% C6H3Cl3O M.W 197.45		1537B 00500	GB
25 gm	1537C	TRICINE (For Molecular Biology)	01/04/5704	1537C 00025	GB
100 gm		[N-tris (hydroxymethyl) methyl glycine]		1537C 00100	GB
		Assay : Min. 99% C6H13NO5 M.W. 179.17			
500 gm	1537D	TRICLOSAN	3380-34-5	1537D 00500	PB
5 Kg		Assay : Min. 97% C12H7Cl3O2 M.W. 289.54		1537D 05000	PC
500 ml	01538	TRICRESYL PHOSPHATE (tritolyl phosphate)	1330-78-5	01538 00500	GB
2.5 Lt		Assay : Min. 90% C21H21O4P M.W 368.37, Liquid, d. 1.143		01538 02500	GB
500 ml	01539	TRIETHANOLAMINE (for synthesis)	102-71-6	01539 00500	PB
2.5 Lt		Assay : Min. 98% C6H15NO3 M.W. 149.19, Liquid d. 1.127		01539 02500	PB
250 ml	1539A	TRIETHANOLAMINE AR	102-71-6	1539A 00250	GB
500 ml		Assay : Min. 99% C6H15NO3 M.W. 149.19, Liquid d. 1.127		1539A 00500	GB
100 gm	02579	TRIETHANOLAMINE HYDROCHLORIDE AR (buffer componenet)	637-39-8	02579 00100	GB
500 gm		Assay : Min. 99% C6H15NO3.HCl M.W. 185.65		02579 00500	PB
500 gm	1539B	TRIETHANOLAMINE LAURYL SULPHATE	139-96-8	1539B 00500	PB
		C18H41NO7S M.W. 415.59			
500 gm	1539C	TRIETHANOLAMINE STEARATE		1539C 00500	PB
500 ml	01540	TRIETHYLAMINE (for synthesis)	121-44-8	01540 00500	GB
2.5 Lt		Assay : Min. 99% (C2H5)3N M.W. 101.19, Liquid d. 0.726		01540 02500	GB
500 ml	1540A	TRIETHYLAMINE AR	121-44-8	1540A 00500	GB
2.5 Lt		Assay : Min. 99.5% (C2H5)3N M.W. 101.19, Liquid d. 0.726		1540A 02500	GB
500 ml	1540B	TRIETHYLAMINE HPLC & SPECTROSCOPY	121-44-8	1540B 00500	GB
2.5 Lt		Assay : Min. 99.5% (C2H5)3N M.W. 101.19, Liquid d. 0.726		1540B 02500	GBT
100 gm	1540C	TRIETHYL CITRATE (citric acid triethyl ester)	77-93-0	1540C 00100	GB
250 gm		Assay : Min. 99% C12H20O7 M.W. 276.29, Liquid, d. 1.137		1540C 00250	GB
500 gm				1540C 00500	GB
500 ml	2579A	TRIETHYLENE GLYCOL (for synthesis) (triglycol, trigol)	112-27-6	2579A 00500	PB
2.5 Lt		Assay : Min. 98% C6H14O4 M.W. 150.18, Liquid d. 1.124		2579A 02500	PB
500 ml	01541	TRIETHYLENE TETRAMINE	112-24-3	01541 00500	GB
		Assay : Min. 95% C6H18N4 M.W 146.23, Liquid, d. 982			
		TRIETHYL ORTHOFORMATE			
		See Ethyl Orthoformate Cat No.706 Page 90			
250 ml	2579B	TRIETHYL PHOSPHITE (for synthesis)	122-52-1	2579B 00250	GB
1 Lt		Assay : Min. 98% C6H15O3P 166.16, Liquid, d. 0.969		2579B 01000	GB
100 ml	02580	TRIFLUOROACETIC ACID	76-05-1	02580 00100	GB
500 ml		Assay : Min. 98% C2HF3O2 M.W. 114.02, Liquid, d. 1.489		02580 00500	GB
2.5 Lt				02580 02500	GB
100 ml	2580A	TRIFLUOROACETIC ACID AR (for IR and NMR spectroscopy)	76-05-1	2580A 00100	GB
		Assay : Min. 99.8% C2HF3O2 M.W. 114.02, Liquid, d. 1.489			
100 ml	2580B	TRIFLUORO ACETIC ANHYDRIDE , Liquid, d. 1.511 (TFAA) (for sequential analysis)	407-25-0	2580B 00100	GB
500 ml		Assay : Min. 99% C4F6O3 M.W. 210.03		2580B 00500	GB
100 ml	2580C	2,2,2-TRIFLUOROETHANOL (for synthesis)	75-89-8	2580C 00100	GB
500 ml		(bbb-trifluoroethyl alcohol)		2580C 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay : Min. 99% C2H3F3O M.W. 100.04, Liquid, d. 1.373			
25 gm	02581	1-(3-TRIFLUOROMETHYLPHENYL) PIPERAZINE HYDROCHLORIDE	16015-69-3	02581 00025	GB
50 gm				02581 00050	GB
100 gm		Assay : Min. 98% C11H13F3N2.HCl M.W 266.69		02581 00100	GB
		3,4, 5-TRIHYDROXY BENZOIC ACID See Gallic Acid Cat No.765 Page 97			
5 gm	02582	2,3,5-TRIIODOBENZOIC ACID AR (TIBA)	88-82-4	02582 00005	GB
10 gm		Assay : Min. 97% C7H3I3O2 M.W. 499.81		02582 00010	GB
100 gm	1541B	TRIMETHOPRIM Extra Pure (for lab use) (TMP)	738-70-5	1541B 00100	GB
500 gm		Assay : Min. 95% C14H18N4O3 M.W 290.32		1541B 00500	PB
100 gm	1541C	3,4,5-TRIMETHOXYBENZALDEHYDE	86-81-7	1541C 00100	GB
500 gm		Assay : Min. 98% C10H12O4 M.W. 196.20		1541C 00500	PB
		TRIMETHYLAMINE 30% solution			
		See Methylamine solution (tri) 30% Cat No.1011 Page 129			
500 gm	2582A	TRIMETHYLAMINE HYDROCHLORIDE (for synthesis)	593-81-7	2582A 00500	PB
		Assay : Min. 98% C3H9N.HCl M.W.95.57			
500 gm	2582B	TRIMETHYLOL PROPANE (2-ethyl 2-hydroxymethyl-1,3 propanediol)	77-99-6	2582B 00500	PB
		Assay : Min. 98% C6H14O3 M.W. 134.17			
500 ml	2582C	TRIMETHYL ORTHOFORMATE (for synthesis)	149-73-5	2582C 00500	GB
2.5 Lt		(methyl orthoformate) Liquid, d. 0.97		2582C 02500	GBT
		Assay : Min. 98% C4H10O5 M.W. 106.12,			
		2,2,4-TRIMETHYL PENTANE See iso-Octane Cat No.1118 Page 143			
250 ml	2582E	TRIMETHYL PHOSPHITE (for synthesis)	121-45-9	2582E 00250	GB
1 Lt		Assay : Min. 98.5% C3H9O3P M.W. 124.08, Liquid, d. 1.052		2582E 01000	GB
100 ml	2582F	2,4,6-TRIMETHYL PYRIDINE	108-75-8	2582F 00100	GB
500 ml		Assay : Min. 98% C8H11N M.W. 121.18, Liquid, d. 0.917		2582F 00500	GBT
100 gm	2582D	TRIMETHYL SULPHOXONIUM IODIDE (for synthesis)	1774-47-6	2582D 00100	GB
500 gm		Assay : Min. 98% C3H9IOS M.W 220.07		2582D 00500	PB
		2,4,6-TRINITROPHENOL			
		See Picric Acid Cat No.1201, 1202 & 1202A Page 154			
10 gm	02583	TRI-n-OCTYL PHOSPHINE OXIDE AR (for extraction analysis)	78-50-2	02583 00010	GB
100 gm		Assay : Min. 99% C24H51OP M.W 386.63		02583 00100	PB
5 gm	1541A	TRIPALMITIN (pure)	555-44-2	1541A 00005	GB
25 gm		Assay : Min. 99% C51H98O6 M.W 807.32		1541A 00025	GB
25 gm	2583A	TRIPHENYL ETHYL PHOSPHONIUM BROMIDE (for synthesis)	1530-32-1	2583A 00025	GB
100 gm		Assay : Min. 98% C20H20BrP M.W. 371.27		2583A 00100	GB
500 gm	01542	TRIPHENYL PHOSPHATE	115-86-6	01542 00500	PB
		Assay : Min. 99% C18H15O4P M.W. 326.28			
100 gm	02584	TRIPHENYL PHOSPHINE	603-35-0	02584 00100	PB
500 gm		Assay : Min. 98% C18H15P M.W. 262.29		02584 00500	PB
500 ml	2584A	TRIPHENYL PHOSPHITE (for synthesis)	101-02-0	2584A 00500	GB
		(phosphorous acid triphenyl ester)			
		Assay : Min. 97% C18H15O3P M.W 310.28, Liquid, d. 1.184			
1 gm	2584B	2,3,5-TRIPHENYL TETRAZOLIUM BROMIDE AR	1096-80-6	2584B 00001	GB
		Assay : Min. 98% C19H15BrN4 M.W. 379.24			
		2,3,5-TRIPHENYL TETRAZOLIUM CHLORIDE			
		See Tetrazolium Salt Cat No.1500A Page 198			
25 gm	2584D	TRIPHOSGENE	32315-10-9	2584D 00025	GB
100 gm		Assay : Min. 98% Cl3COCOOCCl3 M.W. 296.75		2584D 00100	PB
500 gm				2584D 00500	PB
1 gm	2584C	2,4,6-TRI-(2-PYRIDYL)-1,3,5-TRIAZINE AR	3682-35-7	2584C 00001	GB
5 gm		(for the determination of iron in water & serum)		2584C 00005	GB
		Assay : Min. 99% C18H12N6 M.W 312.33			
100 gm	01543	TRIS BUFFER Extra Pure [tris (hydroxymethyl) amino methane] (tris base)	77-86-1	01543 00100	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm		Assay : Min. 99% C14H11NO3 M.W. 121.14		01543 00500	PB
100 gm	01544	TRIS BUFFER AR [tris (hydroxymethyl) amino methane] (tris base)	77-86-1	01544 00100	GB
500 gm		Assay : Min. 99.5% C14H11NO3 M.W. 121.14		01544 00500	PB
100 gm	1544A	TRIS-HYDROCHLORIDE AR (For Molecular Biology)	1185-53-1	1544A 00100	GB
500 gm		Assay : Min. 99% C4H11NO3.HCl M.W. 157.60		1544A 00500	PB
500 ml	01545	TRITON X 100 (iso-octyl phenoxy polyethoxy ethanol) Liquid, d. 1.06	9002-93-1	01545 00500	GB
		Assay : Min. 98% C34H62O11 M.W. 646.87			
50 ml	1544B	TRITON® X 100 (For Molecular Biology)	9002-93-1	1544B 00050	GB
100 ml		Assay : Min. 98% C34H62O11 M.W. 646.87, Liquid, d. 1.06		1544B 00100	GB
500 ml				1544B 00500	GB
25 gm	1545A	TROPAEOLIN O (C.I. No.14270) (resorcin yellow)	547-57-9	1545A 00025	GB
100 gm		C12H9N2O5SNa M.W. 316.27		1545A 00100	GB
25 gm	1545B	TROPAEOLIN OO (C.I. No.13080) (orange IV)	554-73-4	1545B 00025	GB
100 gm		C18H14N3NaO3S M.W 375.38		1545B 00100	GB
25 gm	1545C	TROPAEOLIN OOO (C.I. No.15510) (orange II)	633-96-5	1545C 00025	GB
100 gm		C16H11N2NaO4S M.W 350.32		1545C 00100	GB
25 gm	01546	TRYPAN BLUE (M.S.) (C.I. No.23850)	72-57-1	01546 00025	GB
100 gm		Dye Content : Min. 60% C34H24N6O14S4Na4 M.W. 960.81		01546 00100	PB
25 gm	1546A	TRYPSIN 1:250 (from bovine pancrease)	9002-07-7	1546A 00025	GB
100 gm				1546A 00100	PB
100 gm	1546B	TRYPSIN 2000 u/g	9002-07-7	1546B 00100	PB
500 gm		(0.2 Anson unit/g)		1546B 00500	PB
250 gm	1546C	TRYPTICASE		1546C 00250	PB
500 gm				1546C 00500	PB
500 gm	01547	TRYPTONE (for bacteriology)	73049-73-7	01547 00500	PB
		(pancreatic digestion of casein)			
5 gm	02585	D-TRYPTOPHANE (d-a-amino-3-indolepropionic acid)	153-94-6	02585 00005	GB
25 gm		Assay : Min. 98% C11H12N2O2 M.W 204.23		02585 00025	GB
5 gm	1547A	L-TRYPTOPHANE (for biochemistry)	73-22-3	1547A 00005	GB
25 gm				1547A 00025	GB
100 gm		Assay : Min. 99% C11H12N2O2 M.W 204.23		1547A 00100	PB
5 gm	1547B	DL-TRYPTOPHANE (for biochemistry)	54-12-6	1547B 00005	GB
25 gm				1547B 00025	GB
100 gm		Assay : Min. 99% C11H12N2O2 M.W 204.23		1547B 00100	PB
500 gm	1547C	TRYPTOSE (for bacteriology)	84843-69-6	1547C 00500	PB
500 ml	1547D	TULSI OIL , Liquid, d. 0.961	8015-73-4	1547D 00500	GB
500 ml	01548	TUNG OIL Extra Pure (china wood oil) Liquid, d. 0.937	8001-20-5	01548 00500	GB
125 ml	02586	TUNGSTEN AAS STANDARD SOLUTION 1000mg/L in Nitric Acid		02586 00125	GB
500 ml				02586 00500	GB
125 ml	2586A	TUNGSTEN ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2586A 00125	PB
100 gm	1548A	TUNGSTEN (metal) POWDER (325 mesh)	7440-33-7	1548A 00100	GB
500 gm		Assay : Min. 98% W M.W. 183.85		1548A 00500	PB
100 gm	1548B	TUNGSTEN (VI) OXIDE (tungsten trioxide)	1314-35-8	1548B 00100	PB
250 gm		Assay : Min. 98% Wo3 M.W. 231.84		1548B 00250	PB
100 gm	1548C	TUNGSTIC ACID	7783-03-1	1548C 00100	GB
250 gm		Assay : Min. 99% H2WO4 M.W. 249.87		1548C 00250	PB
500 gm				1548C 00500	PB
100 gm	01549	TUNGSTIC ACID AR	7783-03-1	01549 00100	GB
250 gm		Assay : Min. 99% H2WO4 M.W. 249.87		01549 00250	PB
500 gm				01549 00500	PB
		TUNGSTO PHOSPHORIC ACID			
		See Phosphotungstic Acid Cat No.1192, 1193 & 1193A Page 153			
		TUNGSTO SILICIC ACID See Silicotungstic Acid Cat No.1325 Page 173			
500 ml	02588	TURKEY RED OIL (35%) (sodium salt) Liquid, d. 1.039	8002-33-3	02588 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 ml	2588A	TURKEY RED OIL (50%) (sodium salt) Liquid, d. 1.039	8002-33-3	2588A 00500	GB
500 ml	2588B	TURKEY RED OIL (75%) (sodium salt) Liquid, d. 1.039	8002-33-3	2588B 00500	GB
Pkt.	01550	TURMERIC PAPER (one Pkt. contains 100 leaves)		01550 001PK	CB
24 Pkt.				01550 024PK	CB
		TURPENTINE OIL See Terpentine Oil Cat No.1497 Page 195			
500 gm	01551	TWEEN 20	9005-64-5	01551 00500	PB
		(polysorbate 20) [polyethylene (20) sorbitan mono laurate]			
		$C_{56}H_{114}O_{26}$ M.W. 6418, Liquid, d. 1.105			
100 ml	1551A	TWEEN® 20 (For Molecular Biology)	9005-64-5	1551A 00100	PB
		$C_{56}H_{114}O_{26}$ M.W. 6418, Liquid, d. 1.105			
500 gm	01552	TWEEN 40 (polysorbate 40), Liquid, d. 1.095	9005-66-7	01552 00500	GB
		[polyethylene (40) sorbitan mono palmitate]			
500 gm	01553	TWEEN 60 (polysorbate 60), Liquid, d. 1.044	9005-67-8	01553 00500	GB
		[polyethylene (60) sorbitan mono stearate]			
500 ml	01554	TWEEN 80 (polysorbate 80), Liquid, d. 1.064	9005-65-6	01554 00500	GB
		[polyethylene (80) sorbitan mono oleate]			
25 gm	01555	L-TYROSINE (for biochemistry)	60-18-4	01555 00025	GB
100 gm				01555 00100	PB
500 gm		Assay : Min. 99% $C_9H_{11}NO_3$ M.W. 181.19		01555 00500	PB
U					
Pkt.	01556	UNIVERSAL INDICATOR papers 1-10 (with chart) (Pkt. contains 100 leaves)		01556 001PK	CB
24 Pkt.				01556 024PK	CB
Roll	1556A	UNIVERSAL INDICATOR paper pH 1-10 (including colour scale in plastic dispenser)		1556A 001RL	CB
10 x Roll				1556A 010RL	CB
1 Refil	1556B	UNIVERSAL INDICATOR Paper Refil pH 1-10 (without colour scale)		1556B 001RF	CB
6 Refil				1556B 006RF	CB
125 ml	01557	UNIVERSAL INDICATOR solution pH 4-11 (with colour chart) Liquid, d. 0.89		01557 00125	PB
500 ml				01557 00500	PB
5 gm	01558	UNIVERSAL INDICATOR powder pH 4-11		01558 00005	GB
25 gm				01558 00025	GB
5 gm	01559	UNIVERSAL INDICATOR powder pH 2-10		01559 00005	GB
25 gm				01559 00025	GB
5 gm	01560	URACIL (for biochemistry)	66-22-8	01560 00005	GB
25 gm		Assay : Min. 99% $C_4H_4N_2O_2$ M.W. 112.09		01560 00025	GB
1 Kg				01560 01000	PB
5 gm	1560A	URACIL-5-CARBOXYLIC ACID	23945-44-0	1560A 00005	GB
		Assay : Min. 98% $C_5H_4N_2O_4$ M.W. 156.1			
5 gm	01561	URANYL ACETATE AR (dihydrate) (reagent for sodium)	6159-44-0	01561 00005	GB
25 gm		Assay : Min. 98% $UO_2(OCOCH_3)_2.2H_2O$ M.W. 424.15		01561 00025	GB
		(against End Use Certificate)			
100 ml	1561A	URANYL MAGNESIUM ACETATE solution (magnesium uranyl acetate solution)		1561A 00100	GB
		(against End Use Certificate)			
5 gm	02591	URANYL MAGNESIUM ACETATE (magnesium uranyl acetate)	20596-93-4	02591 00005	GB
25 gm		**(against End Use Certificate)**		02591 00025	GB
5 gm	01562	URANYL NITRATE AR (hexahydrate)	13520-83-7	01562 00005	GB
25 gm		Assay : Min. 98-102% $UO_2(NO_3)_2 \cdot 6H_2O$ M.W. 502.13		01562 00025	GB
		(against End Use Certificate)			
5 gm	01563	URANYL ZINC ACETATE AR (zinc uranyl acetate)	10138-94-0	01563 00005	GB
25 gm		**(against End Use Certificate)**		01563 00025	GB
500 gm	01564	UREA (practical) (crystals)	57-13-6	01564 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
5 Kg				01564 05000	PC
50 Kg		Assay : Min. 98% CH4N2O M.W. 60.06		01564 50000	FD
500 gm	01565	UREA Extra Pure (crystals) (purified)	57-13-6	01565 00500	PB
5 Kg		[minimum assay (Kjeldahl) 99%]		01565 05000	PC
50 Kg		Assay : Min. 99% CH4N2O M.W. 60.06		01565 50000	FD
500 gm	1565A	UREA AR (special for biochemical purpose)	57-13-6	1565A 00500	PB
5 Kg		Assay : Min. 99.5% CH4N2O M.W. 60.06		1565A 05000	PC
500 gm	2591B	UREA (For Molecular Biology)	57-13-6	2591B 00500	PB
1 Kg		Assay : Min. 99.5% CH4N2O M.W. 60.06		2591B 01000	PB
500 gm	2591A	UREA HYDROCHLORIDE (for synthesis)	506-89-8	2591A 00500	PB
500 ml	02592	UREA SOLUTION 0.1M		02592 00500	PB
500 gm	1565B	UREA PHOSPHATE Extra Pure	4861-19-2	1565B 00500	PB
5 Kg		Assay : Min. 98% CH4N2O.H3PO4 M.W. 158.05		1565B 05000	PC
		UREASE ACTIVE MEAL See Jack Bean Meal Cat No.834A Page 112			
25 gm	1565C	URETHANE (ethyl carbamate)	51-79-6	1565C 00025	GB
100 gm		Assay : Min. 99% NH2COOC2H5 M.W. 89.09		1565C 00100	PB
25 gm	01566	URIC ACID Extra Pure	69-93-2	01566 00025	GB
100 gm		Assay : Min. 98% C5H4N4O3 M.W. 168.11		01566 00100	PB
25 gm	01567	URIC ACID AR	69-93-2	01567 00025	GB
100 gm		Assay : Min. 99% C5H4N4O3 M.W. 168.11		01567 00100	PB
100 ml	1567A	URIC ACID REAGENT solution (folin/newton)		1567A 00100	PB
500 ml				1567A 00500	PB
		URIC ACID REAGENT BENEDICT'S See Benedict's Uric Acid Reagent Cat No.231A Page 26			
5 gm	02593	URIDINE (for biochemistry)	58-96-8	02593 00005	GB
25 gm		Assay : Min. 99% C9H12N2O6 M.W. 244.20		02593 00025	GB
V					
		VACCUM GREASE See Silicone Grease Cat No.1323 Page 173			
250 ml	02594	VALERIAN OIL	8008-88-6	02594 00250	GB
500 ml	2594A	n-VALERIC ACID (for synthesis) (pentanoic acid)	109-52-4	2594A 00500	GB
2.5 Lt		Assay : Min. 98% C5H10O2 M.W. 102.13, Liquid, d. 0.939		2594A 02500	GB
100 ml	2594B	VALERONITRILE (for synthesis) (n-butyl cyanide)	110-59-8	2594B 00100	GB
500 ml		Assay : Min. 98% C5H9N M.W. 83.13, Liquid, d. 0.795		2594B 00500	GB
5 gm	1567B	L-VALINE (for biochemistry)	72-18-4	1567B 00005	GB
25 gm				1567B 00025	GB
100 gm		Assay : Min. 99% C5H11NO2 M.W. 117.15		1567B 00100	PB
500 gm				1567B 00500	PB
5 gm	1567C	DL-VALINE (for biochemistry)	516-06-3	1567C 00005	GB
25 gm				1567C 00025	GB
100 gm		Assay : Min. 99% C5H11NO2 M.W. 117.15		1567C 00100	PB
500 gm				1567C 00500	PB
125 ml	1567E	VANADIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid, Liquid, d. 1.013		1567E 00125	GB
500 ml				1567E 00500	GB
125 ml	1567F	VANADIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid Liquid, d. 1.013		1567F 00125	GB
10 gm	1567D	VANADIUM (metal) POWDER	7440-62-2	1567D 00010	GB
		Assay : Min. 99% V M.W. 50.94			
100 gm	01568	VANADIUM PENTOXIDE Extra Pure [vanadium (V) oxide]	1314-62-1	01568 00100	PB
500 gm		Assay : Min. 98% V2O5 M.W. 181.88		01568 00500	PB
100 gm	1568A	VANADIUM PENTOXIDE AR [vanadium (V) oxide]	1314-62-1	1568A 00100	PB
500 gm		Assay : Min. 99% V2O5 M.W. 181.88		1568A 00500	PB
25 gm	2594C	VANADYL SULPHATE (pentahydrate) (vanadium oxysulphate) [vanadium (IV) sulphate oxide pentahydrate]	27774-13-6	2594C 00025	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
100 gm				2594C 00100	PB
500 gm		Assay : Min. 96% VOSO4.5H2O M.W. 253.08		2594C 00500	PB
		VAN DEN BERGH REAGENT 'A' & 'B' See Diazo Reagent 'A' & 'B' Cat No.599 & 600 Page 71			
100 gm	01569	VANILINE (for synthesis)	121-33-5	01569 00100	PB
500 gm		Assay : Min. 98% C8H8O3 M.W. 152.15		01569 00500	PB
25 gm	1569A	VANILINE AR , Liquid, d. 1.06	121-33-5	1569A 00025	GB
100 gm		Assay : Min. 99% C8H8O3 M.W. 152.15		1569A 00100	PB
500 gm	01570	VASELINE white (soft paraffin white)	8009-03-8	01570 00500	PB
15 Kg		(petroleum jelly white) (petrolatum white)		01570 15000	PC
500 gm	01571	VASELINE yellow (soft paraffin yellow) (petroleum jelly yellow)	8009-03-8	01571 00500	PB
15 Kg				01571 15000	PC
500 gm	1571A	VEEGUM (high viscosity) (aluminium magnesium silicate)	1327-43-1	1571A 00500	PB
5 Kg				1571A 05000	PC
100 ml	2594D	VERATROLE (for synthesis)	91-16-7	2594D 00100	GB
500 ml		Assay : Min. 98% C8H10O2 M.W.138.2, Liquid, d. 1.086		2594D 00500	GB
500 ml	1571B	VETIVER OIL	8016-96-4	1571B 00500	GB
25 gm	01572	VICTORIA BLUE (M.S.) (C.I. No.44045)	2580-56-5	01572 00025	GB
100 gm		Dye Content : Min. 65% C33H32ClN3 M.W. 506.10		01572 00100	PB
500 gm				01572 00500	PB
500 ml	02595	VINYL ACETATE (monomer) (acetoxyethylene)	108-05-4	02595 00500	GB
2.5 Lt		(for synthesis) (stabilized with hydroqrunme)		02595 02500	GB
		Assay : Min. 99% C4H6O2 M.W. 86.09 , Liquid, d. 0.93			
25 gm	1572B	VITAMIN A ACETATE (for biochemistry)	127-47-9	1572B 00025	GB
100 gm		(retinyl acetate) C22H32O2 M.W. 328.49		1572B 00100	GB
10 gm	1572H	VITAMIN B1 (for biochemistry) (thiamine hydrochloride)	67-03-8	1572H 00010	GB
25 gm				1572H 00025	GB
500 gm		Assay : Min. 99% C12H18Cl2N4OS.H2O M.W. 337.27		1572H 00500	PB
		VITAMIN B2 See Riboflavin Cat No.1290B Page 169			
		VITAMIN B2 PHOSPHATE See Riboflavin Monophosphate Cat No.2494 Page 169			
		VITAMIN B6 See Pyridoxine Hydrochloride Cat No.1279B Page 167			
250 mg	1572C	VITAMIN B12 (for biochemistry) (cyanocobalamine)	68-19-9	1572C 0250M	GB
1 gm				1572C 00001	GB
10 gm		Assay : Min. 98% C63H88CON14O14P M.W. 1355.37		1572C 00010	GB
		VITAMIN BT See L-Carnitine Cat No.2077 Page 50			
		VITAMIN C See L-Ascorbic Acid Cat No.190 & 190D Page 22			
		VITAMIN D3 See Cholecalciferol Cat No.2129 Page 58			
50 gm	1572D	VITAMIN E-ACETATE (DL-alpha-tocopherol acetate)	7695-91-2	1572D 00050	PB
1 Kg		Assay : Min. 99% C31H52O3 M.W. 472.74, Solidified Liquid, d. 0.953		1572D 01000	PB
		VITAMIN K See Menadione Cat No.2426 Page 124			
		VITAMIN K3 SODIUM BISULPHITE See menadione sodium bisulphite Cat No.1572E Page 124			
		VITAMIN H See D-Biotin Cat No.268 Page 31			
W					
125 ml	1572F	WAGNER'S REAGENT indicator solution		1572F 00125	GB
500 ml				1572F 00500	GB
500 ml	2595A	WANKLYN SOLUTION, Liquid, 0.935		2595A 00500	GB
2.5 Lt		1ml=CaCo3		2595A 02500	GB
1 Lt	1572G	WATER for HPLC H2O M.W. 18.02, Liquid, d. 1.00	7732-18-5	1572G 01000	PB
500 ml	01573	W.B.C. DILUTING FLUID (solution)		01573 00500	PB
500 ml	1573A	WHEAT GERM OIL , Liquid, d. 0.93	68917-73-7	1573A 00500	GB
500 ml	1573B	WHEAT OIL		1573B 00500	GB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		WHEAT STARCH See Starch Wheat Cat No.1453A Page 190			
125 ml	01574	WIJ'S solution		01574 00125	GB
500 ml		(wij's reagent), Liquid, d. 1.06		01574 00500	GB
500 ml	1574A	WINKLER'S SOLUTION 'A'		1574A 00500	GB
500 ml	1574B	WINKLER'S SOLUTION 'B'		1574B 00500	GB
250 gm	01575	WOOD'S metal AR	8049-22-7	01575 00250	PB
100 gm	1575A	WOOL ALCOHOL Extra Pure		1575A 00100	PB
500 gm				1575A 00500	PB
		WOOL FAT See Lanolin (anhydrous) Cat No.849 Page 114			
25 gm	01576	WRIGHT'S stain	68988-92-1	01576 00025	GB
100 gm		(M.S.) (wright's eosin methylene blue)		01576 00100	PB
500 gm				01576 00500	PB
125 ml	1576A	WRIGHT'S stain solution		1576A 00125	PB
500 ml		(staining solution for microscopy), Liquid, d. 0.80		1576A 00500	PB
X					
500 gm	1576B	XANTHAN GUM Extra Pure	11138-66-2	1576B 00500	PB
		(food grade) (gum xanthan)			
5 gm	1576C	XANTHINE (for biochemistry)	69-89-6	1576C 00005	GB
25 gm		Assay : Min. 99% $C_5H_4N_4O_2$ M.W. 152.11		1576C 00025	GB
100 mg	1576D	X-GAL (For Molecular Biology)	7240-90-6	1576D 0100M	GB
500 mg		(5-Bromo-4-chloro-3-indolyl-ß-Dgalactopyranoside)		1576D 0500M	GB
1 gm		Assay : Min. 98% $C_{14}H_{15}BrClNO_6$ M.W. 408.63 (Store at 2 - 8°C)		1576D 00001	GB
500 ml	01577	XYLENE (rectified) (xylol)	1330-20-7	01577 00500	GB
2.5 Lt				01577 02500	GB
5 Lt		Assay : Min. 98.5% C_8H_{10} M.W. 106.17, Liquid, d. 0.86		01577 05000	PC
500 ml	01578	XYLENE (sulphur free) (xylol)	1330-20-7	01578 00500	GB
2.5 Lt				01578 02500	GB
5 Lt		Assay : Min. 98.5% C_8H_{10} M.W. 106.17, Liquid, d. 0.86		01578 05000	PC
500 ml	01579	XYLENE AR (xylol)	1330-20-7	01579 00500	GB
2.5 Lt		Assay : Min. 99.5% C_8H_{10} M.W. 106.17, Liquid, d. 0.86		01579 02500	GB
500 ml	01580	m-XYLENE (for synthesis)	108-38-3	01580 00500	GB
		Assay : Min. 99% C_8H_{10} M.W. 106.17, Liquid, d. 0.868			
500 ml	1580A	o-XYLENE (for synthesis) (1,2-dimethylbenzene)	95-47-6	1580A 00500	GB
		Assay : Min. 99% C_8H_{10} M.W. 106.17, Liquid, d. 0.881			
500 ml	01581	p-XYLENE (for synthesis) (1,4-dimethylbenzene)	106-42-3	01581 00500	GB
		Assay : Min. 99% C_8H_{10} M.W. 106.17, Liquid, d. 0.861			
5 gm	01582	XYLENE CYANOL FF (C.I.No.42135)	2650-17-1	01582 00005	GB
25 gm		Dye Content : Min. 75% $C_{25}H_{27}N_2NaO_6S_2$ M.W. 538.61		01582 00025	GB
1 gm	1582A	p-XYLENOL BLUE INDICATOR AR	125-31-5	1582A 00001	GB
5 gm		Dye Content : Min. 90% $C_{23}H_{22}O_5S$ M.W. 410.48		1582A 00005	GB
5 gm	01583	XYLENOL ORANGE AR	3618-43-7	01583 00005	GB
25 gm		(use in EDTA Zinc titration)		01583 00025	GB
100 gm		Dye Content : Min. 90% $C_{31}H_{28}N_2O_{13}SNa_4$ M.W. 760.58		01583 00100	PB
125 ml	1583A	XYLENOL ORANGE indicator solution		1583A 00125	PB
500 ml				1583A 00500	PB
250 ml	1583B	2,4-XYLIDINE (purified) (2,4-dimethylaniline)	95-68-1	1583B 00250	GB
2.5 Lt		Assay : Min. 98% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.98		1583B 02500	GB
250 ml	1583C	2,6-XYLIDINE (purified) (2,6-dimethylaniline)	87-62-7	1583C 00250	GB
2.5 Lt		Assay : Min. 99% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.984		1583C 02500	GB
25 gm	01584	XYLIDINE PONCEAU	3761-53-3	01584 00025	GB
100 gm		(M.S.) (C.I.No.16255)		01584 00100	PB
500 gm		Dye Content : Min. 60% $C_{18}H_{14}N_2Na_2O_7S_2$ M.W. 480.43		01584 00500	PB
100 gm	1584A	XYLITOL (for biochemistry)	87-99-0	1584A 00100	PB
500 gm		Assay : Min. 99% $C_5H_{12}O_5$ M.W. 152.15		1584A 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
25 gm	01585	D-XYLOSE (purified)	58-86-6	01585 00025	GB
100 gm		(reactant for biochemical identification & culture media additive)		01585 00100	PB
500 gm		Assay : Min. 99% C5H10O5 M.W. 150.13		01585 00500	PB
Y					
500 gm	01586	YEAST EXTRACT paste (for bacteriology)	8013-01-2	01586 00500	PB
500 gm	01587	YEAST EXTRACT powder (for bacteriology)	8013-01-2	01587 00500	PB
		Assay : Min. 60%			
25 gm	1587A	YTTRIUM (III) ACETATE (hydrate)	304675-69-2	1587A 00025	GB
100 gm		Assay : Min. 99.9% (CH3CO2)3Y·xH2O M.W. 266.04 (anhydrous basis)		1587A 00100	PB
25 gm	1587D	YTTRIUM (III) CHLORIDE (hydrate) NEW	12741-05-8	1587D 00025	GB
100 gm		Assay : Min. 99.9% YCl3.xH2O M.W. 195.26 (anhy. Basis)		1587D 00100	PB
25 gm	1587B	YTTRIUM (III) CHLORIDE (hexahydrate) 2605	10025-94-2	1587B 00025	GB
100 gm		Assay : Min. 99.9% YCl3·6H2O M.W. 303.36 8706		1587B 00100	PB
25 gm	1587C	YTTRIUM (III) NITRATE AR (tetrahydrate)	13773-69-8	1587C 00025	GB
100 gm		Assay : Min. 99.99% Y(NO3)3·4H2O M.W. 346.98		1587C 00100	PB
25 gm	1587E	YTTRIUM (III) NITRATE (hexahydrate)	13494-98-9	1587E 00025	GB
100 gm		Assay : Min. 99.9% Y(NO3)3·6H2O M.W. 383.01		1587E 00100	PB
25 gm	01588	YTTRIUM (III) OXIDE 99.9% AR 1462	1314-36-9	01588 00025	GB
100 gm		Assay : Min. 99.9% Y2O3 M.W. 225.81		01588 00100	PB
Z					
5 mg	1588A	ZEATIN	28542-78-1	1588A 0005M	GB
10 mg		(mixed isomers) (plant growth regulator)		1588A 0010M	GB
25 mg		Assay : Min. 95% C15H21N5O5 M.W 351.36		1588A 0025M	GB
500 gm	1588B	ZEROLITE 225 (Na) (14-52 mesh)		1588B 00500	PB
125 ml	02596	ZINC AAS STANDARD SOLUTION 1000mg/L in Nitric Acid, Liquid, d. 1.02		02596 00125	GB
500 ml				02596 00500	GB
125 ml	2596A	ZINC ICP STANDARD SOLUTION 1000mg/L in Nitric Acid		2596A 00125	GB
125 ml	2596B	ZINC ICP STANDARD SOLUTION 10000mg/L in Nitric Acid		2596B 00125	GB
		Liquid, d. 1.034			
500 gm	01589	ZINC (metal) DUST Extra Pure (fine powder) (250-300 mesh)	7440-66-6	01589 00500	PB
5 Kg		Assay : Min. 95% Zn M.W. 65.39		01589 05000	PC
500 gm	01590	ZINC (metal) DUST AR	7440-66-6	01590 00500	PB
		Assay : Min. 98% Zn M.W. 65.39			
250 gm	1590A	ZINC (metal) FOIL	7440-66-6	1590A 00250	PB
		Assay : Min. 99.5% Zn M.W. 65.39			
500 gm	1591	ZINC (metal) GRANULATED Extra Pure	7440-66-6	01591 00500	PB
5 Kg		Assay : Min. 99.5% Zn M.W. 65.39		01591 05000	PC
500 gm	1591A	ZINC (metal) GRANULATED AR	7440-66-6	1591A 00500	PB
		Assay : Min. 99.9% Zn M.W. 65.39			
500 gm	01592	ZINC ACETATE Extra Pure (dihydrate)	5970-45-6	01592 00500	PB
5 Kg		Assay : Min. 98% (CH3COO)2Zn.2H2O M.W. 219.50		01592 05000	PC
500 gm	01593	ZINC ACETATE AR (dihydrate)	5970-45-6	01593 00500	PB
5 Kg		Assay : Min. 99.5% (CH3COO)2Zn.2H2O M.W. 219.50		01593 05000	PC
500 gm	01595	ZINC BORATE	10361-94-1	01595 00500	PB

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
		Assay (as ZnO) : Min. 45% BH3O3.xZn			
500 gm	01596	ZINC BROMIDE (anhydrous) (for synthesis)	7699-45-8	01596 00500	PB
		Assay : Min. 99% ZnBr2 M.W. 225.19			
500 gm	01597	ZINC CARBONATE (basic)	05/02/5263	01597 00500	PB
5 Kg		Assay (as Zn) : Min. 47% [ZnCO3]2 [Zn(OH)2]3 M.W. 549.01		01597 05000	PC
500 gm	01598	ZINC CHLORIDE (dry) (purified powder)	7646-85-7	01598 00500	PB
5 Kg				01598 05000	PC
50 Kg		Assay : Min. 97% ZnCl2 M.W. 136.3		01598 50000	FD
500 gm	1598A	ZINC CHLORIDE (dry) AR	7646-85-7	1598A 00500	GB
		Assay : Min. 98% ZnCl2 M.W. 136.3			
100 gm	1598D	ZINC CHLORIDE (For Molecular Biology)	7646-85-7	1598D 00100	GB
500 gm		Assay : Min. 98% ZnCl2 M.W. 136.3		1598D 00500	GB
500 ml	1598B	ZINC CHLORIDE 0.1M Standardized Solution,traceable to NIST Liquid, d. 1.01		1598B 00500	PB
500 ml	1598C	ZINC CHLORIDE 0.5M Standardized Solution,traceable to NIST		1598C 00500	PB
500 gm	01600	ZINC CHROMATE	13530-65-9	01600 00500	PB
		Assay : Min. 98% ZnCrO4 M.W 181.403			
500 gm	01601	ZINC FLUORIDE	7783-49-5	01601 00500	PB
		Assay : Min. 99% ZnF2 M.W. 103.39			
100 gm	01602	ZINC IODIDE	10139-47-6	01602 00100	GB
250 gm		Assay : Min. 98% ZnI2 M.W. 319.20		01602 00250	PB
500 gm	01603	ZINC NITRATE (hexahydrate)	10196-18-6	01603 00500	PB
5 Kg		Assay : Min. 96-103% Zn(NO3)2.6H2O M.W. 297.49		01603 05000	PC
500 gm	1603A	ZINC NITRATE AR (hexahydrate)	10196-18-6	1603A 00500	PB
5 Kg		Assay : Min. 98% Zn(NO3)2.6H2O M.W. 297.49		1603A 05000	PC
500 gm	01605	ZINC OXALATE (dihydrate)	06/07/4255	01605 00500	PB
		Assay : Min. 98% ZnC2O4.2H2O M.W. 189.42			
500 gm	01606	ZINC OXIDE Extra Pure	1314-13-2	01606 00500	PB
5 Kg				01606 05000	PC
25 Kg		Assay : Min. 98% ZnO M.W. 81.39		01606 25000	FD
500 gm	1606A	ZINC OXIDE AR	1314-13-2	1606A 00500	PB
		Assay : Min. 99% ZnO M.W. 81.39			
500 gm	01607	ZINC PHOSPHATE	7779-90-0	01607 00500	PB
5 Kg		Assay : Min. 99.998% Zn3(PO4)2 M.W. 386.11		01607 05000	PC
500 gm	01608	ZINC SILICO FLUORIDE	16871-71-9	01608 00500	PB
		Assay : Min. 99% ZnSiF6·xH2O 207.47			
500 gm	01609	ZINC STEARATE Extra Pure	557-05-1	01609 00500	PB
5 Kg		Assay (as Zn) : Min. 10-12% [CH3(CH2)16COO]2Z M.W. 632.33		01609 05000	PC
500 gm	1609A	ZINC SULPHATE (practical) (heptahydrate) (iron free white crystals)	7446-20-0	1609A 00500	PB
5 Kg				1609A 05000	PC
50 Kg		Assay : Min. 98% ZnSO4.7H2O M.W. 287.56		1609A 50000	FD
500 gm	01610	ZINC SULPHATE Extra Pure (purified) (heptahydrate)	7446-20-0	01610 00500	PB
5 Kg				01610 05000	PC
50 Kg		Assay : Min. 99% ZnSO4.7H2O M.W. 287.56		01610 50000	FD
500 gm	1610A	ZINC SULPHATE AR (heptahydrate)	7446-20-0	1610A 00500	PB
		Assay : Min. 99.5% ZnSO4.7H2O M.W. 287.56			
500 gm	1610B	ZINC SULPHATE (dried) (monohydrate)	7446-19-7	1610B 00500	PB
		Assay : Min. 99-100.5% ZnSO4.H2O M.W. 179.45			
500 ml	1610C	ZINC SULPHATE 0.05M Standardized Solution,traceable to NIST		1610C 00500	PB
		Liquid, d. 1.005			
500 ml	1610D	ZINC SULPHATE 0.1M Standardized Solution,traceable to NIST		1610D 00500	PB
		Liquid, d. 1.16			
500 gm	01611	ZINC SULPHIDE (practical)	1314-98-3	01611 00500	PB
		Assay : Min. 98% ZnS M.W. 97.44			

UNIT	CAT NO.	PRODUCT NAME	CAS NO.	CAT NO.	PKG.
500 gm	1611A	ZINC SULPHIDE AR	1314-98-3	1611A 00500	PB
		Assay : Min. 99.9% ZnS M.W. 97.44			
500 gm	01612	ZINC SULPHITE (dihydrate)	7488-52-0	01612 00500	PB
		Assay : Min. 98% $ZnSO_3.2H_2O$ M.W. 181.46			
500 gm	01613	ZINC TARTRATE	551-64-4	01613 00500	PB
		Assay : Min. 98% $C_4H_4O_6Zn$ M.W. 213.46			
		ZINC URANYL ACETATE See Uranyl Zinc Acetate Cat No.1563 Page 207			
1 gm	1612A	ZINCON AR (for photometric determination of copper & zinc)	135-52-4	1612A 00001	GB
5 gm		$C_{20}H_{16}N_4O_6S$ M.W. 440.43		1612A 00005	GB
1 gm	1612B	ZINCON MONOSODIUM SALT AR	62625-22-3	1612B 00001	GB
5 gm		Assay : Min. 98% $C_{20}H_{15}N_4NaO_6S$ M.W. 462.41		1612B 00005	GB
125 ml	1613B	ZIRCONIUM ICP STANDARD SOLUTION 1000mg/L in water		1613B 00125	GB
100 gm	1612C	ZIRCONIUM ACETATE Extra Pure	7585-20-8	1612C 00100	PB
500 gm		Assay : Min. 99.5%		1612C 00500	PB
100 gm	1613A	ZIRCONIUM (IV) CARBONATE basic (hydrate) (zirconium oxycarbonate)	57219-64-4	1613A 00100	PB
500 gm		Assay (as ZrO_2) : Min. 40% $Zr(OH)_2CO_3.ZrO_2$ M.W. 308.46		1613A 00500	PB
500 gm	01614	ZIRCONIUM DIOXIDE (calcined) [zirconium (IV) oxide]	1314-23-4	01614 00500	PB
		Assay : Min. 97% ZrO_2 M.W 123.22			
500 gm	1614A	ZIRCONIUM DIOXIDE AR [zirconium (IV) oxide]	1314-23-4	1614A 00500	PB
		Assay : Min. 99.5% ZrO_2 M.W 123.22			
500 gm	1614B	ZIRCONIUM FLUORIDE	7783-64-4	1614B 00500	PB
		Assay : Min. 99.9% ZrF_4 M.W. 167.22			
100 gm	01615	ZIRCONIUM NITRATE (zirconyl nitrate)	14985-18-3	01615 00100	GB
500 gm		Assay : Min. 99% $ZrO(NO_3)_2.H_2O$ M.W. 231.23(anhy basis)		01615 00500	GB
100 gm	01616	ZIRCONIUM OXYCHLORIDE (octahydrate)(zirconyl chloride)	13520-92-8	01616 00100	GB
500 gm		Assay : Min. 99% $ZrOCl_2.8H_2O$ M.W. 322.25		01616 00500	GB
100 gm	1616A	ZIRCONIUM OXYCHLORIDE AR (octahydrate)(zirconyl chloride)	13520-92-8	1616A 00100	GB
250 gm		Assay : Min. 99.5% $ZrOCl_2.8H_2O$ M.W. 322.25		1616A 00250	GB
500 gm	02597	ZIRCONIUM PHOSPHATE	13765-95-2	02597 00500	PB
250 gm	2597A	ZIRCONIUM SILICATE Extra Pure (zirconium orthosilicate)	10101-52-7	2597A 00250	PB
1 Kg		Assay : Min. 98.5% $ZrSiO_4$ M.W. 183.30		2597A 01000	PB
100 gm	2598A	ZIRCONIUM (IV) SULPHATE (hydrate)	34806-73-0	2598A 00100	PB
500 gm		(zirconium orthosulphate) (water soluble)		2598A 00500	PB
		Assay : Min. 99.5% $Zr(SO_4)_2 \cdot xH_2O$ M.W. 283.35 (anhydrous basis)			
100 gm	02598	ZIRCONIUM (V) SULPHATE basic (tetrahydrate)	7446-31-3	02598 00100	PB
500 gm		Assay : Min. 99.5% $ZrSiO_4$ M.W. 183.30		02598 00500	PB

Hazardous Symbols

For your safety and as a precautionary measure, we strongly recommend that all of our products should only be handled by qualified individuals having correct know how of handling procedures of the chemicals listed and familiar with their potential hazards.

Hazard symbols and Risk warnings are displayed on the product labels in accordance to the International Standards and procedures practised. The absence of a warning must not be interpreted as an indication of safety. Therefore in all circumstances users should check whether additional precautions are necessary.

FLAMMABLE

Hazard : 1. Spontaneously flammable substance.
2. Highly flammable gases.
3. Flammable liquids(with flash point below 21°c)

Caution : Store in cool places. Keep away from open flame, source of heat and sparks.

EXPLOSIVE

Hazard : This symbol designates substances which may explode under definite conditions. Store in cool places. Keep away from open flame, source of heat and sparks.

Caution : Avoid shock, friction, sparks and heat.

TOXIC

Hazard : The substances are very hazardous to health when breathed, swallowed or in contact with the skin and may even lead to death.

Caution : Avoid contact with human body and immediately consult a doctor in cases of malaise.

CORROSIVE

Hazard : Living tissues as well as equipment are destroyed on contact with these chemicals.

Caution : Do not breath vapours and avoid contact with body and clothing.

EXCLAMATION MARK

Hazard : Acute toxicity (oral, dermal, inhalation), category 4
Skin irritation, category 2
Eye irritation, category 2
Skin sensitisation, category 1
Specific Target Organ Toxicity – Single exposure, category 3

Caution : Avoid inhalation and direct contact with body.

ENVIRONMENT

Hazard : Hazardous to the aquatic environment
- Acute hazard, category1
- Chronic hazard, categories 1,2

Caution : Avoid inhalation and direct contact with body.

OXIDIZING

Hazard : Oxidizing substances can ignite combustible material or worsen existing fires and thus make fire fighting more difficult.

Caution : Keep away from air and moisture.

Specimen Label



1. Specification
2. Cat. No. & English Product Name
3. Molecular Formula & Molecular Weight
4. Batch No. & Nett Wt.
5. CAS No. & Expiry
6. Transport Regulations & Risk Phrases
7. Hazardous Symbols
8. Storage
9. Important Notes
10. Company Contact Info.

Product Information

At Excichem we provide 3000 plus chemicals predominately for laboratory testing purposes and not restricting to Fine Laboratory Chemicals, Analytical Reagents, Bio-Chemicals, Microscopical Stains & Indicators, Precious Metallic Salts, Rare Metals & research Chemicals, LR/AR, HPLC, UV, Spectroscopy, GC grade Solvents but also as a sourcing house to accommodate various industry specific needs not limited to below mentioned industries:

- Research & Analytical Laboratories
- Educational Institutes
- Manufacturing
- Pharmaceutical & Chemical
- Biotech
- Electroplating/Coating
- Fertliser Industry
- Defense
- Industrial
- Caprolactam & Cyanide manufacturers
- Glass Fiber & Glass Wool Industries
- Glass & Optical Glass Industries
- Man-made Fiber Industries
- Steel & Glass Industries
- Switch, & Control Gear Industries
- Automobile, Spacecraft, Elevators & Home Appliance Manufacturers
- Watch Industry
- Oil Refineries, Petrochemicals & All other Industries



Packaging

Packing of the Chemicals is very sensitive issue considering storage, transport and handling for use and to maintain quality. Our skilled persons are well trained for proper packing.

We have our own designed HDPE Bottles with copy right for proper packing. Powder/Solid Items are packed in HDPE (High Density Poly Ethylene) bottles which are air tight (To avoid moisture absorbance and Further Contamination). Light Sensitive Items like Silver Salts are packed in Black Colour HDPE bottles to prevent light exposure. Liquid Items packing is done in Amber Colour Glass Bottles with Thermocol Cover. Considering Transport issues, all the items are packed in Seven Ply Corrugated Box with good bursting strength.

We take all the precautionary measures to avoid any spillage or breakage during transport.

Periodic Table of the Elements

Periodic Table of the Elements



Excichem

Australia

:+61 (03) 9799 9063

UK

:+44 (0) 1895 732991

:enquiry@excichem.com

:www.excichem.com